

1 Introduction

1-1 Product Briefing

MT1BF is designed for using acer Picasso E/II/M tablet keyboards mouse with in Bluetooth Wireless technology and Li-ion rechargeable battery. The main proposal is for mobility and easy to carry with Android system tablet to build into one leather case. Keyboard is using a notebook scissors design.

1-2 Main Feature

- ◆ Broadcom 20730, Bluetooth 3.0 compliant , class 2
- ◆ The distance of RF data transfer can reach 10M.
- ◆ Bluetooth technology.
- ◆ Alkaline battery AAA*2.
- ◆ ADNS-7530 laser sensor.
- ◆ 3 keys(L,M,R)+wheel.
- ◆ One switch for power on/off.
- ◆ A pairing button for pairing.
- ◆ 1 Blue LED for paring indicator, 1 Red LED for Low battery/paring.

1. Install the batteries(AAA x2), switch on the power. The Blue LED will flash in 1sec.


LED			
Timing	500ms	500ms	

2. Press the Pairing button(Grey), the LED starts flashing in blue and red.




LED					...		
Timing	500ms	500ms	500ms	500ms	...	500ms	500ms


3. Switch on the Bluetooth function of Host




4. Move the cursor on the Bluetooth icon, press the right key of the mouse




5. Click "Add a Bluetooth Device", Choose "Add a device". The host will start searching the Bluetooth device.



Devices



- 6. Searched “Acer Bluetooth Mouse”, then click.
The pairing process will be starting.




- 7. During the pairing process, the LED will be flashing in blue 5 times. The screen will show Acer Bluetooth Mouse installed.

LED										
Timing	100ms	100ms	100ms	100ms	100ms	100ms	100ms	100ms	100ms	100ms

- 8. Pairing Successfully

Devices



FCC ID:O62MT1BF

FCC Statement:

Federal Communication Commission Interference Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IC:4356A-MT1BF

IC Statement:

This Class B digital apparatus complies with Canadian ICES-003.

Cet appareil numérique de la classe B conforme à la norme NMB-003 du Canada.

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.