16 - RF EXPOSURE

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

According to §1.1310 and §2.1093 RF exposure is calculated.

Limits for Maximum Permissive Exposure (MPE)

(A) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm ²)	Averaging Time (minute)	
Limits for General Population/Uncontrolled Exposure					
0.3-1.34	614	1.63	*(100)	30	
1.34-30	824/f	2.19/f	$*(180/f^2)$	30	
30-300	27.5	0.073	0.2	30	
300-1500	/	/	f/1500	30	
1500-100,000	/	/	1.0	30	

(B) Limits for Occupational/Controlled Exposures

Frequency Range	Electric Field	Magnetic Field	Power Density	Averaging Time	
(MHz)	Strength (V/m)	Strength (A/m)	(mW/cm^2)	(minute)	
Limits for Occupational/Controlled Exposure					
0.3-3.0	614	1.63	*(100)	6	
3.0-30	1842/f	4.89/f	$*(900/f^2)$	6	
30-300	61.4	0.163	1.0	6	
300-1500	/	/	f/300	6	
1500-100,000	/	/	5	6	

f = frequency in MHz

MPE Prediction

Predication of MPE limit at a given distance

Equation from page 18 of OET Bulletin 65, Edition 97-01

 $S = PG/4\pi R^2$

Where: S = power density

P = power input to antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

^{* =} Plane-wave equivalent power density

RF Exposure for 5.8Ghz

Base:

Maximum peak output power at antenna input terminal: 15.83 (dBm) Maximum peak output power at antenna input terminal: 38.28 (mW)

Antenna Gain (maximum): <u>0 (dBi)</u>

Maximum antenna gain: <u>1 (numeric)</u>

Prediction distance: <u>20 (cm)</u>

Predication frequency: <u>5800 (MHz)</u>

MPE limit for uncontrolled exposure at prediction frequency: <u>1 (mW/cm^2)</u>
Power density at predication frequency: <u>0.0076 (mW/cm^2)</u>

RF Exposure for 2.4GHz

Base:

Maximum peak output power at antenna input terminal: 10.33 (dBm) Maximum peak output power at antenna input terminal: 10.8(mW)

Antenna Gain (maximum): <u>0 (dBi)</u>
Maximum antenna gain: <u>1 (numeric)</u>
Prediction distance: <u>20 (cm)</u>
Predication frequency: 2400 (MHz)

MPE limit for uncontrolled exposure at prediction frequency: <u>1 (mW/cm^2)</u>

Power density at predication frequency: 0.0021 (mW/cm^2)

Test Result

The predicted power density level of this device at 20 cm is below the uncontrolled exposure limit of 1mW/cm² at 2400 MHz and 5800 MHz.