


802.11ax HEW80\_Nss1,(MCS0)\_2TX

24/10/2020

5775MHz\_TX




EUT Z\_2TX  
Setting 90  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6904G	52.76	74.00	-21.24	38.90	3	Vertical	326	2.11	-	39.05	7.69	32.88
AV	11.7096G	41.00	54.00	-13.00	27.12	3	Vertical	326	2.11	-	39.07	7.70	32.89

802.11ax HEW80\_Nss1,(MCS0)\_2TX

24/10/2020

5775MHz\_TX



EUT Z\_2TX  
Setting 90  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.724G	52.37	74.00	-21.63	38.48	3	Horizontal	89	2.87	-	39.08	7.70	32.89
AV	11.7204G	41.00	54.00	-13.00	27.11	3	Horizontal	89	2.87	-	39.08	7.70	32.89




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.65G	68.17	68.20	-0.03	3	Vertical	86	1.11	-

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5180MHz\_TX




EUT\_Z\_2TX  
Setting 92  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.63	74.00	-3.37	63.91	3	Vertical	96	1.06	-	33.45	5.00	31.73
AV	5.1492G	53.77	54.00	-0.23	47.05	3	Vertical	96	1.06	-	33.45	5.00	31.73
PK	5.1788G	119.26	Inf	-Inf	112.42	3	Vertical	96	1.06	-	33.48	5.06	31.70
AV	5.1792G	109.09	Inf	-Inf	102.25	3	Vertical	96	1.06	-	33.48	5.06	31.70

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5180MHz\_TX




EUT\_Z\_2TX  
Setting 92  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.83	74.00	-10.17	57.11	3	Horizontal	44	2.49	-	33.45	5.00	31.73
AV	5.15G	46.14	54.00	-7.86	39.42	3	Horizontal	44	2.49	-	33.45	5.00	31.73
PK	5.18G	110.48	Inf	-Inf	103.64	3	Horizontal	44	2.49	-	33.48	5.06	31.70
AV	5.1796G	101.21	Inf	-Inf	94.37	3	Horizontal	44	2.49	-	33.48	5.06	31.70

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5180MHz\_TX




EUT\_Z\_2TX  
Setting 92  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54032G	54.47	74.00	-19.53	39.56	3	Vertical	89	2.42	-	38.73	9.04	32.86
AV	15.54061G	40.37	54.00	-13.63	25.46	3	Vertical	89	2.42	-	38.73	9.04	32.86

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5180MHz\_TX




EUT\_Z\_2TX  
Setting 92  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53987G	54.38	74.00	-19.62	39.47	3	Horizontal	198	2.14	-	38.73	9.04	32.86
AV	15.54064G	40.36	54.00	-13.64	25.45	3	Horizontal	198	2.14	-	38.73	9.04	32.86

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5200MHz\_TX



EUT\_Z\_2TX  
Setting 103  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.13	74.00	-2.87	64.41	3	Vertical	82	1.01	-	33.45	5.00	31.73
AV	5.15G	53.92	54.00	-0.08	47.20	3	Vertical	82	1.01	-	33.45	5.00	31.73
PK	5.194G	121.49	Inf	-Inf	114.60	3	Vertical	82	1.01	-	33.49	5.09	31.69
AV	5.1924G	111.03	Inf	-Inf	104.16	3	Vertical	82	1.01	-	33.49	5.08	31.70



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5200MHz\_TX




EUT\_Z\_2TX  
Setting 103  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.98	74.00	-12.02	55.26	3	Horizontal	22	1.09	-	33.45	5.00	31.73
AV	5.1496G	47.25	54.00	-6.75	40.53	3	Horizontal	22	1.09	-	33.45	5.00	31.73
PK	5.2084G	111.86	Inf	-Inf	104.92	3	Horizontal	22	1.09	-	33.52	5.10	31.68
AV	5.2084G	102.66	Inf	-Inf	95.72	3	Horizontal	22	1.09	-	33.52	5.10	31.68

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5200MHz\_TX




EUT\_Z\_2TX  
Setting 103  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59952G	54.18	74.00	-19.82	39.42	3	Vertical	132	2.80	-	38.56	9.06	32.86
AV	15.6003G	40.15	54.00	-13.85	25.39	3	Vertical	132	2.80	-	38.56	9.06	32.86

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5200MHz\_TX




EUT\_Z\_2TX  
Setting 103  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59977G	53.78	74.00	-20.22	39.02	3	Horizontal	322	2.14	-	38.56	9.06	32.86
AV	15.59972G	40.07	54.00	-13.93	25.31	3	Horizontal	322	2.14	-	38.56	9.06	32.86

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5240MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	69.28	74.00	-4.72	62.56	3	Vertical	82	1.19	-	33.45	5.00	31.73
AV	5.1482G	50.34	54.00	-3.66	43.62	3	Vertical	82	1.19	-	33.45	5.00	31.73
PK	5.2472G	124.14	Inf	-Inf	117.13	3	Vertical	82	1.19	-	33.59	5.08	31.66
AV	5.2478G	114.02	Inf	-Inf	107.00	3	Vertical	82	1.19	-	33.60	5.08	31.66
PK	5.3516G	61.18	74.00	-12.82	53.99	3	Vertical	82	1.19	-	33.75	5.02	31.58
AV	5.3558G	48.53	54.00	-5.47	41.33	3	Vertical	82	1.19	-	33.76	5.02	31.58

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5240MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	57.12	74.00	-16.88	50.43	3	Horizontal	323	1.08	-	33.44	4.98	31.73
AV	5.144G	44.62	54.00	-9.38	37.92	3	Horizontal	323	1.08	-	33.44	4.99	31.73
PK	5.2334G	112.13	Inf	-Inf	105.15	3	Horizontal	323	1.08	-	33.57	5.08	31.67
AV	5.2328G	102.03	Inf	-Inf	95.05	3	Horizontal	323	1.08	-	33.57	5.08	31.67
PK	5.3546G	58.07	74.00	-15.93	50.88	3	Horizontal	323	1.08	-	33.75	5.02	31.58
AV	5.3522G	44.34	54.00	-9.66	37.15	3	Horizontal	323	1.08	-	33.75	5.02	31.58

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5240MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4728G	58.64	68.20	-9.56	45.16	3	Vertical	355	1.00	-	38.82	7.27	32.61
PK	15.73008G	54.98	74.00	-19.02	40.56	3	Vertical	245	2.78	-	38.18	9.11	32.87
AV	15.72128G	41.05	54.00	-12.95	26.61	3	Vertical	245	2.78	-	38.21	9.10	32.87

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5240MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48024G	54.74	68.20	-13.46	41.27	3	Horizontal	76	2.39	-	38.81	7.27	32.61
PK	15.73072G	54.10	74.00	-19.90	39.68	3	Horizontal	355	1.36	-	38.18	9.11	32.87
AV	15.72424G	39.95	54.00	-14.05	25.52	3	Horizontal	355	1.36	-	38.20	9.10	32.87

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5260MHz\_TX



EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	61.53	74.00	-12.47	54.81	3	Vertical	95	1.00	-	33.45	5.00	31.73
AV	5.1496G	47.38	54.00	-6.62	40.66	3	Vertical	95	1.00	-	33.45	5.00	31.73
PK	5.257G	123.23	Inf	-Inf	116.20	3	Vertical	95	1.00	-	33.61	5.07	31.65
AV	5.2582G	112.82	Inf	-Inf	105.78	3	Vertical	95	1.00	-	33.62	5.07	31.65
PK	5.353G	62.28	74.00	-11.72	55.09	3	Vertical	95	1.00	-	33.75	5.02	31.58
AV	5.35G	49.34	54.00	-4.66	42.15	3	Vertical	95	1.00	-	33.75	5.03	31.59



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5260MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	56.70	74.00	-17.30	50.01	3	Horizontal	115	1.17	-	33.44	4.98	31.73
AV	5.1472G	44.57	54.00	-9.43	37.86	3	Horizontal	115	1.17	-	33.45	4.99	31.73
PK	5.257G	114.31	Inf	-Inf	107.28	3	Horizontal	115	1.17	-	33.61	5.07	31.65
AV	5.257G	104.21	Inf	-Inf	97.18	3	Horizontal	115	1.17	-	33.61	5.07	31.65
PK	5.365G	57.46	74.00	-16.54	50.24	3	Horizontal	115	1.17	-	33.77	5.02	31.57
AV	5.3518G	44.94	54.00	-9.06	37.75	3	Horizontal	115	1.17	-	33.75	5.02	31.58

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5260MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77966G	54.66	74.00	-19.34	40.37	3	Vertical	98	2.99	-	38.04	9.12	32.87
AV	15.78G	40.06	54.00	-13.94	25.77	3	Vertical	98	2.99	-	38.04	9.12	32.87

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5260MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7807G	53.23	74.00	-20.77	38.94	3	Horizontal	35	1.92	-	38.04	9.12	32.87
AV	15.78044G	39.74	54.00	-14.26	25.45	3	Horizontal	35	1.92	-	38.04	9.12	32.87

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5300MHz\_TX




EUT\_Z\_2TX  
Setting 109  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	121.37	Inf	-Inf	114.24	3	Vertical	101	1.00	-	33.70	5.05	31.62
AV	5.3068G	111.11	Inf	-Inf	103.97	3	Vertical	101	1.00	-	33.71	5.05	31.62
PK	5.3516G	68.36	74.00	-5.64	61.17	3	Vertical	101	1.00	-	33.75	5.02	31.58
AV	5.3504G	53.95	54.00	-0.05	46.76	3	Vertical	101	1.00	-	33.75	5.02	31.58

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5300MHz\_TX




EUT\_Z\_2TX  
Setting 109  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	113.35	Inf	-Inf	106.22	3	Horizontal	29	1.01	-	33.70	5.05	31.62
AV	5.3072G	102.52	Inf	-Inf	95.37	3	Horizontal	29	1.01	-	33.71	5.05	31.61
PK	5.3508G	63.05	74.00	-10.95	55.86	3	Horizontal	29	1.01	-	33.75	5.02	31.58
AV	5.35G	48.55	54.00	-5.45	41.36	3	Horizontal	29	1.01	-	33.75	5.03	31.59

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5300MHz\_TX




EUT\_Z\_2TX  
Setting 109  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60019G	52.69	74.00	-21.31	39.29	3	Vertical	143	2.29	-	38.74	7.31	32.65
AV	10.60006G	38.95	54.00	-15.05	25.55	3	Vertical	143	2.29	-	38.74	7.31	32.65
PK	15.90028G	53.66	74.00	-20.34	39.68	3	Vertical	32	1.31	-	37.69	9.17	32.88
AV	15.89962G	39.65	54.00	-14.35	25.67	3	Vertical	32	1.31	-	37.69	9.16	32.87

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5300MHz\_TX




EUT\_Z\_2TX  
Setting 109  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60055G	53.02	74.00	-20.98	39.62	3	Horizontal	302	1.32	-	38.74	7.31	32.65
AV	10.60082G	38.93	54.00	-15.07	25.53	3	Horizontal	302	1.32	-	38.74	7.31	32.65
PK	15.89942G	53.11	74.00	-20.89	39.13	3	Horizontal	131	1.93	-	37.69	9.16	32.87
AV	15.89966G	39.61	54.00	-14.39	25.63	3	Horizontal	131	1.93	-	37.69	9.16	32.87

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5320MHz\_TX



EUT\_Z\_2TX  
Setting 91  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3216G	120.61	Inf	-Inf	113.45	3	Vertical	80	1.00	-	33.72	5.04	31.60
AV	5.321G	110.06	Inf	-Inf	102.91	3	Vertical	80	1.00	-	33.72	5.04	31.61
PK	5.3516G	70.71	74.00	-3.29	63.52	3	Vertical	80	1.00	-	33.75	5.02	31.58
AV	5.35G	53.76	54.00	-0.24	46.57	3	Vertical	80	1.00	-	33.75	5.03	31.59



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5320MHz\_TX




EUT\_Z\_2TX  
Setting 91  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	109.03	Inf	-Inf	101.88	3	Horizontal	27	2.76	-	33.72	5.04	31.61
AV	5.3162G	98.97	Inf	-Inf	91.82	3	Horizontal	27	2.76	-	33.72	5.04	31.61
PK	5.351G	62.44	74.00	-11.56	55.25	3	Horizontal	27	2.76	-	33.75	5.02	31.58
AV	5.3502G	46.40	54.00	-7.60	39.21	3	Horizontal	27	2.76	-	33.75	5.02	31.58

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5320MHz\_TX




EUT\_Z\_2TX  
Setting 91  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63952G	52.61	74.00	-21.39	39.23	3	Vertical	214	1.67	-	38.72	7.32	32.66
AV	10.64091G	38.86	54.00	-15.14	25.48	3	Vertical	214	1.67	-	38.72	7.32	32.66
PK	15.96092G	52.75	74.00	-21.25	38.93	3	Vertical	346	1.16	-	37.51	9.19	32.88
AV	15.95942G	39.51	54.00	-14.49	25.68	3	Vertical	346	1.16	-	37.52	9.19	32.88

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5320MHz\_TX




EUT\_Z\_2TX  
Setting 91  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64011G	52.58	74.00	-21.42	39.20	3	Horizontal	215	1.52	-	38.72	7.32	32.66
AV	10.64041G	39.00	54.00	-15.00	25.62	3	Horizontal	215	1.52	-	38.72	7.32	32.66
PK	15.95905G	53.11	74.00	-20.89	39.28	3	Horizontal	6	1.28	-	37.52	9.19	32.88
AV	15.95951G	39.48	54.00	-14.52	25.65	3	Horizontal	6	1.28	-	37.52	9.19	32.88

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 89  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	62.93	74.00	-11.07	55.51	3	Vertical	96	1.03	-	33.86	5.06	31.50
AV	5.46G	50.02	54.00	-3.98	42.60	3	Vertical	96	1.03	-	33.86	5.06	31.50
PK	5.4696G	68.12	68.20	-0.08	60.67	3	Vertical	96	1.03	-	33.87	5.07	31.49
PK	5.5012G	119.37	Inf	-Inf	111.84	3	Vertical	96	1.03	-	33.90	5.10	31.47
AV	5.5012G	109.14	Inf	-Inf	101.61	3	Vertical	96	1.03	-	33.90	5.10	31.47

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 89  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	58.05	74.00	-15.95	50.63	3	Horizontal	310	1.03	-	33.86	5.06	31.50
AV	5.458G	45.32	54.00	-8.68	37.90	3	Horizontal	310	1.03	-	33.86	5.06	31.50
PK	5.47G	60.22	68.20	-7.98	52.77	3	Horizontal	310	1.03	-	33.87	5.07	31.49
PK	5.4992G	109.29	Inf	-Inf	101.76	3	Horizontal	310	1.03	-	33.90	5.10	31.47
AV	5.4988G	99.79	Inf	-Inf	92.26	3	Horizontal	310	1.03	-	33.90	5.10	31.47

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5500MHz\_TX




EUT\_Z\_2TX  
Setting 89  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00012G	52.25	74.00	-21.75	39.06	3	Vertical	56	2.08	-	38.50	7.45	32.76
AV	10.99986G	38.97	54.00	-15.03	25.78	3	Vertical	56	2.08	-	38.50	7.45	32.76

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5500MHz\_TX




EUT Z\_2TX  
Setting 89  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00065G	52.80	74.00	-21.20	39.61	3	Horizontal	10	1.93	-	38.50	7.45	32.76
AV	10.99939G	38.92	54.00	-15.08	25.73	3	Horizontal	10	1.93	-	38.50	7.45	32.76

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5580MHz\_TX



EUT Z\_2TX  
Setting 127  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	60.71	74.00	-13.29	53.32	3	Vertical	81	1.16	-	33.85	5.05	31.51
AV	5.46G	48.65	54.00	-5.35	41.23	3	Vertical	81	1.16	-	33.86	5.06	31.50
PK	5.4696G	65.07	68.20	-3.13	57.62	3	Vertical	81	1.16	-	33.87	5.07	31.49
PK	5.584G	125.40	Inf	-Inf	117.79	3	Vertical	81	1.16	-	33.90	5.18	31.47
AV	5.5832G	114.08	Inf	-Inf	106.47	3	Vertical	81	1.16	-	33.90	5.18	31.47
PK	5.7328G	59.26	68.20	-8.94	51.85	3	Vertical	81	1.16	-	33.80	5.07	31.46



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5580MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	56.88	74.00	-17.12	49.46	3	Horizontal	267	2.75	-	33.86	5.06	31.50
AV	5.4464G	44.59	54.00	-9.41	37.20	3	Horizontal	267	2.75	-	33.85	5.05	31.51
PK	5.4664G	56.74	68.20	-11.46	49.30	3	Horizontal	267	2.75	-	33.87	5.07	31.50
PK	5.5728G	115.05	Inf	-Inf	107.45	3	Horizontal	267	2.75	-	33.90	5.17	31.47
AV	5.572G	105.48	Inf	-Inf	97.88	3	Horizontal	267	2.75	-	33.90	5.17	31.47
PK	5.7368G	57.36	68.20	-10.84	49.96	3	Horizontal	267	2.75	-	33.80	5.06	31.46

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5580MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15999G	52.59	74.00	-21.41	39.24	3	Vertical	336	2.81	-	38.63	7.51	32.79
AV	11.1595G	39.14	54.00	-14.86	25.79	3	Vertical	336	2.81	-	38.63	7.51	32.79

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5580MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16024G	53.05	74.00	-20.95	39.70	3	Horizontal	264	1.48	-	38.63	7.51	32.79
AV	11.16008G	39.04	54.00	-14.96	25.69	3	Horizontal	264	1.48	-	38.63	7.51	32.79

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5700MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.706G	115.42	Inf	-Inf	107.99	3	Vertical	97	1.17	-	33.80	5.09	31.46
AV	5.7072G	105.33	Inf	-Inf	97.90	3	Vertical	97	1.17	-	33.80	5.09	31.46
PK	5.7252G	68.12	68.20	-0.08	60.71	3	Vertical	97	1.17	-	33.80	5.07	31.46

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5700MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	106.31	Inf	-Inf	98.85	3	Horizontal	298	1.27	-	33.81	5.11	31.46
AV	5.6916G	96.23	Inf	-Inf	88.77	3	Horizontal	298	1.27	-	33.81	5.11	31.46
PK	5.7268G	58.66	68.20	-9.54	51.25	3	Horizontal	298	1.27	-	33.80	5.07	31.46

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5700MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39919G	52.56	74.00	-21.44	38.98	3	Vertical	116	2.45	-	38.82	7.59	32.83
AV	11.4004G	38.94	54.00	-15.06	25.36	3	Vertical	116	2.45	-	38.82	7.59	32.83

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5700MHz\_TX




EUT\_Z\_2TX  
Setting 80  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4005G	52.31	74.00	-21.69	38.73	3	Horizontal	175	1.62	-	38.82	7.59	32.83
AV	11.40076G	38.98	54.00	-15.02	25.40	3	Horizontal	175	1.62	-	38.82	7.59	32.83

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.715G	124.48	Inf	-Inf	117.06	3	Vertical	88	1.22	-	33.80	5.08	31.46
AV	5.714G	113.86	Inf	-Inf	106.43	3	Vertical	88	1.22	-	33.80	5.09	31.46
PK	5.858G	60.59	68.20	-7.61	52.90	3	Vertical	88	1.22	-	33.97	5.17	31.45



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.717G	115.86	Inf	-Inf	108.44	3	Horizontal	303	2.35	-	33.80	5.08	31.46
AV	5.718G	105.15	Inf	-Inf	97.73	3	Horizontal	303	2.35	-	33.80	5.08	31.46
PK	5.956G	57.84	68.20	-10.36	49.66	3	Horizontal	303	2.35	-	34.16	5.47	31.45

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44059G	52.69	74.00	-21.31	39.08	3	Vertical	324	2.16	-	38.85	7.60	32.84
AV	11.44086G	39.02	54.00	-14.98	25.41	3	Vertical	324	2.16	-	38.85	7.60	32.84

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44004G	53.05	74.00	-20.95	39.44	3	Horizontal	358	1.63	-	38.85	7.60	32.84
AV	11.43964G	39.00	54.00	-15.00	25.39	3	Horizontal	358	1.63	-	38.85	7.60	32.84

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5745MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.51	68.20	-0.69	59.98	3	Vertical	83	1.19	-	33.85	5.15	31.47
PK	5.752G	125.33	Inf	-Inf	117.94	3	Vertical	83	1.19	-	33.80	5.05	31.46
AV	5.753G	115.66	Inf	-Inf	108.27	3	Vertical	83	1.19	-	33.80	5.05	31.46
PK	5.93G	58.98	68.20	-9.22	50.91	3	Vertical	83	1.19	-	34.13	5.39	31.45

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5745MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	59.78	68.20	-8.42	52.23	3	Horizontal	297	1.34	-	33.86	5.16	31.47
PK	5.754G	113.77	Inf	-Inf	106.38	3	Horizontal	297	1.34	-	33.80	5.05	31.46
AV	5.753G	104.14	Inf	-Inf	96.75	3	Horizontal	297	1.34	-	33.80	5.05	31.46
PK	5.977G	57.69	68.20	-10.51	49.43	3	Horizontal	297	1.34	-	34.18	5.53	31.45

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5745MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48918G	53.05	74.00	-20.95	39.39	3	Vertical	184	2.03	-	38.89	7.62	32.85
AV	11.48922G	39.33	54.00	-14.67	25.67	3	Vertical	184	2.03	-	38.89	7.62	32.85

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5745MHz\_TX




EUT Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49094G	52.93	74.00	-21.07	39.27	3	Horizontal	0	1.74	-	38.89	7.62	32.85
AV	11.49069G	39.13	54.00	-14.87	25.47	3	Horizontal	0	1.74	-	38.89	7.62	32.85

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5785MHz\_TX



EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	59.49	68.20	-8.71	51.95	3	Vertical	86	1.68	-	33.85	5.16	31.47
PK	5.789G	124.04	Inf	-Inf	116.69	3	Vertical	86	1.68	-	33.80	5.01	31.46
AV	5.787G	113.14	Inf	-Inf	105.79	3	Vertical	86	1.68	-	33.80	5.01	31.46
PK	5.978G	59.44	68.20	-8.76	51.18	3	Vertical	86	1.68	-	34.18	5.53	31.45



802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5785MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.61	68.20	-9.59	51.08	3	Horizontal	297	2.24	-	33.85	5.15	31.47
PK	5.792G	116.25	Inf	-Inf	108.90	3	Horizontal	297	2.24	-	33.80	5.01	31.46
AV	5.793G	105.87	Inf	-Inf	98.52	3	Horizontal	297	2.24	-	33.80	5.01	31.46
PK	5.938G	58.38	68.20	-9.82	50.28	3	Horizontal	297	2.24	-	34.14	5.41	31.45

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5785MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56959G	52.75	74.00	-21.25	39.00	3	Vertical	111	2.34	-	38.96	7.65	32.86
AV	11.56916G	39.13	54.00	-14.87	25.38	3	Vertical	111	2.34	-	38.96	7.65	32.86

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5785MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57054G	52.59	74.00	-21.41	38.84	3	Horizontal	243	1.77	-	38.96	7.65	32.86
AV	11.57082G	39.03	54.00	-14.97	25.28	3	Horizontal	243	1.77	-	38.96	7.65	32.86

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5825MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	58.88	68.20	-9.32	51.34	3	Vertical	187	1.02	-	33.85	5.16	31.47
PK	5.833G	123.14	Inf	-Inf	115.60	3	Vertical	187	1.02	-	33.90	5.10	31.46
AV	5.833G	113.75	Inf	-Inf	106.21	3	Vertical	187	1.02	-	33.90	5.10	31.46
PK	5.927G	62.62	68.20	-5.58	54.56	3	Vertical	187	1.02	-	34.13	5.38	31.45

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5825MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	57.74	68.20	-10.46	50.11	3	Horizontal	174	1.60	-	33.90	5.20	31.47
PK	5.833G	113.20	Inf	-Inf	105.66	3	Horizontal	174	1.60	-	33.90	5.10	31.46
AV	5.832G	102.92	Inf	-Inf	95.38	3	Horizontal	174	1.60	-	33.90	5.10	31.46
PK	5.937G	58.25	68.20	-9.95	50.15	3	Horizontal	174	1.60	-	34.14	5.41	31.45

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5825MHz\_TX




EUT\_Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65036G	52.55	74.00	-21.45	38.73	3	Vertical	221	2.60	-	39.02	7.68	32.88
AV	11.64964G	38.92	54.00	-15.08	25.10	3	Vertical	221	2.60	-	39.02	7.68	32.88

802.11ac VHT20-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5825MHz\_TX




EUT Z\_2TX  
Setting 127  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65054G	54.03	74.00	-19.97	40.21	3	Horizontal	316	2.75	-	39.02	7.68	32.88
AV	11.6492G	38.91	54.00	-15.09	25.09	3	Horizontal	316	2.75	-	39.02	7.68	32.88

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5190MHz\_TX



EUT Z\_2TX  
Setting 77  
02-B-K-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.15	74.00	-0.85	66.43	3	Vertical	83	1.02	-	33.45	5.00	31.73
AV	5.1492G	53.89	54.00	-0.11	47.17	3	Vertical	83	1.02	-	33.45	5.00	31.73
PK	5.1852G	114.78	Inf	-Inf	107.92	3	Vertical	83	1.02	-	33.49	5.07	31.70
AV	5.188G	104.20	Inf	-Inf	97.33	3	Vertical	83	1.02	-	33.49	5.08	31.70



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5190MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.51	74.00	-13.49	53.79	3	Horizontal	25	1.08	-	33.45	5.00	31.73
AV	5.15G	45.77	54.00	-8.23	39.05	3	Horizontal	25	1.08	-	33.45	5.00	31.73
PK	5.2076G	105.32	Inf	-Inf	98.38	3	Horizontal	25	1.08	-	33.52	5.10	31.68
AV	5.208G	95.60	Inf	-Inf	88.66	3	Horizontal	25	1.08	-	33.52	5.10	31.68

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5190MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57034G	54.05	74.00	-19.95	39.21	3	Vertical	264	1.78	-	38.65	9.05	32.86
AV	15.56991G	40.26	54.00	-13.74	25.42	3	Vertical	264	1.78	-	38.65	9.05	32.86

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5190MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57096G	53.73	74.00	-20.27	38.90	3	Horizontal	348	2.44	-	38.64	9.05	32.86
AV	15.56954G	40.33	54.00	-13.67	25.49	3	Horizontal	348	2.44	-	38.65	9.05	32.86

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5230MHz\_TX




EUT\_Z\_2TX  
Setting 96  
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	69.09	74.00	-4.91	62.37	3	Vertical	87	1.00	-	33.45	5.00	31.73
AV	5.15G	53.77	54.00	-0.23	47.05	3	Vertical	87	1.00	-	33.45	5.00	31.73
PK	5.2246G	118.44	Inf	-Inf	111.47	3	Vertical	87	1.00	-	33.55	5.09	31.67
AV	5.242G	106.89	Inf	-Inf	99.89	3	Vertical	87	1.00	-	33.58	5.08	31.66
PK	5.3506G	62.37	74.00	-11.63	55.18	3	Vertical	87	1.00	-	33.75	5.02	31.58
AV	5.3506G	48.65	54.00	-5.35	41.46	3	Vertical	87	1.00	-	33.75	5.02	31.58

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5230MHz\_TX




EUT\_Z\_2TX  
Setting 96  
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	59.63	74.00	-14.37	52.94	3	Horizontal	334	2.97	-	33.44	4.98	31.73
AV	5.1472G	45.62	54.00	-8.38	38.91	3	Horizontal	334	2.97	-	33.45	4.99	31.73
PK	5.2276G	107.90	Inf	-Inf	100.92	3	Horizontal	334	2.97	-	33.56	5.09	31.67
AV	5.2252G	94.92	Inf	-Inf	87.95	3	Horizontal	334	2.97	-	33.55	5.09	31.67
PK	5.3644G	57.85	74.00	-16.15	50.64	3	Horizontal	334	2.97	-	33.76	5.02	31.57
AV	5.353G	44.75	54.00	-9.25	37.56	3	Horizontal	334	2.97	-	33.75	5.02	31.58

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5230MHz\_TX




EUT\_Z\_2TX  
Setting 96  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69022G	53.37	74.00	-20.63	38.84	3	Vertical	328	2.12	-	38.30	9.09	32.86
AV	15.69004G	39.79	54.00	-14.21	25.26	3	Vertical	328	2.12	-	38.30	9.09	32.86

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5230MHz\_TX




EUT Z\_2TX  
Setting 96  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68929G	54.13	74.00	-19.87	39.60	3	Horizontal	174	1.17	-	38.30	9.09	32.86
AV	15.69047G	39.75	54.00	-14.25	25.22	3	Horizontal	174	1.17	-	38.30	9.09	32.86

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5270MHz\_TX



EUT\_Z\_2TX  
Setting 104  
02-B-K-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.02	74.00	-8.98	58.30	3	Vertical	86	1.06	-	33.45	5.00	31.73
AV	5.1488G	49.67	54.00	-4.33	42.95	3	Vertical	86	1.06	-	33.45	5.00	31.73
PK	5.273G	119.97	Inf	-Inf	112.90	3	Vertical	86	1.06	-	33.65	5.06	31.64
AV	5.2676G	109.29	Inf	-Inf	102.22	3	Vertical	86	1.06	-	33.64	5.07	31.64
PK	5.351G	68.74	74.00	-5.26	61.55	3	Vertical	86	1.06	-	33.75	5.02	31.58
AV	5.35G	53.77	54.00	-0.23	46.58	3	Vertical	86	1.06	-	33.75	5.03	31.59



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5270MHz\_TX




EUT\_Z\_2TX  
Setting 104  
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	56.69	74.00	-17.31	50.00	3	Horizontal	100	1.79	-	33.44	4.98	31.73
AV	5.15G	44.12	54.00	-9.88	37.40	3	Horizontal	100	1.79	-	33.45	5.00	31.73
PK	5.2766G	106.38	Inf	-Inf	99.31	3	Horizontal	100	1.79	-	33.65	5.06	31.64
AV	5.2772G	95.62	Inf	-Inf	88.55	3	Horizontal	100	1.79	-	33.65	5.06	31.64
PK	5.351G	59.48	74.00	-14.52	52.29	3	Horizontal	100	1.79	-	33.75	5.02	31.58
AV	5.3504G	45.56	54.00	-8.44	38.37	3	Horizontal	100	1.79	-	33.75	5.02	31.58

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5270MHz\_TX




EUT\_Z\_2TX  
Setting 104  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81002G	53.07	74.00	-20.93	38.86	3	Vertical	318	2.62	-	37.95	9.13	32.87
AV	15.81003G	39.84	54.00	-14.16	25.63	3	Vertical	318	2.62	-	37.95	9.13	32.87

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5270MHz\_TX




EUT\_Z\_2TX  
Setting 104  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80997G	53.65	74.00	-20.35	39.44	3	Horizontal	29	2.86	-	37.95	9.13	32.87
AV	15.80969G	39.79	54.00	-14.21	25.58	3	Horizontal	29	2.86	-	37.95	9.13	32.87

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5310MHz\_TX




EUT\_Z\_2TX  
Setting 81  
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	114.89	Inf	-Inf	107.74	3	Vertical	106	2.54	-	33.71	5.05	31.61
AV	5.3088G	104.59	Inf	-Inf	97.44	3	Vertical	106	2.54	-	33.71	5.05	31.61
PK	5.3512G	73.90	74.00	-0.10	66.71	3	Vertical	106	2.54	-	33.75	5.02	31.58
AV	5.35G	53.87	54.00	-0.13	46.68	3	Vertical	106	2.54	-	33.75	5.03	31.59

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5310MHz\_TX




EUT\_Z\_2TX  
Setting 81  
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	102.81	Inf	-Inf	95.68	3	Horizontal	65	2.93	-	33.70	5.05	31.62
AV	5.2996G	92.52	Inf	-Inf	85.39	3	Horizontal	65	2.93	-	33.70	5.05	31.62
PK	5.3524G	64.42	74.00	-9.58	57.23	3	Horizontal	65	2.93	-	33.75	5.02	31.58
AV	5.3524G	46.80	54.00	-7.20	39.61	3	Horizontal	65	2.93	-	33.75	5.02	31.58

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5310MHz\_TX




EUT\_Z\_2TX  
Setting 81  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62088G	52.52	74.00	-21.48	39.12	3	Vertical	105	2.88	-	38.73	7.32	32.65
AV	10.61904G	38.79	54.00	-15.21	25.39	3	Vertical	105	2.88	-	38.73	7.32	32.65
PK	15.93065G	53.33	74.00	-20.67	39.43	3	Vertical	88	1.64	-	37.60	9.18	32.88
AV	15.92911G	39.68	54.00	-14.32	25.77	3	Vertical	88	1.64	-	37.61	9.18	32.88

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5310MHz\_TX




EUT\_Z\_2TX  
Setting 81  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62081G	53.51	74.00	-20.49	40.11	3	Horizontal	23	1.14	-	38.73	7.32	32.65
AV	10.61907G	38.80	54.00	-15.20	25.40	3	Horizontal	23	1.14	-	38.73	7.32	32.65
PK	15.9308G	54.31	74.00	-19.69	40.41	3	Horizontal	86	1.42	-	37.60	9.18	32.88
AV	15.92981G	39.65	54.00	-14.35	25.75	3	Horizontal	86	1.42	-	37.60	9.18	32.88

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5510MHz\_TX



EUT\_Z\_2TX  
Setting 76  
02-B-K-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.48	74.00	-8.52	58.06	3	Vertical	87	1.00	-	33.86	5.06	31.50
AV	5.458G	49.98	54.00	-4.02	42.56	3	Vertical	87	1.00	-	33.86	5.06	31.50
PK	5.4696G	67.96	68.20	-0.24	60.51	3	Vertical	87	1.00	-	33.87	5.07	31.49
PK	5.5008G	114.94	Inf	-Inf	107.41	3	Vertical	87	1.00	-	33.90	5.10	31.47
AV	5.5112G	104.04	Inf	-Inf	96.50	3	Vertical	87	1.00	-	33.90	5.11	31.47



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5510MHz\_TX




EUT\_Z\_2TX  
Setting 76  
02-B-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4148G	58.50	74.00	-15.50	51.22	3	Horizontal	303	2.26	-	33.81	5.01	31.54
PK	5.4688G	59.92	68.20	-8.28	52.47	3	Horizontal	303	2.26	-	33.87	5.07	31.49
AV	5.4576G	44.89	54.00	-9.11	37.47	3	Horizontal	303	2.26	-	33.86	5.06	31.50
PK	5.516G	104.37	Inf	-Inf	96.82	3	Horizontal	303	2.26	-	33.90	5.12	31.47
AV	5.5268G	93.69	Inf	-Inf	86.13	3	Horizontal	303	2.26	-	33.90	5.13	31.47

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5510MHz\_TX




EUT\_Z\_2TX  
Setting 76  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01971G	52.98	74.00	-21.02	39.76	3	Vertical	358	2.46	-	38.52	7.46	32.76
AV	11.02024G	39.06	54.00	-14.94	25.84	3	Vertical	358	2.46	-	38.52	7.46	32.76

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5510MHz\_TX




EUT\_Z\_2TX  
Setting 76  
02-B-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0194G	52.87	74.00	-21.13	39.65	3	Horizontal	320	2.51	-	38.52	7.46	32.76
AV	11.01912G	39.13	54.00	-14.87	25.91	3	Horizontal	320	2.51	-	38.52	7.46	32.76

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5550MHz\_TX




EUT\_Z\_2TX  
Setting 94  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	65.47	74.00	-8.53	58.05	3	Vertical	81	1.14	-	33.86	5.06	31.50
AV	5.46G	49.92	54.00	-4.08	42.50	3	Vertical	81	1.14	-	33.86	5.06	31.50
PK	5.47G	67.97	68.20	-0.23	60.52	3	Vertical	81	1.14	-	33.87	5.07	31.49
PK	5.5362G	117.00	Inf	-Inf	109.43	3	Vertical	81	1.14	-	33.90	5.14	31.47
AV	5.5554G	106.89	Inf	-Inf	99.30	3	Vertical	81	1.14	-	33.90	5.16	31.47

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5550MHz\_TX




EUT\_Z\_2TX  
Setting 94  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4474G	57.48	74.00	-16.52	50.09	3	Horizontal	302	2.22	-	33.85	5.05	31.51
PK	5.4672G	58.11	68.20	-10.09	50.67	3	Horizontal	302	2.22	-	33.87	5.07	31.50
AV	5.4582G	44.79	54.00	-9.21	37.37	3	Horizontal	302	2.22	-	33.86	5.06	31.50
PK	5.5374G	109.29	Inf	-Inf	101.72	3	Horizontal	302	2.22	-	33.90	5.14	31.47
AV	5.544G	98.09	Inf	-Inf	90.52	3	Horizontal	302	2.22	-	33.90	5.14	31.47

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5550MHz\_TX




EUT Z\_2TX  
Setting 94  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09967G	52.44	74.00	-21.56	39.16	3	Vertical	167	1.31	-	38.58	7.48	32.78
AV	11.1009G	38.90	54.00	-15.10	25.61	3	Vertical	167	1.31	-	38.58	7.49	32.78

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5550MHz\_TX




EUT\_Z\_2TX  
Setting 94  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10004G	52.12	74.00	-21.88	38.83	3	Horizontal	208	2.05	-	38.58	7.49	32.78
AV	11.10053G	38.79	54.00	-15.21	25.50	3	Horizontal	208	2.05	-	38.58	7.49	32.78

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5670MHz\_TX



EUT\_Z\_2TX  
Setting 85  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6754G	117.35	Inf	-Inf	109.87	3	Vertical	85	1.00	-	33.82	5.12	31.46
AV	5.6754G	106.38	Inf	-Inf	98.90	3	Vertical	85	1.00	-	33.82	5.12	31.46
PK	5.7252G	67.99	68.20	-0.21	60.58	3	Vertical	85	1.00	-	33.80	5.07	31.46



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5670MHz\_TX




EUT\_Z\_2TX  
Setting 85  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.685G	107.01	Inf	-Inf	99.54	3	Horizontal	302	2.42	-	33.81	5.12	31.46
AV	5.6862G	96.97	Inf	-Inf	89.51	3	Horizontal	302	2.42	-	33.81	5.11	31.46
PK	5.7294G	58.94	68.20	-9.26	51.53	3	Horizontal	302	2.42	-	33.80	5.07	31.46

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5670MHz\_TX




EUT\_Z\_2TX  
Setting 85  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33972G	51.93	74.00	-22.07	38.41	3	Vertical	313	2.75	-	38.77	7.57	32.82
AV	11.34089G	38.57	54.00	-15.43	25.05	3	Vertical	313	2.75	-	38.77	7.57	32.82

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5670MHz\_TX




EUT\_Z\_2TX  
Setting 85  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33981G	52.44	74.00	-21.56	38.92	3	Horizontal	334	2.59	-	38.77	7.57	32.82
AV	11.33932G	38.67	54.00	-15.33	25.15	3	Horizontal	334	2.59	-	38.77	7.57	32.82

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 113  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4256G	59.97	74.00	-14.03	52.64	3	Vertical	84	1.22	-	33.83	5.03	31.53
PK	5.47G	60.74	68.20	-7.46	53.29	3	Vertical	84	1.22	-	33.87	5.07	31.49
AV	5.4568G	46.13	54.00	-7.87	38.71	3	Vertical	84	1.22	-	33.86	5.06	31.50
PK	5.6956G	123.36	Inf	-Inf	115.92	3	Vertical	84	1.22	-	33.80	5.10	31.46
AV	5.722G	110.58	Inf	-Inf	103.16	3	Vertical	84	1.22	-	33.80	5.08	31.46
PK	5.8528G	68.11	68.20	-0.09	60.44	3	Vertical	84	1.22	-	33.96	5.16	31.45

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 113  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4268G	57.22	74.00	-16.78	49.89	3	Horizontal	297	2.31	-	33.83	5.03	31.53
PK	5.464G	57.52	68.20	-10.68	50.10	3	Horizontal	297	2.31	-	33.86	5.06	31.50
AV	5.4472G	44.43	54.00	-9.57	37.04	3	Horizontal	297	2.31	-	33.85	5.05	31.51
PK	5.7208G	113.04	Inf	-Inf	105.62	3	Horizontal	297	2.31	-	33.80	5.08	31.46
AV	5.722G	102.39	Inf	-Inf	94.97	3	Horizontal	297	2.31	-	33.80	5.08	31.46
PK	5.85G	62.26	68.20	-5.94	54.61	3	Horizontal	297	2.31	-	33.95	5.15	31.45

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 113  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41956G	52.37	74.00	-21.63	38.77	3	Vertical	228	2.19	-	38.84	7.60	32.84
AV	11.41938G	39.05	54.00	-14.95	25.45	3	Vertical	228	2.19	-	38.84	7.60	32.84

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 113  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42023G	52.57	74.00	-21.43	38.97	3	Horizontal	3	2.19	-	38.84	7.60	32.84
AV	11.42062G	39.02	54.00	-14.98	25.42	3	Horizontal	3	2.19	-	38.84	7.60	32.84

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5755MHz\_TX



EUT\_Z\_2TX  
Setting 102  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.17	68.20	-0.03	60.63	3	Vertical	86	1.11	-	33.85	5.15	31.46
PK	5.764G	118.60	Inf	-Inf	111.22	3	Vertical	86	1.11	-	33.80	5.04	31.46
AV	5.761G	108.28	Inf	-Inf	100.90	3	Vertical	86	1.11	-	33.80	5.04	31.46
PK	5.944G	59.75	68.20	-8.45	51.63	3	Vertical	86	1.11	-	34.14	5.43	31.45



802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5755MHz\_TX




EUT\_Z\_2TX  
Setting 102  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	60.60	68.20	-7.60	53.05	3	Horizontal	297	2.64	-	33.86	5.16	31.47
PK	5.772G	112.89	Inf	-Inf	105.52	3	Horizontal	297	2.64	-	33.80	5.03	31.46
AV	5.772G	103.49	Inf	-Inf	96.12	3	Horizontal	297	2.64	-	33.80	5.03	31.46
PK	5.963G	58.33	68.20	-9.87	50.13	3	Horizontal	297	2.64	-	34.16	5.49	31.45

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5755MHz\_TX




EUT\_Z\_2TX  
Setting 102  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5092G	52.90	74.00	-21.10	39.21	3	Vertical	179	2.28	-	38.91	7.63	32.85
AV	11.5105G	39.08	54.00	-14.92	25.39	3	Vertical	179	2.28	-	38.91	7.63	32.85

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5755MHz\_TX




EUT\_Z\_2TX  
Setting 102  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50996G	53.04	74.00	-20.96	39.35	3	Horizontal	174	1.78	-	38.91	7.63	32.85
AV	11.51093G	39.03	54.00	-14.97	25.34	3	Horizontal	174	1.78	-	38.91	7.63	32.85

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5795MHz\_TX




EUT\_Z\_2TX  
Setting 111  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	68.15	68.20	-0.05	60.61	3	Vertical	84	1.02	-	33.85	5.15	31.46
PK	5.78G	121.54	Inf	-Inf	114.18	3	Vertical	84	1.02	-	33.80	5.02	31.46
AV	5.79G	110.96	Inf	-Inf	103.61	3	Vertical	84	1.02	-	33.80	5.01	31.46
PK	5.921G	68.54	71.16	-2.62	60.51	3	Vertical	84	1.02	-	34.12	5.36	31.45

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5795MHz\_TX




EUT\_Z\_2TX  
Setting 111  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	61.46	68.20	-6.74	53.92	3	Horizontal	296	2.62	-	33.85	5.16	31.47
PK	5.794G	112.05	Inf	-Inf	104.70	3	Horizontal	296	2.62	-	33.80	5.01	31.46
AV	5.791G	101.59	Inf	-Inf	94.24	3	Horizontal	296	2.62	-	33.80	5.01	31.46
PK	5.925G	59.52	68.20	-8.68	51.46	3	Horizontal	296	2.62	-	34.13	5.38	31.45

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5795MHz\_TX




EUT\_Z\_2TX  
Setting 111  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58937G	52.95	74.00	-21.05	39.19	3	Vertical	203	1.17	-	38.97	7.66	32.87
AV	11.59048G	38.88	54.00	-15.12	25.12	3	Vertical	203	1.17	-	38.97	7.66	32.87

802.11ac VHT40-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5795MHz\_TX




EUT\_Z\_2TX  
Setting 111  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58999G	52.59	74.00	-21.41	38.83	3	Horizontal	310	2.67	-	38.97	7.66	32.87
AV	11.5894G	38.88	54.00	-15.12	25.12	3	Horizontal	310	2.67	-	38.97	7.66	32.87

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5210MHz\_TX



EUT\_Z\_2TX  
Setting 74  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	69.76	74.00	-4.24	63.05	3	Vertical	79	1.27	-	33.45	4.99	31.73
AV	5.1492G	53.79	54.00	-0.21	47.07	3	Vertical	79	1.27	-	33.45	5.00	31.73
PK	5.206G	109.45	Inf	-Inf	102.53	3	Vertical	79	1.27	-	33.51	5.10	31.69
AV	5.2116G	99.15	Inf	-Inf	92.22	3	Vertical	79	1.27	-	33.52	5.09	31.68
PK	5.3516G	59.15	74.00	-14.85	51.96	3	Vertical	79	1.27	-	33.75	5.02	31.58
AV	5.3516G	46.42	54.00	-7.58	39.23	3	Vertical	79	1.27	-	33.75	5.02	31.58



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5210MHz\_TX




EUT\_Z\_2TX  
Setting 74  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	59.88	74.00	-14.12	53.17	3	Horizontal	20	1.08	-	33.45	4.99	31.73
AV	5.1492G	45.81	54.00	-8.19	39.09	3	Horizontal	20	1.08	-	33.45	5.00	31.73
PK	5.2124G	101.36	Inf	-Inf	94.43	3	Horizontal	20	1.08	-	33.52	5.09	31.68
AV	5.2116G	92.24	Inf	-Inf	85.31	3	Horizontal	20	1.08	-	33.52	5.09	31.68
PK	5.3756G	57.14	74.00	-16.86	49.92	3	Horizontal	20	1.08	-	33.78	5.01	31.57
AV	5.3596G	44.42	54.00	-9.58	37.22	3	Horizontal	20	1.08	-	33.76	5.02	31.58

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5210MHz\_TX




EUT\_Z\_2TX  
Setting 74  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62916G	53.57	74.00	-20.43	38.88	3	Vertical	176	1.22	-	38.48	9.07	32.86
AV	15.62997G	40.17	54.00	-13.83	25.49	3	Vertical	176	1.22	-	38.47	9.07	32.86

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5210MHz\_TX




EUT Z\_2TX  
Setting 74  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.629999G	53.72	74.00	-20.28	39.04	3	Horizontal	124	2.88	-	38.47	9.07	32.86
AV	15.62939G	40.01	54.00	-13.99	25.33	3	Horizontal	124	2.88	-	38.47	9.07	32.86

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5290MHz\_TX




EUT\_Z\_2TX  
Setting 73  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	58.97	74.00	-15.03	52.28	3	Vertical	84	1.30	-	33.44	4.98	31.73
AV	5.146G	45.93	54.00	-8.07	39.22	3	Vertical	84	1.30	-	33.45	4.99	31.73
PK	5.3044G	108.71	Inf	-Inf	101.58	3	Vertical	84	1.30	-	33.70	5.05	31.62
AV	5.3012G	98.50	Inf	-Inf	91.37	3	Vertical	84	1.30	-	33.70	5.05	31.62
PK	5.3668G	68.17	74.00	-5.83	60.95	3	Vertical	84	1.30	-	33.77	5.02	31.57
AV	5.3532G	53.75	54.00	-0.25	46.56	3	Vertical	84	1.30	-	33.75	5.02	31.58
PK	5.4652G	59.01	68.20	-9.19	51.57	3	Vertical	84	1.30	-	33.87	5.07	31.50

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5290MHz\_TX




EUT\_Z\_2TX  
Setting 73  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	56.77	74.00	-17.23	50.23	3	Horizontal	281	1.18	-	33.40	4.90	31.76
AV	5.0996G	44.14	54.00	-9.86	37.60	3	Horizontal	281	1.18	-	33.40	4.90	31.76
PK	5.2812G	98.39	Inf	-Inf	91.30	3	Horizontal	281	1.18	-	33.66	5.06	31.63
AV	5.282G	87.56	Inf	-Inf	80.47	3	Horizontal	281	1.18	-	33.66	5.06	31.63
PK	5.3524G	58.87	74.00	-15.13	51.68	3	Horizontal	281	1.18	-	33.75	5.02	31.58
AV	5.3516G	45.74	54.00	-8.26	38.55	3	Horizontal	281	1.18	-	33.75	5.02	31.58
PK	5.4812G	57.27	68.20	-10.93	49.80	3	Horizontal	281	1.18	-	33.88	5.08	31.49

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5290MHz\_TX




EUT\_Z\_2TX  
Setting 73  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86992G	53.32	74.00	-20.68	39.26	3	Vertical	259	1.37	-	37.78	9.15	32.87
AV	15.87012G	39.66	54.00	-14.34	25.60	3	Vertical	259	1.37	-	37.78	9.15	32.87

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5290MHz\_TX




EUT\_Z\_2TX  
Setting 73  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87026G	53.50	74.00	-20.50	39.44	3	Horizontal	340	1.22	-	37.78	9.15	32.87
AV	15.86953G	39.54	54.00	-14.46	25.48	3	Horizontal	340	1.22	-	37.78	9.15	32.87

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5530MHz\_TX



EUT\_Z\_2TX  
Setting 75  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	67.43	74.00	-6.57	60.02	3	Vertical	81	1.03	-	33.86	5.06	31.51
PK	5.461G	67.87	68.20	-0.33	60.45	3	Vertical	81	1.03	-	33.86	5.06	31.50
AV	5.4598G	51.65	54.00	-2.35	44.23	3	Vertical	81	1.03	-	33.86	5.06	31.50
PK	5.5282G	109.94	Inf	-Inf	102.38	3	Vertical	81	1.03	-	33.90	5.13	31.47
AV	5.5282G	100.21	Inf	-Inf	92.65	3	Vertical	81	1.03	-	33.90	5.13	31.47



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5530MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	57.52	74.00	-16.48	50.10	3	Horizontal	301	2.43	-	33.86	5.06	31.50
AV	5.458G	45.09	54.00	-8.91	37.67	3	Horizontal	301	2.43	-	33.86	5.06	31.50
PK	5.4616G	60.04	68.20	-8.16	52.62	3	Horizontal	301	2.43	-	33.86	5.06	31.50
PK	5.5324G	102.41	Inf	-Inf	94.85	3	Horizontal	301	2.43	-	33.90	5.13	31.47
AV	5.5318G	92.27	Inf	-Inf	84.71	3	Horizontal	301	2.43	-	33.90	5.13	31.47

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5530MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05994G	52.19	74.00	-21.81	38.94	3	Vertical	350	1.90	-	38.55	7.47	32.77
AV	11.05905G	38.58	54.00	-15.42	25.33	3	Vertical	350	1.90	-	38.55	7.47	32.77

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

03/11/2020

5530MHz\_TX




EUT\_Z\_2TX  
Setting 75  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06002G	52.00	74.00	-22.00	38.75	3	Horizontal	139	1.85	-	38.55	7.47	32.77
AV	11.05982G	38.61	54.00	-15.39	25.36	3	Horizontal	139	1.85	-	38.55	7.47	32.77

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5610MHz\_TX




EUT\_Z\_2TX  
Setting 97  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.435G	66.04	74.00	-7.96	58.68	3	Vertical	88	1.34	-	33.84	5.04	31.52
PK	5.465G	67.81	68.20	-0.39	60.39	3	Vertical	88	1.34	-	33.86	5.06	31.50
AV	5.459G	51.21	54.00	-1.79	44.79	3	Vertical	88	1.34	-	33.86	5.06	31.50
PK	5.616G	114.28	Inf	-Inf	106.69	3	Vertical	88	1.34	-	33.88	5.18	31.47
AV	5.605G	103.42	Inf	-Inf	95.80	3	Vertical	88	1.34	-	33.89	5.20	31.47
PK	5.734G	67.88	68.20	-0.32	60.47	3	Vertical	88	1.34	-	33.80	5.07	31.46

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5610MHz\_TX




EUT\_Z\_2TX  
Setting 97  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	57.12	74.00	-16.88	49.76	3	Horizontal	142	2.17	-	33.84	5.04	31.52
PK	5.469G	59.57	68.20	-8.63	52.12	3	Horizontal	142	2.17	-	33.87	5.07	31.49
AV	5.459G	45.42	54.00	-8.58	38.00	3	Horizontal	142	2.17	-	33.86	5.06	31.50
PK	5.598G	107.06	Inf	-Inf	99.43	3	Horizontal	142	2.17	-	33.90	5.20	31.47
AV	5.598G	96.51	Inf	-Inf	88.88	3	Horizontal	142	2.17	-	33.90	5.20	31.47
PK	5.727G	62.41	68.20	-5.79	55.00	3	Horizontal	142	2.17	-	33.80	5.07	31.46

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5610MHz\_TX




EUT\_Z\_2TX  
Setting 97  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21901G	52.21	74.00	-21.79	38.80	3	Vertical	128	1.37	-	38.68	7.53	32.80
AV	11.22054G	38.53	54.00	-15.47	25.12	3	Vertical	128	1.37	-	38.68	7.53	32.80

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5610MHz\_TX




EUT\_Z\_2TX  
Setting 97  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22034G	52.07	74.00	-21.93	38.66	3	Horizontal	325	1.41	-	38.68	7.53	32.80
AV	11.21915G	38.76	54.00	-15.24	25.35	3	Horizontal	325	1.41	-	38.68	7.53	32.80

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Z\_2TX  
Setting 106  
02-B-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	66.14	74.00	-7.86	58.75	3	Vertical	95	1.01	-	33.85	5.05	31.51
AV	5.4596G	53.07	54.00	-0.93	45.65	3	Vertical	95	1.01	-	33.86	5.06	31.50
PK	5.4656G	67.82	68.20	-0.38	60.38	3	Vertical	95	1.01	-	33.87	5.07	31.50
PK	5.6552G	122.00	Inf	-Inf	114.48	3	Vertical	95	1.01	-	33.84	5.14	31.46
AV	5.6588G	107.49	Inf	-Inf	99.97	3	Vertical	95	1.01	-	33.84	5.14	31.46
PK	5.8652G	67.74	68.20	-0.46	59.99	3	Vertical	95	1.01	-	34.00	5.20	31.45



802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 106  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	59.42	74.00	-14.58	52.00	3	Horizontal	303	2.45	-	33.86	5.06	31.50
AV	5.4596G	46.53	54.00	-7.47	39.11	3	Horizontal	303	2.45	-	33.86	5.06	31.50
PK	5.4644G	60.25	68.20	-7.95	52.83	3	Horizontal	303	2.45	-	33.86	5.06	31.50
PK	5.6636G	112.68	Inf	-Inf	105.16	3	Horizontal	303	2.45	-	33.84	5.14	31.46
AV	5.6768G	99.00	Inf	-Inf	91.52	3	Horizontal	303	2.45	-	33.82	5.12	31.46
PK	5.852G	61.70	68.20	-6.50	54.03	3	Horizontal	303	2.45	-	33.96	5.16	31.45

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 106  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37933G	53.51	74.00	-20.49	39.96	3	Vertical	63	2.26	-	38.80	7.58	32.83
AV	11.37936G	38.89	54.00	-15.11	25.34	3	Vertical	63	2.26	-	38.80	7.58	32.83

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Z\_2TX  
Setting 106  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3808G	52.86	74.00	-21.14	39.31	3	Horizontal	116	1.76	-	38.80	7.58	32.83
AV	11.3798G	38.93	54.00	-15.07	25.38	3	Horizontal	116	1.76	-	38.80	7.58	32.83

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5775MHz\_TX




EUT\_Z\_2TX  
Setting 95  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	67.99	68.20	-0.21	60.42	3	Vertical	81	1.00	-	33.87	5.17	31.47
PK	5.742G	118.07	Inf	-Inf	110.67	3	Vertical	81	1.00	-	33.80	5.06	31.46
AV	5.786G	104.78	Inf	-Inf	97.43	3	Vertical	81	1.00	-	33.80	5.01	31.46
PK	5.932G	62.87	68.20	-5.33	54.79	3	Vertical	81	1.00	-	34.13	5.40	31.45

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5775MHz\_TX




EUT\_Z\_2TX  
Setting 95  
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	63.39	68.20	-4.81	55.86	3	Horizontal	302	2.64	-	33.85	5.15	31.47
PK	5.763G	106.98	Inf	-Inf	99.60	3	Horizontal	302	2.64	-	33.80	5.04	31.46
AV	5.761G	96.42	Inf	-Inf	89.04	3	Horizontal	302	2.64	-	33.80	5.04	31.46
PK	5.939G	59.07	68.20	-9.13	50.96	3	Horizontal	302	2.64	-	34.14	5.42	31.45

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5775MHz\_TX




EUT\_Z\_2TX  
Setting 95  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55027G	52.41	74.00	-21.59	38.69	3	Vertical	347	1.19	-	38.94	7.64	32.86
AV	11.55031G	38.97	54.00	-15.03	25.25	3	Vertical	347	1.19	-	38.94	7.64	32.86

802.11ac VHT80-BF\_Nss1,(MCS0)\_2TX

04/11/2020

5775MHz\_TX



EUT\_Z\_2TX  
Setting 95  
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54915G	52.83	74.00	-21.17	39.11	3	Horizontal	261	1.18	-	38.94	7.64	32.86
AV	11.54947G	39.03	54.00	-14.97	25.31	3	Horizontal	261	1.18	-	38.94	7.64	32.86