


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5795MHz

04/09/2019

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.01	12.01	6.33	6.19	6.12	6.52


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5210MHz

03/09/2019

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20.01ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.22	4.22	-1.57	-1.28	-2.03	-1.62


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

04/09/2019

CF
5.775GHz
Span
120MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.09	6.09	0.43	0.54	-0.15	0.65



4T2S
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT20-BF_Nss2,(MCS0)_4TX	13.03
802.11ac VHT40-BF_Nss2,(MCS0)_4TX	7.63
802.11ac VHT80-BF_Nss2,(MCS0)_4TX	3.99
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	10.82
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	6.54
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	4.02
5.725-5.85GHz	-
802.11ac VHT80-BF_Nss2,(MCS0)_4TX	7.41
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	5.28

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.09	7.05	7.33	6.87	7.32	13.03	16.91
802.11ac VHT40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.09	1.83	2.12	1.29	1.61	7.63	16.91
802.11ac VHT80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.09	-1.67	-1.48	-2.14	-1.92	3.99	16.91
5775MHz	Pass	6.03	2.06	1.94	1.87	2.05	7.41	29.97
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.09	5.01	4.99	4.83	5.48	10.82	16.91
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.09	0.83	0.95	0.17	0.77	6.54	16.91
802.11ax HEW80-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.09	-1.20	-1.79	-1.71	-1.84	4.02	16.91
5775MHz	Pass	6.03	-0.23	-0.45	-1.09	-0.34	5.28	29.97

DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;









4T3S
Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT20-BF_Nss3,(MCS0)_4TX	12.88
802.11ac VHT40-BF_Nss3,(MCS0)_4TX	7.97
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	4.57
802.11ax HEW20-BF_Nss3,(MCS0)_4TX	11.15
802.11ax HEW40-BF_Nss3,(MCS0)_4TX	7.13
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	3.90
5.725-5.85GHz	-
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	6.78
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	6.01

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT20-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.09	6.95	8.44	7.71	7.79	12.88	16.91
802.11ac VHT40-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.09	2.70	3.19	2.02	2.26	7.97	16.91
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.09	-0.87	0.12	-1.04	-1.10	4.57	16.91
5775MHz	Pass	6.03	1.31	1.82	1.34	1.24	6.78	29.97
802.11ax HEW20-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.09	5.09	6.21	5.87	6.08	11.15	16.91
802.11ax HEW40-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.09	1.66	2.37	1.46	2.11	7.13	16.91
802.11ax HEW80-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.09	-1.24	-1.19	-2.03	-1.39	3.90	16.91
5775MHz	Pass	6.03	-0.36	0.52	-0.17	0.62	6.01	29.97

DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;









RSE below 1GHz Result

RSE below 1GHz Result																																																																																																									
Operating Mode	1	Polarization	Vertical																																																																																																						
Operating Function	CTX																																																																																																								
<table border="1"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>31.94</td> <td>35.64</td> <td>40.00</td> <td>-4.36</td> <td>44.20</td> <td>0.52</td> <td>23.12</td> <td>32.20</td> <td>100</td> <td>166</td> <td>QP</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>35.82</td> <td>34.33</td> <td>40.00</td> <td>-5.67</td> <td>44.79</td> <td>0.58</td> <td>21.17</td> <td>32.21</td> <td>100</td> <td>173</td> <td>QP</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>39.70</td> <td>32.82</td> <td>40.00</td> <td>-7.18</td> <td>45.30</td> <td>0.61</td> <td>19.13</td> <td>32.22</td> <td>150</td> <td>310</td> <td>QP</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>299.66</td> <td>39.34</td> <td>46.00</td> <td>-6.66</td> <td>50.45</td> <td>1.84</td> <td>19.12</td> <td>32.07</td> <td>200</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>350.10</td> <td>41.17</td> <td>46.00</td> <td>-4.83</td> <td>50.75</td> <td>2.04</td> <td>20.21</td> <td>31.83</td> <td>200</td> <td>106</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>399.57</td> <td>36.59</td> <td>46.00</td> <td>-9.41</td> <td>44.87</td> <td>2.15</td> <td>21.66</td> <td>32.09</td> <td>125</td> <td>117</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	31.94	35.64	40.00	-4.36	44.20	0.52	23.12	32.20	100	166	QP	VERTICAL	2	35.82	34.33	40.00	-5.67	44.79	0.58	21.17	32.21	100	173	QP	VERTICAL	3	39.70	32.82	40.00	-7.18	45.30	0.61	19.13	32.22	150	310	QP	VERTICAL	4	299.66	39.34	46.00	-6.66	50.45	1.84	19.12	32.07	200	218	Peak	VERTICAL	5	350.10	41.17	46.00	-4.83	50.75	2.04	20.21	31.83	200	106	Peak	VERTICAL	6	399.57	36.59	46.00	-9.41	44.87	2.15	21.66	32.09	125	117	Peak	VERTICAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	31.94	35.64	40.00	-4.36	44.20	0.52	23.12	32.20	100	166	QP	VERTICAL																																																																																													
2	35.82	34.33	40.00	-5.67	44.79	0.58	21.17	32.21	100	173	QP	VERTICAL																																																																																													
3	39.70	32.82	40.00	-7.18	45.30	0.61	19.13	32.22	150	310	QP	VERTICAL																																																																																													
4	299.66	39.34	46.00	-6.66	50.45	1.84	19.12	32.07	200	218	Peak	VERTICAL																																																																																													
5	350.10	41.17	46.00	-4.83	50.75	2.04	20.21	31.83	200	106	Peak	VERTICAL																																																																																													
6	399.57	36.59	46.00	-9.41	44.87	2.15	21.66	32.09	125	117	Peak	VERTICAL																																																																																													
<p>Note 1: ">20dB" means emission levels that exceed the level of 20 dB below the applicable limit. Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																									



RSE below 1GHz Result

Appendix E.1

RSE below 1GHz Result																																																																																																									
Operating Mode	1	Polarization	Horizontal																																																																																																						
Operating Function	CTX																																																																																																								
<div style="display: flex; justify-content: space-between;"> Level (dBuV/m) Date: 2019-10-22 Time: 19:21:33 </div>																																																																																																									
<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>288.02</td> <td>34.21</td> <td>46.00</td> <td>-11.79</td> <td>45.58</td> <td>1.79</td> <td>18.90</td> <td>32.06</td> <td>125</td> <td>214</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>299.66</td> <td>39.19</td> <td>46.00</td> <td>-6.81</td> <td>50.30</td> <td>1.84</td> <td>19.12</td> <td>32.07</td> <td>150</td> <td>198</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>350.10</td> <td>39.27</td> <td>46.00</td> <td>-6.73</td> <td>48.85</td> <td>2.04</td> <td>20.21</td> <td>31.83</td> <td>100</td> <td>213</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>399.57</td> <td>35.27</td> <td>46.00</td> <td>-10.73</td> <td>43.55</td> <td>2.15</td> <td>21.66</td> <td>32.09</td> <td>100</td> <td>198</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>571.26</td> <td>35.38</td> <td>46.00</td> <td>-10.62</td> <td>40.07</td> <td>2.53</td> <td>24.80</td> <td>32.02</td> <td>200</td> <td>231</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>850.62</td> <td>38.96</td> <td>46.00</td> <td>-7.04</td> <td>41.01</td> <td>3.09</td> <td>26.48</td> <td>31.62</td> <td>100</td> <td>269</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	288.02	34.21	46.00	-11.79	45.58	1.79	18.90	32.06	125	214	Peak	HORIZONTAL	2	299.66	39.19	46.00	-6.81	50.30	1.84	19.12	32.07	150	198	Peak	HORIZONTAL	3	350.10	39.27	46.00	-6.73	48.85	2.04	20.21	31.83	100	213	Peak	HORIZONTAL	4	399.57	35.27	46.00	-10.73	43.55	2.15	21.66	32.09	100	198	Peak	HORIZONTAL	5	571.26	35.38	46.00	-10.62	40.07	2.53	24.80	32.02	200	231	Peak	HORIZONTAL	6	850.62	38.96	46.00	-7.04	41.01	3.09	26.48	31.62	100	269	Peak	HORIZONTAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	288.02	34.21	46.00	-11.79	45.58	1.79	18.90	32.06	125	214	Peak	HORIZONTAL																																																																																													
2	299.66	39.19	46.00	-6.81	50.30	1.84	19.12	32.07	150	198	Peak	HORIZONTAL																																																																																													
3	350.10	39.27	46.00	-6.73	48.85	2.04	20.21	31.83	100	213	Peak	HORIZONTAL																																																																																													
4	399.57	35.27	46.00	-10.73	43.55	2.15	21.66	32.09	100	198	Peak	HORIZONTAL																																																																																													
5	571.26	35.38	46.00	-10.62	40.07	2.53	24.80	32.02	200	231	Peak	HORIZONTAL																																																																																													
6	850.62	38.96	46.00	-7.04	41.01	3.09	26.48	31.62	100	269	Peak	HORIZONTAL																																																																																													
<p>Note 1: ">20dB" means emission levels that exceed the level of 20 dB below the applicable limit. Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																									



<For non-beamforming mode>

4T1S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.1464G	73.98	74.00	-0.02	4.25	3	Vertical	278	1.74	-

802.11a_Nss1,(6Mbps)_4TX

09/10/2019

5180MHz_TX




EUT Y_4TX
Setting 78
03-A-3-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	73.33	74.00	-0.67	5.50	3	Vertical	139	1.81	-	67.83
AV	5.15G	50.98	54.00	-3.02	5.50	3	Vertical	139	1.81	-	45.48
PK	5.1736G	119.25	Inf	-Inf	5.56	3	Vertical	139	1.81	-	113.69
AV	5.1736G	109.55	Inf	-Inf	5.56	3	Vertical	139	1.81	-	103.99

802.11a_Nss1,(6Mbps)_4TX

09/10/2019

5180MHz_TX




EUT Y_4TX
Setting 78
03-A-3-10
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	72.59	74.00	-1.41	5.50	3	Horizontal	105	1.45	-	67.09
AV	5.1476G	50.34	54.00	-3.66	5.50	3	Horizontal	105	1.45	-	44.84
PK	5.1864G	115.36	Inf	-Inf	5.60	3	Horizontal	105	1.45	-	109.76
AV	5.186G	105.98	Inf	-Inf	5.60	3	Horizontal	105	1.45	-	100.38

802.11a_Nss1,(6Mbps)_4TX

30/10/2019

5180MHz_TX




EUT Y_4TX
Setting 78
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53934G	60.11	74.00	-13.89	14.47	3	Vertical	29	1.28	-	45.64
AV	15.53746G	46.81	54.00	-7.19	14.46	3	Vertical	29	1.28	-	32.35

802.11a_Nss1,(6Mbps)_4TX

30/10/2019

5180MHz_TX




EUT Y_4TX
Setting 78
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54G	60.10	74.00	-13.90	14.46	3	Horizontal	265	1.50	-	45.64
AV	15.5351G	46.81	54.00	-7.19	14.46	3	Horizontal	265	1.50	-	32.35

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5200MHz_TX




EUT Y_4TX
 Setting 96
 01-J-5-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	73.55	74.00	-0.45	4.25	3	Vertical	277	1.67	-	69.30
AV	5.1476G	53.85	54.00	-0.15	4.25	3	Vertical	277	1.67	-	49.60
PK	5.2076G	122.79	Inf	-Inf	4.30	3	Vertical	277	1.67	-	118.49
AV	5.2076G	113.38	Inf	-Inf	4.30	3	Vertical	277	1.67	-	109.08

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5200MHz_TX




EUT Y_4TX
Setting 96
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1436G	67.26	74.00	-6.74	4.24	3	Horizontal	19	1.53	-	63.02
AV	5.15G	49.56	54.00	-4.44	4.25	3	Horizontal	19	1.53	-	45.31
PK	5.1924G	116.18	Inf	-Inf	4.26	3	Horizontal	19	1.53	-	111.92
AV	5.1924G	106.95	Inf	-Inf	4.26	3	Horizontal	19	1.53	-	102.69

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5200MHz_TX




EUT Y_4TX
 Setting 96
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6079G	60.32	74.00	-13.68	14.38	3	Vertical	307	2.32	-	45.94
AV	15.6086G	47.15	54.00	-6.85	14.37	3	Vertical	307	2.32	-	32.78

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5200MHz_TX




EUT Y_4TX
Setting 96
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6015G	60.46	74.00	-13.54	14.38	3	Horizontal	360	1.55	-	46.08
AV	15.6056G	46.90	54.00	-7.10	14.38	3	Horizontal	360	1.55	-	32.52

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	61.62	74.00	-12.38	4.24	3	Vertical	42	1.81	-	57.38
AV	5.1464G	48.95	54.00	-5.05	4.25	3	Vertical	42	1.81	-	44.70
PK	5.2346G	124.79	Inf	-Inf	4.39	3	Vertical	42	1.81	-	120.40
AV	5.234G	115.12	Inf	-Inf	4.39	3	Vertical	42	1.81	-	110.73
PK	5.3546G	60.54	74.00	-13.46	4.82	3	Vertical	42	1.81	-	55.72
AV	5.3504G	47.86	54.00	-6.14	4.81	3	Vertical	42	1.81	-	43.05

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	59.31	74.00	-14.69	4.25	3	Horizontal	163	2.97	-	55.06
AV	5.1494G	46.42	54.00	-7.58	4.25	3	Horizontal	163	2.97	-	42.17
PK	5.2454G	119.10	Inf	-Inf	4.44	3	Horizontal	163	2.97	-	114.66
AV	5.246G	109.57	Inf	-Inf	4.44	3	Horizontal	163	2.97	-	105.13
PK	5.3642G	58.45	74.00	-15.55	4.86	3	Horizontal	163	2.97	-	53.59
AV	5.3534G	46.20	54.00	-7.80	4.82	3	Horizontal	163	2.97	-	41.38

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5240MHz_TX




EUT Y_4TX
Setting 100
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71076G	59.38	74.00	-14.62	14.25	3	Vertical	71	1.64	-	45.13
AV	15.7086G	45.89	54.00	-8.11	14.25	3	Vertical	71	1.64	-	31.64

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5240MHz_TX




EUT Y_4TX
 Setting 100
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7137G	59.05	74.00	-14.95	14.25	3	Horizontal	72	2.76	-	44.80
AV	15.72108G	46.03	54.00	-7.97	14.24	3	Horizontal	72	2.76	-	31.79

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	62.14	68.20	-6.06	5.68	3	Vertical	99	1.66	-	56.46
PK	5.739G	124.12	Inf	-Inf	5.83	3	Vertical	99	1.66	-	118.29
AV	5.739G	114.90	Inf	-Inf	5.83	3	Vertical	99	1.66	-	109.07
PK	5.927G	62.32	68.20	-5.88	6.82	3	Vertical	99	1.66	-	55.50

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5745MHz_TX




EUT_Y_4TX
Setting 100
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.626G	62.00	68.20	-6.20	5.67	3	Horizontal	251	1.53	-	56.33
PK	5.741G	123.90	Inf	-Inf	5.83	3	Horizontal	251	1.53	-	118.07
AV	5.74G	114.39	Inf	-Inf	5.83	3	Horizontal	251	1.53	-	108.56
PK	5.964G	60.84	68.20	-7.36	6.99	3	Horizontal	251	1.53	-	53.85

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5745MHz_TX




EUT Y_4TX
 Setting 100
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49618G	54.40	74.00	-19.60	11.93	3	Vertical	163	1.06	-	42.47
AV	11.48994G	42.54	54.00	-11.46	11.93	3	Vertical	163	1.06	-	30.61
PK	17.23296G	66.76	68.20	-1.44	18.05	3	Vertical	347	2.04	-	48.71

802.11a_Nss1,(6Mbps)_4TX

23/08/2019

5745MHz_TX




EUT Y_4TX
 Setting 100
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48994G	55.41	74.00	-18.59	11.93	3	Horizontal	283	2.96	-	43.48
AV	11.48994G	45.57	54.00	-8.43	11.93	3	Horizontal	283	2.96	-	33.64
PK	17.24136G	64.64	68.20	-3.56	18.06	3	Horizontal	306	1.24	-	46.58

802.11a_Nss1,(6Mbps)_4TX

30/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 01-P-2-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	60.74	68.20	-7.46	5.69	3	Vertical	196	1.54	-	55.05
PK	5.78G	122.32	Inf	-Inf	5.91	3	Vertical	196	1.54	-	116.41
AV	5.781G	113.35	Inf	-Inf	5.91	3	Vertical	196	1.54	-	107.44
PK	5.965G	60.98	68.20	-7.22	7.00	3	Vertical	196	1.54	-	53.98

802.11a_Nss1,(6Mbps)_4TX

30/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.61G	60.61	68.20	-7.59	5.65	3	Horizontal	343	1.54	-	54.96
PK	5.78G	121.88	Inf	-Inf	5.91	3	Horizontal	343	1.54	-	115.97
AV	5.78G	112.88	Inf	-Inf	5.91	3	Horizontal	343	1.54	-	106.97
PK	5.959G	61.06	68.20	-7.14	6.97	3	Horizontal	343	1.54	-	54.09

802.11a_Nss1,(6Mbps)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3514G	66.68	68.20	-1.52	17.93	3	Vertical	71	1.68	-	48.75

802.11a_Nss1,(6Mbps)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
03-K-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3562G	65.37	68.20	-2.83	17.96	3	Horizontal	41	1.37	-	47.41

802.11a_Nss1,(6Mbps)_4TX

30/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	61.11	68.20	-7.09	5.69	3	Vertical	169	1.61	-	55.42
PK	5.823G	122.27	Inf	-Inf	6.13	3	Vertical	169	1.61	-	116.14
AV	5.823G	113.22	Inf	-Inf	6.13	3	Vertical	169	1.61	-	107.09
PK	5.926G	61.38	68.20	-6.82	6.81	3	Vertical	169	1.61	-	54.57

802.11a_Nss1,(6Mbps)_4TX

30/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.614G	60.94	68.20	-7.26	5.65	3	Horizontal	334	1.50	-	55.29
PK	5.822G	121.12	Inf	-Inf	6.12	3	Horizontal	334	1.50	-	115.00
AV	5.823G	111.56	Inf	-Inf	6.13	3	Horizontal	334	1.50	-	105.43
PK	5.933G	60.17	68.20	-8.03	6.85	3	Horizontal	334	1.50	-	53.32

802.11a_Nss1,(6Mbps)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4765G	68.10	68.20	-0.10	18.57	3	Vertical	81	1.72	-	49.53

802.11a_Nss1,(6Mbps)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4804G	65.96	68.20	-2.24	18.59	3	Horizontal	40	1.42	-	47.37

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5180MHz_TX




EUT Y_4TX
Setting 79
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	73.95	74.00	-0.05	4.25	3	Vertical	189	1.72	-	69.70
AV	5.1464G	51.59	54.00	-2.41	4.25	3	Vertical	189	1.72	-	47.34
PK	5.1768G	119.88	Inf	-Inf	4.26	3	Vertical	189	1.72	-	115.62
AV	5.1768G	107.78	Inf	-Inf	4.26	3	Vertical	189	1.72	-	103.52

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5180MHz_TX




EUT Y_4TX
Setting 79
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	69.95	74.00	-4.05	4.25	3	Horizontal	112	1.49	-	65.70
AV	5.149G	48.07	54.00	-5.93	4.25	3	Horizontal	112	1.49	-	43.82
PK	5.1844G	112.51	Inf	-Inf	4.26	3	Horizontal	112	1.49	-	108.25
AV	5.1794G	101.51	Inf	-Inf	4.26	3	Horizontal	112	1.49	-	97.25

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5180MHz_TX




EUT Y_4TX
Setting 79
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53963G	60.52	74.00	-13.48	14.46	3	Vertical	232	1.40	-	46.06
AV	15.54043G	46.92	54.00	-7.08	14.46	3	Vertical	232	1.40	-	32.46

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5180MHz_TX




EUT Y_4TX
Setting 79
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53794G	59.94	74.00	-14.06	14.47	3	Horizontal	0	2.75	-	45.47
AV	15.54028G	45.88	54.00	-8.12	14.46	3	Horizontal	0	2.75	-	31.42

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5200MHz_TX




EUT Y_4TX
Setting 97
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	73.31	74.00	-0.69	4.25	3	Vertical	188	1.70	-	69.06
AV	5.1472G	53.88	54.00	-0.12	4.25	3	Vertical	188	1.70	-	49.63
PK	5.202G	123.32	Inf	-Inf	4.28	3	Vertical	188	1.70	-	119.04
AV	5.1968G	112.19	Inf	-Inf	4.27	3	Vertical	188	1.70	-	107.92

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5200MHz_TX




EUT Y_4TX
Setting 97
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	69.22	74.00	-4.78	4.25	3	Horizontal	112	1.66	-	64.97
AV	5.1496G	49.69	54.00	-4.31	4.25	3	Horizontal	112	1.66	-	45.44
PK	5.1944G	117.10	Inf	-Inf	4.26	3	Horizontal	112	1.66	-	112.84
AV	5.1996G	105.79	Inf	-Inf	4.27	3	Horizontal	112	1.66	-	101.52

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5200MHz_TX




EUT Y_4TX
Setting 97
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60247G	60.70	74.00	-13.30	14.38	3	Vertical	48	1.78	-	46.32
AV	15.5975G	46.93	54.00	-7.07	14.39	3	Vertical	48	1.78	-	32.54

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5200MHz_TX




EUT Y_4TX
Setting 97
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59905G	60.53	74.00	-13.47	14.39	3	Horizontal	231	2.76	-	46.14
AV	15.59916G	46.06	54.00	-7.94	14.39	3	Horizontal	231	2.76	-	31.67

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1392G	60.93	74.00	-13.07	4.24	3	Vertical	187	1.70	-	56.69
AV	5.15G	48.35	54.00	-5.65	4.25	3	Vertical	187	1.70	-	44.10
PK	5.237G	124.04	Inf	-Inf	4.41	3	Vertical	187	1.70	-	119.63
AV	5.237G	112.78	Inf	-Inf	4.41	3	Vertical	187	1.70	-	108.37
PK	5.3588G	60.27	74.00	-13.73	4.85	3	Vertical	187	1.70	-	55.42
AV	5.35G	46.80	54.00	-7.20	4.81	3	Vertical	187	1.70	-	41.99

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	58.82	74.00	-15.18	4.24	3	Horizontal	258	2.65	-	54.58
AV	5.15G	45.49	54.00	-8.51	4.25	3	Horizontal	258	2.65	-	41.24
PK	5.2382G	118.35	Inf	-Inf	4.41	3	Horizontal	258	2.65	-	113.94
AV	5.2382G	107.50	Inf	-Inf	4.41	3	Horizontal	258	2.65	-	103.09
PK	5.3744G	58.37	74.00	-15.63	4.89	3	Horizontal	258	2.65	-	53.48
AV	5.35G	45.35	54.00	-8.65	4.81	3	Horizontal	258	2.65	-	40.54

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5240MHz_TX




EUT Y_4TX
Setting 100
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72004G	59.56	74.00	-14.44	14.24	3	Vertical	1	2.08	-	45.32
AV	15.72896G	45.05	54.00	-8.95	14.23	3	Vertical	1	2.08	-	30.82

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5240MHz_TX




EUT Y_4TX
 Setting 100
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72976G	59.22	74.00	-14.78	14.23	3	Horizontal	225	2.04	-	44.99
AV	15.72256G	44.87	54.00	-9.13	14.24	3	Horizontal	225	2.04	-	30.63

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.595G	63.12	68.20	-5.08	5.63	3	Vertical	260	1.64	-	57.49
PK	5.749G	124.20	Inf	-Inf	5.85	3	Vertical	260	1.64	-	118.35
AV	5.739G	113.51	Inf	-Inf	5.83	3	Vertical	260	1.64	-	107.68
PK	5.925G	60.67	68.20	-7.53	6.81	3	Vertical	260	1.64	-	53.86

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	61.82	68.20	-6.38	5.68	3	Horizontal	77	1.55	-	56.14
PK	5.742G	122.74	Inf	-Inf	5.83	3	Horizontal	77	1.55	-	116.91
AV	5.742G	111.39	Inf	-Inf	5.83	3	Horizontal	77	1.55	-	105.56
PK	5.963G	60.71	68.20	-7.49	6.99	3	Horizontal	77	1.55	-	53.72

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.2365G	66.16	68.20	-2.04	18.05	3	Vertical	214	1.98	-	48.11

802.11ac VHT20_Nss1,(MCS0)_4TX

23/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.24466G	65.15	68.20	-3.05	18.07	3	Horizontal	129	1.39	-	47.08

802.11ac VHT20_Nss1,(MCS0)_4TX

30/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	61.07	68.20	-7.13	5.68	3	Vertical	166	1.40	-	55.39
PK	5.784G	122.64	Inf	-Inf	5.92	3	Vertical	166	1.40	-	116.72
AV	5.783G	112.01	Inf	-Inf	5.92	3	Vertical	166	1.40	-	106.09
PK	5.939G	61.11	68.20	-7.09	6.88	3	Vertical	166	1.40	-	54.23

802.11ac VHT20_Nss1,(MCS0)_4TX

30/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	61.85	68.20	-6.35	5.69	3	Horizontal	347	1.54	-	56.16
PK	5.782G	121.27	Inf	-Inf	5.91	3	Horizontal	347	1.54	-	115.36
AV	5.782G	109.98	Inf	-Inf	5.91	3	Horizontal	347	1.54	-	104.07
PK	5.964G	60.84	68.20	-7.36	6.99	3	Horizontal	347	1.54	-	53.85

802.11ac VHT20_Nss1,(MCS0)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3574G	65.51	68.20	-2.69	17.96	3	Vertical	73	1.66	-	47.55

802.11ac VHT20_Nss1,(MCS0)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3402G	66.53	68.20	-1.67	17.88	3	Horizontal	40	1.38	-	48.65

802.11ac VHT20_Nss1,(MCS0)_4TX

30/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.611G	61.35	68.20	-6.85	5.65	3	Vertical	170	1.59	-	55.70
PK	5.819G	122.61	Inf	-Inf	6.09	3	Vertical	170	1.59	-	116.52
AV	5.824G	112.04	Inf	-Inf	6.13	3	Vertical	170	1.59	-	105.91
PK	5.933G	60.94	68.20	-7.26	6.85	3	Vertical	170	1.59	-	54.09

802.11ac VHT20_Nss1,(MCS0)_4TX

30/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.626G	60.74	68.20	-7.46	5.67	3	Horizontal	332	1.58	-	55.07
PK	5.829G	121.25	Inf	-Inf	6.17	3	Horizontal	332	1.58	-	115.08
AV	5.824G	109.82	Inf	-Inf	6.13	3	Horizontal	332	1.58	-	103.69
PK	5.943G	60.75	68.20	-7.45	6.89	3	Horizontal	332	1.58	-	53.86

802.11ac VHT20_Nss1,(MCS0)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4609G	65.96	68.20	-2.24	18.49	3	Vertical	82	1.78	-	47.47

802.11ac VHT20_Nss1,(MCS0)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)
PK	17.461G	65.64	68.20	-2.56	18.49	3	Horizontal	39	1.39	-	47.15

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5190MHz_TX




EUT_Y_4TX
Setting 71
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	69.32	74.00	-4.68	4.25	3	Vertical	277	1.70	-	65.07
AV	5.1472G	53.97	54.00	-0.03	4.25	3	Vertical	277	1.70	-	49.72
PK	5.192G	114.10	Inf	-Inf	4.26	3	Vertical	277	1.70	-	109.84
AV	5.1968G	104.47	Inf	-Inf	4.27	3	Vertical	277	1.70	-	100.20

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5190MHz_TX




EUT Y_4TX
Setting 71
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1416G	63.27	74.00	-10.73	4.24	3	Horizontal	199	1.50	-	59.03
AV	5.1488G	48.05	54.00	-5.95	4.25	3	Horizontal	199	1.50	-	43.80
PK	5.1864G	107.21	Inf	-Inf	4.27	3	Horizontal	199	1.50	-	102.94
AV	5.1864G	97.34	Inf	-Inf	4.27	3	Horizontal	199	1.50	-	93.07

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5190MHz_TX




EUT Y_4TX
Setting 71
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56886G	60.39	74.00	-13.61	14.42	3	Vertical	317	2.97	-	45.97
AV	15.55914G	47.71	54.00	-6.29	14.43	3	Vertical	317	2.97	-	33.28

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 71
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5826G	60.24	74.00	-13.76	14.41	3	Horizontal	158	2.59	-	45.83
AV	15.55644G	47.95	54.00	-6.05	14.44	3	Horizontal	158	2.59	-	33.51

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5230MHz_TX




EUT_Y_4TX
Setting 90
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	69.77	74.00	-4.23	4.25	3	Vertical	257	1.61	-	65.52
AV	5.1496G	53.90	54.00	-0.10	4.25	3	Vertical	257	1.61	-	49.65
PK	5.2444G	118.26	Inf	-Inf	4.43	3	Vertical	257	1.61	-	113.83
AV	5.2342G	108.74	Inf	-Inf	4.39	3	Vertical	257	1.61	-	104.35
PK	5.356G	60.26	74.00	-13.74	4.83	3	Vertical	257	1.61	-	55.43
AV	5.3524G	48.30	54.00	-5.70	4.82	3	Vertical	257	1.61	-	43.48

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5230MHz_TX




EUT_Y_4TX
Setting 90
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	65.45	74.00	-8.55	4.25	3	Horizontal	17	2.83	-	61.20
AV	5.1496G	49.97	54.00	-4.03	4.25	3	Horizontal	17	2.83	-	45.72
PK	5.2396G	113.23	Inf	-Inf	4.42	3	Horizontal	17	2.83	-	108.81
AV	5.2348G	104.53	Inf	-Inf	4.39	3	Horizontal	17	2.83	-	100.14
PK	5.3536G	58.89	74.00	-15.11	4.82	3	Horizontal	17	2.83	-	54.07
AV	5.3554G	47.10	54.00	-6.90	4.83	3	Horizontal	17	2.83	-	42.27

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5230MHz_TX




EUT Y_4TX
Setting 90
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69333G	60.12	74.00	-13.88	14.27	3	Vertical	356	1.95	-	45.85
AV	15.68526G	46.89	54.00	-7.11	14.28	3	Vertical	356	1.95	-	32.61

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5230MHz_TX




EUT Y_4TX
 Setting 90
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68976G	60.14	74.00	-13.86	14.28	3	Horizontal	118	1.45	-	45.86
AV	15.68028G	46.87	54.00	-7.13	14.28	3	Horizontal	118	1.45	-	32.59

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5755MHz_TX




EUT Y_4TX
Setting 99
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	68.18	68.20	-0.02	5.68	3	Vertical	263	1.58	-	62.50
PK	5.759G	121.40	Inf	-Inf	5.87	3	Vertical	263	1.58	-	115.53
AV	5.759G	112.08	Inf	-Inf	5.87	3	Vertical	263	1.58	-	106.21
PK	5.957G	62.15	68.20	-6.05	6.96	3	Vertical	263	1.58	-	55.19

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5755MHz_TX




EUT_Y_4TX
Setting 99
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	67.19	68.20	-1.01	5.69	3	Horizontal	49	2.47	-	61.50
PK	5.761G	121.56	Inf	-Inf	5.87	3	Horizontal	49	2.47	-	115.69
AV	5.761G	110.14	Inf	-Inf	5.87	3	Horizontal	49	2.47	-	104.27
PK	5.943G	60.60	68.20	-7.60	6.89	3	Horizontal	49	2.47	-	53.71

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5755MHz_TX




EUT Y_4TX
 Setting 99
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.27874G	63.67	68.20	-4.53	18.12	3	Vertical	181	1.50	-	45.55

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5755MHz_TX




EUT Y_4TX
Setting 99
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.2675G	63.96	68.20	-4.24	18.10	3	Horizontal	128	1.39	-	45.86

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5795MHz_TX




EUT Y_4TX
 Setting 100
 01-J-5-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.631G	62.98	68.20	-5.22	5.67	3	Vertical	262	1.75	-	57.31
PK	5.785G	121.42	Inf	-Inf	5.92	3	Vertical	262	1.75	-	115.50
AV	5.784G	111.92	Inf	-Inf	5.92	3	Vertical	262	1.75	-	106.00
PK	5.937G	64.89	68.20	-3.31	6.86	3	Vertical	262	1.75	-	58.03

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5795MHz_TX




EUT_Y_4TX
Setting 100
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.633G	62.59	68.20	-5.61	5.67	3	Horizontal	74	1.50	-	56.92
PK	5.787G	119.24	Inf	-Inf	5.92	3	Horizontal	74	1.50	-	113.32
AV	5.787G	109.39	Inf	-Inf	5.92	3	Horizontal	74	1.50	-	103.47
PK	5.928G	63.17	68.20	-5.03	6.82	3	Horizontal	74	1.50	-	56.35

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5795MHz_TX




EUT Y_4TX
Setting 100
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.39034G	67.05	68.20	-1.15	18.32	3	Vertical	167	1.73	-	48.73

802.11ac VHT40_Nss1,(MCS0)_4TX

24/08/2019

5795MHz_TX




EUT Y_4TX
Setting 100
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3951G	64.77	68.20	-3.43	18.33	3	Horizontal	227	1.51	-	46.44

802.11ac VHT80_Nss1,(MCS0)_4TX

24/08/2019

5210MHz_TX




EUT Y_4TX
Setting 70
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	71.28	74.00	-2.72	4.25	3	Vertical	281	1.71	-	67.03
AV	5.147G	53.75	54.00	-0.25	4.25	3	Vertical	281	1.71	-	49.50
PK	5.207G	111.92	Inf	-Inf	4.29	3	Vertical	281	1.71	-	107.63
AV	5.202G	101.76	Inf	-Inf	4.28	3	Vertical	281	1.71	-	97.48
PK	5.456G	58.68	74.00	-15.32	5.21	3	Vertical	281	1.71	-	53.47
AV	5.353G	47.24	54.00	-6.76	4.82	3	Vertical	281	1.71	-	42.42

802.11ac VHT80_Nss1,(MCS0)_4TX

24/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 70
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	65.05	74.00	-8.95	4.25	3	Horizontal	198	1.50	-	60.80
AV	5.146G	48.37	54.00	-5.63	4.25	3	Horizontal	198	1.50	-	44.12
PK	5.192G	103.93	Inf	-Inf	4.26	3	Horizontal	198	1.50	-	99.67
AV	5.197G	94.43	Inf	-Inf	4.27	3	Horizontal	198	1.50	-	90.16
PK	5.439G	58.21	74.00	-15.79	5.15	3	Horizontal	198	1.50	-	53.06
AV	5.353G	46.11	54.00	-7.89	4.82	3	Horizontal	198	1.50	-	41.29

802.11ac VHT80_Nss1,(MCS0)_4TX

24/08/2019

5210MHz_TX




EUT Y_4TX
 Setting 70
 01-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63358G	60.54	74.00	-13.46	14.35	3	Vertical	336	1.14	-	46.19
AV	15.62708G	47.42	54.00	-6.58	14.35	3	Vertical	336	1.14	-	33.07

802.11ac VHT80_Nss1,(MCS0)_4TX

24/08/2019

5210MHz_TX




EUT Y_4TX
Setting 70
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63234G	60.56	74.00	-13.44	14.35	3	Horizontal	176	1.74	-	46.21
AV	15.62852G	47.38	54.00	-6.62	14.34	3	Horizontal	176	1.74	-	33.04

802.11ac VHT80_Nss1,(MCS0)_4TX

24/08/2019

5775MHz_TX




EUT Y_4TX
Setting 87
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	68.17	68.20	-0.03	5.69	3	Vertical	261	1.67	-	62.48
PK	5.769G	114.88	Inf	-Inf	5.90	3	Vertical	261	1.67	-	108.98
AV	5.769G	106.11	Inf	-Inf	5.90	3	Vertical	261	1.67	-	100.21
PK	5.924G	66.27	68.94	-2.67	6.81	3	Vertical	261	1.67	-	59.46

802.11ac VHT80_Nss1,(MCS0)_4TX

24/08/2019

5775MHz_TX




EUT Y_4TX
Setting 87
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	67.57	68.94	-1.37	5.69	3	Horizontal	75	1.75	-	61.88
PK	5.762G	113.57	Inf	-Inf	5.87	3	Horizontal	75	1.75	-	107.70
AV	5.762G	103.61	Inf	-Inf	5.87	3	Horizontal	75	1.75	-	97.74
PK	5.924G	64.83	68.94	-4.11	6.81	3	Horizontal	75	1.75	-	58.02

802.11ac VHT80_Nss1,(MCS0)_4TX

24/08/2019

5775MHz_TX




EUT Y_4TX
Setting 87
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55072G	54.83	74.00	-19.17	11.95	3	Vertical	340	2.96	-	42.88
AV	11.54754G	41.96	54.00	-12.04	11.95	3	Vertical	340	2.96	-	30.01
PK	17.32578G	62.64	68.20	-5.56	18.21	3	Vertical	52	2.80	-	44.43

802.11ac VHT80_Nss1,(MCS0)_4TX

24/08/2019

5775MHz_TX




EUT Y_4TX
Setting 87
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55236G	54.22	74.00	-19.78	11.96	3	Horizontal	264	2.74	-	42.26
AV	11.55128G	42.04	54.00	-11.96	11.95	3	Horizontal	264	2.74	-	30.09
PK	17.3213G	62.80	68.20	-5.40	18.21	3	Horizontal	282	1.38	-	44.59

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 77
 01-G-2-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	73.98	74.00	-0.02	4.25	3	Vertical	278	1.74	-	69.73
AV	5.1464G	53.17	54.00	-0.83	4.25	3	Vertical	278	1.74	-	48.92
PK	5.1768G	122.53	Inf	-Inf	4.26	3	Vertical	278	1.74	-	118.27
AV	5.1768G	107.97	Inf	-Inf	4.26	3	Vertical	278	1.74	-	103.71

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5180MHz_TX




EUT Y_4TX
Setting 77
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	68.61	74.00	-5.39	4.25	3	Horizontal	198	1.48	-	64.36
AV	5.1488G	48.05	54.00	-5.95	4.25	3	Horizontal	198	1.48	-	43.80
PK	5.1768G	115.19	Inf	-Inf	4.26	3	Horizontal	198	1.48	-	110.93
AV	5.1816G	101.37	Inf	-Inf	4.26	3	Horizontal	198	1.48	-	97.11

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 77
 01-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53828G	60.58	74.00	-13.42	14.47	3	Vertical	306	2.22	-	46.11
AV	15.54026G	45.91	54.00	-8.09	14.46	3	Vertical	306	2.22	-	31.45

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 77
 01-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5393G	60.06	74.00	-13.94	14.47	3	Horizontal	320	1.47	-	45.59
AV	15.54004G	45.99	54.00	-8.01	14.46	3	Horizontal	320	1.47	-	31.53

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5200MHz_TX




EUT Y_4TX
Setting 95
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.70	74.00	-2.30	4.25	3	Vertical	278	1.70	-	67.45
AV	5.15G	53.96	54.00	-0.04	4.25	3	Vertical	278	1.70	-	49.71
PK	5.1968G	126.65	Inf	-Inf	4.27	3	Vertical	278	1.70	-	122.38
AV	5.202G	112.26	Inf	-Inf	4.28	3	Vertical	278	1.70	-	107.98

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5200MHz_TX




EUT Y_4TX
Setting 95
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.56	74.00	-7.44	4.25	3	Horizontal	197	1.50	-	62.31
AV	5.1468G	49.15	54.00	-4.85	4.25	3	Horizontal	197	1.50	-	44.90
PK	5.1968G	118.97	Inf	-Inf	4.27	3	Horizontal	197	1.50	-	114.70
AV	5.1964G	104.83	Inf	-Inf	4.27	3	Horizontal	197	1.50	-	100.56

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5200MHz_TX




EUT Y_4TX
Setting 95
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59734G	60.99	74.00	-13.01	14.39	3	Vertical	208	1.43	-	46.60
AV	15.59928G	46.06	54.00	-7.94	14.39	3	Vertical	208	1.43	-	31.67

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5200MHz_TX




EUT Y_4TX
Setting 95
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5977G	60.41	74.00	-13.59	14.39	3	Horizontal	184	2.71	-	46.02
AV	15.60244G	46.30	54.00	-7.70	14.38	3	Horizontal	184	2.71	-	31.92

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	62.17	74.00	-11.83	4.25	3	Vertical	280	1.68	-	57.92
AV	5.15G	49.04	54.00	-4.96	4.25	3	Vertical	280	1.68	-	44.79
PK	5.237G	126.82	Inf	-Inf	4.41	3	Vertical	280	1.68	-	122.41
AV	5.2418G	114.10	Inf	-Inf	4.43	3	Vertical	280	1.68	-	109.67
PK	5.36G	59.90	74.00	-14.10	4.85	3	Vertical	280	1.68	-	55.05
AV	5.351G	47.70	54.00	-6.30	4.81	3	Vertical	280	1.68	-	42.89

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5240MHz_TX




EUT Y_4TX
Setting 100
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	59.46	74.00	-14.54	4.25	3	Horizontal	15	2.99	-	55.21
AV	5.1482G	46.51	54.00	-7.49	4.25	3	Horizontal	15	2.99	-	42.26
PK	5.2442G	120.57	Inf	-Inf	4.43	3	Horizontal	15	2.99	-	116.14
AV	5.2346G	108.62	Inf	-Inf	4.39	3	Horizontal	15	2.99	-	104.23
PK	5.3582G	58.95	74.00	-15.05	4.83	3	Horizontal	15	2.99	-	54.12
AV	5.3606G	46.01	54.00	-7.99	4.85	3	Horizontal	15	2.99	-	41.16

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5240MHz_TX




EUT Y_4TX
Setting 100
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72452G	59.00	74.00	-15.00	14.23	3	Vertical	47	2.38	-	44.77
AV	15.71936G	46.78	54.00	-7.22	14.24	3	Vertical	47	2.38	-	32.54

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5240MHz_TX




EUT Y_4TX
Setting 100
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71888G	59.82	74.00	-14.18	14.24	3	Horizontal	292	1.22	-	45.58
AV	15.71522G	45.85	54.00	-8.15	14.24	3	Horizontal	292	1.22	-	31.61

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	62.81	68.20	-5.39	5.69	3	Vertical	261	1.69	-	57.12
PK	5.75G	125.10	Inf	-Inf	5.85	3	Vertical	261	1.69	-	119.25
AV	5.739G	112.98	Inf	-Inf	5.83	3	Vertical	261	1.69	-	107.15
PK	5.925G	61.17	68.20	-7.03	6.81	3	Vertical	261	1.69	-	54.36

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.589G	61.23	68.20	-6.97	5.61	3	Horizontal	50	1.75	-	55.62
PK	5.741G	124.96	Inf	-Inf	5.83	3	Horizontal	50	1.75	-	119.13
AV	5.741G	111.50	Inf	-Inf	5.83	3	Horizontal	50	1.75	-	105.67
PK	5.962G	61.08	68.20	-7.12	6.99	3	Horizontal	50	1.75	-	54.09

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5745MHz_TX




EUT Y_4TX
 Setting 100
 01-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4879G	54.07	74.00	-19.93	11.93	3	Vertical	3	2.52	-	42.14
AV	11.485G	40.01	54.00	-13.99	11.93	3	Vertical	3	2.52	-	28.08
PK	17.2367G	66.35	68.20	-1.85	18.05	3	Vertical	216	1.79	-	48.30

802.11ax HEW20_Nss1,(MCS0)_4TX

24/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48824G	54.76	74.00	-19.24	11.93	3	Horizontal	263	2.29	-	42.83
AV	11.48986G	39.99	54.00	-14.01	11.93	3	Horizontal	263	2.29	-	28.06
PK	17.23988G	65.65	68.20	-2.55	18.06	3	Horizontal	31	1.39	-	47.59

802.11ax HEW20_Nss1,(MCS0)_4TX

30/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.577G	60.81	68.20	-7.39	5.57	3	Vertical	187	1.61	-	55.24
PK	5.782G	125.80	Inf	-Inf	5.91	3	Vertical	187	1.61	-	119.89
AV	5.787G	112.77	Inf	-Inf	5.92	3	Vertical	187	1.61	-	106.85
PK	5.926G	60.96	68.20	-7.24	6.81	3	Vertical	187	1.61	-	54.15

802.11ax HEW20_Nss1,(MCS0)_4TX

30/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 01-P-2-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.612G	60.41	68.20	-7.79	5.65	3	Horizontal	348	1.70	-	54.76
PK	5.782G	124.01	Inf	-Inf	5.91	3	Horizontal	348	1.70	-	118.10
AV	5.787G	111.10	Inf	-Inf	5.92	3	Horizontal	348	1.70	-	105.18
PK	5.979G	60.56	68.20	-7.64	7.05	3	Horizontal	348	1.70	-	53.51

802.11ax HEW20_Nss1,(MCS0)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
03-K-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3527G	65.05	68.20	-3.15	17.94	3	Vertical	72	1.50	-	47.11

802.11ax HEW20_Nss1,(MCS0)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
03-K-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3578G	65.24	68.20	-2.96	17.96	3	Horizontal	41	1.26	-	47.28

802.11ax HEW20_Nss1,(MCS0)_4TX

30/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.608G	61.69	68.20	-6.51	5.65	3	Vertical	170	1.59	-	56.04
PK	5.83G	123.72	Inf	-Inf	6.18	3	Vertical	170	1.59	-	117.54
AV	5.824G	111.49	Inf	-Inf	6.13	3	Vertical	170	1.59	-	105.36
PK	5.929G	61.07	68.20	-7.13	6.83	3	Vertical	170	1.59	-	54.24

802.11ax HEW20_Nss1,(MCS0)_4TX

30/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.602G	60.68	68.20	-7.52	5.64	3	Horizontal	330	1.51	-	55.04
PK	5.829G	122.82	Inf	-Inf	6.17	3	Horizontal	330	1.51	-	116.65
AV	5.829G	109.20	Inf	-Inf	6.17	3	Horizontal	330	1.51	-	103.03
PK	5.933G	60.37	68.20	-7.83	6.85	3	Horizontal	330	1.51	-	53.52

802.11ax HEW20_Nss1,(MCS0)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
03-K-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4662G	66.94	68.20	-1.26	18.52	3	Vertical	93	1.95	-	48.42

802.11ax HEW20_Nss1,(MCS0)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4663G	65.48	68.20	-2.72	18.52	3	Horizontal	41	1.47	-	46.96

802.11ax HEW40_Nss1,(MCS0)_4TX

24/08/2019

5190MHz_TX




EUT Y_4TX
Setting 70
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	73.17	74.00	-0.83	4.25	3	Vertical	279	1.69	-	68.92
AV	5.1468G	53.61	54.00	-0.39	4.25	3	Vertical	279	1.69	-	49.36
PK	5.182G	116.16	Inf	-Inf	4.26	3	Vertical	279	1.69	-	111.90
AV	5.1972G	104.87	Inf	-Inf	4.27	3	Vertical	279	1.69	-	100.60

802.11ax HEW40_Nss1,(MCS0)_4TX

24/08/2019

5190MHz_TX




EUT Y_4TX
Setting 70
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	64.36	74.00	-9.64	4.25	3	Horizontal	198	1.50	-	60.11
AV	5.1468G	47.99	54.00	-6.01	4.25	3	Horizontal	198	1.50	-	43.74
PK	5.182G	109.04	Inf	-Inf	4.26	3	Horizontal	198	1.50	-	104.78
AV	5.1864G	97.70	Inf	-Inf	4.27	3	Horizontal	198	1.50	-	93.43

802.11ax HEW40_Nss1,(MCS0)_4TX

24/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 70
 01-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57324G	60.11	74.00	-13.89	14.42	3	Vertical	343	2.60	-	45.69
AV	15.57026G	47.61	54.00	-6.39	14.42	3	Vertical	343	2.60	-	33.19

802.11ax HEW40_Nss1,(MCS0)_4TX

24/08/2019

5190MHz_TX




EUT Y_4TX
Setting 70
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56676G	60.09	74.00	-13.91	14.42	3	Horizontal	196	2.62	-	45.67
AV	15.56994G	47.66	54.00	-6.34	14.42	3	Horizontal	196	2.62	-	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

24/08/2019

5230MHz_TX




EUT Y_4TX
Setting 89
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	69.84	74.00	-4.16	4.25	3	Vertical	280	1.68	-	65.59
AV	5.1472G	53.76	54.00	-0.24	4.25	3	Vertical	280	1.68	-	49.51
PK	5.2222G	121.35	Inf	-Inf	4.36	3	Vertical	280	1.68	-	116.99
AV	5.2366G	109.73	Inf	-Inf	4.41	3	Vertical	280	1.68	-	105.32
PK	5.365G	59.61	74.00	-14.39	4.86	3	Vertical	280	1.68	-	54.75
AV	5.3512G	48.37	54.00	-5.63	4.81	3	Vertical	280	1.68	-	43.56

802.11ax HEW40_Nss1,(MCS0)_4TX

24/08/2019

5230MHz_TX




EUT Y_4TX
Setting 89
01-G-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	62.96	74.00	-11.04	4.25	3	Horizontal	199	1.60	-	58.71
AV	5.1466G	49.68	54.00	-4.32	4.25	3	Horizontal	199	1.60	-	45.43
PK	5.2222G	113.73	Inf	-Inf	4.36	3	Horizontal	199	1.60	-	109.37
AV	5.2366G	103.01	Inf	-Inf	4.41	3	Horizontal	199	1.60	-	98.60
PK	5.3518G	58.15	74.00	-15.85	4.82	3	Horizontal	199	1.60	-	53.33
AV	5.3626G	46.55	54.00	-7.45	4.86	3	Horizontal	199	1.60	-	41.69

802.11ax HEW40_Nss1,(MCS0)_4TX

24/08/2019

5230MHz_TX




EUT Y_4TX
Setting 89
01-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68568G	58.87	74.00	-15.13	14.28	3	Vertical	41	1.77	-	44.59
AV	15.68798G	46.77	54.00	-7.23	14.28	3	Vertical	41	1.77	-	32.49

802.11ax HEW40_Nss1,(MCS0)_4TX

24/08/2019

5230MHz_TX




EUT Y_4TX
 Setting 89
 01-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69392G	59.11	74.00	-14.89	14.27	3	Horizontal	179	1.44	-	44.84
AV	15.68698G	46.70	54.00	-7.30	14.28	3	Horizontal	179	1.44	-	32.42

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

5755MHz_TX




EUT Y_4TX
Setting 98
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	67.87	68.20	-0.33	5.69	3	Vertical	261	1.50	-	62.18
PK	5.754G	122.83	Inf	-Inf	5.86	3	Vertical	261	1.50	-	116.97
AV	5.759G	112.33	Inf	-Inf	5.87	3	Vertical	261	1.50	-	106.46
PK	5.925G	62.45	68.20	-5.75	6.81	3	Vertical	261	1.50	-	55.64

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

5755MHz_TX




EUT Y_4TX
Setting 98
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	65.71	68.20	-2.49	5.69	3	Horizontal	65	1.50	-	60.02
PK	5.754G	120.39	Inf	-Inf	5.86	3	Horizontal	65	1.50	-	114.53
AV	5.759G	109.97	Inf	-Inf	5.87	3	Horizontal	65	1.50	-	104.10
PK	5.926G	62.67	68.20	-5.53	6.81	3	Horizontal	65	1.50	-	55.86

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

5755MHz_TX




EUT Y_4TX
Setting 98
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51241G	53.88	74.00	-20.12	11.93	3	Vertical	352	1.50	-	41.95
AV	11.50823G	41.83	54.00	-12.17	11.93	3	Vertical	352	1.50	-	29.90
PK	17.27444G	63.90	68.20	-4.30	18.12	3	Vertical	199	1.49	-	45.78

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

5755MHz_TX




EUT Y_4TX
Setting 98
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51011G	54.92	74.00	-19.08	11.93	3	Horizontal	51	1.10	-	42.99
AV	11.50999G	44.76	54.00	-9.24	11.93	3	Horizontal	51	1.10	-	32.83
PK	17.26714G	63.79	68.20	-4.41	18.10	3	Horizontal	30	1.06	-	45.69

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

5795MHz_TX




EUT Y_4TX
Setting 100
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	63.94	68.20	-4.26	5.69	3	Vertical	259	1.77	-	58.25
PK	5.794G	123.43	Inf	-Inf	5.95	3	Vertical	259	1.77	-	117.48
AV	5.789G	112.21	Inf	-Inf	5.94	3	Vertical	259	1.77	-	106.27
PK	5.924G	65.59	68.94	-3.35	6.81	3	Vertical	259	1.77	-	58.78

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

5795MHz_TX




EUT_Y_4TX
Setting 100
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.626G	62.58	68.20	-5.62	5.67	3	Horizontal	73	1.50	-	56.91
PK	5.787G	122.21	Inf	-Inf	5.92	3	Horizontal	73	1.50	-	116.29
AV	5.787G	109.39	Inf	-Inf	5.92	3	Horizontal	73	1.50	-	103.47
PK	5.929G	63.11	68.20	-5.09	6.83	3	Horizontal	73	1.50	-	56.28

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

5795MHz_TX



EUT Y_4TX
Setting 100
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59G	55.10	74.00	-18.90	11.97	3	Vertical	325	1.28	-	43.13
AV	11.59G	43.21	54.00	-10.79	11.97	3	Vertical	325	1.28	-	31.24
PK	17.3858G	66.96	68.20	-1.24	18.32	3	Vertical	168	1.73	-	48.64

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

5795MHz_TX




EUT Y_4TX
 Setting 100
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59016G	54.28	74.00	-19.72	11.97	3	Horizontal	112	1.56	-	42.31
AV	11.59G	43.98	54.00	-10.02	11.97	3	Horizontal	112	1.56	-	32.01
PK	17.3586G	64.86	68.20	-3.34	18.27	3	Horizontal	129	1.44	-	46.59

802.11ax HEW80_Nss1,(MCS0)_4TX

25/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 68
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	67.47	74.00	-6.53	4.25	3	Vertical	280	1.71	-	63.22
AV	5.1468G	53.83	54.00	-0.17	4.25	3	Vertical	280	1.71	-	49.58
PK	5.2364G	113.18	Inf	-Inf	4.41	3	Vertical	280	1.71	-	108.77
AV	5.202G	101.82	Inf	-Inf	4.28	3	Vertical	280	1.71	-	97.54
PK	5.3732G	58.82	74.00	-15.18	4.89	3	Vertical	280	1.71	-	53.93
AV	5.3516G	47.07	54.00	-6.93	4.81	3	Vertical	280	1.71	-	42.26

802.11ax HEW80_Nss1,(MCS0)_4TX

25/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 68
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.142G	62.64	74.00	-11.36	4.24	3	Horizontal	198	1.54	-	58.40
AV	5.1468G	48.31	54.00	-5.69	4.25	3	Horizontal	198	1.54	-	44.06
PK	5.202G	105.75	Inf	-Inf	4.28	3	Horizontal	198	1.54	-	101.47
AV	5.202G	95.09	Inf	-Inf	4.28	3	Horizontal	198	1.54	-	90.81
PK	5.3932G	58.78	74.00	-15.22	4.97	3	Horizontal	198	1.54	-	53.81
AV	5.3724G	46.23	54.00	-7.77	4.89	3	Horizontal	198	1.54	-	41.34

802.11ax HEW80_Nss1,(MCS0)_4TX

25/08/2019

5210MHz_TX




EUT Y_4TX
Setting 68
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63036G	59.86	74.00	-14.14	14.34	3	Vertical	244	1.48	-	45.52
AV	15.62964G	47.32	54.00	-6.68	14.34	3	Vertical	244	1.48	-	32.98

802.11ax HEW80_Nss1,(MCS0)_4TX

25/08/2019

5210MHz_TX




EUT Y_4TX
 Setting 68
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63036G	59.44	74.00	-14.56	14.34	3	Horizontal	359	2.25	-	45.10
AV	15.63092G	47.44	54.00	-6.56	14.34	3	Horizontal	359	2.25	-	33.10

802.11ax HEW80_Nss1,(MCS0)_4TX

25/08/2019

5775MHz_TX




EUT Y_4TX
Setting 81
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	68.12	68.20	-0.08	5.69	3	Vertical	260	1.65	-	62.43
PK	5.789G	116.30	Inf	-Inf	5.94	3	Vertical	260	1.65	-	110.36
AV	5.764G	105.12	Inf	-Inf	5.89	3	Vertical	260	1.65	-	99.23
PK	5.933G	64.47	68.20	-3.73	6.85	3	Vertical	260	1.65	-	57.62

802.11ax HEW80_Nss1,(MCS0)_4TX

25/08/2019

5775MHz_TX




EUT Y_4TX
Setting 81
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.17	68.20	-1.03	5.69	3	Horizontal	64	1.58	-	61.48
PK	5.754G	113.75	Inf	-Inf	5.86	3	Horizontal	64	1.58	-	107.89
AV	5.764G	102.80	Inf	-Inf	5.89	3	Horizontal	64	1.58	-	96.91
PK	5.931G	61.31	68.20	-6.89	6.83	3	Horizontal	64	1.58	-	54.48

802.11ax HEW80_Nss1,(MCS0)_4TX

25/08/2019

5775MHz_TX




EUT Y_4TX
Setting 81
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55019G	54.43	74.00	-19.57	11.95	3	Vertical	66	1.33	-	42.48
AV	11.55096G	41.88	54.00	-12.12	11.95	3	Vertical	66	1.33	-	29.93

802.11ax HEW80_Nss1,(MCS0)_4TX

25/08/2019

5775MHz_TX



EUT Y_4TX
Setting 81
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55084G	54.02	74.00	-19.98	11.95	3	Horizontal	192	1.94	-	42.07
AV	11.55025G	41.78	54.00	-12.22	11.95	3	Horizontal	192	1.94	-	29.83




4T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_4TX	Pass	AV	5.1356G	53.90	54.00	-0.10	4.25	3	Vertical	71	1.47	-

802.11ac VHT20_Nss2,(MCS0)_4TX

26/08/2019

5180MHz_TX




EUT Y_4TX
Setting 20
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1432G	70.70	74.00	-3.30	4.24	3	Vertical	95	1.67	-	66.46
AV	5.1456G	52.63	54.00	-1.37	4.25	3	Vertical	95	1.67	-	48.38
PK	5.1788G	120.01	Inf	-Inf	4.26	3	Vertical	95	1.67	-	115.75
AV	5.1772G	108.82	Inf	-Inf	4.26	3	Vertical	95	1.67	-	104.56

802.11ac VHT20_Nss2,(MCS0)_4TX

26/08/2019

5180MHz_TX




EUT Y_4TX
Setting 20
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	68.38	74.00	-5.62	4.25	3	Horizontal	334	2.54	-	64.13
AV	5.1488G	49.38	54.00	-4.62	4.25	3	Horizontal	334	2.54	-	45.13
PK	5.1788G	113.02	Inf	-Inf	4.26	3	Horizontal	334	2.54	-	108.76
AV	5.1816G	103.03	Inf	-Inf	4.26	3	Horizontal	334	2.54	-	98.77

802.11ac VHT20_Nss2,(MCS0)_4TX

26/08/2019

5180MHz_TX




EUT Y_4TX
Setting 20
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54061G	59.93	74.00	-14.07	14.46	3	Vertical	323	1.09	-	45.47
AV	15.5394G	47.61	54.00	-6.39	14.47	3	Vertical	323	1.09	-	33.14

802.11ac VHT20_Nss2,(MCS0)_4TX

26/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 20
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53956G	59.72	74.00	-14.28	14.46	3	Horizontal	125	2.07	-	45.26
AV	15.54041G	47.56	54.00	-6.44	14.46	3	Horizontal	125	2.07	-	33.10

802.11ac VHT40_Nss2,(MCS0)_4TX

26/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.97	74.00	-2.03	4.25	3	Vertical	270	1.75	-	67.72
AV	5.15G	52.48	54.00	-1.52	4.25	3	Vertical	270	1.75	-	48.23
PK	5.1936G	114.64	Inf	-Inf	4.26	3	Vertical	270	1.75	-	110.38
AV	5.1936G	104.69	Inf	-Inf	4.26	3	Vertical	270	1.75	-	100.43

802.11ac VHT40_Nss2,(MCS0)_4TX

26/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1376G	66.47	74.00	-7.53	4.24	3	Horizontal	228	2.70	-	62.23
AV	5.1488G	48.78	54.00	-5.22	4.25	3	Horizontal	228	2.70	-	44.53
PK	5.1804G	108.56	Inf	-Inf	4.26	3	Horizontal	228	2.70	-	104.30
AV	5.1768G	98.57	Inf	-Inf	4.26	3	Horizontal	228	2.70	-	94.31

802.11ac VHT40_Nss2,(MCS0)_4TX

26/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 18
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56917G	59.90	74.00	-14.10	14.42	3	Vertical	255	2.91	-	45.48
AV	15.57006G	47.62	54.00	-6.38	14.42	3	Vertical	255	2.91	-	33.20

802.11ac VHT40_Nss2,(MCS0)_4TX

26/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56904G	60.28	74.00	-13.72	14.42	3	Horizontal	68	1.75	-	45.86
AV	15.57046G	47.64	54.00	-6.36	14.42	3	Horizontal	68	1.75	-	33.22

802.11ac VHT80_Nss2,(MCS0)_4TX

26/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 16
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	63.79	74.00	-10.21	4.25	3	Vertical	96	1.69	-	59.54
AV	5.1492G	52.97	54.00	-1.03	4.25	3	Vertical	96	1.69	-	48.72
PK	5.2188G	110.59	Inf	-Inf	4.34	3	Vertical	96	1.69	-	106.25
AV	5.2068G	100.25	Inf	-Inf	4.29	3	Vertical	96	1.69	-	95.96
PK	5.366G	58.55	74.00	-15.45	4.87	3	Vertical	96	1.69	-	53.68
AV	5.3572G	47.83	54.00	-6.17	4.83	3	Vertical	96	1.69	-	43.00

802.11ac VHT80_Nss2,(MCS0)_4TX

26/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 16
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	62.00	74.00	-12.00	4.25	3	Horizontal	6	2.99	-	57.75
AV	5.1492G	49.42	54.00	-4.58	4.25	3	Horizontal	6	2.99	-	45.17
PK	5.1932G	103.69	Inf	-Inf	4.26	3	Horizontal	6	2.99	-	99.43
AV	5.1932G	95.84	Inf	-Inf	4.26	3	Horizontal	6	2.99	-	91.58
PK	5.4052G	58.17	74.00	-15.83	5.02	3	Horizontal	6	2.99	-	53.15
AV	5.3716G	47.53	54.00	-6.47	4.88	3	Horizontal	6	2.99	-	42.65

802.11ac VHT80_Nss2,(MCS0)_4TX

26/08/2019

5210MHz_TX




EUT Y_4TX
Setting 16
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63012G	59.80	74.00	-14.20	14.34	3	Vertical	0	1.88	-	45.46
AV	15.62964G	48.85	54.00	-5.15	14.34	3	Vertical	0	1.88	-	34.51

802.11ac VHT80_Nss2,(MCS0)_4TX

26/08/2019

5210MHz_TX




EUT Y_4TX
Setting 16
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62946G	60.02	74.00	-13.98	14.34	3	Horizontal	33	2.43	-	45.68
AV	15.62996G	49.06	54.00	-4.94	14.34	3	Horizontal	33	2.43	-	34.72

802.11ac VHT80_Nss2,(MCS0)_4TX

26/08/2019

5775MHz_TX




EUT Y_4TX
Setting 22
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	68.02	68.20	-0.18	5.68	3	Vertical	74	1.47	-	62.34
PK	5.764G	113.18	Inf	-Inf	5.89	3	Vertical	74	1.47	-	107.29
AV	5.769G	103.20	Inf	-Inf	5.90	3	Vertical	74	1.47	-	97.30
PK	5.926G	65.27	68.20	-2.93	6.81	3	Vertical	74	1.47	-	58.46

802.11ac VHT80_Nss2,(MCS0)_4TX

26/08/2019

5775MHz_TX




EUT Y_4TX
Setting 22
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	66.20	68.20	-2.00	5.69	3	Horizontal	110	1.33	-	60.51
PK	5.76G	112.60	Inf	-Inf	5.87	3	Horizontal	110	1.33	-	106.73
AV	5.763G	103.57	Inf	-Inf	5.89	3	Horizontal	110	1.33	-	97.68
PK	5.93G	62.61	68.20	-5.59	6.83	3	Horizontal	110	1.33	-	55.78

802.11ac VHT80_Nss2,(MCS0)_4TX

26/08/2019

5775MHz_TX




EUT Y_4TX
Setting 22
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55076G	54.15	74.00	-19.85	11.95	3	Vertical	100	2.16	-	42.20
AV	11.54915G	43.40	54.00	-10.60	11.95	3	Vertical	100	2.16	-	31.45
PK	17.32546G	62.68	68.20	-5.52	18.21	3	Vertical	251	2.76	-	44.47

802.11ac VHT80_Nss2,(MCS0)_4TX

26/08/2019

5775MHz_TX




EUT Y_4TX
Setting 22
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5495G	54.11	74.00	-19.89	11.95	3	Horizontal	83	2.96	-	42.16
AV	11.55095G	43.41	54.00	-10.59	11.95	3	Horizontal	83	2.96	-	31.46
PK	17.32589G	62.38	68.20	-5.82	18.21	3	Horizontal	12	1.62	-	44.17

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

5180MHz_TX




EUT Y_4TX
Setting 19
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	68.40	74.00	-5.60	4.25	3	Vertical	92	1.49	-	64.15
AV	5.1444G	53.77	54.00	-0.23	4.24	3	Vertical	92	1.49	-	49.53
PK	5.1776G	118.51	Inf	-Inf	4.26	3	Vertical	92	1.49	-	114.25
AV	5.1784G	108.40	Inf	-Inf	4.26	3	Vertical	92	1.49	-	104.14

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

5180MHz_TX




EUT Y_4TX
Setting 19
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	66.40	74.00	-7.60	4.25	3	Horizontal	14	2.96	-	62.15
AV	5.1488G	50.93	54.00	-3.07	4.25	3	Horizontal	14	2.96	-	46.68
PK	5.172G	114.57	Inf	-Inf	4.25	3	Horizontal	14	2.96	-	110.32
AV	5.1764G	103.73	Inf	-Inf	4.26	3	Horizontal	14	2.96	-	99.47

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

5180MHz_TX




EUT Y_4TX
Setting 19
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54054G	59.90	74.00	-14.10	14.46	3	Vertical	325	1.31	-	45.44
AV	15.5399G	49.29	54.00	-4.71	14.46	3	Vertical	325	1.31	-	34.83

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

5180MHz_TX




EUT Y_4TX
Setting 19
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54005G	60.60	74.00	-13.40	14.46	3	Horizontal	99	2.11	-	46.14
AV	15.5395G	49.48	54.00	-4.52	14.46	3	Horizontal	99	2.11	-	35.02

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

5190MHz_TX




EUT Y_4TX
Setting 17
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	66.30	74.00	-7.70	4.25	3	Vertical	82	1.67	-	62.05
AV	5.15G	53.84	54.00	-0.16	4.25	3	Vertical	82	1.67	-	49.59
PK	5.192G	113.76	Inf	-Inf	4.26	3	Vertical	82	1.67	-	109.50
AV	5.1928G	103.05	Inf	-Inf	4.26	3	Vertical	82	1.67	-	98.79

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

5190MHz_TX




EUT Y_4TX
Setting 17
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	59.97	74.00	-14.03	4.25	3	Horizontal	227	2.65	-	55.72
AV	5.1396G	49.16	54.00	-4.84	4.24	3	Horizontal	227	2.65	-	44.92
PK	5.1768G	109.80	Inf	-Inf	4.26	3	Horizontal	227	2.65	-	105.54
AV	5.1744G	97.95	Inf	-Inf	4.25	3	Horizontal	227	2.65	-	93.70

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

5190MHz_TX




EUT Y_4TX
Setting 17
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57088G	59.56	74.00	-14.44	14.42	3	Vertical	30	1.71	-	45.14
AV	15.56908G	49.25	54.00	-4.75	14.42	3	Vertical	30	1.71	-	34.83

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

5190MHz_TX




EUT Y_4TX
Setting 17
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56905G	60.14	74.00	-13.86	14.42	3	Horizontal	318	2.19	-	45.72
AV	15.56995G	49.52	54.00	-4.48	14.42	3	Horizontal	318	2.19	-	35.10

802.11ax HEW80_Nss2,(MCS0)_4TX

26/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 16.5
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.134G	65.74	74.00	-8.26	4.24	3	Vertical	71	1.47	-	61.50
AV	5.1356G	53.90	54.00	-0.10	4.25	3	Vertical	71	1.47	-	49.65
PK	5.1812G	110.94	Inf	-Inf	4.26	3	Vertical	71	1.47	-	106.68
AV	5.198G	99.30	Inf	-Inf	4.27	3	Vertical	71	1.47	-	95.03
PK	5.3812G	58.57	74.00	-15.43	4.92	3	Vertical	71	1.47	-	53.65
AV	5.3924G	47.67	54.00	-6.33	4.97	3	Vertical	71	1.47	-	42.70

802.11ax HEW80_Nss2,(MCS0)_4TX

26/08/2019

5210MHz_TX




EUT Y_4TX
Setting 16.5
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	61.59	74.00	-12.41	4.25	3	Horizontal	4	2.99	-	57.34
AV	5.1476G	49.64	54.00	-4.36	4.25	3	Horizontal	4	2.99	-	45.39
PK	5.2284G	105.50	Inf	-Inf	4.38	3	Horizontal	4	2.99	-	101.12
AV	5.1964G	95.97	Inf	-Inf	4.27	3	Horizontal	4	2.99	-	91.70
PK	5.3948G	58.59	74.00	-15.41	4.97	3	Horizontal	4	2.99	-	53.62
AV	5.3524G	47.73	54.00	-6.27	4.82	3	Horizontal	4	2.99	-	42.91

802.11ax HEW80_Nss2,(MCS0)_4TX

26/08/2019

5210MHz_TX




EUT Y_4TX
Setting 16.5
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63056G	59.88	74.00	-14.12	14.34	3	Vertical	26	2.73	-	45.54
AV	15.63036G	48.88	54.00	-5.12	14.34	3	Vertical	26	2.73	-	34.54

802.11ax HEW80_Nss2,(MCS0)_4TX

26/08/2019

5210MHz_TX




EUT Y_4TX
 Setting 16.5
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62914G	59.58	74.00	-14.42	14.34	3	Horizontal	257	1.27	-	45.24
AV	15.62938G	48.72	54.00	-5.28	14.34	3	Horizontal	257	1.27	-	34.38

802.11ax HEW80_Nss2,(MCS0)_4TX

26/08/2019

5775MHz_TX




EUT Y_4TX
Setting 21.5
01-M-1-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.639G	67.99	68.20	-0.21	5.68	3	Vertical	83	1.46	-	62.31
PK	5.76G	115.02	Inf	-Inf	5.87	3	Vertical	83	1.46	-	109.15
AV	5.761G	104.72	Inf	-Inf	5.87	3	Vertical	83	1.46	-	98.85
PK	5.921G	68.14	71.16	-3.02	6.80	3	Vertical	83	1.46	-	61.34

802.11ax HEW80_Nss2,(MCS0)_4TX

26/08/2019

5775MHz_TX




EUT Y_4TX
 Setting 21.5
 01-M-1-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.652G	68.79	69.68	-0.89	5.69	3	Horizontal	57	1.50	-	63.10
PK	5.793G	114.47	Inf	-Inf	5.95	3	Horizontal	57	1.50	-	108.52
AV	5.791G	103.39	Inf	-Inf	5.94	3	Horizontal	57	1.50	-	97.45
PK	5.93G	64.26	68.20	-3.94	6.83	3	Horizontal	57	1.50	-	57.43

802.11ax HEW80_Nss2,(MCS0)_4TX

26/08/2019

5775MHz_TX




EUT Y_4TX
Setting 21.5
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55024G	55.34	74.00	-18.66	11.95	3	Vertical	215	1.01	-	43.39
AV	11.54993G	45.22	54.00	-8.78	11.95	3	Vertical	215	1.01	-	33.27
PK	17.3291G	63.15	68.20	-5.05	18.22	3	Vertical	224	2.52	-	44.93

802.11ax HEW80_Nss2,(MCS0)_4TX

26/08/2019

5775MHz_TX



EUT Y_4TX
 Setting 21.5
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5506G	54.75	74.00	-19.25	11.95	3	Horizontal	78	2.70	-	42.80
AV	11.55073G	43.51	54.00	-10.49	11.95	3	Horizontal	78	2.70	-	31.56
PK	17.32548G	62.63	68.20	-5.57	18.21	3	Horizontal	160	1.25	-	44.42




4T3S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss3,(MCS0)_4TX	Pass	AV	5.15G	53.91	54.00	-0.09	4.25	3	Vertical	268	2.02	-

802.11ac VHT20_Nss3,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 20
 01-J-5-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	69.39	74.00	-4.61	4.25	3	Vertical	236	1.58	-	65.14
AV	5.1496G	53.32	54.00	-0.68	4.25	3	Vertical	236	1.58	-	49.07
PK	5.1872G	117.15	Inf	-Inf	4.27	3	Vertical	236	1.58	-	112.88
AV	5.1864G	107.83	Inf	-Inf	4.27	3	Vertical	236	1.58	-	103.56

802.11ac VHT20_Nss3,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
Setting 20
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	64.75	74.00	-9.25	4.25	3	Horizontal	198	1.75	-	60.50
AV	5.15G	49.88	54.00	-4.12	4.25	3	Horizontal	198	1.75	-	45.63
PK	5.1728G	113.54	Inf	-Inf	4.25	3	Horizontal	198	1.75	-	109.29
AV	5.1736G	102.63	Inf	-Inf	4.25	3	Horizontal	198	1.75	-	98.38

802.11ac VHT20_Nss3,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
Setting 20
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5493G	60.58	74.00	-13.42	14.44	3	Vertical	239	2.91	-	46.14
AV	15.5597G	47.82	54.00	-6.18	14.43	3	Vertical	239	2.91	-	33.39

802.11ac VHT20_Nss3,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
Setting 20
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5433G	60.46	74.00	-13.54	14.45	3	Horizontal	1	1.50	-	46.01
AV	15.5631G	48.00	54.00	-6.00	14.43	3	Horizontal	1	1.50	-	33.57

802.11ac VHT40_Nss3,(MCS0)_4TX

27/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 18.5
 01-J-5-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.63	74.00	-2.37	4.25	3	Vertical	274	1.80	-	67.38
AV	5.15G	53.82	54.00	-0.18	4.25	3	Vertical	274	1.80	-	49.57
PK	5.1956G	114.64	Inf	-Inf	4.27	3	Vertical	274	1.80	-	110.37
AV	5.1932G	103.91	Inf	-Inf	4.26	3	Vertical	274	1.80	-	99.65

802.11ac VHT40_Nss3,(MCS0)_4TX

27/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	66.60	74.00	-7.40	4.25	3	Horizontal	197	1.60	-	62.35
AV	5.1492G	48.38	54.00	-5.62	4.25	3	Horizontal	197	1.60	-	44.13
PK	5.2024G	107.60	Inf	-Inf	4.28	3	Horizontal	197	1.60	-	103.32
AV	5.1936G	97.44	Inf	-Inf	4.26	3	Horizontal	197	1.60	-	93.18

802.11ac VHT40_Nss3,(MCS0)_4TX

27/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5645G	60.26	74.00	-13.74	14.43	3	Vertical	70	2.51	-	45.83
AV	15.5579G	47.90	54.00	-6.10	14.44	3	Vertical	70	2.51	-	33.46

802.11ac VHT40_Nss3,(MCS0)_4TX

27/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 18.5
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5609G	60.20	74.00	-13.80	14.43	3	Horizontal	127	1.99	-	45.77
AV	15.5784G	47.95	54.00	-6.05	14.41	3	Horizontal	127	1.99	-	33.54

802.11ac VHT80_Nss3,(MCS0)_4TX

27/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 17
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.142G	67.59	74.00	-6.41	4.24	3	Vertical	270	1.70	-	63.35
AV	5.144G	53.86	54.00	-0.14	4.24	3	Vertical	270	1.70	-	49.62
PK	5.199G	110.67	Inf	-Inf	4.27	3	Vertical	270	1.70	-	106.40
AV	5.214G	99.73	Inf	-Inf	4.32	3	Vertical	270	1.70	-	95.41
PK	5.362G	58.99	74.00	-15.01	4.86	3	Vertical	270	1.70	-	54.13
AV	5.35G	48.40	54.00	-5.60	4.81	3	Vertical	270	1.70	-	43.59

802.11ac VHT80_Nss3,(MCS0)_4TX

27/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 17
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.143G	61.90	74.00	-12.10	4.24	3	Horizontal	195	1.42	-	57.66
AV	5.145G	49.39	54.00	-4.61	4.25	3	Horizontal	195	1.42	-	45.14
PK	5.182G	103.43	Inf	-Inf	4.26	3	Horizontal	195	1.42	-	99.17
AV	5.202G	93.01	Inf	-Inf	4.28	3	Horizontal	195	1.42	-	88.73
PK	5.378G	57.89	74.00	-16.11	4.91	3	Horizontal	195	1.42	-	52.98
AV	5.409G	47.68	54.00	-6.32	5.03	3	Horizontal	195	1.42	-	42.65

802.11ac VHT80_Nss3,(MCS0)_4TX

27/08/2019

5210MHz_TX




EUT Y_4TX
Setting 17
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6281G	60.13	74.00	-13.87	14.34	3	Vertical	280	1.22	-	45.79
AV	15.6116G	49.01	54.00	-4.99	14.36	3	Vertical	280	1.22	-	34.65

802.11ac VHT80_Nss3,(MCS0)_4TX

27/08/2019

5210MHz_TX




EUT Y_4TX
Setting 17
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6399G	60.33	74.00	-13.67	14.34	3	Horizontal	208	1.71	-	45.99
AV	15.6068G	49.25	54.00	-4.75	14.38	3	Horizontal	208	1.71	-	34.87

802.11ac VHT80_Nss3,(MCS0)_4TX

27/08/2019

5775MHz_TX




EUT Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	68.07	68.20	-0.13	5.69	3	Vertical	258	1.53	-	62.38
PK	5.765G	114.41	Inf	-Inf	5.89	3	Vertical	258	1.53	-	108.52
AV	5.763G	105.10	Inf	-Inf	5.89	3	Vertical	258	1.53	-	99.21
PK	5.926G	65.90	68.20	-2.30	6.81	3	Vertical	258	1.53	-	59.09

802.11ac VHT80_Nss3,(MCS0)_4TX

27/08/2019

5775MHz_TX




EUT Y_4TX
Setting 22
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	66.21	68.20	-1.99	5.68	3	Horizontal	73	1.49	-	60.53
PK	5.786G	112.76	Inf	-Inf	5.92	3	Horizontal	73	1.49	-	106.84
AV	5.779G	103.09	Inf	-Inf	5.91	3	Horizontal	73	1.49	-	97.18
PK	5.926G	62.69	68.20	-5.51	6.81	3	Horizontal	73	1.49	-	55.88

802.11ac VHT80_Nss3,(MCS0)_4TX

27/08/2019

5775MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5474G	54.36	74.00	-19.64	11.95	3	Vertical	96	2.23	-	42.41
AV	11.5306G	43.48	54.00	-10.52	11.95	3	Vertical	96	2.23	-	31.53

802.11ac VHT80_Nss3,(MCS0)_4TX

27/08/2019

5775MHz_TX




EUT Y_4TX
Setting 22
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5616G	55.61	74.00	-18.39	11.96	3	Horizontal	203	2.84	-	43.65
AV	11.5478G	43.57	54.00	-10.43	11.95	3	Horizontal	203	2.84	-	31.62

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
Setting 19
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.96	74.00	-5.04	4.25	3	Vertical	273	1.67	-	64.71
AV	5.1484G	52.87	54.00	-1.13	4.25	3	Vertical	273	1.67	-	48.62
PK	5.184G	117.90	Inf	-Inf	4.26	3	Vertical	273	1.67	-	113.64
AV	5.182G	106.61	Inf	-Inf	4.26	3	Vertical	273	1.67	-	102.35

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
Setting 19
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	66.37	74.00	-7.63	4.25	3	Horizontal	195	1.45	-	62.12
AV	5.15G	49.95	54.00	-4.05	4.25	3	Horizontal	195	1.45	-	45.70
PK	5.1736G	113.52	Inf	-Inf	4.25	3	Horizontal	195	1.45	-	109.27
AV	5.1824G	101.94	Inf	-Inf	4.26	3	Horizontal	195	1.45	-	97.68

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
Setting 19
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5605G	60.92	74.00	-13.08	14.43	3	Vertical	99	1.17	-	46.49
AV	15.5576G	49.23	54.00	-4.77	14.44	3	Vertical	99	1.17	-	34.79

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 19
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5556G	60.11	74.00	-13.89	14.44	3	Horizontal	314	2.68	-	45.67
AV	15.5494G	49.25	54.00	-4.75	14.44	3	Horizontal	314	2.68	-	34.81

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1444G	69.20	74.00	-4.80	4.24	3	Vertical	268	2.02	-	64.96
AV	5.15G	53.91	54.00	-0.09	4.25	3	Vertical	268	2.02	-	49.66
PK	5.1716G	113.43	Inf	-Inf	4.25	3	Vertical	268	2.02	-	109.18
AV	5.2G	102.72	Inf	-Inf	4.27	3	Vertical	268	2.02	-	98.45

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	63.17	74.00	-10.83	4.24	3	Horizontal	194	1.49	-	58.93
AV	5.15G	49.67	54.00	-4.33	4.25	3	Horizontal	194	1.49	-	45.42
PK	5.1924G	108.03	Inf	-Inf	4.26	3	Horizontal	194	1.49	-	103.77
AV	5.182G	98.11	Inf	-Inf	4.26	3	Horizontal	194	1.49	-	93.85

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5664G	60.26	74.00	-13.74	14.42	3	Vertical	326	2.38	-	45.84
AV	15.5533G	49.52	54.00	-4.48	14.44	3	Vertical	326	2.38	-	35.08

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

5190MHz_TX




EUT Y_4TX
Setting 18
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5688G	60.48	74.00	-13.52	14.42	3	Horizontal	243	1.64	-	46.06
AV	15.5532G	49.43	54.00	-4.57	14.44	3	Horizontal	243	1.64	-	34.99

802.11ax HEW80_Nss3,(MCS0)_4TX

27/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 17
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	66.85	74.00	-7.15	4.24	3	Vertical	270	1.71	-	62.61
AV	5.145G	53.88	54.00	-0.12	4.25	3	Vertical	270	1.71	-	49.63
PK	5.199G	110.77	Inf	-Inf	4.27	3	Vertical	270	1.71	-	106.50
AV	5.202G	100.23	Inf	-Inf	4.28	3	Vertical	270	1.71	-	95.95
PK	5.363G	58.81	74.00	-15.19	4.86	3	Vertical	270	1.71	-	53.95
AV	5.35G	48.31	54.00	-5.69	4.81	3	Vertical	270	1.71	-	43.50

802.11ax HEW80_Nss3,(MCS0)_4TX

27/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 17
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	60.25	74.00	-13.75	4.24	3	Horizontal	191	1.50	-	56.01
AV	5.145G	48.99	54.00	-5.01	4.25	3	Horizontal	191	1.50	-	44.74
PK	5.22G	103.59	Inf	-Inf	4.34	3	Horizontal	191	1.50	-	99.25
AV	5.218G	93.78	Inf	-Inf	4.33	3	Horizontal	191	1.50	-	89.45
PK	5.443G	58.65	74.00	-15.35	5.16	3	Horizontal	191	1.50	-	53.49
AV	5.359G	47.65	54.00	-6.35	4.85	3	Horizontal	191	1.50	-	42.80

802.11ax HEW80_Nss3,(MCS0)_4TX

27/08/2019

5210MHz_TX




EUT Y_4TX
Setting 17
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6408G	60.14	74.00	-13.86	14.34	3	Vertical	103	2.02	-	45.80
AV	15.6156G	49.39	54.00	-4.61	14.37	3	Vertical	103	2.02	-	35.02

802.11ax HEW80_Nss3,(MCS0)_4TX

27/08/2019

5210MHz_TX




EUT Y_4TX
Setting 17
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6106G	60.30	74.00	-13.70	14.36	3	Horizontal	19	2.03	-	45.94
AV	15.6201G	49.41	54.00	-4.59	14.36	3	Horizontal	19	2.03	-	35.05

802.11ax HEW80_Nss3,(MCS0)_4TX

27/08/2019

5775MHz_TX




EUT Y_4TX
Setting 21.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	67.77	68.20	-0.43	5.68	3	Vertical	256	1.54	-	62.09
PK	5.771G	115.09	Inf	-Inf	5.90	3	Vertical	256	1.54	-	109.19
AV	5.764G	104.82	Inf	-Inf	5.89	3	Vertical	256	1.54	-	98.93
PK	5.932G	68.02	68.20	-0.18	6.84	3	Vertical	256	1.54	-	61.18

802.11ax HEW80_Nss3,(MCS0)_4TX

27/08/2019

5775MHz_TX




EUT Y_4TX
Setting 21.5
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	67.67	68.20	-0.53	5.69	3	Horizontal	42	2.14	-	61.98
PK	5.764G	114.11	Inf	-Inf	5.89	3	Horizontal	42	2.14	-	108.22
AV	5.76G	102.22	Inf	-Inf	5.87	3	Horizontal	42	2.14	-	96.35
PK	5.945G	61.81	68.20	-6.39	6.90	3	Horizontal	42	2.14	-	54.91

802.11ax HEW80_Nss3,(MCS0)_4TX

27/08/2019

5775MHz_TX




EUT Y_4TX
Setting 21.5
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5696G	54.81	74.00	-19.19	11.95	3	Vertical	137	2.96	-	42.86
AV	11.55G	45.06	54.00	-8.94	11.95	3	Vertical	137	2.96	-	33.11

802.11ax HEW80_Nss3,(MCS0)_4TX

27/08/2019

5775MHz_TX



EUT Y_4TX
 Setting 21.5
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5506G	55.21	74.00	-18.79	11.95	3	Horizontal	50	1.53	-	43.26
AV	11.55G	46.62	54.00	-7.38	11.95	3	Horizontal	50	1.53	-	34.67



<For beamforming mode>

4T1S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.149G	53.94	54.00	-0.06	4.25	3	Vertical	184	1.68	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT_Y_4TX
Setting 79
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	73.88	74.00	-0.12	4.25	3	Vertical	251	1.55	-	69.63
AV	5.15G	53.03	54.00	-0.97	4.25	3	Vertical	251	1.55	-	48.78
PK	5.1782G	121.56	Inf	-Inf	4.26	3	Vertical	251	1.55	-	117.30
AV	5.175G	111.14	Inf	-Inf	4.26	3	Vertical	251	1.55	-	106.88

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT_Y_4TX
Setting 79
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	65.31	74.00	-8.69	4.25	3	Horizontal	202	2.25	-	61.06
AV	5.1496G	49.77	54.00	-4.23	4.25	3	Horizontal	202	2.25	-	45.52
PK	5.1816G	114.19	Inf	-Inf	4.26	3	Horizontal	202	2.25	-	109.93
AV	5.188G	104.51	Inf	-Inf	4.26	3	Horizontal	202	2.25	-	100.25

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 79
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54056G	60.52	74.00	-13.48	14.46	3	Vertical	282	1.81	-	46.06
AV	15.54072G	46.28	54.00	-7.72	14.46	3	Vertical	282	1.81	-	31.82

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

27/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 79
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54095G	60.47	74.00	-13.53	14.46	3	Horizontal	256	2.41	-	46.01
AV	15.54069G	46.36	54.00	-7.64	14.46	3	Horizontal	256	2.41	-	31.90

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

18/10/2019

5200MHz_TX




EUT Y_4TX
Setting 97
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.24	74.00	-3.76	4.25	3	Vertical	0	1.83	-	65.99
AV	5.15G	53.90	54.00	-0.10	4.25	3	Vertical	0	1.83	-	49.65
PK	5.1952G	124.73	Inf	-Inf	4.27	3	Vertical	0	1.83	-	120.46
AV	5.1924G	115.01	Inf	-Inf	4.26	3	Vertical	0	1.83	-	110.75

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

18/10/2019

5200MHz_TX




EUT Y_4TX
Setting 97
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	65.62	74.00	-8.38	4.25	3	Horizontal	311	2.40	-	61.37
AV	5.15G	48.71	54.00	-5.29	4.25	3	Horizontal	311	2.40	-	44.46
PK	5.2012G	117.00	Inf	-Inf	4.27	3	Horizontal	311	2.40	-	112.73
AV	5.2008G	107.10	Inf	-Inf	4.27	3	Horizontal	311	2.40	-	102.83

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

18/10/2019

5200MHz_TX




EUT Y_4TX
Setting 97
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6062G	60.49	74.00	-13.51	14.38	3	Vertical	195	2.32	-	46.11
AV	15.6096G	46.69	54.00	-7.31	14.37	3	Vertical	195	2.32	-	32.32

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

18/10/2019

5200MHz_TX




EUT Y_4TX
 Setting 97
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59076G	60.75	74.00	-13.25	14.40	3	Horizontal	145	1.35	-	46.35
AV	15.59388G	46.65	54.00	-7.35	14.38	3	Horizontal	145	1.35	-	32.27

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

27/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	62.60	74.00	-11.40	4.25	3	Vertical	276	1.88	-	58.35
AV	5.15G	50.52	54.00	-3.48	4.25	3	Vertical	276	1.88	-	46.27
PK	5.2412G	125.16	Inf	-Inf	4.42	3	Vertical	276	1.88	-	120.74
AV	5.2382G	114.95	Inf	-Inf	4.41	3	Vertical	276	1.88	-	110.54
PK	5.354G	61.96	74.00	-12.04	4.82	3	Vertical	276	1.88	-	57.14
AV	5.3528G	49.46	54.00	-4.54	4.82	3	Vertical	276	1.88	-	44.64

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

27/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1266G	62.19	74.00	-11.81	4.24	3	Horizontal	202	2.42	-	57.95
AV	5.15G	48.52	54.00	-5.48	4.25	3	Horizontal	202	2.42	-	44.27
PK	5.237G	121.09	Inf	-Inf	4.41	3	Horizontal	202	2.42	-	116.68
AV	5.2358G	110.78	Inf	-Inf	4.41	3	Horizontal	202	2.42	-	106.37
PK	5.3744G	62.20	74.00	-11.80	4.89	3	Horizontal	202	2.42	-	57.31
AV	5.3516G	48.42	54.00	-5.58	4.81	3	Horizontal	202	2.42	-	43.61

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

27/08/2019

5240MHz_TX




EUT Y_4TX
Setting 100
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72013G	59.17	74.00	-14.83	14.24	3	Vertical	147	2.49	-	44.93
AV	15.71946G	45.77	54.00	-8.23	14.24	3	Vertical	147	2.49	-	31.53

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

27/08/2019

5240MHz_TX




EUT Y_4TX
 Setting 100
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71943G	59.66	74.00	-14.34	14.24	3	Horizontal	349	1.44	-	45.42
AV	15.71978G	45.46	54.00	-8.54	14.24	3	Horizontal	349	1.44	-	31.22

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

28/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	63.63	68.20	-4.57	5.69	3	Vertical	262	1.49	-	57.94
PK	5.739G	125.09	Inf	-Inf	5.83	3	Vertical	262	1.49	-	119.26
AV	5.741G	115.32	Inf	-Inf	5.83	3	Vertical	262	1.49	-	109.49
PK	5.951G	63.96	68.20	-4.24	6.93	3	Vertical	262	1.49	-	57.03

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

28/08/2019

5745MHz_TX




EUT_Y_4TX
Setting 100
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	62.99	68.20	-5.21	5.69	3	Horizontal	258	1.60	-	57.30
PK	5.738G	121.75	Inf	-Inf	5.83	3	Horizontal	258	1.60	-	115.92
AV	5.737G	112.11	Inf	-Inf	5.81	3	Horizontal	258	1.60	-	106.30
PK	5.943G	63.98	68.20	-4.22	6.89	3	Horizontal	258	1.60	-	57.09

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

28/08/2019

5745MHz_TX




EUT Y_4TX
 Setting 100
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48978G	55.05	74.00	-18.95	11.93	3	Vertical	205	1.44	-	43.12
AV	11.49013G	41.24	54.00	-12.76	11.93	3	Vertical	205	1.44	-	29.31
PK	17.23583G	67.05	68.20	-1.15	18.05	3	Vertical	163	2.60	-	49.00

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

28/08/2019

5745MHz_TX




EUT Y_4TX
 Setting 100
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49028G	55.27	74.00	-18.73	11.93	3	Horizontal	39	1.01	-	43.34
AV	11.48999G	43.82	54.00	-10.18	11.93	3	Horizontal	39	1.01	-	31.89
PK	17.235G	66.09	68.20	-2.11	18.05	3	Horizontal	129	1.44	-	48.04

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

15/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 01-P-2-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	62.29	68.20	-5.91	5.68	3	Vertical	175	1.49	-	56.61
PK	5.791G	123.25	Inf	-Inf	5.94	3	Vertical	175	1.49	-	117.31
AV	5.789G	113.93	Inf	-Inf	5.94	3	Vertical	175	1.49	-	107.99
PK	5.943G	61.00	68.20	-7.20	6.89	3	Vertical	175	1.49	-	54.11

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

15/10/2019

5785MHz_TX



EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.618G	61.24	68.20	-6.96	5.66	3	Horizontal	127	1.68	-	55.58
PK	5.781G	121.71	Inf	-Inf	5.91	3	Horizontal	127	1.68	-	115.80
AV	5.781G	112.51	Inf	-Inf	5.91	3	Horizontal	127	1.68	-	106.60
PK	5.931G	59.98	68.20	-8.22	6.83	3	Horizontal	127	1.68	-	53.15



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3477G	66.30	68.20	-1.90	17.91	3	Vertical	94	1.82	-	48.39

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
03-K-3
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3505G	65.37	68.20	-2.83	17.93	3	Horizontal	38	1.38	-	47.44

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

15/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.59G	61.87	68.20	-6.33	5.61	3	Vertical	174	1.49	-	56.26
PK	5.826G	123.67	Inf	-Inf	6.15	3	Vertical	174	1.49	-	117.52
AV	5.824G	113.48	Inf	-Inf	6.13	3	Vertical	174	1.49	-	107.35
PK	5.933G	61.33	68.20	-6.87	6.85	3	Vertical	174	1.49	-	54.48

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

15/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.612G	61.43	68.20	-6.77	5.65	3	Horizontal	319	2.28	-	55.78
PK	5.823G	124.45	Inf	-Inf	6.13	3	Horizontal	319	2.28	-	118.32
AV	5.824G	115.16	Inf	-Inf	6.13	3	Horizontal	319	2.28	-	109.03
PK	5.987G	60.92	68.20	-7.28	7.09	3	Horizontal	319	2.28	-	53.83

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4773G	66.88	68.20	-1.32	18.57	3	Vertical	79	1.94	-	48.31

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4688G	65.60	68.20	-2.60	18.53	3	Horizontal	39	1.57	-	47.07

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5190MHz_TX




EUT Y_4TX
Setting 69
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1456G	70.74	74.00	-3.26	4.25	3	Vertical	245	1.61	-	66.49
AV	5.15G	53.78	54.00	-0.22	4.25	3	Vertical	245	1.61	-	49.53
PK	5.176G	115.68	Inf	-Inf	4.26	3	Vertical	245	1.61	-	111.42
AV	5.1764G	105.43	Inf	-Inf	4.26	3	Vertical	245	1.61	-	101.17

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5190MHz_TX




EUT Y_4TX
Setting 69
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	61.32	74.00	-12.68	4.24	3	Horizontal	204	2.38	-	57.08
AV	5.1492G	48.14	54.00	-5.86	4.25	3	Horizontal	204	2.38	-	43.89
PK	5.1928G	111.17	Inf	-Inf	4.26	3	Horizontal	204	2.38	-	106.91
AV	5.1936G	101.57	Inf	-Inf	4.26	3	Horizontal	204	2.38	-	97.31

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 69
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57041G	60.74	74.00	-13.26	14.42	3	Vertical	185	1.98	-	46.32
AV	15.56911G	46.46	54.00	-7.54	14.42	3	Vertical	185	1.98	-	32.04

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 69
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57031G	60.11	74.00	-13.89	14.42	3	Horizontal	251	1.57	-	45.69
AV	15.56916G	46.42	54.00	-7.58	14.42	3	Horizontal	251	1.57	-	32.00

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5230MHz_TX




EUT Y_4TX
 Setting 90
 01-E-2-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	70.36	74.00	-3.64	4.25	3	Vertical	272	1.90	-	66.11
AV	5.15G	53.76	54.00	-0.24	4.25	3	Vertical	272	1.90	-	49.51
PK	5.2348G	120.24	Inf	-Inf	4.39	3	Vertical	272	1.90	-	115.85
AV	5.2332G	110.15	Inf	-Inf	4.39	3	Vertical	272	1.90	-	105.76
PK	5.3652G	62.47	74.00	-11.53	4.87	3	Vertical	272	1.90	-	57.60
AV	5.3516G	49.27	54.00	-4.73	4.81	3	Vertical	272	1.90	-	44.46

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5230MHz_TX




EUT_Y_4TX
 Setting 90
 01-E-2-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	64.81	74.00	-9.19	4.25	3	Horizontal	196	2.43	-	60.56
AV	5.15G	50.36	54.00	-3.64	4.25	3	Horizontal	196	2.43	-	46.11
PK	5.218G	114.01	Inf	-Inf	4.33	3	Horizontal	196	2.43	-	109.68
AV	5.2188G	104.44	Inf	-Inf	4.34	3	Horizontal	196	2.43	-	100.10
PK	5.4172G	60.98	74.00	-13.02	5.06	3	Horizontal	196	2.43	-	55.92
AV	5.3588G	48.22	54.00	-5.78	4.85	3	Horizontal	196	2.43	-	43.37

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5230MHz_TX




EUT Y_4TX
Setting 90
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68962G	59.64	74.00	-14.36	14.28	3	Vertical	0	1.50	-	45.36
AV	15.69066G	45.55	54.00	-8.45	14.28	3	Vertical	0	1.50	-	31.27

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5230MHz_TX




EUT Y_4TX
Setting 90
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.689333G	59.91	74.00	-14.09	14.28	3	Horizontal	273	2.74	-	45.63
AV	15.69053G	45.55	54.00	-8.45	14.28	3	Horizontal	273	2.74	-	31.27

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5755MHz_TX




EUT Y_4TX
Setting 95
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	66.98	68.20	-1.22	5.69	3	Vertical	260	1.37	-	61.29
PK	5.765G	121.35	Inf	-Inf	5.89	3	Vertical	260	1.37	-	115.46
AV	5.76G	110.91	Inf	-Inf	5.87	3	Vertical	260	1.37	-	105.04
PK	5.927G	63.71	68.20	-4.49	6.82	3	Vertical	260	1.37	-	56.89

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5755MHz_TX




EUT_Y_4TX
Setting 95
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.94	68.20	-0.26	5.69	3	Horizontal	99	1.87	-	62.25
PK	5.738G	120.38	Inf	-Inf	5.83	3	Horizontal	99	1.87	-	114.55
AV	5.737G	111.69	Inf	-Inf	5.81	3	Horizontal	99	1.87	-	105.88
PK	5.967G	62.76	68.20	-5.44	7.00	3	Horizontal	99	1.87	-	55.76

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5755MHz_TX




EUT Y_4TX
 Setting 95
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51006G	54.32	74.00	-19.68	11.93	3	Vertical	224	2.18	-	42.39
AV	11.51G	41.08	54.00	-12.92	11.93	3	Vertical	224	2.18	-	29.15

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5755MHz_TX




EUT Y_4TX
 Setting 95
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50994G	55.42	74.00	-18.58	11.93	3	Horizontal	38	1.00	-	43.49
AV	11.51001G	44.22	54.00	-9.78	11.93	3	Horizontal	38	1.00	-	32.29

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5795MHz_TX




EUT_Y_4TX
Setting 97
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	64.54	68.20	-3.66	5.69	3	Vertical	263	1.50	-	58.85
PK	5.797G	121.52	Inf	-Inf	5.95	3	Vertical	263	1.50	-	115.57
AV	5.791G	111.09	Inf	-Inf	5.94	3	Vertical	263	1.50	-	105.15
PK	5.927G	67.72	68.20	-0.48	6.82	3	Vertical	263	1.50	-	60.90

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5795MHz_TX




EUT Y_4TX
Setting 97
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.64G	63.48	68.20	-4.72	5.68	3	Horizontal	281	1.63	-	57.80
PK	5.791G	121.26	Inf	-Inf	5.94	3	Horizontal	281	1.63	-	115.32
AV	5.79G	111.58	Inf	-Inf	5.94	3	Horizontal	281	1.63	-	105.64
PK	5.941G	63.10	68.20	-5.10	6.88	3	Horizontal	281	1.63	-	56.22

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5795MHz_TX




EUT Y_4TX
 Setting 97
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59021G	54.87	74.00	-19.13	11.97	3	Vertical	324	1.37	-	42.90
AV	11.58995G	41.66	54.00	-12.34	11.97	3	Vertical	324	1.37	-	29.69

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

28/08/2019

5795MHz_TX




EUT Y_4TX
 Setting 97
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58962G	55.31	74.00	-18.69	11.97	3	Horizontal	108	1.84	-	43.34
AV	11.59004G	43.21	54.00	-10.79	11.97	3	Horizontal	108	1.84	-	31.24

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

28/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 69
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	73.93	74.00	-0.07	4.25	3	Vertical	96	1.46	-	69.68
AV	5.15G	53.57	54.00	-0.43	4.25	3	Vertical	96	1.46	-	49.32
PK	5.221G	111.90	Inf	-Inf	4.34	3	Vertical	96	1.46	-	107.56
AV	5.22G	102.03	Inf	-Inf	4.34	3	Vertical	96	1.46	-	97.69
PK	5.402G	61.28	74.00	-12.72	5.00	3	Vertical	96	1.46	-	56.28
AV	5.363G	48.50	54.00	-5.50	4.86	3	Vertical	96	1.46	-	43.64

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

28/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 69
01-E-2-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	70.49	74.00	-3.51	4.25	3	Horizontal	242	1.99	-	66.24
AV	5.147G	52.95	54.00	-1.05	4.25	3	Horizontal	242	1.99	-	48.70
PK	5.225G	111.62	Inf	-Inf	4.36	3	Horizontal	242	1.99	-	107.26
AV	5.224G	101.48	Inf	-Inf	4.36	3	Horizontal	242	1.99	-	97.12
PK	5.356G	61.20	74.00	-12.80	4.83	3	Horizontal	242	1.99	-	56.37
AV	5.356G	48.38	54.00	-5.62	4.83	3	Horizontal	242	1.99	-	43.55

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

28/08/2019

5210MHz_TX




EUT Y_4TX
 Setting 69
 01-E-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62954G	59.81	74.00	-14.19	14.34	3	Vertical	235	1.85	-	45.47
AV	15.62915G	45.86	54.00	-8.14	14.34	3	Vertical	235	1.85	-	31.52

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

28/08/2019

5210MHz_TX




EUT Y_4TX
Setting 69
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62994G	60.35	74.00	-13.65	14.34	3	Horizontal	286	2.15	-	46.01
AV	15.62966G	45.94	54.00	-8.06	14.34	3	Horizontal	286	2.15	-	31.60

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

29/08/2019

5775MHz_TX




EUT Y_4TX
Setting 86
01-B-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	67.92	68.20	-0.28	5.69	3	Vertical	346	1.50	-	62.23
PK	5.745G	117.79	Inf	-Inf	5.84	3	Vertical	346	1.50	-	111.95
AV	5.763G	102.71	Inf	-Inf	5.89	3	Vertical	346	1.50	-	96.82
PK	5.924G	67.06	68.94	-1.88	6.81	3	Vertical	346	1.50	-	60.25

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

29/08/2019

5775MHz_TX




EUT Y_4TX
Setting 86
01-B-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.636G	68.12	68.20	-0.08	5.68	3	Horizontal	123	2.56	-	62.44
PK	5.748G	115.48	Inf	-Inf	5.85	3	Horizontal	123	2.56	-	109.63
AV	5.757G	104.59	Inf	-Inf	5.86	3	Horizontal	123	2.56	-	98.73
PK	5.949G	61.53	68.20	-6.67	6.92	3	Horizontal	123	2.56	-	54.61

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

29/08/2019

5775MHz_TX




EUT Y_4TX
 Setting 86
 01-B-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54778G	54.10	74.00	-19.90	11.95	3	Vertical	264	1.53	-	42.15
AV	11.55179G	40.30	54.00	-13.70	11.96	3	Vertical	264	1.53	-	28.34
PK	17.32418G	62.75	68.20	-5.45	18.21	3	Vertical	302	2.18	-	44.54

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

29/08/2019

5775MHz_TX




EUT Y_4TX
 Setting 86
 01-B-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54987G	53.82	74.00	-20.18	11.95	3	Horizontal	278	2.64	-	41.87
AV	11.54798G	40.35	54.00	-13.65	11.95	3	Horizontal	278	2.64	-	28.40
PK	17.32539G	62.64	68.20	-5.56	18.21	3	Horizontal	350	2.19	-	44.43

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

5180MHz_TX




EUT Y_4TX
Setting 75
01-B-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	73.92	74.00	-0.08	4.25	3	Vertical	10	1.78	-	69.67
AV	5.15G	53.05	54.00	-0.95	4.25	3	Vertical	10	1.78	-	48.80
PK	5.188G	121.18	Inf	-Inf	4.26	3	Vertical	10	1.78	-	116.92
AV	5.1864G	109.39	Inf	-Inf	4.27	3	Vertical	10	1.78	-	105.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

5180MHz_TX




EUT_Y_4TX
Setting 75
01-B-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	68.55	74.00	-5.45	4.25	3	Horizontal	138	1.52	-	64.30
AV	5.1492G	50.57	54.00	-3.43	4.25	3	Horizontal	138	1.52	-	46.32
PK	5.188G	115.06	Inf	-Inf	4.26	3	Horizontal	138	1.52	-	110.80
AV	5.1864G	103.06	Inf	-Inf	4.27	3	Horizontal	138	1.52	-	98.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

5180MHz_TX




EUT Y_4TX
Setting 75
01-B-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53869G	60.50	74.00	-13.50	14.47	3	Vertical	125	1.47	-	46.03
AV	15.54165G	46.82	54.00	-7.18	14.46	3	Vertical	125	1.47	-	32.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

5180MHz_TX




EUT Y_4TX
 Setting 75
 01-B-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54187G	60.52	74.00	-13.48	14.45	3	Horizontal	263	2.48	-	46.07
AV	15.54148G	47.03	54.00	-6.97	14.46	3	Horizontal	263	2.48	-	32.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/10/2019

5200MHz_TX




EUT Y_4TX
Setting 91
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	73.19	74.00	-0.81	4.25	3	Vertical	3	1.82	-	68.94
AV	5.15G	53.86	54.00	-0.14	4.25	3	Vertical	3	1.82	-	49.61
PK	5.192G	126.98	Inf	-Inf	4.26	3	Vertical	3	1.82	-	122.72
AV	5.1948G	113.75	Inf	-Inf	4.26	3	Vertical	3	1.82	-	109.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/10/2019

5200MHz_TX




EUT Y_4TX
Setting 91
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	61.03	74.00	-12.97	4.25	3	Horizontal	311	2.30	-	56.78
AV	5.15G	47.19	54.00	-6.81	4.25	3	Horizontal	311	2.30	-	42.94
PK	5.198G	118.63	Inf	-Inf	4.27	3	Horizontal	311	2.30	-	114.36
AV	5.1976G	106.12	Inf	-Inf	4.27	3	Horizontal	311	2.30	-	101.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/10/2019

5200MHz_TX




EUT Y_4TX
 Setting 91
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59802G	61.87	74.00	-12.13	14.39	3	Vertical	167	1.79	-	47.48
AV	15.59688G	47.12	54.00	-6.88	14.39	3	Vertical	167	1.79	-	32.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/10/2019

5200MHz_TX




EUT Y_4TX
Setting 91
01-J-5
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60344G	60.24	74.00	-13.76	14.38	3	Horizontal	289	1.51	-	45.86
AV	15.6037G	47.30	54.00	-6.70	14.38	3	Horizontal	289	1.51	-	32.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-B-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	60.27	74.00	-13.73	4.25	3	Vertical	12	1.48	-	56.02
AV	5.15G	47.02	54.00	-6.98	4.25	3	Vertical	12	1.48	-	42.77
PK	5.2448G	123.03	Inf	-Inf	4.43	3	Vertical	12	1.48	-	118.60
AV	5.2382G	110.86	Inf	-Inf	4.41	3	Vertical	12	1.48	-	106.45
PK	5.375G	59.04	74.00	-14.96	4.90	3	Vertical	12	1.48	-	54.14
AV	5.363G	46.33	54.00	-7.67	4.86	3	Vertical	12	1.48	-	41.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

5240MHz_TX




EUT_Y_4TX
Setting 100
01-B-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	58.51	74.00	-15.49	4.24	3	Horizontal	135	2.50	-	54.27
AV	5.15G	45.94	54.00	-8.06	4.25	3	Horizontal	135	2.50	-	41.69
PK	5.2448G	116.17	Inf	-Inf	4.43	3	Horizontal	135	2.50	-	111.74
AV	5.2454G	104.48	Inf	-Inf	4.44	3	Horizontal	135	2.50	-	100.04
PK	5.3552G	58.81	74.00	-15.19	4.83	3	Horizontal	135	2.50	-	53.98
AV	5.3528G	45.96	54.00	-8.04	4.82	3	Horizontal	135	2.50	-	41.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

5240MHz_TX




EUT Y_4TX
Setting 100
01-B-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7203G	59.61	74.00	-14.39	14.24	3	Vertical	79	1.23	-	45.37
AV	15.71826G	45.98	54.00	-8.02	14.24	3	Vertical	79	1.23	-	31.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

5240MHz_TX




EUT Y_4TX
 Setting 100
 01-B-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72165G	59.32	74.00	-14.68	14.24	3	Horizontal	155	1.08	-	45.08
AV	15.71901G	45.88	54.00	-8.12	14.24	3	Horizontal	155	1.08	-	31.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

30/08/2019

5745MHz_TX




EUT Y_4TX
Setting 100
01-Z-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.636G	62.78	68.20	-5.42	5.68	3	Vertical	257	1.53	-	57.10
PK	5.75G	124.25	Inf	-Inf	5.85	3	Vertical	257	1.53	-	118.40
AV	5.742G	114.36	Inf	-Inf	5.83	3	Vertical	257	1.53	-	108.53
PK	5.931G	62.95	68.20	-5.25	6.83	3	Vertical	257	1.53	-	56.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

30/08/2019

5745MHz_TX




EUT_Y_4TX
Setting 100
01-Z-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.618G	62.72	68.20	-5.48	5.66	3	Horizontal	224	2.71	-	57.06
PK	5.737G	126.40	Inf	-Inf	5.81	3	Horizontal	224	2.71	-	120.59
AV	5.737G	117.85	Inf	-Inf	5.81	3	Horizontal	224	2.71	-	112.04
PK	5.968G	61.84	68.20	-6.36	7.01	3	Horizontal	224	2.71	-	54.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

30/08/2019

5745MHz_TX




EUT Y_4TX
 Setting 100
 01-Z-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48928G	53.46	74.00	-20.54	11.93	3	Vertical	208	1.97	-	41.53
AV	11.48666G	40.57	54.00	-13.43	11.93	3	Vertical	208	1.97	-	28.64
PK	17.2306G	65.78	68.20	-2.42	18.04	3	Vertical	156	1.50	-	47.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

30/08/2019

5745MHz_TX




EUT Y_4TX
 Setting 100
 01-Z-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49252G	53.72	74.00	-20.28	11.93	3	Horizontal	249	1.17	-	41.79
AV	11.48592G	40.50	54.00	-13.50	11.93	3	Horizontal	249	1.17	-	28.57
PK	17.2342G	65.11	68.20	-3.09	18.05	3	Horizontal	128	1.42	-	47.06

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.582G	61.81	68.20	-6.39	5.59	3	Vertical	175	1.50	-	56.22
PK	5.793G	127.37	Inf	-Inf	5.95	3	Vertical	175	1.50	-	121.42
AV	5.79G	113.89	Inf	-Inf	5.94	3	Vertical	175	1.50	-	107.95
PK	5.927G	61.61	68.20	-6.59	6.82	3	Vertical	175	1.50	-	54.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5785MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.573G	60.62	68.20	-7.58	5.58	3	Horizontal	4	1.95	-	55.04
PK	5.794G	125.35	Inf	-Inf	5.95	3	Horizontal	4	1.95	-	119.40
AV	5.794G	109.98	Inf	-Inf	5.95	3	Horizontal	4	1.95	-	104.03
PK	5.951G	61.40	68.20	-6.80	6.93	3	Horizontal	4	1.95	-	54.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3395G	67.19	68.20	-1.01	17.87	3	Vertical	95	1.62	-	49.32

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

09/10/2019

5785MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3395G	65.61	68.20	-2.59	17.87	3	Horizontal	39	1.39	-	47.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5825MHz_TX




EUT Y_4TX
Setting 96
01-P-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	62.17	68.20	-6.03	5.69	3	Vertical	177	1.55	-	56.48
PK	5.827G	125.16	Inf	-Inf	6.16	3	Vertical	177	1.55	-	119.00
AV	5.821G	113.11	Inf	-Inf	6.12	3	Vertical	177	1.55	-	106.99
PK	5.925G	63.52	68.20	-4.68	6.81	3	Vertical	177	1.55	-	56.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 01-P-2-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	61.64	68.20	-6.56	5.69	3	Horizontal	337	1.52	-	55.95
PK	5.826G	125.31	Inf	-Inf	6.15	3	Horizontal	337	1.52	-	119.16
AV	5.826G	115.11	Inf	-Inf	6.15	3	Horizontal	337	1.52	-	108.96
PK	5.933G	60.77	68.20	-7.43	6.85	3	Horizontal	337	1.52	-	53.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4766G	66.55	68.20	-1.65	18.57	3	Vertical	77	2.14	-	47.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

09/10/2019

5825MHz_TX




EUT Y_4TX
 Setting 96
 03-K-3
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4767G	66.02	68.20	-2.18	18.57	3	Horizontal	38	1.39	-	47.45

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/08/2019

5190MHz_TX




EUT Y_4TX
Setting 68
01-B-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	70.00	74.00	-4.00	4.25	3	Vertical	8	1.81	-	65.75
AV	5.15G	53.83	54.00	-0.17	4.25	3	Vertical	8	1.81	-	49.58
PK	5.1912G	117.94	Inf	-Inf	4.26	3	Vertical	8	1.81	-	113.68
AV	5.1928G	105.26	Inf	-Inf	4.26	3	Vertical	8	1.81	-	101.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 68
 01-B-2-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	66.38	74.00	-7.62	4.25	3	Horizontal	114	2.06	-	62.13
AV	5.15G	48.80	54.00	-5.20	4.25	3	Horizontal	114	2.06	-	44.55
PK	5.1724G	110.53	Inf	-Inf	4.25	3	Horizontal	114	2.06	-	106.28
AV	5.1852G	97.24	Inf	-Inf	4.27	3	Horizontal	114	2.06	-	92.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/08/2019

5190MHz_TX




EUT Y_4TX
 Setting 68
 01-B-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56805G	60.54	74.00	-13.46	14.42	3	Vertical	107	2.64	-	46.12
AV	15.5718G	46.33	54.00	-7.67	14.42	3	Vertical	107	2.64	-	31.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/08/2019

5190MHz_TX




EUT Y_4TX
Setting 68
01-B-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57238G	60.17	74.00	-13.83	14.42	3	Horizontal	153	2.50	-	45.75
AV	15.57191G	46.32	54.00	-7.68	14.42	3	Horizontal	153	2.50	-	31.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/10/2019

5230MHz_TX




EUT Y_4TX
Setting 90
01-J-5-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	70.47	74.00	-3.53	4.25	3	Vertical	184	1.68	-	66.22
AV	5.149G	53.94	54.00	-0.06	4.25	3	Vertical	184	1.68	-	49.69
PK	5.2294G	123.63	Inf	-Inf	4.38	3	Vertical	184	1.68	-	119.25
AV	5.2282G	110.53	Inf	-Inf	4.37	3	Vertical	184	1.68	-	106.16
PK	5.3788G	60.57	74.00	-13.43	4.92	3	Vertical	184	1.68	-	55.65
AV	5.3536G	47.63	54.00	-6.37	4.82	3	Vertical	184	1.68	-	42.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/10/2019

5230MHz_TX




EUT Y_4TX
 Setting 90
 01-J-5-10
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	67.68	74.00	-6.32	4.25	3	Horizontal	293	1.89	-	63.43
AV	5.15G	51.85	54.00	-2.15	4.25	3	Horizontal	293	1.89	-	47.60
PK	5.212G	117.16	Inf	-Inf	4.32	3	Horizontal	293	1.89	-	112.84
AV	5.2144G	104.94	Inf	-Inf	4.32	3	Horizontal	293	1.89	-	100.62
PK	5.3518G	59.54	74.00	-14.46	4.82	3	Horizontal	293	1.89	-	54.72
AV	5.3512G	45.54	54.00	-8.46	4.81	3	Horizontal	293	1.89	-	40.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/10/2019

5230MHz_TX




EUT Y_4TX
 Setting 90
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69126G	60.94	74.00	-13.06	14.28	3	Vertical	177	1.55	-	46.66
AV	15.67788G	46.18	54.00	-7.82	14.29	3	Vertical	177	1.55	-	31.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/10/2019

5230MHz_TX




EUT Y_4TX
 Setting 90
 01-J-5
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6753G	60.24	74.00	-13.76	14.29	3	Horizontal	219	2.33	-	45.95
AV	15.67536G	45.94	54.00	-8.06	14.29	3	Horizontal	219	2.33	-	31.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

31/08/2019

5755MHz_TX




EUT Y_4TX
Setting 93
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.652G	69.51	69.68	-0.17	5.69	3	Vertical	260	1.50	-	63.82
PK	5.744G	123.92	Inf	-Inf	5.84	3	Vertical	260	1.50	-	118.08
AV	5.742G	111.16	Inf	-Inf	5.83	3	Vertical	260	1.50	-	105.33
PK	5.932G	63.26	68.20	-4.94	6.84	3	Vertical	260	1.50	-	56.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

31/08/2019

5755MHz_TX




EUT Y_4TX
Setting 93
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.616G	63.31	68.20	-4.89	5.66	3	Horizontal	49	1.46	-	57.65
PK	5.754G	123.25	Inf	-Inf	5.86	3	Horizontal	49	1.46	-	117.39
AV	5.754G	111.27	Inf	-Inf	5.86	3	Horizontal	49	1.46	-	105.41
PK	5.961G	62.37	68.20	-5.83	6.97	3	Horizontal	49	1.46	-	55.40

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

31/08/2019

5755MHz_TX




EUT Y_4TX
 Setting 93
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51358G	54.38	74.00	-19.62	11.93	3	Vertical	49	1.50	-	42.45
AV	11.51006G	40.56	54.00	-13.44	11.93	3	Vertical	49	1.50	-	28.63
PK	17.26448G	63.95	68.20	-4.25	18.10	3	Vertical	42	1.50	-	45.85

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

31/08/2019

5755MHz_TX




EUT Y_4TX
Setting 93
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51016G	54.79	74.00	-19.21	11.93	3	Horizontal	50	1.02	-	42.86
AV	11.51004G	43.27	54.00	-10.73	11.93	3	Horizontal	50	1.02	-	31.34
PK	17.26686G	62.91	68.20	-5.29	18.10	3	Horizontal	48	1.50	-	44.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

31/08/2019

5795MHz_TX




EUT Y_4TX
Setting 100
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.617G	64.00	68.20	-4.20	5.66	3	Vertical	258	1.45	-	58.34
PK	5.794G	125.23	Inf	-Inf	5.95	3	Vertical	258	1.45	-	119.28
AV	5.793G	112.10	Inf	-Inf	5.95	3	Vertical	258	1.45	-	106.15
PK	5.926G	65.96	68.20	-2.24	6.81	3	Vertical	258	1.45	-	59.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

31/08/2019

5795MHz_TX




EUT Y_4TX
 Setting 100
 01-M-1-13
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	63.60	68.20	-4.60	5.68	3	Horizontal	67	1.50	-	57.92
PK	5.79G	122.54	Inf	-Inf	5.94	3	Horizontal	67	1.50	-	116.60
AV	5.789G	111.06	Inf	-Inf	5.94	3	Horizontal	67	1.50	-	105.12
PK	5.925G	63.78	68.20	-4.42	6.81	3	Horizontal	67	1.50	-	56.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

31/08/2019

5795MHz_TX




EUT Y_4TX
 Setting 100
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59006G	54.70	74.00	-19.30	11.97	3	Vertical	320	1.50	-	42.73
AV	11.58998G	40.66	54.00	-13.34	11.97	3	Vertical	320	1.50	-	28.69
PK	17.3554G	68.08	68.20	-0.12	18.26	3	Vertical	156	1.70	-	49.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

31/08/2019

5795MHz_TX




EUT Y_4TX
 Setting 100
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5901G	54.96	74.00	-19.04	11.97	3	Horizontal	109	1.66	-	42.99
AV	11.58998G	43.20	54.00	-10.80	11.97	3	Horizontal	109	1.66	-	31.23
PK	17.3424G	65.89	68.20	-2.31	18.24	3	Horizontal	223	1.42	-	47.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

31/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 70
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.28	74.00	-2.72	4.25	3	Vertical	282	1.87	-	67.03
AV	5.15G	53.83	54.00	-0.17	4.25	3	Vertical	282	1.87	-	49.58
PK	5.2108G	114.82	Inf	-Inf	4.31	3	Vertical	282	1.87	-	110.51
AV	5.1964G	101.25	Inf	-Inf	4.27	3	Vertical	282	1.87	-	96.98
PK	5.3924G	60.80	74.00	-13.20	4.97	3	Vertical	282	1.87	-	55.83
AV	5.35G	48.26	54.00	-5.74	4.81	3	Vertical	282	1.87	-	43.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

31/08/2019

5210MHz_TX




EUT_Y_4TX
Setting 70
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	61.94	74.00	-12.06	4.25	3	Horizontal	2	2.96	-	57.69
AV	5.146G	48.55	54.00	-5.45	4.25	3	Horizontal	2	2.96	-	44.30
PK	5.242G	108.51	Inf	-Inf	4.43	3	Horizontal	2	2.96	-	104.08
AV	5.2404G	96.59	Inf	-Inf	4.42	3	Horizontal	2	2.96	-	92.17
PK	5.3756G	61.23	74.00	-12.77	4.91	3	Horizontal	2	2.96	-	56.32
AV	5.3516G	47.57	54.00	-6.43	4.81	3	Horizontal	2	2.96	-	42.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

31/08/2019

5210MHz_TX




EUT Y_4TX
 Setting 70
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62942G	59.31	74.00	-14.69	14.34	3	Vertical	8	1.62	-	44.97
AV	15.62912G	45.56	54.00	-8.44	14.34	3	Vertical	8	1.62	-	31.22

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

31/08/2019

5210MHz_TX




EUT Y_4TX
 Setting 70
 01-M-1
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63018G	59.56	74.00	-14.44	14.34	3	Horizontal	284	1.60	-	45.22
AV	15.62906G	45.56	54.00	-8.44	14.34	3	Horizontal	284	1.60	-	31.22

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

31/08/2019

5775MHz_TX




EUT Y_4TX
Setting 82
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	67.94	68.20	-0.26	5.68	3	Vertical	256	1.50	-	62.26
PK	5.738G	118.03	Inf	-Inf	5.83	3	Vertical	256	1.50	-	112.20
AV	5.746G	104.36	Inf	-Inf	5.84	3	Vertical	256	1.50	-	98.52
PK	5.933G	64.63	68.20	-3.57	6.85	3	Vertical	256	1.50	-	57.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

31/08/2019

5775MHz_TX




EUT Y_4TX
Setting 82
01-M-1-13
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.637G	64.27	68.20	-3.93	5.68	3	Horizontal	216	1.48	-	58.59
PK	5.776G	121.00	Inf	-Inf	5.90	3	Horizontal	216	1.48	-	115.10
AV	5.777G	106.51	Inf	-Inf	5.90	3	Horizontal	216	1.48	-	100.61
PK	5.929G	63.71	68.20	-4.49	6.83	3	Horizontal	216	1.48	-	56.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

31/08/2019

5775MHz_TX



EUT Y_4TX
Setting 82
01-M-1
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55075G	54.45	74.00	-19.55	11.95	3	Vertical	48	2.51	-	42.50
AV	11.54943G	40.00	54.00	-14.00	11.95	3	Vertical	48	2.51	-	28.05
PK	17.32412G	62.51	68.20	-5.69	18.21	3	Vertical	291	2.78	-	44.30