


### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5775MHz\_TX



EUT Y\_4TX  
 Setting 82  
 01-M-1  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55049G	53.93	74.00	-20.07	11.95	3	Horizontal	306	1.01	-	41.98
AV	11.5495G	40.12	54.00	-13.88	11.95	3	Horizontal	306	1.01	-	28.17
PK	17.32424G	62.20	68.20	-6.00	18.21	3	Horizontal	262	2.24	-	43.99




4T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20-BF_Nss2,(MCS0)_4TX	Pass	AV	5.15G	53.86	54.00	-0.14	4.25	3	Vertical	275	1.57	-

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5180MHz\_TX




EUT\_Y\_4TX  
Setting 82  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	72.92	74.00	-1.08	4.25	3	Vertical	275	1.57	-	68.67
AV	5.15G	53.86	54.00	-0.14	4.25	3	Vertical	275	1.57	-	49.61
PK	5.1856G	118.78	Inf	-Inf	4.27	3	Vertical	275	1.57	-	114.51
AV	5.1778G	108.50	Inf	-Inf	4.26	3	Vertical	275	1.57	-	104.24

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5180MHz\_TX




EUT Y\_4TX  
 Setting 82  
 01-M-1-10  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	67.09	74.00	-6.91	4.25	3	Horizontal	203	1.80	-	62.84
AV	5.1492G	48.58	54.00	-5.42	4.25	3	Horizontal	203	1.80	-	44.33
PK	5.1816G	113.61	Inf	-Inf	4.26	3	Horizontal	203	1.80	-	109.35
AV	5.1822G	103.17	Inf	-Inf	4.26	3	Horizontal	203	1.80	-	98.91

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5180MHz\_TX




EUT Y\_4TX  
Setting 82  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54452G	59.72	74.00	-14.28	14.45	3	Vertical	243	1.03	-	45.27
AV	15.53996G	45.99	54.00	-8.01	14.46	3	Vertical	243	1.03	-	31.53

### 802.11ac VHT20-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5180MHz\_TX




EUT Y\_4TX  
 Setting 82  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53208G	59.51	74.00	-14.49	14.46	3	Horizontal	94	1.48	-	45.05
AV	15.54812G	46.02	54.00	-7.98	14.45	3	Horizontal	94	1.48	-	31.57

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5190MHz\_TX




EUT Y\_4TX  
Setting 74  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	73.85	74.00	-0.15	4.25	3	Vertical	273	1.76	-	69.60
AV	5.1484G	52.92	54.00	-1.08	4.25	3	Vertical	273	1.76	-	48.67
PK	5.1808G	115.83	Inf	-Inf	4.26	3	Vertical	273	1.76	-	111.57
AV	5.1864G	104.89	Inf	-Inf	4.27	3	Vertical	273	1.76	-	100.62

802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5190MHz\_TX



EUT Y\_4TX  
Setting 74  
01-M-1-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	65.69	74.00	-8.31	4.25	3	Horizontal	218	1.50	-	61.44
AV	5.1496G	47.12	54.00	-6.88	4.25	3	Horizontal	218	1.50	-	42.87
PK	5.198G	110.29	Inf	-Inf	4.27	3	Horizontal	218	1.50	-	106.02
AV	5.2064G	98.85	Inf	-Inf	4.29	3	Horizontal	218	1.50	-	94.56



### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 74  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56924G	59.87	74.00	-14.13	14.42	3	Vertical	176	2.14	-	45.45
AV	15.566G	45.88	54.00	-8.12	14.42	3	Vertical	176	2.14	-	31.46

### 802.11ac VHT40-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 74  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56944G	59.48	74.00	-14.52	14.42	3	Horizontal	138	1.50	-	45.06
AV	15.5708G	45.93	54.00	-8.07	14.42	3	Horizontal	138	1.50	-	31.51

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5210MHz\_TX




EUT\_Y\_4TX  
Setting 73  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.24	74.00	-3.76	4.25	3	Vertical	243	2.03	-	65.99
AV	5.15G	53.76	54.00	-0.24	4.25	3	Vertical	243	2.03	-	49.51
PK	5.1788G	112.20	Inf	-Inf	4.26	3	Vertical	243	2.03	-	107.94
AV	5.2012G	99.80	Inf	-Inf	4.27	3	Vertical	243	2.03	-	95.53
PK	5.3564G	58.79	74.00	-15.21	4.83	3	Vertical	243	2.03	-	53.96
AV	5.35G	46.36	54.00	-7.64	4.81	3	Vertical	243	2.03	-	41.55

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5210MHz\_TX




EUT\_Y\_4TX  
Setting 73  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	67.57	74.00	-6.43	4.25	3	Horizontal	206	1.55	-	63.32
AV	5.1492G	48.06	54.00	-5.94	4.25	3	Horizontal	206	1.55	-	43.81
PK	5.178G	109.37	Inf	-Inf	4.26	3	Horizontal	206	1.55	-	105.11
AV	5.1868G	94.76	Inf	-Inf	4.27	3	Horizontal	206	1.55	-	90.49
PK	5.394G	57.61	74.00	-16.39	4.97	3	Horizontal	206	1.55	-	52.64
AV	5.354G	44.81	54.00	-9.19	4.82	3	Horizontal	206	1.55	-	39.99

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5210MHz\_TX




EUT Y\_4TX  
 Setting 73  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63948G	59.11	74.00	-14.89	14.34	3	Vertical	92	1.50	-	44.77
AV	15.6224G	45.68	54.00	-8.32	14.36	3	Vertical	92	1.50	-	31.32

802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5210MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6306G	59.02	74.00	-14.98	14.34	3	Horizontal	359	1.50	-	44.68
AV	15.62056G	45.61	54.00	-8.39	14.36	3	Horizontal	359	1.50	-	31.25

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5775MHz\_TX




EUT Y\_4TX  
Setting 89  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	67.18	68.20	-1.02	5.69	3	Vertical	276	1.50	-	61.49
PK	5.76G	112.82	Inf	-Inf	5.87	3	Vertical	276	1.50	-	106.95
AV	5.761G	102.54	Inf	-Inf	5.87	3	Vertical	276	1.50	-	96.67
PK	5.933G	67.77	68.20	-0.43	6.85	3	Vertical	276	1.50	-	60.92

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5775MHz\_TX



EUT Y\_4TX  
Setting 89  
01-E-2-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	64.77	68.20	-3.43	5.69	3	Horizontal	78	2.00	-	59.08
PK	5.771G	118.86	Inf	-Inf	5.90	3	Horizontal	78	2.00	-	112.96
AV	5.769G	106.65	Inf	-Inf	5.90	3	Horizontal	78	2.00	-	100.75
PK	5.927G	62.82	68.20	-5.38	6.82	3	Horizontal	78	2.00	-	56.00



### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5775MHz\_TX




EUT Y\_4TX  
 Setting 89  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55524G	53.54	74.00	-20.46	11.96	3	Vertical	351	1.50	-	41.58
AV	11.54844G	39.70	54.00	-14.30	11.95	3	Vertical	351	1.50	-	27.75
PK	17.3264G	62.50	68.20	-5.70	18.21	3	Vertical	201	1.50	-	44.29

802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5775MHz\_TX




EUT Y\_4TX  
Setting 89  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.553G	53.59	74.00	-20.41	11.96	3	Horizontal	222	1.93	-	41.63
AV	11.54096G	39.66	54.00	-14.34	11.95	3	Horizontal	222	1.93	-	27.71
PK	17.32436G	62.09	68.20	-6.11	18.21	3	Horizontal	90	2.20	-	43.88

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5180MHz\_TX




EUT Y\_4TX  
Setting 78  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.96	74.00	-3.04	4.25	3	Vertical	243	1.50	-	66.71
AV	5.1496G	53.56	54.00	-0.44	4.25	3	Vertical	243	1.50	-	49.31
PK	5.184G	119.43	Inf	-Inf	4.26	3	Vertical	243	1.50	-	115.17
AV	5.1712G	106.61	Inf	-Inf	4.25	3	Vertical	243	1.50	-	102.36

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5180MHz\_TX




EUT\_Y\_4TX  
Setting 78  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	64.24	74.00	-9.76	4.25	3	Horizontal	221	2.39	-	59.99
AV	5.1496G	48.30	54.00	-5.70	4.25	3	Horizontal	221	2.39	-	44.05
PK	5.1884G	116.72	Inf	-Inf	4.26	3	Horizontal	221	2.39	-	112.46
AV	5.1816G	102.84	Inf	-Inf	4.26	3	Horizontal	221	2.39	-	98.58

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5180MHz\_TX




EUT Y\_4TX  
 Setting 78  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5306G	60.46	74.00	-13.54	14.47	3	Vertical	304	1.43	-	45.99
AV	15.53784G	46.16	54.00	-7.84	14.47	3	Vertical	304	1.43	-	31.69

### 802.11ax HEW20-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5180MHz\_TX




EUT Y\_4TX  
Setting 78  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54596G	60.37	74.00	-13.63	14.45	3	Horizontal	127	1.50	-	45.92
AV	15.53904G	46.15	54.00	-7.85	14.47	3	Horizontal	127	1.50	-	31.68

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5190MHz\_TX




EUT Y\_4TX  
Setting 74  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	73.51	74.00	-0.49	4.25	3	Vertical	272	1.50	-	69.26
AV	5.1499G	52.75	54.00	-1.25	4.25	3	Vertical	272	1.50	-	48.50
PK	5.1852G	115.15	Inf	-Inf	4.27	3	Vertical	272	1.50	-	110.88
AV	5.1864G	102.52	Inf	-Inf	4.27	3	Vertical	272	1.50	-	98.25

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5190MHz\_TX



EUT Y\_4TX  
Setting 74  
01-E-2-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	65.31	74.00	-8.69	4.25	3	Horizontal	220	1.61	-	61.06
AV	5.15G	47.52	54.00	-6.48	4.25	3	Horizontal	220	1.61	-	43.27
PK	5.204G	112.01	Inf	-Inf	4.28	3	Horizontal	220	1.61	-	107.73
AV	5.2044G	99.40	Inf	-Inf	4.28	3	Horizontal	220	1.61	-	95.12



### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 74  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57984G	59.59	74.00	-14.41	14.41	3	Vertical	173	1.07	-	45.18
AV	15.56804G	45.95	54.00	-8.05	14.42	3	Vertical	173	1.07	-	31.53

### 802.11ax HEW40-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 74  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56032G	60.13	74.00	-13.87	14.43	3	Horizontal	26	2.49	-	45.70
AV	15.56136G	45.99	54.00	-8.01	14.43	3	Horizontal	26	2.49	-	31.56

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5210MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.143G	71.47	74.00	-2.53	4.24	3	Vertical	98	1.50	-	67.23
AV	5.149G	53.65	54.00	-0.35	4.25	3	Vertical	98	1.50	-	49.40
PK	5.186G	116.69	Inf	-Inf	4.27	3	Vertical	98	1.50	-	112.42
AV	5.2G	99.76	Inf	-Inf	4.27	3	Vertical	98	1.50	-	95.49
PK	5.35G	58.36	74.00	-15.64	4.81	3	Vertical	98	1.50	-	53.55
AV	5.35G	46.11	54.00	-7.89	4.81	3	Vertical	98	1.50	-	41.30

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5210MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	64.26	74.00	-9.74	4.25	3	Horizontal	189	2.99	-	60.01
AV	5.15G	48.29	54.00	-5.71	4.25	3	Horizontal	189	2.99	-	44.04
PK	5.227G	105.99	Inf	-Inf	4.37	3	Horizontal	189	2.99	-	101.62
AV	5.226G	93.54	Inf	-Inf	4.37	3	Horizontal	189	2.99	-	89.17
PK	5.429G	57.38	74.00	-16.62	5.11	3	Horizontal	189	2.99	-	52.27
AV	5.355G	44.62	54.00	-9.38	4.82	3	Horizontal	189	2.99	-	39.80

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5210MHz\_TX




EUT Y\_4TX  
 Setting 75  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62196G	59.97	74.00	-14.03	14.36	3	Vertical	254	1.50	-	45.61
AV	15.62264G	45.75	54.00	-8.25	14.36	3	Vertical	254	1.50	-	31.39

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5210MHz\_TX




EUT Y\_4TX  
Setting 75  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6276G	59.15	74.00	-14.85	14.34	3	Horizontal	115	1.76	-	44.81
AV	15.62032G	45.67	54.00	-8.33	14.36	3	Horizontal	115	1.76	-	31.31

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5775MHz\_TX




EUT Y\_4TX  
Setting 86  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	67.80	68.20	-0.40	5.69	3	Vertical	253	1.50	-	62.11
PK	5.747G	114.88	Inf	-Inf	5.84	3	Vertical	253	1.50	-	109.04
AV	5.759G	102.27	Inf	-Inf	5.87	3	Vertical	253	1.50	-	96.40
PK	5.942G	64.19	68.20	-4.01	6.89	3	Vertical	253	1.50	-	57.30

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5775MHz\_TX



EUT Y\_4TX  
Setting 86  
01-E-2-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.636G	67.51	68.20	-0.69	5.68	3	Horizontal	221	2.65	-	61.83
PK	5.763G	115.97	Inf	-Inf	5.89	3	Horizontal	221	2.65	-	110.08
AV	5.762G	103.30	Inf	-Inf	5.87	3	Horizontal	221	2.65	-	97.43
PK	5.925G	62.36	68.20	-5.84	6.81	3	Horizontal	221	2.65	-	55.55



### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5775MHz\_TX




EUT Y\_4TX  
Setting 86  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5452G	54.06	74.00	-19.94	11.95	3	Vertical	48	1.31	-	42.11
AV	11.54996G	41.41	54.00	-12.59	11.95	3	Vertical	48	1.31	-	29.46
PK	17.31984G	61.42	68.20	-6.78	18.20	3	Vertical	268	1.50	-	43.22

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5775MHz\_TX



EUT Y\_4TX  
 Setting 86  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55G	54.27	74.00	-19.73	11.95	3	Horizontal	47	1.06	-	42.32
AV	11.55G	44.19	54.00	-9.81	11.95	3	Horizontal	47	1.06	-	32.24
PK	17.32832G	62.59	68.20	-5.61	18.22	3	Horizontal	224	1.02	-	44.37




4T3S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	Pass	PK	5.645G	68.19	68.20	-0.01	5.68	3	Vertical	261	1.48	-

802.11ac VHT20-BF\_Nss3,(MCS0)\_4TX

01/09/2019

5180MHz\_TX




EUT Y\_4TX  
Setting 82  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	70.51	74.00	-3.49	4.25	3	Vertical	242	1.73	-	66.26
AV	5.15G	53.92	54.00	-0.08	4.25	3	Vertical	242	1.73	-	49.67
PK	5.1776G	118.58	Inf	-Inf	4.26	3	Vertical	242	1.73	-	114.32
AV	5.1776G	107.62	Inf	-Inf	4.26	3	Vertical	242	1.73	-	103.36

### 802.11ac VHT20-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5180MHz\_TX




EUT\_Y\_4TX  
Setting 82  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	65.06	74.00	-8.94	4.25	3	Horizontal	216	2.62	-	60.81
AV	5.15G	48.67	54.00	-5.33	4.25	3	Horizontal	216	2.62	-	44.42
PK	5.1812G	114.57	Inf	-Inf	4.26	3	Horizontal	216	2.62	-	110.31
AV	5.1816G	102.04	Inf	-Inf	4.26	3	Horizontal	216	2.62	-	97.78

### 802.11ac VHT20-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5180MHz\_TX




EUT Y\_4TX  
 Setting 82  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5488G	60.32	74.00	-13.68	14.44	3	Vertical	72	1.50	-	45.88
AV	15.54452G	46.06	54.00	-7.94	14.45	3	Vertical	72	1.50	-	31.61

### 802.11ac VHT20-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5180MHz\_TX




EUT Y\_4TX  
Setting 82  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53568G	59.96	74.00	-14.04	14.46	3	Horizontal	237	1.93	-	45.50
AV	15.54348G	45.94	54.00	-8.06	14.45	3	Horizontal	237	1.93	-	31.49

802.11ac VHT40-BF\_Nss3,(MCS0)\_4TX

01/09/2019

5190MHz\_TX



EUT Y\_4TX  
Setting 75  
01-E-2-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1456G	73.52	74.00	-0.48	4.25	3	Vertical	274	1.93	-	69.27
AV	5.1496G	52.95	54.00	-1.05	4.25	3	Vertical	274	1.93	-	48.70
PK	5.1752G	115.83	Inf	-Inf	4.26	3	Vertical	274	1.93	-	111.57
AV	5.1936G	103.15	Inf	-Inf	4.26	3	Vertical	274	1.93	-	98.89



### 802.11ac VHT40-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5190MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	70.61	74.00	-3.39	4.25	3	Horizontal	237	2.90	-	66.36
AV	5.15G	48.22	54.00	-5.78	4.25	3	Horizontal	237	2.90	-	43.97
PK	5.1856G	110.73	Inf	-Inf	4.27	3	Horizontal	237	2.90	-	106.46
AV	5.1864G	100.18	Inf	-Inf	4.27	3	Horizontal	237	2.90	-	95.91

### 802.11ac VHT40-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 75  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57028G	59.64	74.00	-14.36	14.42	3	Vertical	142	1.50	-	45.22
AV	15.57336G	46.06	54.00	-7.94	14.42	3	Vertical	142	1.50	-	31.64

### 802.11ac VHT40-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 75  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5752G	59.50	74.00	-14.50	14.40	3	Horizontal	288	2.16	-	45.10
AV	15.57892G	46.09	54.00	-7.91	14.41	3	Horizontal	288	2.16	-	31.68

### 802.11ac VHT80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5210MHz\_TX




EUT\_Y\_4TX  
Setting 76  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	70.74	74.00	-3.26	4.25	3	Vertical	273	1.85	-	66.49
AV	5.149G	53.52	54.00	-0.48	4.25	3	Vertical	273	1.85	-	49.27
PK	5.222G	110.80	Inf	-Inf	4.36	3	Vertical	273	1.85	-	106.44
AV	5.198G	99.09	Inf	-Inf	4.27	3	Vertical	273	1.85	-	94.82
PK	5.351G	58.30	74.00	-15.70	4.81	3	Vertical	273	1.85	-	53.49
AV	5.351G	46.15	54.00	-7.85	4.81	3	Vertical	273	1.85	-	41.34

### 802.11ac VHT80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5210MHz\_TX




EUT\_Y\_4TX  
Setting 76  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	64.37	74.00	-9.63	4.24	3	Horizontal	345	2.68	-	60.13
AV	5.15G	48.43	54.00	-5.57	4.25	3	Horizontal	345	2.68	-	44.18
PK	5.196G	105.44	Inf	-Inf	4.27	3	Horizontal	345	2.68	-	101.17
AV	5.233G	93.55	Inf	-Inf	4.39	3	Horizontal	345	2.68	-	89.16
PK	5.455G	58.09	74.00	-15.91	5.20	3	Horizontal	345	2.68	-	52.89
AV	5.351G	44.77	54.00	-9.23	4.81	3	Horizontal	345	2.68	-	39.96

### 802.11ac VHT80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5210MHz\_TX




EUT Y\_4TX  
 Setting 76  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62316G	59.31	74.00	-14.69	14.36	3	Vertical	42	2.87	-	44.95
AV	15.62272G	45.50	54.00	-8.50	14.36	3	Vertical	42	2.87	-	31.14

### 802.11ac VHT80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5210MHz\_TX




EUT Y\_4TX  
Setting 76  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6244G	59.38	74.00	-14.62	14.36	3	Horizontal	200	2.09	-	45.02
AV	15.62G	45.62	54.00	-8.38	14.36	3	Horizontal	200	2.09	-	31.26

### 802.11ac VHT80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5775MHz\_TX



EUT Y\_4TX  
Setting 89  
01-E-2-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	68.19	68.20	-0.01	5.68	3	Vertical	261	1.48	-	62.51
PK	5.764G	114.57	Inf	-Inf	5.89	3	Vertical	261	1.48	-	108.68
AV	5.763G	102.40	Inf	-Inf	5.89	3	Vertical	261	1.48	-	96.51
PK	5.933G	68.10	68.20	-0.10	6.85	3	Vertical	261	1.48	-	61.25



### 802.11ac VHT80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5775MHz\_TX




EUT Y\_4TX  
Setting 89  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	65.89	68.20	-2.31	5.69	3	Horizontal	71	1.50	-	60.20
PK	5.763G	112.34	Inf	-Inf	5.89	3	Horizontal	71	1.50	-	106.45
AV	5.763G	101.48	Inf	-Inf	5.89	3	Horizontal	71	1.50	-	95.59
PK	5.937G	63.62	68.20	-4.58	6.86	3	Horizontal	71	1.50	-	56.76

### 802.11ac VHT80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5775MHz\_TX




EUT Y\_4TX  
 Setting 89  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54232G	53.46	74.00	-20.54	11.95	3	Vertical	48	1.33	-	41.51
AV	11.54996G	41.12	54.00	-12.88	11.95	3	Vertical	48	1.33	-	29.17
PK	17.31788G	62.91	68.20	-5.29	18.20	3	Vertical	158	1.50	-	44.71

### 802.11ac VHT80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5775MHz\_TX




EUT Y\_4TX  
 Setting 89  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54232G	53.53	74.00	-20.47	11.95	3	Horizontal	320	1.19	-	41.58
AV	11.54616G	39.66	54.00	-14.34	11.95	3	Horizontal	320	1.19	-	27.71
PK	17.32132G	62.81	68.20	-5.39	18.21	3	Horizontal	350	1.74	-	44.60

### 802.11ax HEW20-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5180MHz\_TX




EUT Y\_4TX  
 Setting 80  
 01-E-2-10  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	69.35	74.00	-4.65	4.25	3	Vertical	242	1.50	-	65.10
AV	5.1496G	53.55	54.00	-0.45	4.25	3	Vertical	242	1.50	-	49.30
PK	5.1748G	117.70	Inf	-Inf	4.25	3	Vertical	242	1.50	-	113.45
AV	5.1784G	105.18	Inf	-Inf	4.26	3	Vertical	242	1.50	-	100.92

802.11ax HEW20-BF\_Nss3,(MCS0)\_4TX

01/09/2019

5180MHz\_TX




EUT\_Y\_4TX  
Setting 80  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	67.95	74.00	-6.05	4.25	3	Horizontal	227	2.92	-	63.70
AV	5.1492G	49.17	54.00	-4.83	4.25	3	Horizontal	227	2.92	-	44.92
PK	5.186G	115.29	Inf	-Inf	4.27	3	Horizontal	227	2.92	-	111.02
AV	5.1868G	102.35	Inf	-Inf	4.27	3	Horizontal	227	2.92	-	98.08

### 802.11ax HEW20-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5180MHz\_TX




EUT Y\_4TX  
Setting 80  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54332G	60.31	74.00	-13.69	14.45	3	Vertical	183	1.50	-	45.86
AV	15.53972G	46.04	54.00	-7.96	14.46	3	Vertical	183	1.50	-	31.58

802.11ax HEW20-BF\_Nss3,(MCS0)\_4TX

01/09/2019

5180MHz\_TX




EUT Y\_4TX  
Setting 80  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54444G	59.76	74.00	-14.24	14.45	3	Horizontal	165	1.51	-	45.31
AV	15.54792G	46.12	54.00	-7.88	14.45	3	Horizontal	165	1.51	-	31.67

### 802.11ax HEW40-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5190MHz\_TX



EUT Y\_4TX  
 Setting 76  
 01-E-2-10  
 FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	72.80	74.00	-1.20	4.25	3	Vertical	95	1.50	-	68.55
AV	5.15G	53.58	54.00	-0.42	4.25	3	Vertical	95	1.50	-	49.33
PK	5.1756G	115.07	Inf	-Inf	4.26	3	Vertical	95	1.50	-	110.81
AV	5.1932G	101.29	Inf	-Inf	4.26	3	Vertical	95	1.50	-	97.03



### 802.11ax HEW40-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 76  
 01-E-2-10  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	69.19	74.00	-4.81	4.25	3	Horizontal	348	2.98	-	64.94
AV	5.15G	50.41	54.00	-3.59	4.25	3	Horizontal	348	2.98	-	46.16
PK	5.186G	111.17	Inf	-Inf	4.27	3	Horizontal	348	2.98	-	106.90
AV	5.1888G	98.35	Inf	-Inf	4.26	3	Horizontal	348	2.98	-	94.09

### 802.11ax HEW40-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 76  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56868G	59.69	74.00	-14.31	14.42	3	Vertical	211	1.50	-	45.27
AV	15.56708G	46.03	54.00	-7.97	14.42	3	Vertical	211	1.50	-	31.61

### 802.11ax HEW40-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5190MHz\_TX




EUT Y\_4TX  
 Setting 76  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56204G	59.45	74.00	-14.55	14.43	3	Horizontal	151	1.50	-	45.02
AV	15.5696G	45.99	54.00	-8.01	14.42	3	Horizontal	151	1.50	-	31.57

### 802.11ax HEW80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5210MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	71.15	74.00	-2.85	4.25	3	Vertical	241	1.83	-	66.90
AV	5.15G	53.97	54.00	-0.03	4.25	3	Vertical	241	1.83	-	49.72
PK	5.202G	110.88	Inf	-Inf	4.28	3	Vertical	241	1.83	-	106.60
AV	5.198G	98.52	Inf	-Inf	4.27	3	Vertical	241	1.83	-	94.25
PK	5.353G	59.13	74.00	-14.87	4.82	3	Vertical	241	1.83	-	54.31
AV	5.35G	46.51	54.00	-7.49	4.81	3	Vertical	241	1.83	-	41.70

### 802.11ax HEW80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5210MHz\_TX




EUT\_Y\_4TX  
Setting 75  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	67.46	74.00	-6.54	4.25	3	Horizontal	204	1.50	-	63.21
AV	5.15G	47.91	54.00	-6.09	4.25	3	Horizontal	204	1.50	-	43.66
PK	5.184G	107.23	Inf	-Inf	4.26	3	Horizontal	204	1.50	-	102.97
AV	5.195G	92.62	Inf	-Inf	4.26	3	Horizontal	204	1.50	-	88.36
PK	5.363G	57.07	74.00	-16.93	4.86	3	Horizontal	204	1.50	-	52.21
AV	5.357G	44.81	54.00	-9.19	4.83	3	Horizontal	204	1.50	-	39.98

### 802.11ax HEW80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5210MHz\_TX




EUT Y\_4TX  
 Setting 75  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63332G	59.49	74.00	-14.51	14.35	3	Vertical	78	2.38	-	45.14
AV	15.62236G	45.61	54.00	-8.39	14.36	3	Vertical	78	2.38	-	31.25

### 802.11ax HEW80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5210MHz\_TX




EUT Y\_4TX  
Setting 75  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6384G	59.71	74.00	-14.29	14.34	3	Horizontal	293	1.90	-	45.37
AV	15.62736G	45.66	54.00	-8.34	14.34	3	Horizontal	293	1.90	-	31.32

802.11ax HEW80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

5775MHz\_TX



EUT Y\_4TX  
Setting 89  
01-E-2-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.78	68.20	-0.42	5.69	3	Vertical	267	1.46	-	62.09
PK	5.761G	115.23	Inf	-Inf	5.87	3	Vertical	267	1.46	-	109.36
AV	5.763G	102.78	Inf	-Inf	5.89	3	Vertical	267	1.46	-	96.89
PK	5.94G	65.68	68.20	-2.52	6.88	3	Vertical	267	1.46	-	58.80



### 802.11ax HEW80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5775MHz\_TX




EUT Y\_4TX  
Setting 89  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.625G	66.13	68.20	-2.07	5.67	3	Horizontal	297	1.50	-	60.46
PK	5.743G	114.36	Inf	-Inf	5.84	3	Horizontal	297	1.50	-	108.52
AV	5.762G	100.43	Inf	-Inf	5.87	3	Horizontal	297	1.50	-	94.56
PK	5.928G	62.55	68.20	-5.65	6.82	3	Horizontal	297	1.50	-	55.73

802.11ax HEW80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

5775MHz\_TX




EUT Y\_4TX  
Setting 89  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55008G	54.89	74.00	-19.11	11.95	3	Vertical	49	1.34	-	42.94
AV	11.55004G	41.25	54.00	-12.75	11.95	3	Vertical	49	1.34	-	29.30
PK	17.32224G	62.41	68.20	-5.79	18.21	3	Vertical	159	1.53	-	44.20

### 802.11ax HEW80-BF\_Nss3,(MCS0)\_4TX

01/09/2019

### 5775MHz\_TX



EUT Y\_4TX  
 Setting 89  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55844G	53.76	74.00	-20.24	11.96	3	Horizontal	181	1.23	-	41.80
AV	11.54944G	39.81	54.00	-14.19	11.95	3	Horizontal	181	1.23	-	27.86
PK	17.31508G	63.50	68.20	-4.70	18.20	3	Horizontal	322	1.44	-	45.30

