





3T2S  
Summary



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
VHT20-BF_Nss2,(MCS0)_3TX	Pass	2.45699G	14.18	-15.82	95.82M	-44.68	2.39976G	-16.68	2.50664G	-52.51	6.9598G	-46.78	3
802.11ax HEW20-BF_Nss2,(MCS0)_3TX	Pass	2.46701G	14.43	-15.57	95.82M	-44.64	2.39984G	-16.70	2.51168G	-52.20	16.39993G	-46.21	3



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
VHT20-BF_Nss2,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.45699G	14.18	-15.82	95.82M	-43.16	2.39952G	-19.23	2.49758G	-52.15	16.55446G	-45.83	1
2412MHz	Pass	2.45699G	14.18	-15.82	159.9M	-45.56	2.39988G	-17.65	2.50712G	-50.42	15.14125G	-45.81	2
2412MHz	Pass	2.45699G	14.18	-15.82	95.82M	-44.68	2.39976G	-16.68	2.50664G	-52.51	6.9598G	-46.78	3
2462MHz	Pass	2.45699G	14.18	-15.82	159.9M	-44.94	2.3983G	-49.34	2.48608G	-48.42	24.70219G	-46.90	1
2462MHz	Pass	2.45699G	14.18	-15.82	95.82M	-44.55	2.39922G	-48.75	2.48636G	-47.31	6.09164G	-45.74	2
2462MHz	Pass	2.45699G	14.18	-15.82	159.9M	-46.93	2.39942G	-47.49	2.4842G	-43.97	16.47298G	-44.88	3
802.11ax HEW20-BF_Nss2,(MCS0)_3TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.46701G	14.43	-15.57	95.82M	-43.50	2.39912G	-20.36	2.49428G	-52.19	16.5376G	-45.63	1
2412MHz	Pass	2.46701G	14.43	-15.57	95.82M	-44.96	2.39886G	-17.23	2.50562G	-51.93	16.40555G	-46.04	2
2412MHz	Pass	2.46701G	14.43	-15.57	95.82M	-44.64	2.39984G	-16.70	2.51168G	-52.20	16.39993G	-46.21	3
2462MHz	Pass	2.46701G	14.43	-15.57	95.82M	-45.42	2.39942G	-46.88	2.4852G	-45.13	17.16413G	-46.73	1
2462MHz	Pass	2.46701G	14.43	-15.57	95.82M	-43.95	2.39986G	-48.40	2.48614G	-44.56	16.59941G	-46.53	2
2462MHz	Pass	2.46701G	14.43	-15.57	95.82M	-45.21	2.39844G	-46.97	2.48388G	-41.29	24.50552G	-46.02	3







**4T1S  
Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
VHT20-BF_Nss1,(MCS0)_4TX	Pass	2.44451G	12.10	-17.90	544.06M	-46.89	2.39962G	-18.47	2.4877G	-52.43	24.88481G	-46.05	3
VHT40-BF_Nss1,(MCS0)_4TX	Pass	2.43449G	10.41	-19.59	2.00713G	-52.34	2.39796G	-21.58	2.51826G	-51.45	16.50778G	-43.31	3
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	2.43073G	12.09	-17.91	95.82M	-44.23	2.39946G	-18.71	2.4986G	-51.44	16.47579G	-46.65	3
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	2.43198G	10.19	-19.81	670.06M	-51.49	2.39916G	-22.35	2.56338G	-52.04	24.90745G	-43.54	3





Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44451G	12.10	-17.90	159.9M	-45.48	2.3986G	-24.34	2.50452G	-51.76	6.77999G	-46.32	1
2412MHz	Pass	2.44451G	12.10	-17.90	159.9M	-45.19	2.39928G	-19.91	2.49516G	-52.32	15.17496G	-47.13	2
2412MHz	Pass	2.44451G	12.10	-17.90	544.06M	-46.89	2.39962G	-18.47	2.4877G	-52.43	24.88481G	-46.05	3
2412MHz	Pass	2.44451G	12.10	-17.90	95.82M	-46.15	2.39988G	-20.66	2.49622G	-51.81	16.29878G	-46.07	4
2437MHz	Pass	2.44451G	12.10	-17.90	95.82M	-44.15	2.39954G	-44.64	2.49248G	-51.80	15.09067G	-45.77	1
2437MHz	Pass	2.44451G	12.10	-17.90	159.9M	-45.61	2.39792G	-42.62	2.49752G	-51.54	16.77922G	-46.39	2
2437MHz	Pass	2.44451G	12.10	-17.90	159.9M	-44.80	2.39984G	-40.91	2.48482G	-51.40	6.93732G	-46.82	3
2437MHz	Pass	2.44451G	12.10	-17.90	159.9M	-45.12	2.39798G	-44.37	2.50662G	-52.07	24.61509G	-46.15	4
2462MHz	Pass	2.44451G	12.10	-17.90	159.9M	-43.75	2.39918G	-50.85	2.48414G	-48.77	16.43645G	-46.43	1
2462MHz	Pass	2.44451G	12.10	-17.90	159.9M	-45.20	2.39736G	-50.42	2.4845G	-49.22	16.8326G	-46.88	2
2462MHz	Pass	2.44451G	12.10	-17.90	159.9M	-44.81	2.39922G	-49.07	2.4842G	-47.14	16.41117G	-46.89	3
2462MHz	Pass	2.44451G	12.10	-17.90	159.9M	-45.10	2.39934G	-50.32	2.4836G	-45.95	24.77524G	-46.76	4
VHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43449G	10.41	-19.59	1.97106G	-51.97	2.39796G	-25.12	2.51094G	-51.31	21.75512G	-44.93	1
2422MHz	Pass	2.43449G	10.41	-19.59	1.79931G	-52.48	2.39924G	-23.42	2.48454G	-51.64	14.36229G	-44.36	2
2422MHz	Pass	2.43449G	10.41	-19.59	2.00713G	-52.34	2.39796G	-21.58	2.51826G	-51.45	16.50778G	-43.31	3
2422MHz	Pass	2.43449G	10.41	-19.59	857.26M	-52.58	2.3992G	-25.16	2.49822G	-51.51	24.6943G	-43.86	4
2437MHz	Pass	2.43449G	10.41	-19.59	829.78M	-51.70	2.398G	-27.95	2.48858G	-50.07	24.88501G	-43.48	1
2437MHz	Pass	2.43449G	10.41	-19.59	766.52M	-52.86	2.39948G	-24.29	2.50146G	-51.39	24.24277G	-43.95	2
2437MHz	Pass	2.43449G	10.41	-19.59	901.92M	-51.42	2.39944G	-23.97	2.55742G	-51.71	24.87099G	-44.17	3
2437MHz	Pass	2.43449G	10.41	-19.59	757.65M	-52.50	2.39948G	-26.58	2.48486G	-51.57	16.49657G	-44.35	4
2452MHz	Pass	2.43449G	10.41	-19.59	927.68M	-52.76	2.39928G	-37.88	2.48506G	-46.97	15.24573G	-44.78	1
2452MHz	Pass	2.43449G	10.41	-19.59	762.51M	-52.97	2.39884G	-35.69	2.48814G	-46.08	16.46011G	-44.99	2
2452MHz	Pass	2.43449G	10.41	-19.59	859.84M	-52.07	2.39892G	-36.20	2.48506G	-46.09	16.47974G	-44.01	3
2452MHz	Pass	2.43449G	10.41	-19.59	557.27M	-51.70	2.39888G	-37.48	2.48386G	-46.92	16.5779G	-43.41	4
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	12.09	-17.91	159.9M	-45.35	2.3997G	-21.37	2.49246G	-51.42	15.15529G	-46.16	1
2412MHz	Pass	2.43073G	12.09	-17.91	159.9M	-44.35	2.39946G	-20.78	2.4866G	-51.68	16.8017G	-47.22	2
2412MHz	Pass	2.43073G	12.09	-17.91	95.82M	-44.23	2.39946G	-18.71	2.4986G	-51.44	16.47579G	-46.65	3
2412MHz	Pass	2.43073G	12.09	-17.91	159.9M	-45.05	2.39946G	-20.58	2.50268G	-51.67	15.13563G	-46.32	4
2437MHz	Pass	2.43073G	12.09	-17.91	95.82M	-44.15	2.3997G	-44.02	2.48378G	-51.24	15.23677G	-46.33	1
2437MHz	Pass	2.43073G	12.09	-17.91	159.9M	-44.59	2.3998G	-42.05	2.49348G	-52.22	15.17777G	-46.80	2
2437MHz	Pass	2.43073G	12.09	-17.91	159.9M	-44.64	2.39976G	-41.84	2.48942G	-52.77	24.72185G	-46.97	3
2437MHz	Pass	2.43073G	12.09	-17.91	95.82M	-44.22	2.3997G	-42.55	2.49072G	-51.48	6.09445G	-45.78	4
2462MHz	Pass	2.43073G	12.09	-17.91	159.9M	-45.33	2.39944G	-51.10	2.48422G	-50.27	16.73708G	-46.63	1
2462MHz	Pass	2.43073G	12.09	-17.91	95.82M	-44.82	2.39832G	-50.43	2.48574G	-48.38	16.73427G	-46.43	2
2462MHz	Pass	2.43073G	12.09	-17.91	159.9M	-46.13	2.39902G	-48.08	2.48568G	-48.32	16.78203G	-46.74	3
2462MHz	Pass	2.43073G	12.09	-17.91	159.9M	-45.50	2.39952G	-49.97	2.48412G	-48.28	17.49004G	-46.00	4
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	10.19	-19.81	858.98M	-52.37	2.39912G	-25.45	2.53738G	-50.41	16.5162G	-44.50	1
2422MHz	Pass	2.43198G	10.19	-19.81	912.8M	-52.37	2.3992G	-24.41	2.51906G	-52.08	24.94671G	-44.08	2
2422MHz	Pass	2.43198G	10.19	-19.81	670.06M	-51.49	2.39916G	-22.35	2.56338G	-52.04	24.90745G	-43.54	3
2422MHz	Pass	2.43198G	10.19	-19.81	2.14052G	-52.13	2.39956G	-27.24	2.55578G	-51.73	15.25975G	-43.37	4
2437MHz	Pass	2.43198G	10.19	-19.81	2.15455G	-52.73	2.39952G	-32.49	2.4915G	-51.68	17.53986G	-43.74	1
2437MHz	Pass	2.43198G	10.19	-19.81	236.67M	-52.40	2.39956G	-27.70	2.49722G	-51.07	24.71113G	-43.38	2
2437MHz	Pass	2.43198G	10.19	-19.81	2.11676G	-51.99	2.39928G	-27.29	2.4959G	-51.41	21.66538G	-44.53	3
2437MHz	Pass	2.43198G	10.19	-19.81	932.83M	-52.56	2.39956G	-30.89	2.49754G	-51.56	16.5807G	-44.84	4







**CSE(Non-restricted Band) Result / Beamforming mode**



**Appendix E.2**



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2452MHz	Pass	2.43198G	10.19	-19.81	2.03289G	-52.44	2.39976G	-37.85	2.48622G	-46.49	16.47133G	-43.92	1
2452MHz	Pass	2.43198G	10.19	-19.81	659.46M	-52.10	2.39924G	-35.91	2.48774G	-45.89	24.95232G	-44.00	2
2452MHz	Pass	2.43198G	10.19	-19.81	1.862G	-52.84	2.39976G	-34.22	2.48618G	-47.32	16.60594G	-44.45	3
2452MHz	Pass	2.43198G	10.19	-19.81	933.69M	-52.24	2.39976G	-37.06	2.4843G	-47.13	24.8794G	-43.85	4





















**4T2S  
Summary**



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
VHT20-BF_Nss2,(MCS0)_4TX	Pass	2.46701G	11.50	-18.50	95.82M	-42.54	2.3987G	-19.71	2.50676G	-51.47	16.4786G	-46.87	3
VHT40-BF_Nss2,(MCS0)_4TX	Pass	2.44701G	9.79	-20.21	159.96M	-45.28	2.39964G	-24.70	2.5587G	-52.05	24.46152G	-46.44	3
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	Pass	2.45578G	12.99	-17.01	95.82M	-44.63	2.39802G	-17.83	2.49046G	-51.43	17.41137G	-46.44	3
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	Pass	2.43198G	10.27	-19.73	2.03547G	-52.05	2.3998G	-21.03	2.48822G	-49.26	16.42645G	-45.64	3







Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
VHT20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.46701G	11.50	-18.50	95.82M	-43.01	2.39824G	-22.15	2.48672G	-51.04	15.09629G	-46.45	1
2412MHz	Pass	2.46701G	11.50	-18.50	95.82M	-43.70	2.39828G	-20.09	2.52102G	-51.98	16.72584G	-46.28	2
2412MHz	Pass	2.46701G	11.50	-18.50	95.82M	-42.54	2.3987G	-19.71	2.50676G	-51.47	16.4786G	-46.87	3
2412MHz	Pass	2.46701G	11.50	-18.50	95.82M	-42.97	2.39946G	-20.96	2.51294G	-52.20	17.17537G	-47.17	4
2462MHz	Pass	2.46701G	11.50	-18.50	95.82M	-43.24	2.39836G	-51.26	2.48352G	-50.63	15.19182G	-46.04	1
2462MHz	Pass	2.46701G	11.50	-18.50	95.82M	-43.25	2.39872G	-50.92	2.48382G	-51.39	16.76517G	-47.07	2
2462MHz	Pass	2.46701G	11.50	-18.50	95.82M	-43.29	2.39738G	-49.03	2.48388G	-51.09	16.82698G	-46.66	3
2462MHz	Pass	2.46701G	11.50	-18.50	95.82M	-44.49	2.39818G	-50.38	2.48438G	-50.02	6.76032G	-47.16	4
VHT40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.44701G	9.79	-20.21	95.84M	-43.04	2.39972G	-27.67	2.48474G	-52.16	5.92337G	-46.19	1
2422MHz	Pass	2.44701G	9.79	-20.21	159.96M	-44.97	2.39988G	-25.02	2.54034G	-51.76	23.24715G	-46.42	2
2422MHz	Pass	2.44701G	9.79	-20.21	159.96M	-45.28	2.39964G	-24.70	2.5587G	-52.05	24.46152G	-46.44	3
2422MHz	Pass	2.44701G	9.79	-20.21	159.96M	-44.88	2.3998G	-25.28	2.55486G	-52.56	16.84714G	-45.91	4
2437MHz	Pass	2.44701G	9.79	-20.21	159.96M	-44.58	2.39984G	-29.02	2.5163G	-52.08	16.56107G	-47.15	1
2437MHz	Pass	2.44701G	9.79	-20.21	95.84M	-43.21	2.3998G	-26.53	2.53102G	-52.63	17.48938G	-46.49	2
2437MHz	Pass	2.44701G	9.79	-20.21	95.84M	-43.07	2.39976G	-26.64	2.54574G	-52.81	17.5006G	-46.80	3
2437MHz	Pass	2.44701G	9.79	-20.21	95.84M	-44.29	2.3998G	-27.32	2.48542G	-51.52	23.522G	-46.77	4
2452MHz	Pass	2.44701G	9.79	-20.21	95.84M	-44.73	2.3992G	-35.55	2.48578G	-46.18	23.14058G	-46.20	1
2452MHz	Pass	2.44701G	9.79	-20.21	159.96M	-43.78	2.3992G	-35.14	2.48734G	-45.93	17.47255G	-46.19	2
2452MHz	Pass	2.44701G	9.79	-20.21	95.84M	-43.96	2.3992G	-34.84	2.48734G	-45.71	24.18668G	-46.50	3
2452MHz	Pass	2.44701G	9.79	-20.21	95.84M	-44.43	2.39924G	-36.78	2.4857G	-46.25	17.39122G	-46.51	4
802.11ax HEW20-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.45578G	12.99	-17.01	159.9M	-45.17	2.39878G	-21.10	2.50952G	-52.23	6.81932G	-46.91	1
2412MHz	Pass	2.45578G	12.99	-17.01	575.8M	-45.31	2.39994G	-21.00	2.49628G	-51.74	6.8727G	-46.80	2
2412MHz	Pass	2.45578G	12.99	-17.01	95.82M	-44.63	2.39802G	-17.83	2.49046G	-51.43	17.41137G	-46.44	3
2412MHz	Pass	2.45578G	12.99	-17.01	95.82M	-45.40	2.39986G	-19.67	2.51474G	-52.15	6.77437G	-46.35	4
2462MHz	Pass	2.45578G	12.99	-17.01	159.9M	-44.49	2.39986G	-50.20	2.48494G	-47.25	16.44207G	-45.89	1
2462MHz	Pass	2.45578G	12.99	-17.01	159.9M	-44.67	2.39824G	-49.95	2.48458G	-49.26	15.17215G	-46.80	2
2462MHz	Pass	2.45578G	12.99	-17.01	159.9M	-44.19	2.39962G	-47.93	2.48436G	-47.03	16.77922G	-45.45	3
2462MHz	Pass	2.45578G	12.99	-17.01	159.9M	-44.82	2.39866G	-50.60	2.48618G	-46.52	15.11596G	-46.46	4
802.11ax HEW40-BF_Nss2,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	10.27	-19.73	861.56M	-51.78	2.39956G	-27.60	2.48366G	-52.12	23.12375G	-45.16	1
2422MHz	Pass	2.43198G	10.27	-19.73	721.29M	-52.66	2.39956G	-24.93	2.50354G	-51.84	24.8766G	-45.53	2
2422MHz	Pass	2.43198G	10.27	-19.73	898.48M	-52.79	2.39956G	-22.30	2.48934G	-52.31	16.83311G	-46.71	3
2422MHz	Pass	2.43198G	10.27	-19.73	2.08528G	-52.85	2.39956G	-25.40	2.4953G	-52.15	16.71532G	-46.03	4
2437MHz	Pass	2.43198G	10.27	-19.73	956.31M	-53.24	2.3998G	-25.06	2.48758G	-50.30	6.78998G	-45.72	1
2437MHz	Pass	2.43198G	10.27	-19.73	1.7787G	-53.02	2.3998G	-22.76	2.48818G	-49.99	6.90496G	-46.37	2
2437MHz	Pass	2.43198G	10.27	-19.73	2.03547G	-52.05	2.3998G	-21.03	2.48822G	-49.26	16.42645G	-45.64	3
2437MHz	Pass	2.43198G	10.27	-19.73	2.09844G	-52.31	2.3998G	-23.51	2.4877G	-49.96	16.74056G	-46.36	4
2452MHz	Pass	2.43198G	10.27	-19.73	942.85M	-52.71	2.39972G	-38.32	2.48922G	-47.62	15.13074G	-46.88	1
2452MHz	Pass	2.43198G	10.27	-19.73	1.9433G	-51.92	2.3998G	-37.36	2.48918G	-45.94	15.25415G	-46.44	2
2452MHz	Pass	2.43198G	10.27	-19.73	1.83767G	-52.64	2.39976G	-36.55	2.48922G	-44.80	15.12233G	-46.61	3
2452MHz	Pass	2.43198G	10.27	-19.73	2.11075G	-53.21	2.3998G	-37.13	2.48922G	-46.99	15.20086G	-46.59	4













**4T3S  
Summary**



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
VHT20-BF_Nss3,(MCS0)_4TX	Pass	2.45699G	14.19	-15.81	95.82M	-42.97	2.3998G	-20.28	2.48512G	-51.77	16.80451G	-46.35	3
VHT40-BF_Nss3,(MCS0)_4TX	Pass	2.43695G	11.21	-18.79	2.13165G	-52.53	2.39764G	-19.62	2.48834G	-52.53	6.96666G	-47.03	3
802.11ax HEW20-BF_Nss3,(MCS0)_4TX	Pass	2.45707G	13.53	-16.47	95.82M	-42.51	2.3997G	-17.53	2.49412G	-50.86	16.6275G	-46.09	3
802.11ax HEW40-BF_Nss3,(MCS0)_4TX	Pass	2.4395G	10.19	-19.81	95.84M	-44.55	2.39952G	-19.86	2.48602G	-51.74	16.88921G	-46.80	3











Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
VHT20-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.45699G	14.19	-15.81	159.9M	-43.95	2.39952G	-23.3	2.49366G	-51.64	15.1581G	-46.75	1
2412MHz	Pass	2.45699G	14.19	-15.81	95.82M	-43.17	2.39982G	-22.05	2.51886G	-51.35	15.21429G	-45.21	2
2412MHz	Pass	2.45699G	14.19	-15.81	95.82M	-42.97	2.3998G	-20.28	2.48512G	-51.77	16.80451G	-46.35	3
2412MHz	Pass	2.45699G	14.19	-15.81	95.82M	-42.83	2.39922G	-21.34	2.51226G	-51.92	6.77718G	-46.88	4
2462MHz	Pass	2.45699G	14.19	-15.81	95.82M	-42.75	2.39946G	-50.71	2.48356G	-50.09	6.9317G	-46.68	1
2462MHz	Pass	2.45699G	14.19	-15.81	95.82M	-43.15	2.3997G	-50.05	2.48672G	-48.9	24.764G	-46.53	2
2462MHz	Pass	2.45699G	14.19	-15.81	159.9M	-44.76	2.39908G	-47.96	2.48356G	-48.3	17.06299G	-46.66	3
2462MHz	Pass	2.45699G	14.19	-15.81	95.82M	-43.76	2.397G	-50.2	2.48354G	-48.81	24.48304G	-47.09	4
VHT40-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43695G	11.21	-18.79	2.19147G	-52.97	2.3976G	-23.90	2.56294G	-52.08	16.25257G	-46.80	1
2422MHz	Pass	2.43695G	11.21	-18.79	2.08757G	-51.24	2.39764G	-21.16	2.53214G	-52.43	17.14162G	-47.05	2
2422MHz	Pass	2.43695G	11.21	-18.79	2.13165G	-52.53	2.39764G	-19.62	2.48834G	-52.53	6.96666G	-47.03	3
2422MHz	Pass	2.43695G	11.21	-18.79	2.12707G	-52.59	2.39764G	-22.24	2.50318G	-52.10	15.08868G	-46.53	4
2437MHz	Pass	2.43695G	11.21	-18.79	1.65934G	-53.40	2.39976G	-24.10	2.48546G	-52.57	17.51743G	-45.69	1
2437MHz	Pass	2.43695G	11.21	-18.79	932.26M	-52.78	2.39984G	-21.28	2.48446G	-50.71	16.44889G	-47.35	2
2437MHz	Pass	2.43695G	11.21	-18.79	1.76926G	-52.10	2.3998G	-20.08	2.4845G	-47.98	24.45872G	-46.87	3
2437MHz	Pass	2.43695G	11.21	-18.79	1.82965G	-53.07	2.3998G	-22.61	2.48414G	-49.26	16.71532G	-45.20	4
2452MHz	Pass	2.43695G	11.21	-18.79	692.96M	-52.65	2.39984G	-35.10	2.48574G	-41.65	16.75739G	-46.40	1
2452MHz	Pass	2.43695G	11.21	-18.79	575.88M	-52.14	2.39956G	-28.98	2.48826G	-41.42	16.53022G	-47.03	2
2452MHz	Pass	2.43695G	11.21	-18.79	2.07783G	-52.88	2.3996G	-28.07	2.48574G	-41.61	15.2906G	-46.65	3
2452MHz	Pass	2.43695G	11.21	-18.79	853.83M	-52.29	2.39964G	-36.28	2.48574G	-40.58	6.75071G	-45.88	4
802.11ax HEW20-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.45707G	13.53	-16.47	95.82M	-42.71	2.39878G	-21.68	2.48356G	-51.65	16.4196G	-46.64	1
2412MHz	Pass	2.45707G	13.53	-16.47	95.82M	-41.93	2.39948G	-23.35	2.5229G	-50.96	16.44207G	-46.5	2
2412MHz	Pass	2.45707G	13.53	-16.47	95.82M	-42.51	2.3997G	-17.53	2.49412G	-50.86	16.6275G	-46.09	3
2412MHz	Pass	2.45707G	13.53	-16.47	95.82M	-43.69	2.39878G	-20.87	2.50142G	-51.72	16.53198G	-46.57	4
2462MHz	Pass	2.45707G	13.53	-16.47	95.82M	-42.06	2.3979G	-50.1	2.48482G	-46.18	16.75112G	-46.12	1
2462MHz	Pass	2.45707G	13.53	-16.47	96.11M	-44.37	2.39836G	-50.7	2.48484G	-48.96	16.82136G	-45.68	2
2462MHz	Pass	2.45707G	13.53	-16.47	95.82M	-43.32	2.39866G	-49.17	2.48398G	-47.21	16.41398G	-46.29	3
2462MHz	Pass	2.45707G	13.53	-16.47	95.82M	-42.96	2.39914G	-50.49	2.48364G	-48.06	16.41117G	-45.95	4
802.11ax HEW40-BF_Nss3,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.4395G	10.19	-19.81	95.84M	-43.43	2.39828G	-26.44	2.54538G	-51.86	15.11672G	-46.45	1
2422MHz	Pass	2.4395G	10.19	-19.81	95.84M	-42.24	2.39828G	-22.94	2.55366G	-52.51	6.17578G	-46.34	2
2422MHz	Pass	2.4395G	10.19	-19.81	95.84M	-42.37	2.39828G	-20.73	2.5105G	-52.27	17.42768G	-45.03	3
2422MHz	Pass	2.4395G	10.19	-19.81	95.84M	-42.11	2.39728G	-26.28	2.51626G	-52.86	15.26256G	-46.36	4
2437MHz	Pass	2.4395G	10.19	-19.81	95.84M	-43.33	2.39952G	-24.43	2.49478G	-52.31	16.42645G	-46.64	1
2437MHz	Pass	2.4395G	10.19	-19.81	95.84M	-44.23	2.39952G	-20.52	2.4901G	-52.35	16.53863G	-46.42	2
2437MHz	Pass	2.4395G	10.19	-19.81	95.84M	-44.55	2.39952G	-19.86	2.48602G	-51.74	16.88921G	-46.80	3
2437MHz	Pass	2.4395G	10.19	-19.81	95.84M	-41.91	2.39948G	-22.40	2.48498G	-52.02	15.2289G	-46.00	4
2452MHz	Pass	2.4395G	10.19	-19.81	95.84M	-42.10	2.39952G	-31.04	2.48574G	-42.31	16.52181G	-46.39	1
2452MHz	Pass	2.4395G	10.19	-19.81	95.84M	-43.65	2.39952G	-30.17	2.48722G	-41.31	6.71986G	-46.98	2
2452MHz	Pass	2.4395G	10.19	-19.81	95.84M	-44.25	2.39952G	-30.47	2.48726G	-42.22	16.48815G	-46.36	3
2452MHz	Pass	2.4395G	10.19	-19.81	95.84M	-44.47	2.39956G	-32.43	2.48574G	-41.40	16.62558G	-46.18	4













**RSE below 1GHz Result**

RSE below 1GHz Result																																																																																																																	
Operating Mode	1			Polarization	Vertical																																																																																																												
Operating Function	CTX																																																																																																																
<div style="display: flex; justify-content: space-between;"> <span>Level (dBuV/m)</span> <span>Date: 2019-10-22 Time: 19:26:01</span> </div> <p>The plot shows a blue signal line fluctuating between approximately 20 and 40 dBuV/m across the 30-1000 MHz frequency range. A red stepped line represents the FCC CLASS-B limit, which is generally at 40 dBuV/m with some higher steps at lower frequencies. A 5dB margin is indicated between the signal and the limit.</p>																																																																																																																	
<table border="1" style="width:100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>31.94</td> <td>35.64</td> <td>40.00</td> <td>-4.36</td> <td>44.20</td> <td>0.52</td> <td>23.12</td> <td>32.20</td> <td>100</td> <td>166</td> <td>QP</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>35.82</td> <td>34.33</td> <td>40.00</td> <td>-5.67</td> <td>44.79</td> <td>0.58</td> <td>21.17</td> <td>32.21</td> <td>100</td> <td>173</td> <td>QP</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>39.70</td> <td>32.82</td> <td>40.00</td> <td>-7.18</td> <td>45.30</td> <td>0.61</td> <td>19.13</td> <td>32.22</td> <td>150</td> <td>310</td> <td>QP</td> <td>VERTICAL</td> </tr> <tr> <td>4</td> <td>299.66</td> <td>39.34</td> <td>46.00</td> <td>-6.66</td> <td>50.45</td> <td>1.84</td> <td>19.12</td> <td>32.07</td> <td>200</td> <td>218</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>5</td> <td>350.10</td> <td>41.17</td> <td>46.00</td> <td>-4.83</td> <td>50.75</td> <td>2.04</td> <td>20.21</td> <td>31.83</td> <td>200</td> <td>106</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>6</td> <td>399.57</td> <td>36.59</td> <td>46.00</td> <td>-9.41</td> <td>44.87</td> <td>2.15</td> <td>21.66</td> <td>32.09</td> <td>125</td> <td>117</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>													Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	31.94	35.64	40.00	-4.36	44.20	0.52	23.12	32.20	100	166	QP	VERTICAL	2	35.82	34.33	40.00	-5.67	44.79	0.58	21.17	32.21	100	173	QP	VERTICAL	3	39.70	32.82	40.00	-7.18	45.30	0.61	19.13	32.22	150	310	QP	VERTICAL	4	299.66	39.34	46.00	-6.66	50.45	1.84	19.12	32.07	200	218	Peak	VERTICAL	5	350.10	41.17	46.00	-4.83	50.75	2.04	20.21	31.83	200	106	Peak	VERTICAL	6	399.57	36.59	46.00	-9.41	44.87	2.15	21.66	32.09	125	117	Peak	VERTICAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																																							
1	31.94	35.64	40.00	-4.36	44.20	0.52	23.12	32.20	100	166	QP	VERTICAL																																																																																																					
2	35.82	34.33	40.00	-5.67	44.79	0.58	21.17	32.21	100	173	QP	VERTICAL																																																																																																					
3	39.70	32.82	40.00	-7.18	45.30	0.61	19.13	32.22	150	310	QP	VERTICAL																																																																																																					
4	299.66	39.34	46.00	-6.66	50.45	1.84	19.12	32.07	200	218	Peak	VERTICAL																																																																																																					
5	350.10	41.17	46.00	-4.83	50.75	2.04	20.21	31.83	200	106	Peak	VERTICAL																																																																																																					
6	399.57	36.59	46.00	-9.41	44.87	2.15	21.66	32.09	125	117	Peak	VERTICAL																																																																																																					
<p>Note 1: "&gt;20dB" means emission levels that exceed the level of 20 dB below the applicable limit.            Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																																	



RSE below 1GHz Result																																																																																																									
Operating Mode	1	Polarization	Horizontal																																																																																																						
Operating Function	CTX																																																																																																								
<p style="text-align: right; margin-right: 50px;">Date: 2019-10-22 Time: 19:21:33</p>																																																																																																									
<table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>288.02</td> <td>34.21</td> <td>46.00</td> <td>-11.79</td> <td>45.58</td> <td>1.79</td> <td>18.90</td> <td>32.06</td> <td>125</td> <td>214</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>299.66</td> <td>39.19</td> <td>46.00</td> <td>-6.81</td> <td>50.30</td> <td>1.84</td> <td>19.12</td> <td>32.07</td> <td>150</td> <td>198</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>350.10</td> <td>39.27</td> <td>46.00</td> <td>-6.73</td> <td>48.85</td> <td>2.04</td> <td>20.21</td> <td>31.83</td> <td>100</td> <td>213</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>399.57</td> <td>35.27</td> <td>46.00</td> <td>-10.73</td> <td>43.55</td> <td>2.15</td> <td>21.66</td> <td>32.09</td> <td>100</td> <td>198</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>5</td> <td>571.26</td> <td>35.38</td> <td>46.00</td> <td>-10.62</td> <td>40.07</td> <td>2.53</td> <td>24.80</td> <td>32.02</td> <td>200</td> <td>231</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>6</td> <td>850.62</td> <td>38.96</td> <td>46.00</td> <td>-7.04</td> <td>41.01</td> <td>3.09</td> <td>26.48</td> <td>31.62</td> <td>100</td> <td>269</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>					Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		1	288.02	34.21	46.00	-11.79	45.58	1.79	18.90	32.06	125	214	Peak	HORIZONTAL	2	299.66	39.19	46.00	-6.81	50.30	1.84	19.12	32.07	150	198	Peak	HORIZONTAL	3	350.10	39.27	46.00	-6.73	48.85	2.04	20.21	31.83	100	213	Peak	HORIZONTAL	4	399.57	35.27	46.00	-10.73	43.55	2.15	21.66	32.09	100	198	Peak	HORIZONTAL	5	571.26	35.38	46.00	-10.62	40.07	2.53	24.80	32.02	200	231	Peak	HORIZONTAL	6	850.62	38.96	46.00	-7.04	41.01	3.09	26.48	31.62	100	269	Peak	HORIZONTAL
	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	288.02	34.21	46.00	-11.79	45.58	1.79	18.90	32.06	125	214	Peak	HORIZONTAL																																																																																													
2	299.66	39.19	46.00	-6.81	50.30	1.84	19.12	32.07	150	198	Peak	HORIZONTAL																																																																																													
3	350.10	39.27	46.00	-6.73	48.85	2.04	20.21	31.83	100	213	Peak	HORIZONTAL																																																																																													
4	399.57	35.27	46.00	-10.73	43.55	2.15	21.66	32.09	100	198	Peak	HORIZONTAL																																																																																													
5	571.26	35.38	46.00	-10.62	40.07	2.53	24.80	32.02	200	231	Peak	HORIZONTAL																																																																																													
6	850.62	38.96	46.00	-7.04	41.01	3.09	26.48	31.62	100	269	Peak	HORIZONTAL																																																																																													
<p>Note 1: "&gt;20dB" means emission levels that exceed the level of 20 dB below the applicable limit.            Note 2: "N/F" means Nothing Found emissions (No emissions were detected.)</p>																																																																																																									





<For non-beamforming mode>

1T1S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.389G	42.93	54.00	-11.07	29.84	3	Vertical	80	2.65	-

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2412MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3788G	54.95	74.00	-19.05	29.85	3	Vertical	80	2.65	-	25.10
AV	2.389G	42.93	54.00	-11.07	29.84	3	Vertical	80	2.65	-	13.09
PK	2.413G	120.26	Inf	-Inf	29.88	3	Vertical	80	2.65	-	90.38
AV	2.4128G	116.56	Inf	-Inf	29.88	3	Vertical	80	2.65	-	86.68

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2412MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	54.82	74.00	-19.18	29.84	3	Horizontal	28	1.29	-	24.98
AV	2.371G	41.39	54.00	-12.61	29.86	3	Horizontal	28	1.29	-	11.53
PK	2.411G	109.32	Inf	-Inf	29.87	3	Horizontal	28	1.29	-	79.45
AV	2.4112G	105.50	Inf	-Inf	29.87	3	Horizontal	28	1.29	-	75.63

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2412MHz\_TX




EUT Y\_1TX\_ANT 0  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82406G	49.49	74.00	-24.51	2.96	3	Vertical	322	1.72	-	46.53
AV	4.82396G	42.43	54.00	-11.57	2.96	3	Vertical	322	1.72	-	39.47

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2412MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82369G	46.54	74.00	-27.46	2.96	3	Horizontal	104	1.54	-	43.58
AV	4.82402G	33.65	54.00	-20.35	2.96	3	Horizontal	104	1.54	-	30.69

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2417MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	55.15	74.00	-18.85	29.84	3	Vertical	80	1.95	-	25.31
AV	2.39G	42.26	54.00	-11.74	29.84	3	Vertical	80	1.95	-	12.42
PK	2.418G	120.95	Inf	-Inf	29.89	3	Vertical	80	1.95	-	91.06
AV	2.4162G	116.99	Inf	-Inf	29.88	3	Vertical	80	1.95	-	87.11

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2417MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3776G	53.64	74.00	-20.36	29.85	3	Horizontal	22	1.46	-	23.79
AV	2.3866G	41.43	54.00	-12.57	29.84	3	Horizontal	22	1.46	-	11.59
PK	2.418G	110.72	Inf	-Inf	29.89	3	Horizontal	22	1.46	-	80.83
AV	2.4178G	106.69	Inf	-Inf	29.89	3	Horizontal	22	1.46	-	76.80

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2437MHz\_TX



EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3722G	54.49	74.00	-19.51	29.86	3	Vertical	26	1.83	-	24.63
AV	2.3894G	41.58	54.00	-12.42	29.84	3	Vertical	26	1.83	-	11.74
PK	2.4378G	119.84	Inf	-Inf	29.94	3	Vertical	26	1.83	-	89.90
AV	2.4362G	116.07	Inf	-Inf	29.93	3	Vertical	26	1.83	-	86.14
PK	2.485G	54.59	74.00	-19.41	30.05	3	Vertical	26	1.83	-	24.54
AV	2.4882G	41.93	54.00	-12.07	30.06	3	Vertical	26	1.83	-	11.87



### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2437MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3642G	54.11	74.00	-19.89	29.86	3	Horizontal	274	1.44	-	24.25
AV	2.3618G	41.41	54.00	-12.59	29.86	3	Horizontal	274	1.44	-	11.55
PK	2.4378G	108.57	Inf	-Inf	29.94	3	Horizontal	274	1.44	-	78.63
AV	2.4362G	104.63	Inf	-Inf	29.93	3	Horizontal	274	1.44	-	74.70
PK	2.4899G	54.28	74.00	-19.72	30.06	3	Horizontal	274	1.44	-	24.22
AV	2.4859G	41.70	54.00	-12.30	30.05	3	Horizontal	274	1.44	-	11.65

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2437MHz\_TX




EUT Y\_1TX\_ANT 0  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87452G	46.46	74.00	-27.54	3.12	3	Vertical	92	1.76	-	43.34
AV	4.87401G	33.17	54.00	-20.83	3.12	3	Vertical	92	1.76	-	30.05

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2437MHz\_TX




EUT Y\_1TX\_ANT 0  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87435G	45.82	74.00	-28.18	3.12	3	Horizontal	69	1.59	-	42.70
AV	4.87395G	32.21	54.00	-21.79	3.12	3	Horizontal	69	1.59	-	29.09

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2457MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.456G	119.13	Inf	-Inf	29.98	3	Vertical	30	2.25	-	89.15
AV	2.4562G	115.36	Inf	-Inf	29.98	3	Vertical	30	2.25	-	85.38
PK	2.49G	54.89	74.00	-19.11	30.07	3	Vertical	30	2.25	-	24.82
AV	2.4842G	42.30	54.00	-11.70	30.05	3	Vertical	30	2.25	-	12.25

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2457MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.458G	108.78	Inf	-Inf	29.99	3	Horizontal	34	1.50	-	78.79
AV	2.4578G	104.89	Inf	-Inf	29.99	3	Horizontal	34	1.50	-	74.90
PK	2.4998G	54.03	74.00	-19.97	30.09	3	Horizontal	34	1.50	-	23.94
AV	2.4926G	41.67	54.00	-12.33	30.08	3	Horizontal	34	1.50	-	11.59

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2462MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	119.45	Inf	-Inf	30.00	3	Vertical	64	2.57	-	89.45
AV	2.4612G	115.75	Inf	-Inf	29.99	3	Vertical	64	2.57	-	85.76
PK	2.4868G	55.75	74.00	-18.25	30.05	3	Vertical	64	2.57	-	25.70
AV	2.4836G	42.45	54.00	-11.55	30.05	3	Vertical	64	2.57	-	12.40

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2462MHz\_TX




EUT Y\_1TX\_ANT 0  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	109.06	Inf	-Inf	29.99	3	Horizontal	32	1.50	-	79.07
AV	2.4612G	105.31	Inf	-Inf	29.99	3	Horizontal	32	1.50	-	75.32
PK	2.49G	54.71	74.00	-19.29	30.07	3	Horizontal	32	1.50	-	24.64
AV	2.486G	41.68	54.00	-12.32	30.05	3	Horizontal	32	1.50	-	11.63

### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2462MHz\_TX



EUT Y\_1TX\_ANT 0  
 Setting 110  
 04-C-5  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92407G	45.87	74.00	-28.13	3.25	3	Vertical	113	1.50	-	42.62
AV	4.92397G	32.75	54.00	-21.25	3.25	3	Vertical	113	1.50	-	29.50



### 802.11b\_Nss1,(1Mbps)\_1TX

24/08/2019

### 2462MHz\_TX



EUT Y\_1TX\_ANT 0  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92403G	45.66	74.00	-28.34	3.25	3	Horizontal	72	1.56	-	42.41
AV	4.92403G	31.67	54.00	-22.33	3.25	3	Horizontal	72	1.56	-	28.42




3T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_3TX	Pass	AV	2.39G	53.96	54.00	-0.04	29.84	3	Vertical	69	1.74	-

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2412MHz\_TX




EUT Y\_3TX  
Setting 108  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.59	74.00	-1.41	29.84	3	Vertical	67	1.79	-	42.75
AV	2.39G	53.81	54.00	-0.19	29.84	3	Vertical	67	1.79	-	23.97
PK	2.4144G	125.39	Inf	-Inf	29.88	3	Vertical	67	1.79	-	95.51
AV	2.415G	113.39	Inf	-Inf	29.88	3	Vertical	67	1.79	-	83.51

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2412MHz\_TX




EUT Y\_3TX  
Setting 108  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.30	74.00	-5.70	29.84	3	Horizontal	75	2.29	-	38.46
AV	2.39G	50.54	54.00	-3.46	29.84	3	Horizontal	75	2.29	-	20.70
PK	2.420G	121.99	Inf	-Inf	29.89	3	Horizontal	75	2.29	-	92.10
AV	2.4204G	110.53	Inf	-Inf	29.89	3	Horizontal	75	2.29	-	80.64

### VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
 Setting 108  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8254G	45.34	74.00	-28.66	2.97	3	Vertical	313	2.61	-	42.37
AV	4.8144G	31.02	54.00	-22.98	2.94	3	Vertical	313	2.61	-	28.08

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2412MHz\_TX




EUT Y\_3TX  
 Setting 108  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82524G	45.30	74.00	-28.70	2.97	3	Horizontal	307	1.19	-	42.33
AV	4.81492G	30.98	54.00	-23.02	2.94	3	Horizontal	307	1.19	-	28.04

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2417MHz\_TX




EUT Y\_3TX  
 Setting 110  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.67	74.00	-10.33	29.84	3	Vertical	88	1.56	-	33.83
AV	2.39G	47.84	54.00	-6.16	29.84	3	Vertical	88	1.56	-	18.00
PK	2.4196G	126.10	Inf	-Inf	29.89	3	Vertical	88	1.56	-	96.21
AV	2.4192G	115.20	Inf	-Inf	29.89	3	Vertical	88	1.56	-	85.31

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2417MHz\_TX



EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	56.74	74.00	-17.26	29.84	3	Horizontal	76	2.31	-	26.90
AV	2.39G	43.72	54.00	-10.28	29.84	3	Horizontal	76	2.31	-	13.88
PK	2.418G	122.74	Inf	-Inf	29.89	3	Horizontal	76	2.31	-	92.85
AV	2.4228G	111.10	Inf	-Inf	29.90	3	Horizontal	76	2.31	-	81.20



VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
 Setting 110  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3622G	55.36	74.00	-18.64	29.86	3	Vertical	91	1.05	-	25.50
AV	2.3898G	42.01	54.00	-11.99	29.84	3	Vertical	91	1.05	-	12.17
PK	2.429G	125.09	Inf	-Inf	29.91	3	Vertical	91	1.05	-	95.18
AV	2.4338G	114.16	Inf	-Inf	29.93	3	Vertical	91	1.05	-	84.23
PK	2.489G	55.34	74.00	-18.66	30.06	3	Vertical	91	1.05	-	25.28
AV	2.4842G	42.52	54.00	-11.48	30.05	3	Vertical	91	1.05	-	12.47

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT\_Y\_3TX  
 Setting 110  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3386G	54.58	74.00	-19.42	29.87	3	Horizontal	78	1.68	-	24.71
AV	2.3898G	41.71	54.00	-12.29	29.84	3	Horizontal	78	1.68	-	11.87
PK	2.4334G	121.68	Inf	-Inf	29.93	3	Horizontal	78	1.68	-	91.75
AV	2.4378G	110.54	Inf	-Inf	29.94	3	Horizontal	78	1.68	-	80.60
PK	2.4958G	54.78	74.00	-19.22	30.08	3	Horizontal	78	1.68	-	24.70
AV	2.4878G	42.06	54.00	-11.94	30.06	3	Horizontal	78	1.68	-	12.00

### VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

### 2437MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87348G	49.29	74.00	-24.71	3.12	3	Vertical	296	1.03	-	46.17
AV	4.87364G	34.91	54.00	-19.09	3.12	3	Vertical	296	1.03	-	31.79

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87012G	49.72	74.00	-24.28	3.11	3	Horizontal	68	2.08	-	46.61
AV	4.87148G	35.59	54.00	-18.41	3.11	3	Horizontal	68	2.08	-	32.48

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2457MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4634G	124.46	Inf	-Inf	30.00	3	Vertical	56	2.11	-	94.46
AV	2.4634G	113.89	Inf	-Inf	30.00	3	Vertical	56	2.11	-	83.89
PK	2.4836G	64.73	74.00	-9.27	30.05	3	Vertical	56	2.11	-	34.68
AV	2.4835G	47.57	54.00	-6.43	30.05	3	Vertical	56	2.11	-	17.52

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2457MHz\_TX




EUT Y\_3TX  
 Setting 110  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4596G	122.56	Inf	-Inf	29.99	3	Horizontal	93	2.54	-	92.57
AV	2.4548G	110.53	Inf	-Inf	29.98	3	Horizontal	93	2.54	-	80.55
PK	2.485G	62.52	74.00	-11.48	30.05	3	Horizontal	93	2.54	-	32.47
AV	2.4844G	44.80	54.00	-9.20	30.05	3	Horizontal	93	2.54	-	14.75

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 108  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3692G	54.78	74.00	-19.22	29.85	3	Vertical	67	2.18	-	24.93
AV	2.372G	41.67	54.00	-12.33	29.86	3	Vertical	67	2.18	-	11.81
PK	2.4644G	126.24	Inf	-Inf	30.00	3	Vertical	67	2.18	-	96.24
AV	2.4644G	114.89	Inf	-Inf	30.00	3	Vertical	67	2.18	-	84.89
PK	2.4852G	73.01	74.00	-0.99	30.05	3	Vertical	67	2.18	-	42.96
AV	2.4844G	53.82	54.00	-0.18	30.05	3	Vertical	67	2.18	-	23.77

VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2462MHz\_TX



EUT\_Y\_3TX  
Setting 108  
04-S-5  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3668G	53.76	74.00	-20.24	29.85	3	Horizontal	92	2.99	-	23.91
AV	2.3696G	41.51	54.00	-12.49	29.85	3	Horizontal	92	2.99	-	11.66
PK	2.458G	121.54	Inf	-Inf	29.99	3	Horizontal	92	2.99	-	91.55
AV	2.4584G	110.91	Inf	-Inf	29.99	3	Horizontal	92	2.99	-	80.92
PK	2.484G	69.62	74.00	-4.38	30.05	3	Horizontal	92	2.99	-	39.57
AV	2.484G	51.24	54.00	-2.76	30.05	3	Horizontal	92	2.99	-	21.19



VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 108  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91608G	45.24	74.00	-28.76	3.24	3	Vertical	308	1.00	-	42.00
AV	4.91948G	31.17	54.00	-22.83	3.24	3	Vertical	308	1.00	-	27.93

### VHT20\_Nss1,(MCS0)\_3TX

25/08/2019

### 2462MHz\_TX




EUT Y\_3TX  
 Setting 108  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91864G	45.48	74.00	-28.52	3.24	3	Horizontal	138	2.63	-	42.24
AV	4.92064G	31.14	54.00	-22.86	3.24	3	Horizontal	138	2.63	-	27.90

VHT40\_Nss1,(MCS0)\_3TX

09/09/2019

2422MHz\_TX




EUT\_Y\_3TX  
Setting 104  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.57	74.00	-5.43	29.84	3	Vertical	70	1.76	-	38.73
AV	2.39G	53.87	54.00	-0.13	29.84	3	Vertical	70	1.76	-	24.03
PK	2.4264G	121.66	Inf	-Inf	29.90	3	Vertical	70	1.76	-	91.76
AV	2.4164G	112.54	Inf	-Inf	29.88	3	Vertical	70	1.76	-	82.66
PK	2.4876G	55.25	74.00	-18.75	30.06	3	Vertical	70	1.76	-	25.19
AV	2.4872G	43.41	54.00	-10.59	30.05	3	Vertical	70	1.76	-	13.36

VHT40\_Nss1,(MCS0)\_3TX

09/09/2019

2422MHz\_TX




EUT Y\_3TX  
Setting 104  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.15	74.00	-11.85	29.84	3	Horizontal	91	2.29	-	32.31
AV	2.39G	48.66	54.00	-5.34	29.84	3	Horizontal	91	2.29	-	18.82
PK	2.42G	118.22	Inf	-Inf	29.89	3	Horizontal	91	2.29	-	88.33
AV	2.42G	108.00	Inf	-Inf	29.89	3	Horizontal	91	2.29	-	78.11
PK	2.4868G	54.72	74.00	-19.28	30.05	3	Horizontal	91	2.29	-	24.67
AV	2.4872G	43.24	54.00	-10.76	30.05	3	Horizontal	91	2.29	-	13.19

VHT40\_Nss1,(MCS0)\_3TX

09/09/2019

2422MHz\_TX




EUT Y\_3TX  
 Setting 104  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84692G	44.97	74.00	-29.03	3.04	3	Vertical	39	1.21	-	41.93
AV	4.85036G	33.13	54.00	-20.87	3.04	3	Vertical	39	1.21	-	30.09

### VHT40\_Nss1,(MCS0)\_3TX

09/09/2019

### 2422MHz\_TX




EUT Y\_3TX  
 Setting 104  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83708G	45.19	74.00	-28.81	3.00	3	Horizontal	156	2.09	-	42.19
AV	4.8472G	32.74	54.00	-21.26	3.04	3	Horizontal	156	2.09	-	29.70

VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2427MHz\_TX




EUT Y\_3TX  
Setting 104  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.82	74.00	-6.18	29.84	3	Vertical	70	1.71	-	37.98
AV	2.3898G	53.94	54.00	-0.06	29.84	3	Vertical	70	1.71	-	24.10
PK	2.4194G	121.96	Inf	-Inf	29.89	3	Vertical	70	1.71	-	92.07
AV	2.4334G	111.61	Inf	-Inf	29.93	3	Vertical	70	1.71	-	81.68
PK	2.4854G	57.13	74.00	-16.87	30.05	3	Vertical	70	1.71	-	27.08
AV	2.485G	44.59	54.00	-9.41	30.05	3	Vertical	70	1.71	-	14.54

VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2427MHz\_TX



EUT Y\_3TX  
Setting 104  
04-S-5  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.53	74.00	-11.47	29.84	3	Horizontal	79	2.29	-	32.69
AV	2.3898G	50.47	54.00	-3.53	29.84	3	Horizontal	79	2.29	-	20.63
PK	2.4206G	119.41	Inf	-Inf	29.89	3	Horizontal	79	2.29	-	89.52
AV	2.4206G	109.07	Inf	-Inf	29.89	3	Horizontal	79	2.29	-	79.18
PK	2.487G	56.32	74.00	-17.68	30.05	3	Horizontal	79	2.29	-	26.27
AV	2.485G	43.73	54.00	-10.27	30.05	3	Horizontal	79	2.29	-	13.68



VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 109  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.95	74.00	-10.05	29.84	3	Vertical	94	1.30	-	34.11
AV	2.3898G	50.68	54.00	-3.32	29.84	3	Vertical	94	1.30	-	20.84
PK	2.429G	121.74	Inf	-Inf	29.91	3	Vertical	94	1.30	-	91.83
AV	2.4238G	113.06	Inf	-Inf	29.90	3	Vertical	94	1.30	-	83.16
PK	2.4838G	66.02	74.00	-7.98	30.05	3	Vertical	94	1.30	-	35.97
AV	2.4838G	53.80	54.00	-0.20	30.05	3	Vertical	94	1.30	-	23.75

VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 109  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	58.56	74.00	-15.44	29.84	3	Horizontal	74	2.30	-	28.72
AV	2.3898G	45.57	54.00	-8.43	29.84	3	Horizontal	74	2.30	-	15.73
PK	2.423G	120.40	Inf	-Inf	29.90	3	Horizontal	74	2.30	-	90.50
AV	2.423G	109.49	Inf	-Inf	29.90	3	Horizontal	74	2.30	-	79.59
PK	2.4846G	64.08	74.00	-9.92	30.05	3	Horizontal	74	2.30	-	34.03
AV	2.485G	50.55	54.00	-3.45	30.05	3	Horizontal	74	2.30	-	20.50

VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
 Setting 109  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87536G	45.56	74.00	-28.44	3.13	3	Vertical	319	1.23	-	42.43
AV	4.865G	32.89	54.00	-21.11	3.10	3	Vertical	319	1.23	-	29.79

### VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

### 2437MHz\_TX




EUT Y\_3TX  
 Setting 109  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87196G	45.34	74.00	-28.66	3.12	3	Horizontal	34	1.01	-	42.22
AV	4.88192G	33.09	54.00	-20.91	3.15	3	Horizontal	34	1.01	-	29.94

VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2447MHz\_TX




EUT Y\_3TX  
 Setting 101  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.357G	54.81	74.00	-19.19	29.86	3	Vertical	65	1.94	-	24.95
AV	2.3898G	43.28	54.00	-10.72	29.84	3	Vertical	65	1.94	-	13.44
PK	2.437G	121.81	Inf	-Inf	29.93	3	Vertical	65	1.94	-	91.88
AV	2.4422G	112.72	Inf	-Inf	29.94	3	Vertical	65	1.94	-	82.78
PK	2.4836G	68.71	74.00	-5.29	30.05	3	Vertical	65	1.94	-	38.66
AV	2.487G	53.81	54.00	-0.19	30.05	3	Vertical	65	1.94	-	23.76

VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2447MHz\_TX




EUT Y\_3TX  
Setting 101  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3626G	54.35	74.00	-19.65	29.86	3	Horizontal	92	2.76	-	24.49
AV	2.3858G	42.73	54.00	-11.27	29.84	3	Horizontal	92	2.76	-	12.89
PK	2.4514G	118.15	Inf	-Inf	29.97	3	Horizontal	92	2.76	-	88.18
AV	2.4514G	108.78	Inf	-Inf	29.97	3	Horizontal	92	2.76	-	78.81
PK	2.4862G	66.34	74.00	-7.66	30.05	3	Horizontal	92	2.76	-	36.29
AV	2.4858G	53.34	54.00	-0.66	30.05	3	Horizontal	92	2.76	-	23.29

VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2452MHz\_TX




EUT Y\_3TX  
Setting 97  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3812G	55.01	74.00	-18.99	29.85	3	Vertical	49	1.97	-	25.16
AV	2.3676G	42.51	54.00	-11.49	29.85	3	Vertical	49	1.97	-	12.66
PK	2.4612G	119.18	Inf	-Inf	29.99	3	Vertical	49	1.97	-	89.19
AV	2.4612G	110.01	Inf	-Inf	29.99	3	Vertical	49	1.97	-	80.02
PK	2.4864G	67.96	74.00	-6.04	30.05	3	Vertical	49	1.97	-	37.91
AV	2.4868G	53.77	54.00	-0.23	30.05	3	Vertical	49	1.97	-	23.72

VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

2452MHz\_TX



EUT Y\_3TX  
Setting 97  
04-S-5  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3832G	55.05	74.00	-18.95	29.85	3	Horizontal	105	2.07	-	25.20
AV	2.366G	42.36	54.00	-11.64	29.85	3	Horizontal	105	2.07	-	12.51
PK	2.4456G	117.15	Inf	-Inf	29.95	3	Horizontal	105	2.07	-	87.20
AV	2.4456G	106.67	Inf	-Inf	29.95	3	Horizontal	105	2.07	-	76.72
PK	2.4884G	64.29	74.00	-9.71	30.06	3	Horizontal	105	2.07	-	34.23
AV	2.486G	50.64	54.00	-3.36	30.05	3	Horizontal	105	2.07	-	20.59



### VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

### 2452MHz\_TX




EUT Y\_3TX  
 Setting 97  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90312G	45.71	74.00	-28.29	3.21	3	Vertical	24	2.89	-	42.50
AV	4.89852G	33.11	54.00	-20.89	3.20	3	Vertical	24	2.89	-	29.91

### VHT40\_Nss1,(MCS0)\_3TX

25/08/2019

### 2452MHz\_TX




EUT Y\_3TX  
Setting 97  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.89792G	45.59	74.00	-28.41	3.19	3	Horizontal	304	2.27	-	42.40
AV	4.9114G	33.04	54.00	-20.96	3.23	3	Horizontal	304	2.27	-	29.81

### 802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.06	74.00	-2.94	29.84	3	Vertical	69	1.74	-	41.22
AV	2.39G	53.96	54.00	-0.04	29.84	3	Vertical	69	1.74	-	24.12
PK	2.418G	125.10	Inf	-Inf	29.89	3	Vertical	69	1.74	-	95.21
AV	2.4182G	113.49	Inf	-Inf	29.89	3	Vertical	69	1.74	-	83.60

### 802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.54	74.00	-9.46	29.84	3	Horizontal	70	1.90	-	34.70
AV	2.39G	47.50	54.00	-6.50	29.84	3	Horizontal	70	1.90	-	17.66
PK	2.4164G	123.75	Inf	-Inf	29.88	3	Horizontal	70	1.90	-	93.87
AV	2.4208G	110.43	Inf	-Inf	29.89	3	Horizontal	70	1.90	-	80.54

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2412MHz\_TX




EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81492G	45.41	74.00	-28.59	2.94	3	Vertical	172	1.12	-	42.47
AV	4.81652G	31.57	54.00	-22.43	2.95	3	Vertical	172	1.12	-	28.62

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2412MHz\_TX




EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81448G	44.92	74.00	-29.08	2.94	3	Horizontal	82	1.11	-	41.98
AV	4.82476G	31.67	54.00	-22.33	2.96	3	Horizontal	82	1.11	-	28.71

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2417MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	71.00	74.00	-3.00	29.84	3	Vertical	90	1.60	-	41.16
AV	2.3898G	51.15	54.00	-2.85	29.84	3	Vertical	90	1.60	-	21.31
PK	2.4142G	128.37	Inf	-Inf	29.88	3	Vertical	90	1.60	-	98.49
AV	2.419G	115.77	Inf	-Inf	29.89	3	Vertical	90	1.60	-	85.88
PK	2.4938G	54.37	74.00	-19.63	30.08	3	Vertical	90	1.60	-	24.29
AV	2.4835G	42.58	54.00	-11.42	30.05	3	Vertical	90	1.60	-	12.53

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2417MHz\_TX



EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.12	74.00	-10.88	29.84	3	Horizontal	75	1.06	-	33.28
AV	2.3898G	45.98	54.00	-8.02	29.84	3	Horizontal	75	1.06	-	16.14
PK	2.4178G	124.48	Inf	-Inf	29.89	3	Horizontal	75	1.06	-	94.59
AV	2.4178G	111.97	Inf	-Inf	29.89	3	Horizontal	75	1.06	-	82.08
PK	2.4994G	54.23	74.00	-19.77	30.09	3	Horizontal	75	1.06	-	24.14
AV	2.4842G	42.29	54.00	-11.71	30.05	3	Horizontal	75	1.06	-	12.24



802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.381G	54.70	74.00	-19.30	29.85	3	Vertical	67	1.99	-	24.85
AV	2.3898G	42.99	54.00	-11.01	29.84	3	Vertical	67	1.99	-	13.15
PK	2.4414G	127.60	Inf	-Inf	29.94	3	Vertical	67	1.99	-	97.66
AV	2.4318G	116.88	Inf	-Inf	29.92	3	Vertical	67	1.99	-	86.96
PK	2.4874G	55.90	74.00	-18.10	30.05	3	Vertical	67	1.99	-	25.85
AV	2.487G	43.32	54.00	-10.68	30.05	3	Vertical	67	1.99	-	13.27

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT\_Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3574G	54.35	74.00	-19.65	29.86	3	Horizontal	69	1.10	-	24.49
AV	2.379G	42.17	54.00	-11.83	29.85	3	Horizontal	69	1.10	-	12.32
PK	2.4414G	123.76	Inf	-Inf	29.94	3	Horizontal	69	1.10	-	93.82
AV	2.4318G	111.66	Inf	-Inf	29.92	3	Horizontal	69	1.10	-	81.74
PK	2.4842G	54.99	74.00	-19.01	30.05	3	Horizontal	69	1.10	-	24.94
AV	2.4854G	42.60	54.00	-11.40	30.05	3	Horizontal	69	1.10	-	12.55

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86892G	45.20	74.00	-28.80	3.11	3	Vertical	128	1.43	-	42.09
AV	4.87752G	32.25	54.00	-21.75	3.13	3	Vertical	128	1.43	-	29.12

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.88356G	45.92	74.00	-28.08	3.14	3	Horizontal	255	2.17	-	42.78
AV	4.88296G	32.17	54.00	-21.83	3.15	3	Horizontal	255	2.17	-	29.02

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2457MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3786G	54.99	74.00	-19.01	29.85	3	Vertical	57	2.09	-	25.14
AV	2.3834G	42.14	54.00	-11.86	29.85	3	Vertical	57	2.09	-	12.29
PK	2.4578G	126.92	Inf	-Inf	29.99	3	Vertical	57	2.09	-	96.93
AV	2.4634G	115.16	Inf	-Inf	30.00	3	Vertical	57	2.09	-	85.16
PK	2.4835G	69.75	74.00	-4.25	30.05	3	Vertical	57	2.09	-	39.70
AV	2.4838G	51.40	54.00	-2.60	30.05	3	Vertical	57	2.09	-	21.35

### 802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

### 2457MHz\_TX




EUT Y\_3TX  
Setting 110  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3634G	54.62	74.00	-19.38	29.86	3	Horizontal	81	1.27	-	24.76
AV	2.3582G	41.99	54.00	-12.01	29.86	3	Horizontal	81	1.27	-	12.13
PK	2.4578G	122.10	Inf	-Inf	29.99	3	Horizontal	81	1.27	-	92.11
AV	2.4526G	110.66	Inf	-Inf	29.98	3	Horizontal	81	1.27	-	80.68
PK	2.4835G	62.03	74.00	-11.97	30.05	3	Horizontal	81	1.27	-	31.98
AV	2.4835G	46.21	54.00	-7.79	30.05	3	Horizontal	81	1.27	-	16.16

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3748G	54.13	74.00	-19.87	29.86	3	Vertical	63	2.18	-	24.27
AV	2.3824G	42.09	54.00	-11.91	29.85	3	Vertical	63	2.18	-	12.24
PK	2.4592G	126.63	Inf	-Inf	29.99	3	Vertical	63	2.18	-	96.64
AV	2.4648G	115.15	Inf	-Inf	30.00	3	Vertical	63	2.18	-	85.15
PK	2.4852G	72.91	74.00	-1.09	30.05	3	Vertical	63	2.18	-	42.86
AV	2.4848G	53.74	54.00	-0.26	30.05	3	Vertical	63	2.18	-	23.69

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2462MHz\_TX



EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3752G	54.14	74.00	-19.86	29.85	3	Horizontal	88	1.81	-	24.29
AV	2.3712G	42.05	54.00	-11.95	29.86	3	Horizontal	88	1.81	-	12.19
PK	2.4552G	121.58	Inf	-Inf	29.98	3	Horizontal	88	1.81	-	91.60
AV	2.46G	109.90	Inf	-Inf	29.99	3	Horizontal	88	1.81	-	79.91
PK	2.4852G	65.85	74.00	-8.15	30.05	3	Horizontal	88	1.81	-	35.80
AV	2.4848G	50.51	54.00	-3.49	30.05	3	Horizontal	88	1.81	-	20.46



### 802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

### 2462MHz\_TX




EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92308G	44.63	74.00	-29.37	3.25	3	Vertical	30	1.97	-	41.38
AV	4.9176G	31.79	54.00	-22.21	3.24	3	Vertical	30	1.97	-	28.55

802.11ax HEW20\_Nss1,(MCS0)\_3TX

25/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92752G	44.87	74.00	-29.13	3.26	3	Horizontal	332	2.97	-	41.61
AV	4.91796G	31.98	54.00	-22.02	3.24	3	Horizontal	332	2.97	-	28.74

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/09/2019

2422MHz\_TX




EUT Y\_3TX  
Setting 102  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.93	74.00	-7.07	29.84	3	Vertical	72	1.62	-	37.09
AV	2.39G	53.83	54.00	-0.17	29.84	3	Vertical	72	1.62	-	23.99
PK	2.438G	122.67	Inf	-Inf	29.94	3	Vertical	72	1.62	-	92.73
AV	2.428G	111.78	Inf	-Inf	29.91	3	Vertical	72	1.62	-	81.87
PK	2.4856G	57.11	74.00	-16.89	30.05	3	Vertical	72	1.62	-	27.06
AV	2.4856G	44.94	54.00	-9.06	30.05	3	Vertical	72	1.62	-	14.89

### 802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/09/2019

### 2422MHz\_TX




EUT Y\_3TX  
Setting 102  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.96	74.00	-12.04	29.84	3	Horizontal	76	2.28	-	32.12
AV	2.39G	47.24	54.00	-6.76	29.84	3	Horizontal	76	2.28	-	17.40
PK	2.4328G	119.09	Inf	-Inf	29.93	3	Horizontal	76	2.28	-	89.16
AV	2.4228G	107.75	Inf	-Inf	29.90	3	Horizontal	76	2.28	-	77.85
PK	2.4864G	54.59	74.00	-19.41	30.05	3	Horizontal	76	2.28	-	24.54
AV	2.4856G	43.03	54.00	-10.97	30.05	3	Horizontal	76	2.28	-	12.98

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/09/2019

2422MHz\_TX




EUT Y\_3TX  
Setting 102  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84128G	45.71	74.00	-28.29	3.02	3	Vertical	182	2.88	-	42.69
AV	4.84872G	32.61	54.00	-21.39	3.05	3	Vertical	182	2.88	-	29.56

802.11ax HEW40\_Nss1,(MCS0)\_3TX

09/09/2019

2422MHz\_TX




EUT Y\_3TX  
Setting 102  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8382G	45.38	74.00	-28.62	3.01	3	Horizontal	88	1.24	-	42.37
AV	4.85204G	32.65	54.00	-21.35	3.05	3	Horizontal	88	1.24	-	29.60

### 802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

### 2427MHz\_TX




EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	65.18	74.00	-8.82	29.84	3	Vertical	94	1.27	-	35.34
AV	2.3898G	53.85	54.00	-0.15	29.84	3	Vertical	94	1.27	-	24.01
PK	2.435G	121.27	Inf	-Inf	29.93	3	Vertical	94	1.27	-	91.34
AV	2.4206G	110.28	Inf	-Inf	29.89	3	Vertical	94	1.27	-	80.39
PK	2.4854G	57.75	74.00	-16.25	30.05	3	Vertical	94	1.27	-	27.70
AV	2.4858G	44.29	54.00	-9.71	30.05	3	Vertical	94	1.27	-	14.24

### 802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

### 2427MHz\_TX



EUT Y\_3TX  
Setting 103  
04-S-5  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.24	74.00	-12.76	29.84	3	Horizontal	66	1.89	-	31.40
AV	2.3898G	50.16	54.00	-3.84	29.84	3	Horizontal	66	1.89	-	20.32
PK	2.419G	121.70	Inf	-Inf	29.89	3	Horizontal	66	1.89	-	91.81
AV	2.4194G	109.17	Inf	-Inf	29.89	3	Horizontal	66	1.89	-	79.28
PK	2.485G	58.08	74.00	-15.92	30.05	3	Horizontal	66	1.89	-	28.03
AV	2.4846G	43.46	54.00	-10.54	30.05	3	Horizontal	66	1.89	-	13.41



802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 106  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.07	74.00	-12.93	29.84	3	Vertical	71	1.92	-	31.23
AV	2.3898G	46.81	54.00	-7.19	29.84	3	Vertical	71	1.92	-	16.97
PK	2.429G	125.74	Inf	-Inf	29.91	3	Vertical	71	1.92	-	95.83
AV	2.4438G	113.37	Inf	-Inf	29.95	3	Vertical	71	1.92	-	83.42
PK	2.4842G	68.44	74.00	-5.56	30.05	3	Vertical	71	1.92	-	38.39
AV	2.4842G	53.78	54.00	-0.22	30.05	3	Vertical	71	1.92	-	23.73

802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 106  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	57.93	74.00	-16.07	29.84	3	Horizontal	105	2.53	-	28.09
AV	2.3898G	45.86	54.00	-8.14	29.84	3	Horizontal	105	2.53	-	16.02
PK	2.4222G	119.50	Inf	-Inf	29.89	3	Horizontal	105	2.53	-	89.61
AV	2.4282G	108.62	Inf	-Inf	29.91	3	Horizontal	105	2.53	-	78.71
PK	2.4858G	65.46	74.00	-8.54	30.05	3	Horizontal	105	2.53	-	35.41
AV	2.4858G	50.26	54.00	-3.74	30.05	3	Horizontal	105	2.53	-	20.21

### 802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

### 2437MHz\_TX




EUT Y\_3TX  
 Setting 106  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87276G	44.84	74.00	-29.16	3.12	3	Vertical	50	1.39	-	41.72
AV	4.87732G	33.06	54.00	-20.94	3.13	3	Vertical	50	1.39	-	29.93

802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

2437MHz\_TX




EUT Y\_3TX  
Setting 106  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.88348G	45.34	74.00	-28.66	3.14	3	Horizontal	143	2.89	-	42.20
AV	4.87656G	32.74	54.00	-21.26	3.13	3	Horizontal	143	2.89	-	29.61

802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

2447MHz\_TX




EUT Y\_3TX  
Setting 98  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3502G	54.52	74.00	-19.48	29.87	3	Vertical	70	1.61	-	24.65
AV	2.3818G	42.98	54.00	-11.02	29.85	3	Vertical	70	1.61	-	13.13
PK	2.4318G	124.34	Inf	-Inf	29.92	3	Vertical	70	1.61	-	94.42
AV	2.4418G	111.52	Inf	-Inf	29.94	3	Vertical	70	1.61	-	81.58
PK	2.4862G	68.27	74.00	-5.73	30.05	3	Vertical	70	1.61	-	38.22
AV	2.4862G	53.91	54.00	-0.09	30.05	3	Vertical	70	1.61	-	23.86

802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

2447MHz\_TX




EUT Y\_3TX  
Setting 98  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3558G	54.16	74.00	-19.84	29.86	3	Horizontal	91	2.77	-	24.30
AV	2.3674G	42.55	54.00	-11.45	29.85	3	Horizontal	91	2.77	-	12.70
PK	2.4318G	118.69	Inf	-Inf	29.92	3	Horizontal	91	2.77	-	88.77
AV	2.4514G	108.07	Inf	-Inf	29.97	3	Horizontal	91	2.77	-	78.10
PK	2.485G	66.46	74.00	-7.54	30.05	3	Horizontal	91	2.77	-	36.41
AV	2.4862G	51.24	54.00	-2.76	30.05	3	Horizontal	91	2.77	-	21.19

802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

2452MHz\_TX




EUT Y\_3TX  
Setting 97  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3636G	54.32	74.00	-19.68	29.86	3	Vertical	68	1.92	-	24.46
AV	2.3872G	42.66	54.00	-11.34	29.84	3	Vertical	68	1.92	-	12.82
PK	2.444G	124.39	Inf	-Inf	29.95	3	Vertical	68	1.92	-	94.44
AV	2.444G	111.47	Inf	-Inf	29.95	3	Vertical	68	1.92	-	81.52
PK	2.49G	67.91	74.00	-6.09	30.07	3	Vertical	68	1.92	-	37.84
AV	2.4848G	53.77	54.00	-0.23	30.05	3	Vertical	68	1.92	-	23.72

802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

2452MHz\_TX



EUT Y\_3TX  
Setting 97  
04-S-5  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3632G	54.31	74.00	-19.69	29.86	3	Horizontal	92	2.08	-	24.45
AV	2.384G	42.44	54.00	-11.56	29.85	3	Horizontal	92	2.08	-	12.59
PK	2.446G	117.57	Inf	-Inf	29.95	3	Horizontal	92	2.08	-	87.62
AV	2.4464G	106.79	Inf	-Inf	29.95	3	Horizontal	92	2.08	-	76.84
PK	2.4864G	65.77	74.00	-8.23	30.05	3	Horizontal	92	2.08	-	35.72
AV	2.4864G	51.02	54.00	-2.98	30.05	3	Horizontal	92	2.08	-	20.97



802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

2452MHz\_TX




EUT Y\_3TX  
Setting 97  
04-S-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90108G	45.04	74.00	-28.96	3.20	3	Vertical	315	1.75	-	41.84
AV	4.91036G	32.92	54.00	-21.08	3.23	3	Vertical	315	1.75	-	29.69

### 802.11ax HEW40\_Nss1,(MCS0)\_3TX

25/08/2019

### 2452MHz\_TX



EUT Y\_3TX  
 Setting 97  
 04-S-5  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.89436G	45.44	74.00	-28.56	3.18	3	Horizontal	27	2.11	-	42.26
AV	4.90608G	32.63	54.00	-21.37	3.21	3	Horizontal	27	2.11	-	29.42




3T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_3TX	Pass	AV	2.4835G	53.88	54.00	-0.12	30.05	3	Vertical	91	1.39	-

VHT20\_Nss2,(MCS0)\_3TX

27/08/2019

2412MHz\_TX




EUT Y\_3TX  
 Setting 27  
 04-B-4  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.12	74.00	-7.88	29.84	3	Vertical	67	1.68	-	36.28
AV	2.39G	53.53	54.00	-0.47	29.84	3	Vertical	67	1.68	-	23.69
PK	2.4108G	122.43	Inf	-Inf	29.87	3	Vertical	67	1.68	-	92.56
AV	2.4094G	111.38	Inf	-Inf	29.86	3	Vertical	67	1.68	-	81.52

VHT20\_Nss2,(MCS0)\_3TX

27/08/2019

2412MHz\_TX




EUT Y\_3TX  
Setting 27  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.40	74.00	-5.60	29.84	3	Horizontal	66	1.36	-	38.56
AV	2.39G	52.81	54.00	-1.19	29.84	3	Horizontal	66	1.36	-	22.97
PK	2.4108G	122.75	Inf	-Inf	29.87	3	Horizontal	66	1.36	-	92.88
AV	2.41G	111.33	Inf	-Inf	29.86	3	Horizontal	66	1.36	-	81.47

### VHT20\_Nss2,(MCS0)\_3TX

27/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
Setting 27  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8252G	51.45	74.00	-22.55	2.97	3	Vertical	252	2.92	-	48.48
AV	4.82442G	38.31	54.00	-15.69	2.96	3	Vertical	252	2.92	-	35.35

### VHT20\_Nss2,(MCS0)\_3TX

27/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
 Setting 27  
 04-B-4  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82394G	51.23	74.00	-22.77	2.96	3	Horizontal	301	2.26	-	48.27
AV	4.8219G	37.45	54.00	-16.55	2.96	3	Horizontal	301	2.26	-	34.49

VHT20\_Nss2,(MCS0)\_3TX

27/08/2019

2462MHz\_TX



EUT Y\_3TX  
Setting 26.5  
04-B-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	124.49	Inf	-Inf	30.00	3	Vertical	70	1.22	-	94.49
AV	2.4686G	112.74	Inf	-Inf	30.01	3	Vertical	70	1.22	-	82.73
PK	2.4838G	69.00	74.00	-5.00	30.05	3	Vertical	70	1.22	-	38.95
AV	2.4836G	53.73	54.00	-0.27	30.05	3	Vertical	70	1.22	-	23.68



VHT20\_Nss2,(MCS0)\_3TX

27/08/2019

2462MHz\_TX




EUT Y\_3TX  
 Setting 26.5  
 04-B-4  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4662G	121.86	Inf	-Inf	30.00	3	Horizontal	90	2.68	-	91.86
AV	2.4642G	111.91	Inf	-Inf	30.00	3	Horizontal	90	2.68	-	81.91
PK	2.4838G	69.75	74.00	-4.25	30.05	3	Horizontal	90	2.68	-	39.70
AV	2.485G	51.34	54.00	-2.66	30.05	3	Horizontal	90	2.68	-	21.29

VHT20\_Nss2,(MCS0)\_3TX

27/08/2019

2462MHz\_TX




EUT Y\_3TX  
 Setting 26.5  
 04-B-4  
 FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91938G	47.98	74.00	-26.02	3.24	3	Vertical	282	1.10	-	44.74
AV	4.91944G	35.28	54.00	-18.72	3.24	3	Vertical	282	1.10	-	32.04

VHT20\_Nss2,(MCS0)\_3TX

27/08/2019

2462MHz\_TX



Lim.PK   
 PK   
 Lim.AV   
 AV 


EUT Y\_3TX  
 Setting 26.5  
 04-B-4  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9264G	50.18	74.00	-23.82	3.25	3	Horizontal	331	1.38	-	46.93
AV	4.92448G	37.61	54.00	-16.39	3.25	3	Horizontal	331	1.38	-	34.36

### 802.11ax HEW20\_Nss2,(MCS0)\_3TX

27/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
Setting 26  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.48	74.00	-3.52	29.84	3	Vertical	72	2.41	-	40.64
AV	2.39G	53.81	54.00	-0.19	29.84	3	Vertical	72	2.41	-	23.97
PK	2.41G	126.07	Inf	-Inf	29.86	3	Vertical	72	2.41	-	96.21
AV	2.4086G	115.18	Inf	-Inf	29.86	3	Vertical	72	2.41	-	85.32

### 802.11ax HEW20\_Nss2,(MCS0)\_3TX

27/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
Setting 26  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.59	74.00	-12.41	29.84	3	Horizontal	89	2.28	-	31.75
AV	2.39G	48.55	54.00	-5.45	29.84	3	Horizontal	89	2.28	-	18.71
PK	2.4198G	123.53	Inf	-Inf	29.89	3	Horizontal	89	2.28	-	93.64
AV	2.4184G	112.42	Inf	-Inf	29.89	3	Horizontal	89	2.28	-	82.53

### 802.11ax HEW20\_Nss2,(MCS0)\_3TX

27/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
Setting 26  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8252G	50.34	74.00	-23.66	2.97	3	Vertical	288	1.07	-	47.37
AV	4.82478G	38.41	54.00	-15.59	2.96	3	Vertical	288	1.07	-	35.45

### 802.11ax HEW20\_Nss2,(MCS0)\_3TX

27/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
 Setting 26  
 04-B-4  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82658G	49.62	74.00	-24.38	2.97	3	Horizontal	63	1.50	-	46.65
AV	4.82664G	38.87	54.00	-15.13	2.97	3	Horizontal	63	1.50	-	35.90

802.11ax HEW20\_Nss2,(MCS0)\_3TX

27/08/2019

2462MHz\_TX



EUT Y\_3TX  
Setting 26  
04-B-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	122.37	Inf	-Inf	30.00	3	Vertical	91	1.39	-	92.37
AV	2.4674G	111.71	Inf	-Inf	30.00	3	Vertical	91	1.39	-	81.71
PK	2.4836G	67.14	74.00	-6.86	30.05	3	Vertical	91	1.39	-	37.09
AV	2.4835G	53.88	54.00	-0.12	30.05	3	Vertical	91	1.39	-	23.83



802.11ax HEW20\_Nss2,(MCS0)\_3TX

27/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 26  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4576G	122.06	Inf	-Inf	29.99	3	Horizontal	96	2.78	-	92.07
AV	2.4562G	111.76	Inf	-Inf	29.98	3	Horizontal	96	2.78	-	81.78
PK	2.4862G	67.37	74.00	-6.63	30.05	3	Horizontal	96	2.78	-	37.32
AV	2.4842G	52.21	54.00	-1.79	30.05	3	Horizontal	96	2.78	-	22.16

### 802.11ax HEW20\_Nss2,(MCS0)\_3TX

27/08/2019

### 2462MHz\_TX




EUT Y\_3TX  
Setting 26  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92422G	48.31	74.00	-25.69	3.25	3	Vertical	291	1.01	-	45.06
AV	4.924G	37.79	54.00	-16.21	3.25	3	Vertical	291	1.01	-	34.54

802.11ax HEW20\_Nss2,(MCS0)\_3TX

27/08/2019

2462MHz\_TX



EUT Y\_3TX  
Setting 26  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92476G	49.64	74.00	-24.36	3.25	3	Horizontal	337	1.43	-	46.39
AV	4.92316G	39.69	54.00	-14.31	3.25	3	Horizontal	337	1.43	-	36.44




**3T3S  
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss3,(MCS0)_3TX	Pass	AV	2.39G	53.80	54.00	-0.20	29.84	3	Vertical	79	1.78	-

VHT20\_Nss3,(MCS0)\_3TX

26/08/2019

2412MHz\_TX




EUT Y\_3TX  
 Setting 108  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.08	74.00	-7.92	29.84	3	Vertical	89	1.55	-	36.24
AV	2.39G	53.79	54.00	-0.21	29.84	3	Vertical	89	1.55	-	23.95
PK	2.417G	123.98	Inf	-Inf	29.88	3	Vertical	89	1.55	-	94.10
AV	2.417G	113.06	Inf	-Inf	29.88	3	Vertical	89	1.55	-	83.18

VHT20\_Nss3,(MCS0)\_3TX

26/08/2019

2412MHz\_TX




EUT\_Y\_3TX  
Setting 108  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	63.58	74.00	-10.42	29.84	3	Horizontal	91	2.06	-	33.74
AV	2.39G	48.30	54.00	-5.70	29.84	3	Horizontal	91	2.06	-	18.46
PK	2.4182G	122.16	Inf	-Inf	29.89	3	Horizontal	91	2.06	-	92.27
AV	2.4184G	111.21	Inf	-Inf	29.89	3	Horizontal	91	2.06	-	81.32

VHT20\_Nss3,(MCS0)\_3TX

26/08/2019

2412MHz\_TX




EUT Y\_3TX  
 Setting 108  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81788G	48.93	74.00	-25.07	2.94	3	Vertical	294	1.50	-	45.99
AV	4.81752G	36.31	54.00	-17.69	2.94	3	Vertical	294	1.50	-	33.37

### VHT20\_Nss3,(MCS0)\_3TX

26/08/2019

### 2412MHz\_TX



EUT Y\_3TX  
 Setting 108  
 04-C-5  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82472G	50.15	74.00	-23.85	2.96	3	Horizontal	61	2.07	-	47.19
AV	4.82502G	37.92	54.00	-16.08	2.97	3	Horizontal	61	2.07	-	34.95



VHT20\_Nss3,(MCS0)\_3TX

26/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.459G	123.68	Inf	-Inf	29.99	3	Vertical	91	1.32	-	93.69
AV	2.4642G	113.98	Inf	-Inf	30.00	3	Vertical	91	1.32	-	83.98
PK	2.4835G	68.34	74.00	-5.66	30.05	3	Vertical	91	1.32	-	38.29
AV	2.4835G	52.89	54.00	-1.11	30.05	3	Vertical	91	1.32	-	22.84

VHT20\_Nss3,(MCS0)\_3TX

26/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4614G	121.93	Inf	-Inf	29.99	3	Horizontal	91	2.46	-	91.94
AV	2.4598G	111.29	Inf	-Inf	29.99	3	Horizontal	91	2.46	-	81.30
PK	2.4846G	70.81	74.00	-3.19	30.05	3	Horizontal	91	2.46	-	40.76
AV	2.4844G	51.92	54.00	-2.08	30.05	3	Horizontal	91	2.46	-	21.87

### VHT20\_Nss3,(MCS0)\_3TX

26/08/2019

### 2462MHz\_TX




EUT Y\_3TX  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92526G	48.30	74.00	-25.70	3.25	3	Vertical	163	1.44	-	45.05
AV	4.92508G	35.40	54.00	-18.60	3.25	3	Vertical	163	1.44	-	32.15

VHT20\_Nss3,(MCS0)\_3TX

26/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92526G	49.68	74.00	-24.32	3.25	3	Horizontal	330	1.50	-	46.43
AV	4.91908G	37.33	54.00	-16.67	3.24	3	Horizontal	330	1.50	-	34.09

802.11ax HEW20\_Nss3,(MCS0)\_3TX

26/08/2019

2412MHz\_TX




EUT Y\_3TX  
Setting 104  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.23	74.00	-7.77	29.84	3	Vertical	79	1.78	-	36.39
AV	2.39G	53.80	54.00	-0.20	29.84	3	Vertical	79	1.78	-	23.96
PK	2.4162G	124.16	Inf	-Inf	29.88	3	Vertical	79	1.78	-	94.28
AV	2.4172G	112.86	Inf	-Inf	29.88	3	Vertical	79	1.78	-	82.98

### 802.11ax HEW20\_Nss3,(MCS0)\_3TX

26/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
Setting 104  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.95	74.00	-10.05	29.84	3	Horizontal	63	1.91	-	34.11
AV	2.39G	49.10	54.00	-4.90	29.84	3	Horizontal	63	1.91	-	19.26
PK	2.4186G	120.39	Inf	-Inf	29.89	3	Horizontal	63	1.91	-	90.50
AV	2.4192G	109.32	Inf	-Inf	29.89	3	Horizontal	63	1.91	-	79.43

### 802.11ax HEW20\_Nss3,(MCS0)\_3TX

26/08/2019

### 2412MHz\_TX




EUT Y\_3TX  
 Setting 104  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81614G	48.49	74.00	-25.51	2.95	3	Vertical	291	1.44	-	45.54
AV	4.81728G	35.69	54.00	-18.31	2.94	3	Vertical	291	1.44	-	32.75

802.11ax HEW20\_Nss3,(MCS0)\_3TX

26/08/2019

2412MHz\_TX



EUT Y\_3TX  
Setting 104  
04-C-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82496G	49.85	74.00	-24.15	2.96	3	Horizontal	62	1.95	-	46.89
AV	4.82634G	36.76	54.00	-17.24	2.97	3	Horizontal	62	1.95	-	33.79



802.11ax HEW20\_Nss3,(MCS0)\_3TX

26/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 104  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4648G	124.22	Inf	-Inf	30.00	3	Vertical	65	2.19	-	94.22
AV	2.4628G	112.10	Inf	-Inf	30.00	3	Vertical	65	2.19	-	82.10
PK	2.4836G	68.63	74.00	-5.37	30.05	3	Vertical	65	2.19	-	38.58
AV	2.484G	53.76	54.00	-0.24	30.05	3	Vertical	65	2.19	-	23.71

### 802.11ax HEW20\_Nss3,(MCS0)\_3TX

26/08/2019

### 2462MHz\_TX




EUT Y\_3TX  
Setting 104  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4558G	121.73	Inf	-Inf	29.98	3	Horizontal	90	2.52	-	91.75
AV	2.4558G	109.54	Inf	-Inf	29.98	3	Horizontal	90	2.52	-	79.56
PK	2.4862G	68.67	74.00	-5.33	30.05	3	Horizontal	90	2.52	-	38.62
AV	2.485G	50.94	54.00	-3.06	30.05	3	Horizontal	90	2.52	-	20.89

802.11ax HEW20\_Nss3,(MCS0)\_3TX

26/08/2019

2462MHz\_TX




EUT Y\_3TX  
Setting 104  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.883G	46.61	74.00	-27.39	3.15	3	Vertical	163	1.42	-	43.46
AV	4.9248G	34.83	54.00	-19.17	3.25	3	Vertical	163	1.42	-	31.58

### 802.11ax HEW20\_Nss3,(MCS0)\_3TX

26/08/2019

### 2462MHz\_TX



EUT Y\_3TX  
 Setting 104  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9231G	49.15	74.00	-24.85	3.25	3	Horizontal	330	1.45	-	45.90
AV	4.92124G	36.67	54.00	-17.33	3.24	3	Horizontal	330	1.45	-	33.43




4T1S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
VHT40_Nss1,(MCS0)_4TX	Pass	AV	2.39G	53.98	54.00	-0.02	29.84	3	Vertical	82	1.48	-

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.379G	56.40	74.00	-17.60	29.85	3	Vertical	263	2.39	-	26.55
AV	2.39G	44.02	54.00	-9.98	29.84	3	Vertical	263	2.39	-	14.18
PK	2.413G	124.76	Inf	-Inf	29.88	3	Vertical	263	2.39	-	94.88
AV	2.4112G	120.66	Inf	-Inf	29.87	3	Vertical	263	2.39	-	90.79

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3862G	57.23	74.00	-16.77	29.84	3	Horizontal	85	2.03	-	27.39
AV	2.3898G	43.67	54.00	-10.33	29.84	3	Horizontal	85	2.03	-	13.83
PK	2.413G	123.77	Inf	-Inf	29.88	3	Horizontal	85	2.03	-	93.89
AV	2.4112G	119.97	Inf	-Inf	29.87	3	Horizontal	85	2.03	-	90.10

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2412MHz\_TX



EUT\_Y\_4TX  
Setting 110  
04-B-4  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82412G	51.15	74.00	-22.85	2.96	3	Vertical	161	1.50	-	48.19
AV	4.82396G	46.37	54.00	-7.63	2.96	3	Vertical	161	1.50	-	43.41



### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2412MHz\_TX




EUT Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.824G	52.26	74.00	-21.74	2.96	3	Horizontal	67	1.35	-	49.30
AV	4.82396G	47.62	54.00	-6.38	2.96	3	Horizontal	67	1.35	-	44.66

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2417MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	58.65	74.00	-15.35	29.84	3	Vertical	71	2.67	-	28.81
AV	2.39G	45.67	54.00	-8.33	29.84	3	Vertical	71	2.67	-	15.83
PK	2.418G	127.77	Inf	-Inf	29.89	3	Vertical	71	2.67	-	97.88
AV	2.4162G	123.84	Inf	-Inf	29.88	3	Vertical	71	2.67	-	93.96

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2417MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	57.12	74.00	-16.88	29.84	3	Horizontal	87	2.44	-	27.28
AV	2.3898G	44.40	54.00	-9.60	29.84	3	Horizontal	87	2.44	-	14.56
PK	2.418G	124.42	Inf	-Inf	29.89	3	Horizontal	87	2.44	-	94.53
AV	2.4162G	120.45	Inf	-Inf	29.88	3	Horizontal	87	2.44	-	90.57

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2437MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3582G	57.47	74.00	-16.53	29.86	3	Vertical	72	2.36	-	27.61
AV	2.3898G	43.97	54.00	-10.03	29.84	3	Vertical	72	2.36	-	14.13
PK	2.4378G	127.40	Inf	-Inf	29.94	3	Vertical	72	2.36	-	97.46
AV	2.4378G	123.38	Inf	-Inf	29.94	3	Vertical	72	2.36	-	93.44
PK	2.4854G	57.21	74.00	-16.79	30.05	3	Vertical	72	2.36	-	27.16
AV	2.4842G	44.42	54.00	-9.58	30.05	3	Vertical	72	2.36	-	14.37

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2437MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3786G	56.57	74.00	-17.43	29.85	3	Horizontal	322	1.24	-	26.72
AV	2.3386G	43.25	54.00	-10.75	29.87	3	Horizontal	322	1.24	-	13.38
PK	2.4378G	120.88	Inf	-Inf	29.94	3	Horizontal	322	1.24	-	90.94
AV	2.4378G	116.87	Inf	-Inf	29.94	3	Horizontal	322	1.24	-	86.93
PK	2.4894G	56.03	74.00	-17.97	30.06	3	Horizontal	322	1.24	-	25.97
AV	2.4846G	43.59	54.00	-10.41	30.05	3	Horizontal	322	1.24	-	13.54

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2437MHz\_TX




EUT Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87384G	49.82	74.00	-24.18	3.12	3	Vertical	145	1.45	-	46.70
AV	4.87396G	44.02	54.00	-9.98	3.12	3	Vertical	145	1.45	-	40.90
PK	7.3116G	50.91	74.00	-23.09	8.49	3	Vertical	246	1.67	-	42.42
AV	7.31212G	36.99	54.00	-17.01	8.49	3	Vertical	246	1.67	-	28.50

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2437MHz\_TX




EUT Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87396G	51.21	74.00	-22.79	3.12	3	Horizontal	332	1.49	-	48.09
AV	4.87396G	46.55	54.00	-7.45	3.12	3	Horizontal	332	1.49	-	43.43
PK	7.3102G	50.95	74.00	-23.05	8.49	3	Horizontal	181	2.23	-	42.46
AV	7.31016G	37.40	54.00	-16.60	8.49	3	Horizontal	181	2.23	-	28.91

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2457MHz\_TX



EUT\_Y\_4TX  
Setting 110  
04-B-4-3  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.458G	126.75	Inf	-Inf	29.99	3	Vertical	70	2.17	-	96.76
AV	2.4562G	122.96	Inf	-Inf	29.98	3	Vertical	70	2.17	-	92.98
PK	2.4835G	59.20	74.00	-14.80	30.05	3	Vertical	70	2.17	-	29.15
AV	2.484G	45.33	54.00	-8.67	30.05	3	Vertical	70	2.17	-	15.28



### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2457MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4-3  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.456G	120.78	Inf	-Inf	29.98	3	Horizontal	322	1.47	-	90.80
AV	2.4562G	116.91	Inf	-Inf	29.98	3	Horizontal	322	1.47	-	86.93
PK	2.4858G	57.62	74.00	-16.38	30.05	3	Horizontal	322	1.47	-	27.57
AV	2.4836G	43.86	54.00	-10.14	30.05	3	Horizontal	322	1.47	-	13.81

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2462MHz\_TX




EUT Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	123.95	Inf	-Inf	29.99	3	Vertical	70	1.57	-	93.96
AV	2.4612G	120.20	Inf	-Inf	29.99	3	Vertical	70	1.57	-	90.21
PK	2.4846G	57.02	74.00	-16.98	30.05	3	Vertical	70	1.57	-	26.97
AV	2.4836G	43.72	54.00	-10.28	30.05	3	Vertical	70	1.57	-	13.67

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2462MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	123.35	Inf	-Inf	30.00	3	Horizontal	273	2.03	-	93.35
AV	2.4628G	119.41	Inf	-Inf	30.00	3	Horizontal	273	2.03	-	89.41
PK	2.4838G	56.09	74.00	-17.91	30.05	3	Horizontal	273	2.03	-	26.04
AV	2.4835G	43.52	54.00	-10.48	30.05	3	Horizontal	273	2.03	-	13.47

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2462MHz\_TX




EUT Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92408G	49.81	74.00	-24.19	3.25	3	Vertical	163	2.29	-	46.56
AV	4.92396G	44.29	54.00	-9.71	3.25	3	Vertical	163	2.29	-	41.04

### 802.11b\_Nss1,(1Mbps)\_4TX

20/09/2019

### 2462MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-B-4  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.924G	51.20	74.00	-22.80	3.25	3	Horizontal	341	1.50	-	47.95
AV	4.92396G	46.45	54.00	-7.55	3.25	3	Horizontal	341	1.50	-	43.20

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	65.80	74.00	-8.20	29.84	3	Vertical	98	1.06	-	35.96
AV	2.39G	47.68	54.00	-6.32	29.84	3	Vertical	98	1.06	-	17.84
PK	2.4146G	126.67	Inf	-Inf	29.88	3	Vertical	98	1.06	-	96.79
AV	2.4146G	117.10	Inf	-Inf	29.88	3	Vertical	98	1.06	-	87.22

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	65.57	74.00	-8.43	29.84	3	Horizontal	276	2.54	-	35.73
AV	2.39G	47.43	54.00	-6.57	29.84	3	Horizontal	276	2.54	-	17.59
PK	2.4158G	126.00	Inf	-Inf	29.88	3	Horizontal	276	2.54	-	96.12
AV	2.4162G	116.23	Inf	-Inf	29.88	3	Horizontal	276	2.54	-	86.35

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2412MHz\_TX



EUT Y\_4TX  
 Setting 110  
 04-C-5  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82148G	49.01	74.00	-24.99	2.95	3	Vertical	72	1.50	-	46.06
AV	4.81992G	35.58	54.00	-18.42	2.95	3	Vertical	72	1.50	-	32.63



### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2412MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82178G	51.00	74.00	-23.00	2.96	3	Horizontal	64	1.50	-	48.04
AV	4.82544G	37.75	54.00	-16.25	2.97	3	Horizontal	64	1.50	-	34.78

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2417MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.45	74.00	-7.55	29.84	3	Vertical	99	1.48	-	36.61
AV	2.39G	50.12	54.00	-3.88	29.84	3	Vertical	99	1.48	-	20.28
PK	2.4102G	125.44	Inf	-Inf	29.87	3	Vertical	99	1.48	-	95.57
AV	2.4098G	116.01	Inf	-Inf	29.86	3	Vertical	99	1.48	-	86.15

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2417MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.17	74.00	-11.83	29.84	3	Horizontal	280	1.89	-	32.33
AV	2.39G	47.21	54.00	-6.79	29.84	3	Horizontal	280	1.89	-	17.37
PK	2.4114G	125.39	Inf	-Inf	29.87	3	Horizontal	280	1.89	-	95.52
AV	2.411G	115.67	Inf	-Inf	29.87	3	Horizontal	280	1.89	-	85.80

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2437MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3706G	54.20	74.00	-19.80	29.86	3	Vertical	253	1.31	-	24.34
AV	2.3466G	41.99	54.00	-12.01	29.86	3	Vertical	253	1.31	-	12.13
PK	2.4398G	126.06	Inf	-Inf	29.94	3	Vertical	253	1.31	-	96.12
AV	2.4394G	116.55	Inf	-Inf	29.94	3	Vertical	253	1.31	-	86.61
PK	2.4835G	54.24	74.00	-19.76	30.05	3	Vertical	253	1.31	-	24.19
AV	2.4866G	42.61	54.00	-11.39	30.05	3	Vertical	253	1.31	-	12.56

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2437MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3422G	54.68	74.00	-19.32	29.87	3	Horizontal	276	1.71	-	24.81
AV	2.3898G	42.23	54.00	-11.77	29.84	3	Horizontal	276	1.71	-	12.39
PK	2.441G	126.17	Inf	-Inf	29.94	3	Horizontal	276	1.71	-	96.23
AV	2.441G	116.38	Inf	-Inf	29.94	3	Horizontal	276	1.71	-	86.44
PK	2.4838G	55.17	74.00	-18.83	30.05	3	Horizontal	276	1.71	-	25.12
AV	2.4835G	42.93	54.00	-11.07	30.05	3	Horizontal	276	1.71	-	12.88

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2437MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8635G	49.31	74.00	-24.69	3.09	3	Vertical	261	2.99	-	46.22
AV	4.86518G	35.63	54.00	-18.37	3.10	3	Vertical	261	2.99	-	32.53

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2437MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86278G	49.03	74.00	-24.97	3.09	3	Horizontal	66	1.50	-	45.94
AV	4.86536G	35.09	54.00	-18.91	3.10	3	Horizontal	66	1.50	-	31.99

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2457MHz\_TX



EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4556G	126.06	Inf	-Inf	29.98	3	Vertical	68	1.89	-	96.08
AV	2.4564G	116.46	Inf	-Inf	29.98	3	Vertical	68	1.89	-	86.48
PK	2.4872G	63.09	74.00	-10.91	30.05	3	Vertical	68	1.89	-	33.04
AV	2.4836G	45.27	54.00	-8.73	30.05	3	Vertical	68	1.89	-	15.22



### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2457MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	124.94	Inf	-Inf	30.00	3	Horizontal	279	2.20	-	94.94
AV	2.4646G	115.15	Inf	-Inf	30.00	3	Horizontal	279	2.20	-	85.15
PK	2.4838G	67.04	74.00	-6.96	30.05	3	Horizontal	279	2.20	-	36.99
AV	2.4854G	47.71	54.00	-6.29	30.05	3	Horizontal	279	2.20	-	17.66

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2462MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4546G	124.86	Inf	-Inf	29.98	3	Vertical	254	1.33	-	94.88
AV	2.4544G	115.60	Inf	-Inf	29.98	3	Vertical	254	1.33	-	85.62
PK	2.4835G	71.10	74.00	-2.90	30.05	3	Vertical	254	1.33	-	41.05
AV	2.4835G	51.77	54.00	-2.23	30.05	3	Vertical	254	1.33	-	21.72

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2462MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4562G	124.07	Inf	-Inf	29.98	3	Horizontal	277	1.81	-	94.09
AV	2.456G	114.47	Inf	-Inf	29.98	3	Horizontal	277	1.81	-	84.49
PK	2.4835G	71.52	74.00	-2.48	30.05	3	Horizontal	277	1.81	-	41.47
AV	2.4842G	52.19	54.00	-1.81	30.05	3	Horizontal	277	1.81	-	22.14

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2462MHz\_TX




EUT Y\_4TX  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92388G	47.52	74.00	-26.48	3.25	3	Vertical	165	1.21	-	44.27
AV	4.9246G	34.78	54.00	-19.22	3.25	3	Vertical	165	1.21	-	31.53

### 802.11g\_Nss1,(6Mbps)\_4TX

24/08/2019

### 2462MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92502G	49.53	74.00	-24.47	3.25	3	Horizontal	341	1.75	-	46.28
AV	4.92604G	36.76	54.00	-17.24	3.25	3	Horizontal	341	1.75	-	33.51

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2412MHz\_TX




EUT\_Y\_4TX  
 Setting 106  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.77	74.00	-0.23	29.84	3	Vertical	67	2.24	-	43.93
AV	2.39G	53.63	54.00	-0.37	29.84	3	Vertical	67	2.24	-	23.79
PK	2.417G	126.20	Inf	-Inf	29.88	3	Vertical	67	2.24	-	96.32
AV	2.4168G	115.90	Inf	-Inf	29.88	3	Vertical	67	2.24	-	86.02

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2412MHz\_TX




EUT\_Y\_4TX  
 Setting 106  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.41	74.00	-3.59	29.84	3	Horizontal	288	2.07	-	40.57
AV	2.39G	52.36	54.00	-1.64	29.84	3	Horizontal	288	2.07	-	22.52
PK	2.4158G	125.42	Inf	-Inf	29.88	3	Horizontal	288	2.07	-	95.54
AV	2.4156G	114.07	Inf	-Inf	29.88	3	Horizontal	288	2.07	-	84.19

### VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

### 2412MHz\_TX



EUT Y\_4TX  
 Setting 106  
 04-C-5  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8266G	50.30	74.00	-23.70	2.97	3	Vertical	287	1.50	-	47.33
AV	4.8217G	35.88	54.00	-18.12	2.96	3	Vertical	287	1.50	-	32.92



### VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

### 2412MHz\_TX




EUT Y\_4TX  
 Setting 106  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8217G	49.28	74.00	-24.72	2.96	3	Horizontal	293	1.50	-	46.32
AV	4.8217G	35.65	54.00	-18.35	2.96	3	Horizontal	293	1.50	-	32.69

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2417MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.61	74.00	-6.39	29.84	3	Vertical	83	2.01	-	37.77
AV	2.39G	50.74	54.00	-3.26	29.84	3	Vertical	83	2.01	-	20.90
PK	2.4152G	126.18	Inf	-Inf	29.88	3	Vertical	83	2.01	-	96.30
AV	2.4152G	115.16	Inf	-Inf	29.88	3	Vertical	83	2.01	-	85.28

### VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

### 2417MHz\_TX




EUT Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	58.83	74.00	-15.17	29.84	3	Horizontal	283	2.27	-	28.99
AV	2.39G	44.22	54.00	-9.78	29.84	3	Horizontal	283	2.27	-	14.38
PK	2.4182G	126.78	Inf	-Inf	29.89	3	Horizontal	283	2.27	-	96.89
AV	2.4184G	114.87	Inf	-Inf	29.89	3	Horizontal	283	2.27	-	84.98

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2437MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3846G	54.63	74.00	-19.37	29.85	3	Vertical	70	2.19	-	24.78
AV	2.3898G	42.42	54.00	-11.58	29.84	3	Vertical	70	2.19	-	12.58
PK	2.4322G	126.50	Inf	-Inf	29.92	3	Vertical	70	2.19	-	96.58
AV	2.4318G	115.93	Inf	-Inf	29.92	3	Vertical	70	2.19	-	86.01
PK	2.4866G	57.05	74.00	-16.95	30.05	3	Vertical	70	2.19	-	27.00
AV	2.4866G	42.57	54.00	-11.43	30.05	3	Vertical	70	2.19	-	12.52

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2437MHz\_TX




EUT\_Y\_4TX  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3846G	54.66	74.00	-19.34	29.85	3	Horizontal	279	1.67	-	24.81
AV	2.3898G	42.03	54.00	-11.97	29.84	3	Horizontal	279	1.67	-	12.19
PK	2.441G	126.30	Inf	-Inf	29.94	3	Horizontal	279	1.67	-	96.36
AV	2.4358G	114.78	Inf	-Inf	29.93	3	Horizontal	279	1.67	-	84.85
PK	2.4835G	56.43	74.00	-17.57	30.05	3	Horizontal	279	1.67	-	26.38
AV	2.4854G	42.67	54.00	-11.33	30.05	3	Horizontal	279	1.67	-	12.62

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2437MHz\_TX




EUT Y\_4TX  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86704G	47.69	74.00	-26.31	3.10	3	Vertical	164	1.46	-	44.59
AV	4.87226G	33.72	54.00	-20.28	3.12	3	Vertical	164	1.46	-	30.60

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2437MHz\_TX




EUT Y\_4TX  
 Setting 110  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8719G	49.44	74.00	-24.56	3.12	3	Horizontal	69	2.04	-	46.32
AV	4.87574G	35.90	54.00	-18.10	3.13	3	Horizontal	69	2.04	-	32.77

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2457MHz\_TX



EUT Y\_4TX  
Setting 110  
04-C-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.462G	125.96	Inf	-Inf	29.99	3	Vertical	65	1.92	-	95.97
AV	2.4618G	115.22	Inf	-Inf	29.99	3	Vertical	65	1.92	-	85.23
PK	2.487G	63.23	74.00	-10.77	30.05	3	Vertical	65	1.92	-	33.18
AV	2.4868G	46.76	54.00	-7.24	30.05	3	Vertical	65	1.92	-	16.71



VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2457MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4506G	125.04	Inf	-Inf	29.97	3	Horizontal	286	2.05	-	95.07
AV	2.4504G	113.65	Inf	-Inf	29.97	3	Horizontal	286	2.05	-	83.68
PK	2.4852G	63.72	74.00	-10.28	30.05	3	Horizontal	286	2.05	-	33.67
AV	2.4856G	47.14	54.00	-6.86	30.05	3	Horizontal	286	2.05	-	17.09

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2462MHz\_TX




EUT Y\_4TX  
 Setting 107  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4632G	123.18	Inf	-Inf	30.00	3	Vertical	67	1.92	-	93.18
AV	2.4632G	112.91	Inf	-Inf	30.00	3	Vertical	67	1.92	-	82.91
PK	2.4836G	71.47	74.00	-2.53	30.05	3	Vertical	67	1.92	-	41.42
AV	2.4836G	53.78	54.00	-0.22	30.05	3	Vertical	67	1.92	-	23.73

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2462MHz\_TX




EUT Y\_4TX  
 Setting 107  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4576G	123.54	Inf	-Inf	29.99	3	Horizontal	283	2.41	-	93.55
AV	2.4584G	112.00	Inf	-Inf	29.99	3	Horizontal	283	2.41	-	82.01
PK	2.4835G	71.18	74.00	-2.82	30.05	3	Horizontal	283	2.41	-	41.13
AV	2.4836G	52.36	54.00	-1.64	30.05	3	Horizontal	283	2.41	-	22.31

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2462MHz\_TX




EUT Y\_4TX  
 Setting 107  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.93264G	48.02	74.00	-25.98	3.28	3	Vertical	161	1.49	-	44.74
AV	4.92274G	34.19	54.00	-19.81	3.25	3	Vertical	161	1.49	-	30.94

VHT20\_Nss1,(MCS0)\_4TX

24/08/2019

2462MHz\_TX




EUT Y\_4TX  
 Setting 107  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92388G	48.96	74.00	-25.04	3.25	3	Horizontal	338	1.44	-	45.71
AV	4.9234G	34.48	54.00	-19.52	3.25	3	Horizontal	338	1.44	-	31.23

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2412MHz\_TX




EUT Y\_4TX  
Setting 102  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	69.79	74.00	-4.21	29.84	3	Vertical	67	1.80	-	39.95
AV	2.39G	53.82	54.00	-0.18	29.84	3	Vertical	67	1.80	-	23.98
PK	2.409G	125.83	Inf	-Inf	29.86	3	Vertical	67	1.80	-	95.97
AV	2.4144G	112.06	Inf	-Inf	29.88	3	Vertical	67	1.80	-	82.18

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2412MHz\_TX




EUT Y\_4TX  
Setting 102  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.62	74.00	-11.38	29.84	3	Horizontal	281	1.90	-	32.78
AV	2.39G	46.77	54.00	-7.23	29.84	3	Horizontal	281	1.90	-	16.93
PK	2.4182G	126.28	Inf	-Inf	29.89	3	Horizontal	281	1.90	-	96.39
AV	2.4184G	112.98	Inf	-Inf	29.89	3	Horizontal	281	1.90	-	83.09

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2412MHz\_TX



EUT Y\_4TX  
Setting 102  
04-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82564G	45.58	74.00	-28.42	2.97	3	Vertical	300	2.41	-	42.61
AV	4.82404G	31.19	54.00	-22.81	2.96	3	Vertical	300	2.41	-	28.23



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

### 2412MHz\_TX




EUT Y\_4TX  
Setting 102  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81556G	45.74	74.00	-28.26	2.95	3	Horizontal	135	2.58	-	42.79
AV	4.81556G	31.15	54.00	-22.85	2.95	3	Horizontal	135	2.58	-	28.20

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2417MHz\_TX




EUT Y\_4TX  
Setting 110  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.37	74.00	-1.63	29.84	3	Vertical	78	1.80	-	42.53
AV	2.39G	53.76	54.00	-0.24	29.84	3	Vertical	78	1.80	-	23.92
PK	2.4212G	128.71	Inf	-Inf	29.89	3	Vertical	78	1.80	-	98.82
AV	2.4212G	114.75	Inf	-Inf	29.89	3	Vertical	78	1.80	-	84.86

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

### 2417MHz\_TX




EUT Y\_4TX  
Setting 110  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.04	74.00	-7.96	29.84	3	Horizontal	279	2.13	-	36.20
AV	2.39G	48.31	54.00	-5.69	29.84	3	Horizontal	279	2.13	-	18.47
PK	2.4192G	126.20	Inf	-Inf	29.89	3	Horizontal	279	2.13	-	96.31
AV	2.4196G	113.82	Inf	-Inf	29.89	3	Horizontal	279	2.13	-	83.93

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2437MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	56.09	74.00	-17.91	29.84	3	Vertical	285	1.50	-	26.25
AV	2.3898G	42.82	54.00	-11.18	29.84	3	Vertical	285	1.50	-	12.98
PK	2.4418G	126.42	Inf	-Inf	29.94	3	Vertical	285	1.50	-	96.48
AV	2.4418G	113.99	Inf	-Inf	29.94	3	Vertical	285	1.50	-	84.05
PK	2.4866G	55.27	74.00	-18.73	30.05	3	Vertical	285	1.50	-	25.22
AV	2.4842G	42.63	54.00	-11.37	30.05	3	Vertical	285	1.50	-	12.58

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2437MHz\_TX




EUT\_Y\_4TX  
Setting 110  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3758G	54.60	74.00	-19.40	29.85	3	Horizontal	281	1.71	-	24.75
AV	2.3898G	42.00	54.00	-12.00	29.84	3	Horizontal	281	1.71	-	12.16
PK	2.4414G	126.82	Inf	-Inf	29.94	3	Horizontal	281	1.71	-	96.88
AV	2.4406G	114.13	Inf	-Inf	29.94	3	Horizontal	281	1.71	-	84.19
PK	2.4906G	55.27	74.00	-18.73	30.07	3	Horizontal	281	1.71	-	25.20
AV	2.4846G	42.84	54.00	-11.16	30.05	3	Horizontal	281	1.71	-	12.79

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2437MHz\_TX




EUT Y\_4TX  
Setting 110  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.881G	51.42	74.00	-22.58	3.14	3	Vertical	300	1.04	-	48.28
AV	4.87324G	35.87	54.00	-18.13	3.12	3	Vertical	300	1.04	-	32.75

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2437MHz\_TX




EUT Y\_4TX  
Setting 110  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.88124G	49.72	74.00	-24.28	3.14	3	Horizontal	341	1.89	-	46.58
AV	4.87744G	35.34	54.00	-18.66	3.13	3	Horizontal	341	1.89	-	32.21

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2457MHz\_TX



EUT Y\_4TX  
Setting 110  
04-S-5  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	127.01	Inf	-Inf	29.98	3	Vertical	260	1.50	-	97.03
AV	2.4584G	113.69	Inf	-Inf	29.99	3	Vertical	260	1.50	-	83.70
PK	2.4838G	69.37	74.00	-4.63	30.05	3	Vertical	260	1.50	-	39.32
AV	2.4836G	51.38	54.00	-2.62	30.05	3	Vertical	260	1.50	-	21.33



802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2457MHz\_TX




EUT Y\_4TX  
Setting 110  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4622G	124.94	Inf	-Inf	29.99	3	Horizontal	292	2.02	-	94.95
AV	2.4526G	112.37	Inf	-Inf	29.98	3	Horizontal	292	2.02	-	82.39
PK	2.4835G	67.10	74.00	-6.90	30.05	3	Horizontal	292	2.02	-	37.05
AV	2.4835G	48.22	54.00	-5.78	30.05	3	Horizontal	292	2.02	-	18.17

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2462MHz\_TX




EUT Y\_4TX  
Setting 102  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4646G	125.95	Inf	-Inf	30.00	3	Vertical	64	2.10	-	95.95
AV	2.4648G	114.08	Inf	-Inf	30.00	3	Vertical	64	2.10	-	84.08
PK	2.4852G	72.29	74.00	-1.71	30.05	3	Vertical	64	2.10	-	42.24
AV	2.485G	53.86	54.00	-0.14	30.05	3	Vertical	64	2.10	-	23.81

802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

2462MHz\_TX




EUT Y\_4TX  
Setting 102  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4622G	122.86	Inf	-Inf	29.99	3	Horizontal	270	2.53	-	92.87
AV	2.4574G	111.28	Inf	-Inf	29.98	3	Horizontal	270	2.53	-	81.30
PK	2.487G	67.65	74.00	-6.35	30.05	3	Horizontal	270	2.53	-	37.60
AV	2.4835G	49.25	54.00	-4.75	30.05	3	Horizontal	270	2.53	-	19.20

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

### 2462MHz\_TX




EUT Y\_4TX  
Setting 102  
04-S-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91488G	45.81	74.00	-28.19	3.24	3	Vertical	299	2.53	-	42.57
AV	4.91408G	31.34	54.00	-22.66	3.24	3	Vertical	299	2.53	-	28.10

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

25/08/2019

### 2462MHz\_TX




EUT Y\_4TX  
 Setting 102  
 04-S-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91704G	45.86	74.00	-28.14	3.23	3	Horizontal	345	2.29	-	42.63
AV	4.92104G	31.27	54.00	-22.73	3.24	3	Horizontal	345	2.29	-	28.03

VHT40\_Nss1,(MCS0)\_4TX

24/08/2019

2422MHz\_TX




EUT Y\_4TX  
Setting 99  
04-C-5  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.59	74.00	-7.41	29.84	3	Vertical	82	1.48	-	36.75
AV	2.39G	53.98	54.00	-0.02	29.84	3	Vertical	82	1.48	-	24.14
PK	2.4156G	120.83	Inf	-Inf	29.88	3	Vertical	82	1.48	-	90.95
AV	2.4256G	111.28	Inf	-Inf	29.90	3	Vertical	82	1.48	-	81.38
PK	2.4852G	55.29	74.00	-18.71	30.05	3	Vertical	82	1.48	-	25.24
AV	2.4868G	43.19	54.00	-10.81	30.05	3	Vertical	82	1.48	-	13.14

VHT40\_Nss1,(MCS0)\_4TX

24/08/2019

2422MHz\_TX




EUT\_Y\_4TX  
 Setting 99  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3792G	63.08	74.00	-10.92	29.85	3	Horizontal	277	2.26	-	33.23
AV	2.39G	48.36	54.00	-5.64	29.84	3	Horizontal	277	2.26	-	18.52
PK	2.4244G	120.30	Inf	-Inf	29.90	3	Horizontal	277	2.26	-	90.40
AV	2.4196G	110.35	Inf	-Inf	29.89	3	Horizontal	277	2.26	-	80.46
PK	2.4936G	54.73	74.00	-19.27	30.08	3	Horizontal	277	2.26	-	24.65
AV	2.4872G	43.34	54.00	-10.66	30.05	3	Horizontal	277	2.26	-	13.29

### VHT40\_Nss1,(MCS0)\_4TX

24/08/2019

### 2422MHz\_TX



EUT Y\_4TX  
 Setting 99  
 04-C-5  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83182G	47.24	74.00	-26.76	2.99	3	Vertical	288	1.35	-	44.25
AV	4.83656G	34.42	54.00	-19.58	3.00	3	Vertical	288	1.35	-	31.42