


VHT40_Nss1,(MCS0)_4TX

24/08/2019

2422MHz_TX




EUT Y_4TX
 Setting 99
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84766G	48.04	74.00	-25.96	3.04	3	Horizontal	41	2.03	-	45.00
AV	4.84316G	35.22	54.00	-18.78	3.03	3	Horizontal	41	2.03	-	32.19

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2427MHz_TX




EUT_Y_4TX
Setting 102
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.33	74.00	-6.67	29.84	3	Vertical	80	1.76	-	37.49
AV	2.3898G	53.81	54.00	-0.19	29.84	3	Vertical	80	1.76	-	23.97
PK	2.415G	121.08	Inf	-Inf	29.88	3	Vertical	80	1.76	-	91.20
AV	2.4202G	112.54	Inf	-Inf	29.89	3	Vertical	80	1.76	-	82.65
PK	2.485G	56.92	74.00	-17.08	30.05	3	Vertical	80	1.76	-	26.87
AV	2.485G	44.52	54.00	-9.48	30.05	3	Vertical	80	1.76	-	14.47

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2427MHz_TX




EUT_Y_4TX
 Setting 102
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.383G	59.27	74.00	-14.73	29.85	3	Horizontal	277	1.83	-	29.42
AV	2.383G	47.01	54.00	-6.99	29.85	3	Horizontal	277	1.83	-	17.16
PK	2.4282G	121.60	Inf	-Inf	29.91	3	Horizontal	277	1.83	-	91.69
AV	2.4286G	112.18	Inf	-Inf	29.91	3	Horizontal	277	1.83	-	82.27
PK	2.4838G	56.93	74.00	-17.07	30.05	3	Horizontal	277	1.83	-	26.88
AV	2.4846G	44.08	54.00	-9.92	30.05	3	Horizontal	277	1.83	-	14.03

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 108
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	65.32	74.00	-8.68	29.84	3	Vertical	87	1.16	-	35.48
AV	2.3898G	51.74	54.00	-2.26	29.84	3	Vertical	87	1.16	-	21.90
PK	2.4298G	122.62	Inf	-Inf	29.91	3	Vertical	87	1.16	-	92.71
AV	2.4294G	113.75	Inf	-Inf	29.91	3	Vertical	87	1.16	-	83.84
PK	2.4842G	68.58	74.00	-5.42	30.05	3	Vertical	87	1.16	-	38.53
AV	2.4838G	53.79	54.00	-0.21	30.05	3	Vertical	87	1.16	-	23.74

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 108
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	60.51	74.00	-13.49	29.84	3	Horizontal	284	1.50	-	30.67
AV	2.3898G	46.60	54.00	-7.40	29.84	3	Horizontal	284	1.50	-	16.76
PK	2.4306G	122.15	Inf	-Inf	29.92	3	Horizontal	284	1.50	-	92.23
AV	2.4402G	111.58	Inf	-Inf	29.94	3	Horizontal	284	1.50	-	81.64
PK	2.4846G	66.94	74.00	-7.06	30.05	3	Horizontal	284	1.50	-	36.89
AV	2.485G	53.95	54.00	-0.05	30.05	3	Horizontal	284	1.50	-	23.90

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 108
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87532G	46.95	74.00	-27.05	3.13	3	Vertical	161	1.50	-	43.82
AV	4.87646G	34.38	54.00	-19.62	3.13	3	Vertical	161	1.50	-	31.25

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 108
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86794G	48.29	74.00	-25.71	3.10	3	Horizontal	334	1.30	-	45.19
AV	4.8725G	35.50	54.00	-18.50	3.12	3	Horizontal	334	1.30	-	32.38

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2447MHz_TX




EUT_Y_4TX
Setting 99
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3726G	54.96	74.00	-19.04	29.86	3	Vertical	68	2.18	-	25.10
AV	2.3838G	42.62	54.00	-11.38	29.85	3	Vertical	68	2.18	-	12.77
PK	2.437G	121.05	Inf	-Inf	29.93	3	Vertical	68	2.18	-	91.12
AV	2.4318G	111.58	Inf	-Inf	29.92	3	Vertical	68	2.18	-	81.66
PK	2.4838G	67.94	74.00	-6.06	30.05	3	Vertical	68	2.18	-	37.89
AV	2.487G	52.98	54.00	-1.02	30.05	3	Vertical	68	2.18	-	22.93

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2447MHz_TX




EUT_Y_4TX
Setting 99
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3826G	55.57	74.00	-18.43	29.85	3	Horizontal	280	1.71	-	25.72
AV	2.385G	42.84	54.00	-11.16	29.85	3	Horizontal	280	1.71	-	12.99
PK	2.441G	122.06	Inf	-Inf	29.94	3	Horizontal	280	1.71	-	92.12
AV	2.4406G	111.41	Inf	-Inf	29.94	3	Horizontal	280	1.71	-	81.47
PK	2.4835G	67.07	74.00	-6.93	30.05	3	Horizontal	280	1.71	-	37.02
AV	2.4858G	53.80	54.00	-0.20	30.05	3	Horizontal	280	1.71	-	23.75

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 95
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3836G	54.58	74.00	-19.42	29.85	3	Vertical	58	1.88	-	24.73
AV	2.3616G	42.62	54.00	-11.38	29.86	3	Vertical	58	1.88	-	12.76
PK	2.4456G	119.73	Inf	-Inf	29.95	3	Vertical	58	1.88	-	89.78
AV	2.4608G	110.38	Inf	-Inf	29.99	3	Vertical	58	1.88	-	80.39
PK	2.488G	67.51	74.00	-6.49	30.06	3	Vertical	58	1.88	-	37.45
AV	2.486G	53.88	54.00	-0.12	30.05	3	Vertical	58	1.88	-	23.83

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 95
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3724G	53.94	74.00	-20.06	29.86	3	Horizontal	284	1.48	-	24.08
AV	2.36G	42.54	54.00	-11.46	29.86	3	Horizontal	284	1.48	-	12.68
PK	2.442G	118.60	Inf	-Inf	29.94	3	Horizontal	284	1.48	-	88.66
AV	2.4424G	108.59	Inf	-Inf	29.94	3	Horizontal	284	1.48	-	78.65
PK	2.4844G	64.58	74.00	-9.42	30.05	3	Horizontal	284	1.48	-	34.53
AV	2.4868G	49.75	54.00	-4.25	30.05	3	Horizontal	284	1.48	-	19.70

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 95
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90328G	46.39	74.00	-27.61	3.21	3	Vertical	338	1.13	-	43.18
AV	4.8953G	34.02	54.00	-19.98	3.19	3	Vertical	338	1.13	-	30.83

VHT40_Nss1,(MCS0)_4TX

24/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 95
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.89698G	47.01	74.00	-26.99	3.19	3	Horizontal	335	1.50	-	43.82
AV	4.91018G	34.72	54.00	-19.28	3.23	3	Horizontal	335	1.50	-	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 99
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.66	74.00	-3.34	29.84	3	Vertical	70	1.37	-	40.82
AV	2.39G	53.76	54.00	-0.24	29.84	3	Vertical	70	1.37	-	23.92
PK	2.436G	121.17	Inf	-Inf	29.93	3	Vertical	70	1.37	-	91.24
AV	2.4256G	110.39	Inf	-Inf	29.90	3	Vertical	70	1.37	-	80.49
PK	2.4912G	55.13	74.00	-18.87	30.07	3	Vertical	70	1.37	-	25.06
AV	2.486G	43.24	54.00	-10.76	30.05	3	Vertical	70	1.37	-	13.19

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 99
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.96	74.00	-10.04	29.84	3	Horizontal	296	2.33	-	34.12
AV	2.39G	48.77	54.00	-5.23	29.84	3	Horizontal	296	2.33	-	18.93
PK	2.4196G	121.47	Inf	-Inf	29.89	3	Horizontal	296	2.33	-	91.58
AV	2.4196G	110.08	Inf	-Inf	29.89	3	Horizontal	296	2.33	-	80.19
PK	2.4888G	54.77	74.00	-19.23	30.06	3	Horizontal	296	2.33	-	24.71
AV	2.4844G	43.04	54.00	-10.96	30.05	3	Horizontal	296	2.33	-	12.99

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2427MHz_TX




EUT_Y_4TX
Setting 102
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.93	74.00	-10.07	29.84	3	Vertical	70	1.99	-	34.09
AV	2.3898G	53.76	54.00	-0.24	29.84	3	Vertical	70	1.99	-	23.92
PK	2.4374G	123.67	Inf	-Inf	29.93	3	Vertical	70	1.99	-	93.74
AV	2.4318G	112.73	Inf	-Inf	29.92	3	Vertical	70	1.99	-	82.81
PK	2.4846G	58.49	74.00	-15.51	30.05	3	Vertical	70	1.99	-	28.44
AV	2.4878G	44.44	54.00	-9.56	30.06	3	Vertical	70	1.99	-	14.38

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2427MHz_TX




EUT_Y_4TX
Setting 102
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.59	74.00	-12.41	29.84	3	Horizontal	67	1.81	-	31.75
AV	2.3898G	48.24	54.00	-5.76	29.84	3	Horizontal	67	1.81	-	18.40
PK	2.4266G	121.26	Inf	-Inf	29.90	3	Horizontal	67	1.81	-	91.36
AV	2.4318G	110.29	Inf	-Inf	29.92	3	Horizontal	67	1.81	-	80.37
PK	2.485G	57.77	74.00	-16.23	30.05	3	Horizontal	67	1.81	-	27.72
AV	2.4862G	44.46	54.00	-9.54	30.05	3	Horizontal	67	1.81	-	14.41

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 105
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.23	74.00	-11.77	29.84	3	Vertical	90	1.49	-	32.39
AV	2.3898G	48.85	54.00	-5.15	29.84	3	Vertical	90	1.49	-	19.01
PK	2.429G	124.73	Inf	-Inf	29.91	3	Vertical	90	1.49	-	94.82
AV	2.429G	112.35	Inf	-Inf	29.91	3	Vertical	90	1.49	-	82.44
PK	2.4846G	68.04	74.00	-5.96	30.05	3	Vertical	90	1.49	-	37.99
AV	2.4842G	53.87	54.00	-0.13	30.05	3	Vertical	90	1.49	-	23.82

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 105
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.07	74.00	-12.93	29.84	3	Horizontal	279	1.85	-	31.23
AV	2.3898G	45.48	54.00	-8.52	29.84	3	Horizontal	279	1.85	-	15.64
PK	2.429G	123.31	Inf	-Inf	29.91	3	Horizontal	279	1.85	-	93.40
AV	2.4438G	111.97	Inf	-Inf	29.95	3	Horizontal	279	1.85	-	82.02
PK	2.4846G	67.37	74.00	-6.63	30.05	3	Horizontal	279	1.85	-	37.32
AV	2.4842G	53.70	54.00	-0.30	30.05	3	Horizontal	279	1.85	-	23.65

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2437MHz_TX




EUT Y_4TX
Setting 105
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.88336G	46.07	74.00	-27.93	3.14	3	Vertical	333	2.71	-	42.93
AV	4.87568G	32.93	54.00	-21.07	3.13	3	Vertical	333	2.71	-	29.80

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2437MHz_TX




EUT Y_4TX
Setting 105
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87G	45.67	74.00	-28.33	3.11	3	Horizontal	216	2.54	-	42.56
AV	4.88316G	32.92	54.00	-21.08	3.15	3	Horizontal	216	2.54	-	29.77

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2447MHz_TX




EUT_Y_4TX
Setting 97
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3782G	54.57	74.00	-19.43	29.85	3	Vertical	259	1.44	-	24.72
AV	2.381G	42.66	54.00	-11.34	29.85	3	Vertical	259	1.44	-	12.81
PK	2.431G	121.36	Inf	-Inf	29.92	3	Vertical	259	1.44	-	91.44
AV	2.451G	110.65	Inf	-Inf	29.97	3	Vertical	259	1.44	-	80.68
PK	2.4846G	71.18	74.00	-2.82	30.05	3	Vertical	259	1.44	-	41.13
AV	2.4862G	53.96	54.00	-0.04	30.05	3	Vertical	259	1.44	-	23.91

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2447MHz_TX




EUT_Y_4TX
Setting 97
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.369G	55.24	74.00	-18.76	29.85	3	Horizontal	282	1.72	-	25.39
AV	2.381G	42.87	54.00	-11.13	29.85	3	Horizontal	282	1.72	-	13.02
PK	2.441G	120.42	Inf	-Inf	29.94	3	Horizontal	282	1.72	-	90.48
AV	2.441G	109.53	Inf	-Inf	29.94	3	Horizontal	282	1.72	-	79.59
PK	2.485G	70.21	74.00	-3.79	30.05	3	Horizontal	282	1.72	-	40.16
AV	2.4854G	52.13	54.00	-1.87	30.05	3	Horizontal	282	1.72	-	22.08

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 96
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3636G	54.98	74.00	-19.02	29.86	3	Vertical	67	2.16	-	25.12
AV	2.39G	42.65	54.00	-11.35	29.84	3	Vertical	67	2.16	-	12.81
PK	2.4596G	122.21	Inf	-Inf	29.99	3	Vertical	67	2.16	-	92.22
AV	2.4648G	110.99	Inf	-Inf	30.00	3	Vertical	67	2.16	-	80.99
PK	2.4848G	68.99	74.00	-5.01	30.05	3	Vertical	67	2.16	-	38.94
AV	2.4848G	53.83	54.00	-0.17	30.05	3	Vertical	67	2.16	-	23.78

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 96
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3624G	54.47	74.00	-19.53	29.86	3	Horizontal	69	1.82	-	24.61
AV	2.3816G	42.50	54.00	-11.50	29.85	3	Horizontal	69	1.82	-	12.65
PK	2.4444G	121.39	Inf	-Inf	29.95	3	Horizontal	69	1.82	-	91.44
AV	2.4444G	108.04	Inf	-Inf	29.95	3	Horizontal	69	1.82	-	78.09
PK	2.4896G	65.41	74.00	-8.59	30.06	3	Horizontal	69	1.82	-	35.35
AV	2.4848G	50.29	54.00	-3.71	30.05	3	Horizontal	69	1.82	-	20.24

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2452MHz_TX




EUT Y_4TX
Setting 96
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91376G	45.91	74.00	-28.09	3.24	3	Vertical	144	2.53	-	42.67
AV	4.89828G	33.12	54.00	-20.88	3.19	3	Vertical	144	2.53	-	29.93

802.11ax HEW40_Nss1,(MCS0)_4TX

25/08/2019

2452MHz_TX



EUT Y_4TX
Setting 96
04-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90568G	46.21	74.00	-27.79	3.21	3	Horizontal	75	2.21	-	43.00
AV	4.89536G	33.28	54.00	-20.72	3.19	3	Horizontal	75	2.21	-	30.09




4T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_4TX	Pass	AV	2.4844G	53.96	54.00	-0.04	30.05	3	Vertical	81	1.41	-

VHT20_Nss2,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 26
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.21	74.00	-3.79	29.84	3	Vertical	77	1.76	-	40.37
AV	2.39G	53.85	54.00	-0.15	29.84	3	Vertical	77	1.76	-	24.01
PK	2.417G	124.62	Inf	-Inf	29.88	3	Vertical	77	1.76	-	94.74
AV	2.4196G	115.80	Inf	-Inf	29.89	3	Vertical	77	1.76	-	85.91

VHT20_Nss2,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 26
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.09	74.00	-12.91	29.84	3	Horizontal	107	2.27	-	31.25
AV	2.39G	47.60	54.00	-6.40	29.84	3	Horizontal	107	2.27	-	17.76
PK	2.4188G	125.14	Inf	-Inf	29.89	3	Horizontal	107	2.27	-	95.25
AV	2.4188G	114.26	Inf	-Inf	29.89	3	Horizontal	107	2.27	-	84.37

VHT20_Nss2,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 26
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8351G	50.65	74.00	-23.35	3.00	3	Vertical	261	1.53	-	47.65
AV	4.82376G	37.10	54.00	-16.90	2.96	3	Vertical	261	1.53	-	34.14

VHT20_Nss2,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 26
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82466G	49.97	74.00	-24.03	2.96	3	Horizontal	36	1.46	-	47.01
AV	4.82436G	37.45	54.00	-16.55	2.96	3	Horizontal	36	1.46	-	34.49

VHT20_Nss2,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 27
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4556G	123.09	Inf	-Inf	29.98	3	Vertical	259	1.34	-	93.11
AV	2.4672G	110.74	Inf	-Inf	30.00	3	Vertical	259	1.34	-	80.74
PK	2.4836G	68.32	74.00	-5.68	30.05	3	Vertical	259	1.34	-	38.27
AV	2.4835G	53.56	54.00	-0.44	30.05	3	Vertical	259	1.34	-	23.51

VHT20_Nss2,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
Setting 27
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4606G	125.49	Inf	-Inf	29.99	3	Horizontal	106	2.47	-	95.50
AV	2.4596G	114.59	Inf	-Inf	29.99	3	Horizontal	106	2.47	-	84.60
PK	2.4838G	70.71	74.00	-3.29	30.05	3	Horizontal	106	2.47	-	40.66
AV	2.4835G	52.75	54.00	-1.25	30.05	3	Horizontal	106	2.47	-	22.70

VHT20_Nss2,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 27
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92292G	50.19	74.00	-23.81	3.25	3	Vertical	276	1.02	-	46.94
AV	4.92088G	37.04	54.00	-16.96	3.24	3	Vertical	276	1.02	-	33.80

VHT20_Nss2,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 27
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92142G	50.72	74.00	-23.28	3.24	3	Horizontal	333	1.50	-	47.48
AV	4.9249G	37.38	54.00	-16.62	3.25	3	Horizontal	333	1.50	-	34.13

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.86	74.00	-6.14	29.84	3	Vertical	79	1.82	-	38.02
AV	2.39G	53.91	54.00	-0.09	29.84	3	Vertical	79	1.82	-	24.07
PK	2.4312G	120.79	Inf	-Inf	29.92	3	Vertical	79	1.82	-	90.87
AV	2.4296G	111.53	Inf	-Inf	29.91	3	Vertical	79	1.82	-	81.62
PK	2.486G	55.21	74.00	-18.79	30.05	3	Vertical	79	1.82	-	25.16
AV	2.4868G	43.38	54.00	-10.62	30.05	3	Vertical	79	1.82	-	13.33

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.19	74.00	-12.81	29.84	3	Horizontal	282	1.83	-	31.35
AV	2.39G	49.84	54.00	-4.16	29.84	3	Horizontal	282	1.83	-	20.00
PK	2.4288G	122.71	Inf	-Inf	29.91	3	Horizontal	282	1.83	-	92.80
AV	2.4288G	111.39	Inf	-Inf	29.91	3	Horizontal	282	1.83	-	81.48
PK	2.4864G	55.35	74.00	-18.65	30.05	3	Horizontal	282	1.83	-	25.30
AV	2.4852G	43.86	54.00	-10.14	30.05	3	Horizontal	282	1.83	-	13.81

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT Y_4TX
 Setting 25
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8452G	49.80	74.00	-24.20	3.04	3	Vertical	278	1.06	-	46.76
AV	4.8407G	35.95	54.00	-18.05	3.02	3	Vertical	278	1.06	-	32.93

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT Y_4TX
 Setting 25
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84076G	48.84	74.00	-25.16	3.02	3	Horizontal	32	2.01	-	45.82
AV	4.84292G	36.09	54.00	-17.91	3.03	3	Horizontal	32	2.01	-	33.06

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 26.5
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3818G	59.70	74.00	-14.30	29.85	3	Vertical	72	1.27	-	29.85
AV	2.3898G	47.37	54.00	-6.63	29.84	3	Vertical	72	1.27	-	17.53
PK	2.4498G	122.49	Inf	-Inf	29.96	3	Vertical	72	1.27	-	92.53
AV	2.4506G	112.24	Inf	-Inf	29.97	3	Vertical	72	1.27	-	82.27
PK	2.4835G	68.23	74.00	-5.77	30.05	3	Vertical	72	1.27	-	38.18
AV	2.4838G	53.89	54.00	-0.11	30.05	3	Vertical	72	1.27	-	23.84

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 26.5
04-C-5
FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	58.93	74.00	-15.07	29.84	3	Horizontal	282	1.84	-	29.09
AV	2.3898G	46.34	54.00	-7.66	29.84	3	Horizontal	282	1.84	-	16.50
PK	2.4334G	123.46	Inf	-Inf	29.93	3	Horizontal	282	1.84	-	93.53
AV	2.4326G	112.41	Inf	-Inf	29.93	3	Horizontal	282	1.84	-	82.48
PK	2.4862G	67.30	74.00	-6.70	30.05	3	Horizontal	282	1.84	-	37.25
AV	2.4866G	50.51	54.00	-3.49	30.05	3	Horizontal	282	1.84	-	20.46

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2437MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_4TX
 Setting 26.5
 04-C-5
 FSP





Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8854G	50.29	74.00	-23.71	3.15	3	Vertical	279	1.13	-	47.14
AV	4.87658G	36.58	54.00	-17.42	3.13	3	Vertical	279	1.13	-	33.45

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2437MHz_TX



Lim.PK 
 PK 
 Lim.AV 
 AV 


EUT Y_4TX
 Setting 26.5
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87526G	49.08	74.00	-24.92	3.13	3	Horizontal	328	1.37	-	45.95
AV	4.87334G	35.43	54.00	-18.57	3.12	3	Horizontal	328	1.37	-	32.31

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT Y_4TX
Setting 24.5
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3676G	54.55	74.00	-19.45	29.85	3	Vertical	70	1.85	-	24.70
AV	2.376G	42.99	54.00	-11.01	29.85	3	Vertical	70	1.85	-	13.14
PK	2.4408G	121.57	Inf	-Inf	29.94	3	Vertical	70	1.85	-	91.63
AV	2.4484G	111.84	Inf	-Inf	29.96	3	Vertical	70	1.85	-	81.88
PK	2.4852G	68.58	74.00	-5.42	30.05	3	Vertical	70	1.85	-	38.53
AV	2.4864G	53.61	54.00	-0.39	30.05	3	Vertical	70	1.85	-	23.56

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT_Y_4TX
 Setting 24.5
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3696G	54.68	74.00	-19.32	29.85	3	Horizontal	283	1.74	-	24.83
AV	2.3844G	42.86	54.00	-11.14	29.85	3	Horizontal	283	1.74	-	13.01
PK	2.4484G	120.94	Inf	-Inf	29.96	3	Horizontal	283	1.74	-	90.98
AV	2.446G	110.37	Inf	-Inf	29.95	3	Horizontal	283	1.74	-	80.42
PK	2.4856G	69.01	74.00	-4.99	30.05	3	Horizontal	283	1.74	-	38.96
AV	2.486G	53.30	54.00	-0.70	30.05	3	Horizontal	283	1.74	-	23.25

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 24.5
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90664G	47.34	74.00	-26.66	3.21	3	Vertical	261	2.72	-	44.13
AV	4.90508G	34.68	54.00	-19.32	3.21	3	Vertical	261	2.72	-	31.47

VHT40_Nss2,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 24.5
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90532G	48.53	74.00	-25.47	3.21	3	Horizontal	68	1.50	-	45.32
AV	4.90754G	34.74	54.00	-19.26	3.22	3	Horizontal	68	1.50	-	31.52

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	65.67	74.00	-8.33	29.84	3	Vertical	86	1.60	-	35.83
AV	2.39G	53.60	54.00	-0.40	29.84	3	Vertical	86	1.60	-	23.76
PK	2.4082G	123.80	Inf	-Inf	29.86	3	Vertical	86	1.60	-	93.94
AV	2.4036G	109.85	Inf	-Inf	29.85	3	Vertical	86	1.60	-	80.00

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	59.60	74.00	-14.40	29.84	3	Horizontal	283	2.35	-	29.76
AV	2.3896G	46.84	54.00	-7.16	29.84	3	Horizontal	283	2.35	-	17.00
PK	2.4162G	125.74	Inf	-Inf	29.88	3	Horizontal	283	2.35	-	95.86
AV	2.4176G	113.51	Inf	-Inf	29.89	3	Horizontal	283	2.35	-	83.62

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82478G	51.34	74.00	-22.66	2.96	3	Vertical	261	1.48	-	48.38
AV	4.82418G	40.50	54.00	-13.50	2.96	3	Vertical	261	1.48	-	37.54

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82478G	50.67	74.00	-23.33	2.96	3	Horizontal	302	2.09	-	47.71
AV	4.82328G	40.47	54.00	-13.53	2.96	3	Horizontal	302	2.09	-	37.51

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	122.36	Inf	-Inf	30.00	3	Vertical	341	2.04	-	92.36
AV	2.4674G	110.61	Inf	-Inf	30.00	3	Vertical	341	2.04	-	80.61
PK	2.484G	66.96	74.00	-7.04	30.05	3	Vertical	341	2.04	-	36.91
AV	2.4848G	53.58	54.00	-0.42	30.05	3	Vertical	341	2.04	-	23.53

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.458G	124.69	Inf	-Inf	29.99	3	Horizontal	109	2.50	-	94.70
AV	2.4596G	113.47	Inf	-Inf	29.99	3	Horizontal	109	2.50	-	83.48
PK	2.4846G	68.49	74.00	-5.51	30.05	3	Horizontal	109	2.50	-	38.44
AV	2.4835G	51.93	54.00	-2.07	30.05	3	Horizontal	109	2.50	-	21.88

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9228G	48.18	74.00	-25.82	3.25	3	Vertical	249	2.47	-	44.93
AV	4.92532G	37.63	54.00	-16.37	3.25	3	Vertical	249	2.47	-	34.38

802.11ax HEW20_Nss2,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
Setting 25
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92502G	49.24	74.00	-24.76	3.25	3	Horizontal	326	1.50	-	45.99
AV	4.9204G	38.60	54.00	-15.40	3.24	3	Horizontal	326	1.50	-	35.36

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	65.63	74.00	-8.37	29.84	3	Vertical	73	1.80	-	35.79
AV	2.39G	53.57	54.00	-0.43	29.84	3	Vertical	73	1.80	-	23.73
PK	2.4308G	122.89	Inf	-Inf	29.92	3	Vertical	73	1.80	-	92.97
AV	2.4348G	112.38	Inf	-Inf	29.93	3	Vertical	73	1.80	-	82.45
PK	2.486G	56.18	74.00	-17.82	30.05	3	Vertical	73	1.80	-	26.13
AV	2.4868G	45.14	54.00	-8.86	30.05	3	Vertical	73	1.80	-	15.09

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	61.24	74.00	-12.76	29.85	3	Horizontal	276	1.85	-	31.39
AV	2.3844G	49.43	54.00	-4.57	29.85	3	Horizontal	276	1.85	-	19.58
PK	2.4272G	122.67	Inf	-Inf	29.90	3	Horizontal	276	1.85	-	92.77
AV	2.4288G	111.89	Inf	-Inf	29.91	3	Horizontal	276	1.85	-	81.98
PK	2.4852G	56.08	74.00	-17.92	30.05	3	Horizontal	276	1.85	-	26.03
AV	2.4872G	44.93	54.00	-9.07	30.05	3	Horizontal	276	1.85	-	14.88

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84424G	50.38	74.00	-23.62	3.03	3	Vertical	277	1.05	-	47.35
AV	4.84448G	38.25	54.00	-15.75	3.03	3	Vertical	277	1.05	-	35.22

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84544G	49.42	74.00	-24.58	3.04	3	Horizontal	32	2.01	-	46.38
AV	4.84292G	37.52	54.00	-16.48	3.03	3	Horizontal	32	2.01	-	34.49

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 25.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	61.00	74.00	-13.00	29.84	3	Vertical	68	1.70	-	31.16
AV	2.3898G	47.35	54.00	-6.65	29.84	3	Vertical	68	1.70	-	17.51
PK	2.4198G	122.97	Inf	-Inf	29.89	3	Vertical	68	1.70	-	93.08
AV	2.4198G	112.76	Inf	-Inf	29.89	3	Vertical	68	1.70	-	82.87
PK	2.4838G	70.66	74.00	-3.34	30.05	3	Vertical	68	1.70	-	40.61
AV	2.4835G	53.57	54.00	-0.43	30.05	3	Vertical	68	1.70	-	23.52

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 25.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.375G	57.19	74.00	-16.81	29.85	3	Horizontal	276	1.84	-	27.34
AV	2.3782G	45.38	54.00	-8.62	29.85	3	Horizontal	276	1.84	-	15.53
PK	2.4338G	122.83	Inf	-Inf	29.93	3	Horizontal	276	1.84	-	92.90
AV	2.4338G	111.97	Inf	-Inf	29.93	3	Horizontal	276	1.84	-	82.04
PK	2.4874G	63.98	74.00	-10.02	30.05	3	Horizontal	276	1.84	-	33.93
AV	2.4874G	49.68	54.00	-4.32	30.05	3	Horizontal	276	1.84	-	19.63

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT Y_4TX
Setting 25.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86248G	49.67	74.00	-24.33	3.08	3	Vertical	256	2.58	-	46.59
AV	4.86272G	38.49	54.00	-15.51	3.09	3	Vertical	256	2.58	-	35.40

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT Y_4TX
Setting 25.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87654G	48.57	74.00	-25.43	3.13	3	Horizontal	68	1.86	-	45.44
AV	4.87526G	37.86	54.00	-16.14	3.13	3	Horizontal	68	1.86	-	34.73

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 23.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3764G	54.00	74.00	-20.00	29.85	3	Vertical	81	1.41	-	24.15
AV	2.3608G	43.79	54.00	-10.21	29.86	3	Vertical	81	1.41	-	13.93
PK	2.4548G	121.01	Inf	-Inf	29.98	3	Vertical	81	1.41	-	91.03
AV	2.4564G	109.54	Inf	-Inf	29.98	3	Vertical	81	1.41	-	79.56
PK	2.4868G	65.25	74.00	-8.75	30.05	3	Vertical	81	1.41	-	35.20
AV	2.4844G	53.96	54.00	-0.04	30.05	3	Vertical	81	1.41	-	23.91

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 23.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	54.57	74.00	-19.43	29.84	3	Horizontal	284	1.73	-	24.73
AV	2.3576G	43.78	54.00	-10.22	29.86	3	Horizontal	284	1.73	-	13.92
PK	2.442G	119.91	Inf	-Inf	29.94	3	Horizontal	284	1.73	-	89.97
AV	2.4452G	109.90	Inf	-Inf	29.95	3	Horizontal	284	1.73	-	79.95
PK	2.4876G	65.53	74.00	-8.47	30.06	3	Horizontal	284	1.73	-	35.47
AV	2.4896G	53.49	54.00	-0.51	30.06	3	Horizontal	284	1.73	-	23.43

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT Y_4TX
Setting 23.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90904G	47.31	74.00	-26.69	3.22	3	Vertical	258	1.07	-	44.09
AV	4.9052G	36.42	54.00	-17.58	3.21	3	Vertical	258	1.07	-	33.21

802.11ax HEW40_Nss2,(MCS0)_4TX

26/08/2019

2452MHz_TX



EUT Y_4TX
 Setting 23.5
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90417G	48.08	74.00	-25.92	3.21	3	Horizontal	332	1.49	-	44.87
AV	4.90478G	36.98	54.00	-17.02	3.21	3	Horizontal	332	1.49	-	33.77




4T3S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss3,(MCS0)_4TX	Pass	AV	2.39G	53.99	54.00	-0.01	29.84	3	Vertical	76	1.82	-

VHT20_Nss3,(MCS0)_4TX

27/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.18	74.00	-6.82	29.84	3	Vertical	82	1.61	-	37.34
AV	2.39G	53.56	54.00	-0.44	29.84	3	Vertical	82	1.61	-	23.72
PK	2.4142G	124.80	Inf	-Inf	29.88	3	Vertical	82	1.61	-	94.92
AV	2.4186G	114.26	Inf	-Inf	29.89	3	Vertical	82	1.61	-	84.37

VHT20_Nss3,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.15	74.00	-12.85	29.84	3	Horizontal	280	1.92	-	31.31
AV	2.39G	50.21	54.00	-3.79	29.84	3	Horizontal	280	1.92	-	20.37
PK	2.41G	123.06	Inf	-Inf	29.86	3	Horizontal	280	1.92	-	93.20
AV	2.4056G	113.53	Inf	-Inf	29.85	3	Horizontal	280	1.92	-	83.68

VHT20_Nss3,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 26
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82268G	50.96	74.00	-23.04	2.96	3	Vertical	260	1.88	-	48.00
AV	4.82178G	37.79	54.00	-16.21	2.96	3	Vertical	260	1.88	-	34.83

VHT20_Nss3,(MCS0)_4TX

26/08/2019

2412MHz_TX




EUT Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82482G	50.29	74.00	-23.71	2.96	3	Horizontal	61	1.99	-	47.33
AV	4.82472G	37.33	54.00	-16.67	2.96	3	Horizontal	61	1.99	-	34.37

VHT20_Nss3,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4606G	124.09	Inf	-Inf	29.99	3	Vertical	59	2.18	-	94.10
AV	2.4554G	114.48	Inf	-Inf	29.98	3	Vertical	59	2.18	-	84.50
PK	2.4836G	69.48	74.00	-4.52	30.05	3	Vertical	59	2.18	-	39.43
AV	2.4836G	53.55	54.00	-0.45	30.05	3	Vertical	59	2.18	-	23.50

VHT20_Nss3,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4564G	122.32	Inf	-Inf	29.98	3	Horizontal	284	1.76	-	92.34
AV	2.4544G	111.57	Inf	-Inf	29.98	3	Horizontal	284	1.76	-	81.59
PK	2.4844G	66.09	74.00	-7.91	30.05	3	Horizontal	284	1.76	-	36.04
AV	2.4842G	50.14	54.00	-3.86	30.05	3	Horizontal	284	1.76	-	20.09

VHT20_Nss3,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 26
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91854G	48.61	74.00	-25.39	3.24	3	Vertical	270	2.95	-	45.37
AV	4.92244G	36.25	54.00	-17.75	3.24	3	Vertical	270	2.95	-	33.01

VHT20_Nss3,(MCS0)_4TX

26/08/2019

2462MHz_TX




EUT Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92418G	49.07	74.00	-24.93	3.25	3	Horizontal	328	1.49	-	45.82
AV	4.92376G	36.73	54.00	-17.27	3.25	3	Horizontal	328	1.49	-	33.48

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT Y_4TX
 Setting 25
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.53	74.00	-6.47	29.84	3	Vertical	72	1.77	-	37.69
AV	2.39G	53.95	54.00	-0.05	29.84	3	Vertical	72	1.77	-	24.11
PK	2.4232G	120.84	Inf	-Inf	29.90	3	Vertical	72	1.77	-	90.94
AV	2.4184G	111.52	Inf	-Inf	29.89	3	Vertical	72	1.77	-	81.63
PK	2.484G	55.44	74.00	-18.56	30.05	3	Vertical	72	1.77	-	25.39
AV	2.4896G	44.92	54.00	-9.08	30.06	3	Vertical	72	1.77	-	14.86

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3852G	61.40	74.00	-12.60	29.84	3	Horizontal	278	1.84	-	31.56
AV	2.3844G	49.97	54.00	-4.03	29.85	3	Horizontal	278	1.84	-	20.12
PK	2.4288G	120.98	Inf	-Inf	29.91	3	Horizontal	278	1.84	-	91.07
AV	2.4272G	110.80	Inf	-Inf	29.90	3	Horizontal	278	1.84	-	80.90
PK	2.4852G	56.98	74.00	-17.02	30.05	3	Horizontal	278	1.84	-	26.93
AV	2.4868G	44.71	54.00	-9.29	30.05	3	Horizontal	278	1.84	-	14.66

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT Y_4TX
 Setting 25
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8527G	48.08	74.00	-25.92	3.05	3	Vertical	260	1.01	-	45.03
AV	4.85078G	37.41	54.00	-16.59	3.04	3	Vertical	260	1.01	-	34.37

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2422MHz_TX




EUT Y_4TX
 Setting 25
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8449G	48.15	74.00	-25.85	3.03	3	Horizontal	41	1.85	-	45.12
AV	4.84532G	37.33	54.00	-16.67	3.04	3	Horizontal	41	1.85	-	34.29

VHT40_Nss3,(MCS0)_4TX

27/08/2019

2437MHz_TX




EUT_Y_4TX
 Setting 26.5
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	59.50	74.00	-14.50	29.84	3	Vertical	66	2.67	-	29.66
AV	2.3898G	49.32	54.00	-4.68	29.84	3	Vertical	66	2.67	-	19.48
PK	2.4406G	121.76	Inf	-Inf	29.94	3	Vertical	66	2.67	-	91.82
AV	2.4318G	112.04	Inf	-Inf	29.92	3	Vertical	66	2.67	-	82.12
PK	2.485G	64.64	74.00	-9.36	30.05	3	Vertical	66	2.67	-	34.59
AV	2.4842G	53.56	54.00	-0.44	30.05	3	Vertical	66	2.67	-	23.51

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 26.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	58.80	74.00	-15.20	29.84	3	Horizontal	281	1.84	-	28.96
AV	2.3898G	48.15	54.00	-5.85	29.84	3	Horizontal	281	1.84	-	18.31
PK	2.4294G	122.70	Inf	-Inf	29.91	3	Horizontal	281	1.84	-	92.79
AV	2.4406G	112.39	Inf	-Inf	29.94	3	Horizontal	281	1.84	-	82.45
PK	2.487G	62.67	74.00	-11.33	30.05	3	Horizontal	281	1.84	-	32.62
AV	2.4842G	50.69	54.00	-3.31	30.05	3	Horizontal	281	1.84	-	20.64

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 26.5
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87448G	49.68	74.00	-24.32	3.12	3	Vertical	278	1.17	-	46.56
AV	4.86164G	38.01	54.00	-15.99	3.07	3	Vertical	278	1.17	-	34.94

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 26.5
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87526G	48.27	74.00	-25.73	3.13	3	Horizontal	330	1.54	-	45.14
AV	4.8728G	38.37	54.00	-15.63	3.12	3	Horizontal	330	1.54	-	35.25

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT_Y_4TX
 Setting 23.5
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3852G	54.82	74.00	-19.18	29.84	3	Vertical	70	1.83	-	24.98
AV	2.3744G	44.00	54.00	-10.00	29.86	3	Vertical	70	1.83	-	14.14
PK	2.4476G	119.55	Inf	-Inf	29.96	3	Vertical	70	1.83	-	89.59
AV	2.4428G	108.52	Inf	-Inf	29.95	3	Vertical	70	1.83	-	78.57
PK	2.4876G	68.83	74.00	-5.17	30.06	3	Vertical	70	1.83	-	38.77
AV	2.4872G	53.61	54.00	-0.39	30.05	3	Vertical	70	1.83	-	23.56

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 23.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3696G	54.57	74.00	-19.43	29.85	3	Horizontal	278	1.87	-	24.72
AV	2.3552G	43.72	54.00	-10.28	29.86	3	Horizontal	278	1.87	-	13.86
PK	2.4444G	118.59	Inf	-Inf	29.95	3	Horizontal	278	1.87	-	88.64
AV	2.4404G	108.53	Inf	-Inf	29.94	3	Horizontal	278	1.87	-	78.59
PK	2.4848G	66.97	74.00	-7.03	30.05	3	Horizontal	278	1.87	-	36.92
AV	2.4844G	53.20	54.00	-0.80	30.05	3	Horizontal	278	1.87	-	23.15

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 23.5
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.89998G	46.55	74.00	-27.45	3.20	3	Vertical	166	1.50	-	43.35
AV	4.90364G	35.82	54.00	-18.18	3.21	3	Vertical	166	1.50	-	32.61

VHT40_Nss3,(MCS0)_4TX

26/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 23.5
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90508G	47.99	74.00	-26.01	3.21	3	Horizontal	326	1.44	-	44.78
AV	4.90514G	36.68	54.00	-17.32	3.21	3	Horizontal	326	1.44	-	33.47

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

2412MHz_TX




EUT Y_4TX
Setting 25.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	69.31	74.00	-4.69	29.84	3	Vertical	76	1.82	-	39.47
AV	2.39G	53.99	54.00	-0.01	29.84	3	Vertical	76	1.82	-	24.15
PK	2.4206G	125.55	Inf	-Inf	29.89	3	Vertical	76	1.82	-	95.66
AV	2.42G	113.70	Inf	-Inf	29.89	3	Vertical	76	1.82	-	83.81

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

2412MHz_TX




EUT Y_4TX
Setting 25.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.91	74.00	-10.09	29.84	3	Horizontal	276	1.88	-	34.07
AV	2.39G	48.31	54.00	-5.69	29.84	3	Horizontal	276	1.88	-	18.47
PK	2.4186G	123.66	Inf	-Inf	29.89	3	Horizontal	276	1.88	-	93.77
AV	2.4158G	113.09	Inf	-Inf	29.88	3	Horizontal	276	1.88	-	83.21

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

2412MHz_TX




EUT Y_4TX
Setting 25.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81848G	51.12	74.00	-22.88	2.95	3	Vertical	259	1.78	-	48.17
AV	4.81854G	40.41	54.00	-13.59	2.95	3	Vertical	259	1.78	-	37.46

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

2412MHz_TX




EUT Y_4TX
Setting 25.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8247G	50.40	74.00	-23.60	2.96	3	Horizontal	59	2.10	-	47.44
AV	4.8248G	39.66	54.00	-14.34	2.96	3	Horizontal	59	2.10	-	36.70

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

2462MHz_TX




EUT Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4626G	123.95	Inf	-Inf	30.00	3	Vertical	57	2.15	-	93.95
AV	2.4604G	113.63	Inf	-Inf	29.99	3	Vertical	57	2.15	-	83.64
PK	2.4838G	66.76	74.00	-7.24	30.05	3	Vertical	57	2.15	-	36.71
AV	2.4838G	53.69	54.00	-0.31	30.05	3	Vertical	57	2.15	-	23.64

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

2462MHz_TX




EUT Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.454G	122.18	Inf	-Inf	29.98	3	Horizontal	282	1.80	-	92.20
AV	2.456G	111.89	Inf	-Inf	29.98	3	Horizontal	282	1.80	-	81.91
PK	2.4856G	66.22	74.00	-7.78	30.05	3	Horizontal	282	1.80	-	36.17
AV	2.4836G	50.89	54.00	-3.11	30.05	3	Horizontal	282	1.80	-	20.84

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

2462MHz_TX




EUT Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.93078G	48.08	74.00	-25.92	3.27	3	Vertical	258	2.29	-	44.81
AV	4.92964G	37.38	54.00	-16.62	3.26	3	Vertical	258	2.29	-	34.12

802.11ax HEW20_Nss3,(MCS0)_4TX

27/08/2019

2462MHz_TX




EUT Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92064G	50.85	74.00	-23.15	3.24	3	Horizontal	327	1.50	-	47.61
AV	4.91854G	39.28	54.00	-14.72	3.24	3	Horizontal	327	1.50	-	36.04

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.76	74.00	-9.24	29.84	3	Vertical	78	1.44	-	34.92
AV	2.39G	53.60	54.00	-0.40	29.84	3	Vertical	78	1.44	-	23.76
PK	2.4268G	121.91	Inf	-Inf	29.90	3	Vertical	78	1.44	-	92.01
AV	2.4156G	110.61	Inf	-Inf	29.88	3	Vertical	78	1.44	-	80.73
PK	2.4864G	55.34	74.00	-18.66	30.05	3	Vertical	78	1.44	-	25.29
AV	2.4835G	44.88	54.00	-9.12	30.05	3	Vertical	78	1.44	-	14.83

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.78	74.00	-10.22	29.84	3	Horizontal	281	2.32	-	33.94
AV	2.39G	49.72	54.00	-4.28	29.84	3	Horizontal	281	2.32	-	19.88
PK	2.4188G	120.89	Inf	-Inf	29.89	3	Horizontal	281	2.32	-	91.00
AV	2.418G	110.21	Inf	-Inf	29.89	3	Horizontal	281	2.32	-	80.32
PK	2.4884G	55.52	74.00	-18.48	30.06	3	Horizontal	281	2.32	-	25.46
AV	2.4888G	44.75	54.00	-9.25	30.06	3	Horizontal	281	2.32	-	14.69

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2422MHz_TX




EUT Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84556G	49.84	74.00	-24.16	3.04	3	Vertical	259	1.39	-	46.80
AV	4.8443G	38.13	54.00	-15.87	3.03	3	Vertical	259	1.39	-	35.10

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2422MHz_TX




EUT Y_4TX
Setting 25
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8458G	48.78	74.00	-25.22	3.04	3	Horizontal	64	1.66	-	45.74
AV	4.84904G	38.55	54.00	-15.45	3.05	3	Horizontal	64	1.66	-	35.50

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	57.97	74.00	-16.03	29.84	3	Vertical	62	1.85	-	28.13
AV	2.3802G	47.40	54.00	-6.60	29.85	3	Vertical	62	1.85	-	17.55
PK	2.4266G	121.46	Inf	-Inf	29.90	3	Vertical	62	1.85	-	91.56
AV	2.4282G	111.20	Inf	-Inf	29.91	3	Vertical	62	1.85	-	81.29
PK	2.4866G	65.23	74.00	-8.77	30.05	3	Vertical	62	1.85	-	35.18
AV	2.4846G	53.65	54.00	-0.35	30.05	3	Vertical	62	1.85	-	23.60

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3826G	56.83	74.00	-17.17	29.85	3	Horizontal	281	1.85	-	26.98
AV	2.3846G	46.62	54.00	-7.38	29.85	3	Horizontal	281	1.85	-	16.77
PK	2.4314G	122.95	Inf	-Inf	29.92	3	Horizontal	281	1.85	-	93.03
AV	2.4326G	111.55	Inf	-Inf	29.93	3	Horizontal	281	1.85	-	81.62
PK	2.4838G	65.75	74.00	-8.25	30.05	3	Horizontal	281	1.85	-	35.70
AV	2.4838G	52.20	54.00	-1.80	30.05	3	Horizontal	281	1.85	-	22.15

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2437MHz_TX




EUT Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8737G	46.84	74.00	-27.16	3.12	3	Vertical	225	1.42	-	43.72
AV	4.87424G	36.20	54.00	-17.80	3.12	3	Vertical	225	1.42	-	33.08

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2437MHz_TX




EUT Y_4TX
Setting 26
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87328G	50.27	74.00	-23.73	3.12	3	Horizontal	335	1.49	-	47.15
AV	4.8755G	38.21	54.00	-15.79	3.13	3	Horizontal	335	1.49	-	35.08

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 22.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3664G	54.47	74.00	-19.53	29.85	3	Vertical	67	2.15	-	24.62
AV	2.3544G	43.89	54.00	-10.11	29.87	3	Vertical	67	2.15	-	14.02
PK	2.4608G	118.73	Inf	-Inf	29.99	3	Vertical	67	2.15	-	88.74
AV	2.4616G	107.69	Inf	-Inf	29.99	3	Vertical	67	2.15	-	77.70
PK	2.4864G	66.37	74.00	-7.63	30.05	3	Vertical	67	2.15	-	36.32
AV	2.4876G	53.90	54.00	-0.10	30.06	3	Vertical	67	2.15	-	23.84

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2452MHz_TX




EUT Y_4TX
Setting 22.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3576G	54.07	74.00	-19.93	29.86	3	Horizontal	284	1.77	-	24.21
AV	2.3728G	44.36	54.00	-9.64	29.86	3	Horizontal	284	1.77	-	14.50
PK	2.4544G	118.01	Inf	-Inf	29.98	3	Horizontal	284	1.77	-	88.03
AV	2.454G	107.21	Inf	-Inf	29.98	3	Horizontal	284	1.77	-	77.23
PK	2.4856G	64.01	74.00	-9.99	30.05	3	Horizontal	284	1.77	-	33.96
AV	2.4844G	50.75	54.00	-3.25	30.05	3	Horizontal	284	1.77	-	20.70

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2452MHz_TX




EUT Y_4TX
Setting 22.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90544G	47.71	74.00	-26.29	3.21	3	Vertical	65	1.66	-	44.50
AV	4.90442G	37.73	54.00	-16.27	3.21	3	Vertical	65	1.66	-	34.52

802.11ax HEW40_Nss3,(MCS0)_4TX

27/08/2019

2452MHz_TX



EUT Y_4TX
Setting 22.5
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90562G	49.00	74.00	-25.00	3.21	3	Horizontal	337	1.21	-	45.79
AV	4.90424G	37.09	54.00	-16.91	3.21	3	Horizontal	337	1.21	-	33.88



<For beamforming mode>

3T1S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_3TX	Pass	AV	2.4835G	53.98	54.00	-0.02	30.05	3	Vertical	60	2.20	-

VHT20-BF_Nss1,(MCS0)_3TX

09/09/2019

2412MHz_TX



EUT_Y_3TX
Setting 108
04-G-2
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.46	74.00	-5.54	29.84	3	Vertical	97	1.13	-	38.62
AV	2.39G	53.78	54.00	-0.22	29.84	3	Vertical	97	1.13	-	23.94
PK	2.4096G	125.62	Inf	-Inf	29.86	3	Vertical	97	1.13	-	95.76
AV	2.4108G	115.43	Inf	-Inf	29.87	3	Vertical	97	1.13	-	85.56
PK	2.4952G	54.38	74.00	-19.62	30.08	3	Vertical	97	1.13	-	24.30
AV	2.4904G	42.44	54.00	-11.56	30.07	3	Vertical	97	1.13	-	12.37



VHT20-BF_Nss1,(MCS0)_3TX

09/09/2019

2412MHz_TX




EUT Y_3TX
Setting 108
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.33	74.00	-9.67	29.84	3	Horizontal	67	1.06	-	34.49
AV	2.39G	49.91	54.00	-4.09	29.84	3	Horizontal	67	1.06	-	20.07
PK	2.4168G	122.48	Inf	-Inf	29.88	3	Horizontal	67	1.06	-	92.60
AV	2.4164G	112.92	Inf	-Inf	29.88	3	Horizontal	67	1.06	-	83.04
PK	2.4884G	54.78	74.00	-19.22	30.06	3	Horizontal	67	1.06	-	24.72
AV	2.4884G	42.22	54.00	-11.78	30.06	3	Horizontal	67	1.06	-	12.16

VHT20-BF_Nss1,(MCS0)_3TX

09/09/2019

2412MHz_TX




EUT Y_3TX
Setting 108
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82876G	49.17	74.00	-24.83	2.98	3	Vertical	63	1.46	-	46.19
AV	4.82088G	34.62	54.00	-19.38	2.95	3	Vertical	63	1.46	-	31.67

VHT20-BF_Nss1,(MCS0)_3TX

09/09/2019

2412MHz_TX




EUT Y_3TX
 Setting 108
 04-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82776G	45.22	74.00	-28.78	2.97	3	Horizontal	49	1.51	-	42.25
AV	4.8266G	31.51	54.00	-22.49	2.97	3	Horizontal	49	1.51	-	28.54

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2417MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	60.03	74.00	-13.97	29.84	3	Vertical	62	2.59	-	30.19
AV	2.3898G	47.77	54.00	-6.23	29.84	3	Vertical	62	2.59	-	17.93
PK	2.4106G	124.82	Inf	-Inf	29.87	3	Vertical	62	2.59	-	94.95
AV	2.4178G	115.80	Inf	-Inf	29.89	3	Vertical	62	2.59	-	85.91
PK	2.4898G	54.56	74.00	-19.44	30.06	3	Vertical	62	2.59	-	24.50
AV	2.485G	42.85	54.00	-11.15	30.05	3	Vertical	62	2.59	-	12.80

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2417MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	56.19	74.00	-17.81	29.84	3	Horizontal	66	1.18	-	26.35
AV	2.3898G	45.04	54.00	-8.96	29.84	3	Horizontal	66	1.18	-	15.20
PK	2.4118G	123.41	Inf	-Inf	29.87	3	Horizontal	66	1.18	-	93.54
AV	2.4102G	114.06	Inf	-Inf	29.87	3	Horizontal	66	1.18	-	84.19
PK	2.497G	54.35	74.00	-19.65	30.08	3	Horizontal	66	1.18	-	24.27
AV	2.4874G	42.49	54.00	-11.51	30.05	3	Horizontal	66	1.18	-	12.44

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3758G	54.56	74.00	-19.44	29.85	3	Vertical	92	1.03	-	24.71
AV	2.3898G	42.68	54.00	-11.32	29.84	3	Vertical	92	1.03	-	12.84
PK	2.4302G	126.10	Inf	-Inf	29.92	3	Vertical	92	1.03	-	96.18
AV	2.4306G	115.53	Inf	-Inf	29.92	3	Vertical	92	1.03	-	85.61
PK	2.491G	54.91	74.00	-19.09	30.07	3	Vertical	92	1.03	-	24.84
AV	2.4854G	42.96	54.00	-11.04	30.05	3	Vertical	92	1.03	-	12.91

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT_Y_3TX
 Setting 110
 04-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3522G	55.10	74.00	-18.90	29.87	3	Horizontal	72	1.28	-	25.23
AV	2.341G	42.07	54.00	-11.93	29.87	3	Horizontal	72	1.28	-	12.20
PK	2.4418G	123.42	Inf	-Inf	29.94	3	Horizontal	72	1.28	-	93.48
AV	2.4418G	113.14	Inf	-Inf	29.94	3	Horizontal	72	1.28	-	83.20
PK	2.4854G	54.55	74.00	-19.45	30.05	3	Horizontal	72	1.28	-	24.50
AV	2.487G	42.56	54.00	-11.44	30.05	3	Horizontal	72	1.28	-	12.51

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87006G	51.28	74.00	-22.72	3.11	3	Vertical	280	1.78	-	48.17
AV	4.87608G	35.09	54.00	-18.91	3.13	3	Vertical	280	1.78	-	31.96

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
 Setting 110
 04-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87126G	45.84	74.00	-28.16	3.11	3	Horizontal	200	2.08	-	42.73
AV	4.87648G	32.03	54.00	-21.97	3.13	3	Horizontal	200	2.08	-	28.90

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2457MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3838G	54.18	74.00	-19.82	29.85	3	Vertical	63	1.89	-	24.33
AV	2.3826G	42.29	54.00	-11.71	29.85	3	Vertical	63	1.89	-	12.44
PK	2.4522G	126.21	Inf	-Inf	29.97	3	Vertical	63	1.89	-	96.24
AV	2.4506G	116.03	Inf	-Inf	29.97	3	Vertical	63	1.89	-	86.06
PK	2.485G	67.16	74.00	-6.84	30.05	3	Vertical	63	1.89	-	37.11
AV	2.4835G	49.43	54.00	-4.57	30.05	3	Vertical	63	1.89	-	19.38

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2457MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3718G	53.75	74.00	-20.25	29.86	3	Horizontal	103	1.49	-	23.89
AV	2.3642G	41.83	54.00	-12.17	29.86	3	Horizontal	103	1.49	-	11.97
PK	2.4486G	120.35	Inf	-Inf	29.96	3	Horizontal	103	1.49	-	90.39
AV	2.4486G	111.28	Inf	-Inf	29.96	3	Horizontal	103	1.49	-	81.32
PK	2.487G	62.59	74.00	-11.41	30.05	3	Horizontal	103	1.49	-	32.54
AV	2.4835G	45.79	54.00	-8.21	30.05	3	Horizontal	103	1.49	-	15.74

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2462MHz_TX




EUT Y_3TX
Setting 105
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3852G	54.40	74.00	-19.60	29.84	3	Vertical	62	1.93	-	24.56
AV	2.3636G	42.22	54.00	-11.78	29.86	3	Vertical	62	1.93	-	12.36
PK	2.4592G	125.29	Inf	-Inf	29.99	3	Vertical	62	1.93	-	95.30
AV	2.4596G	115.18	Inf	-Inf	29.99	3	Vertical	62	1.93	-	85.19
PK	2.4844G	69.25	74.00	-4.75	30.05	3	Vertical	62	1.93	-	39.20
AV	2.4835G	53.94	54.00	-0.06	30.05	3	Vertical	62	1.93	-	23.89

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2462MHz_TX




EUT Y_3TX
Setting 105
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3644G	54.61	74.00	-19.39	29.86	3	Horizontal	90	2.70	-	24.75
AV	2.3824G	41.93	54.00	-12.07	29.85	3	Horizontal	90	2.70	-	12.08
PK	2.468G	122.76	Inf	-Inf	30.01	3	Horizontal	90	2.70	-	92.75
AV	2.4696G	112.93	Inf	-Inf	30.01	3	Horizontal	90	2.70	-	82.92
PK	2.4852G	67.00	74.00	-7.00	30.05	3	Horizontal	90	2.70	-	36.95
AV	2.4835G	49.21	54.00	-4.79	30.05	3	Horizontal	90	2.70	-	19.16

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2462MHz_TX




EUT Y_3TX
 Setting 105
 04-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9241G	48.06	74.00	-25.94	3.25	3	Vertical	36	1.93	-	44.81
AV	4.92012G	34.74	54.00	-19.26	3.24	3	Vertical	36	1.93	-	31.50

VHT20-BF_Nss1,(MCS0)_3TX

31/08/2019

2462MHz_TX




EUT Y_3TX
 Setting 105
 04-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92892G	46.77	74.00	-27.23	3.26	3	Horizontal	8	2.29	-	43.51
AV	4.92864G	33.62	54.00	-20.38	3.26	3	Horizontal	8	2.29	-	30.36

VHT40-BF_Nss1,(MCS0)_3TX

09/09/2019

2422MHz_TX




EUT_Y_3TX
Setting 104
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.90	74.00	-6.10	29.84	3	Vertical	34	2.60	-	38.06
AV	2.39G	53.79	54.00	-0.21	29.84	3	Vertical	34	2.60	-	23.95
PK	2.4172G	121.84	Inf	-Inf	29.88	3	Vertical	34	2.60	-	91.96
AV	2.4156G	113.66	Inf	-Inf	29.88	3	Vertical	34	2.60	-	83.78
PK	2.4856G	60.42	74.00	-13.58	30.05	3	Vertical	34	2.60	-	30.37
AV	2.486G	44.14	54.00	-9.86	30.05	3	Vertical	34	2.60	-	14.09

VHT40-BF_Nss1,(MCS0)_3TX

09/09/2019

2422MHz_TX




EUT Y_3TX
Setting 104
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3812G	64.84	74.00	-9.16	29.85	3	Horizontal	67	1.18	-	34.99
AV	2.3964G	49.81	54.00	-4.19	29.84	3	Horizontal	67	1.18	-	19.97
PK	2.41G	121.12	Inf	-Inf	29.86	3	Horizontal	67	1.18	-	91.26
AV	2.41G	111.24	Inf	-Inf	29.86	3	Horizontal	67	1.18	-	81.38
PK	2.4964G	54.62	74.00	-19.38	30.08	3	Horizontal	67	1.18	-	24.54
AV	2.4856G	42.75	54.00	-11.25	30.05	3	Horizontal	67	1.18	-	12.70

VHT40-BF_Nss1,(MCS0)_3TX

09/09/2019

2422MHz_TX




EUT Y_3TX
 Setting 104
 04-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8426G	48.75	74.00	-25.25	3.03	3	Vertical	168	1.54	-	45.72
AV	4.84876G	34.16	54.00	-19.84	3.05	3	Vertical	168	1.54	-	31.11

VHT40-BF_Nss1,(MCS0)_3TX

09/09/2019

2422MHz_TX




EUT Y_3TX
Setting 104
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8469G	45.75	74.00	-28.25	3.04	3	Horizontal	206	2.83	-	42.71
AV	4.84868G	31.16	54.00	-22.84	3.05	3	Horizontal	206	2.83	-	28.11

VHT40-BF_Nss1,(MCS0)_3TX

09/09/2019

2427MHz_TX




EUT Y_3TX
Setting 104
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3782G	68.10	74.00	-5.90	29.85	3	Vertical	70	2.65	-	38.25
AV	2.3898G	53.69	54.00	-0.31	29.84	3	Vertical	70	2.65	-	23.85
PK	2.435G	123.08	Inf	-Inf	29.93	3	Vertical	70	2.65	-	93.15
AV	2.4346G	112.36	Inf	-Inf	29.93	3	Vertical	70	2.65	-	82.43
PK	2.485G	61.02	74.00	-12.98	30.05	3	Vertical	70	2.65	-	30.97
AV	2.4858G	45.07	54.00	-8.93	30.05	3	Vertical	70	2.65	-	15.02

VHT40-BF_Nss1,(MCS0)_3TX

09/09/2019

2427MHz_TX




EUT Y_3TX
Setting 104
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3794G	66.80	74.00	-7.20	29.85	3	Horizontal	67	1.19	-	36.95
AV	2.383G	50.11	54.00	-3.89	29.85	3	Horizontal	67	1.19	-	20.26
PK	2.4122G	120.99	Inf	-Inf	29.87	3	Horizontal	67	1.19	-	91.12
AV	2.411G	110.61	Inf	-Inf	29.87	3	Horizontal	67	1.19	-	80.74
PK	2.4862G	61.15	74.00	-12.85	30.05	3	Horizontal	67	1.19	-	31.10
AV	2.4862G	43.95	54.00	-10.05	30.05	3	Horizontal	67	1.19	-	13.90

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
Setting 107
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.36	74.00	-11.64	29.84	3	Vertical	68	1.49	-	32.52
AV	2.3898G	48.42	54.00	-5.58	29.84	3	Vertical	68	1.49	-	18.58
PK	2.445G	122.70	Inf	-Inf	29.95	3	Vertical	68	1.49	-	92.75
AV	2.439G	112.15	Inf	-Inf	29.94	3	Vertical	68	1.49	-	82.21
PK	2.4854G	70.21	74.00	-3.79	30.05	3	Vertical	68	1.49	-	40.16
AV	2.485G	53.71	54.00	-0.29	30.05	3	Vertical	68	1.49	-	23.66

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT_Y_3TX
Setting 107
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3782G	54.59	74.00	-19.41	29.85	3	Horizontal	107	1.51	-	24.74
AV	2.3898G	42.72	54.00	-11.28	29.84	3	Horizontal	107	1.51	-	12.88
PK	2.4382G	120.25	Inf	-Inf	29.94	3	Horizontal	107	1.51	-	90.31
AV	2.4386G	111.05	Inf	-Inf	29.94	3	Horizontal	107	1.51	-	81.11
PK	2.487G	61.56	74.00	-12.44	30.05	3	Horizontal	107	1.51	-	31.51
AV	2.4866G	43.80	54.00	-10.20	30.05	3	Horizontal	107	1.51	-	13.75

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
 Setting 107
 04-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8762G	48.44	74.00	-25.56	3.13	3	Vertical	100	2.72	-	45.31
AV	4.87648G	34.35	54.00	-19.65	3.13	3	Vertical	100	2.72	-	31.22

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
 Setting 107
 04-G-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87824G	45.88	74.00	-28.12	3.13	3	Horizontal	331	1.93	-	42.75
AV	4.87526G	31.34	54.00	-22.66	3.13	3	Horizontal	331	1.93	-	28.21

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2447MHz_TX




EUT Y_3TX
Setting 100
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3586G	54.42	74.00	-19.58	29.86	3	Vertical	20	2.27	-	24.56
AV	2.3898G	42.78	54.00	-11.22	29.84	3	Vertical	20	2.27	-	12.94
PK	2.4414G	120.60	Inf	-Inf	29.94	3	Vertical	20	2.27	-	90.66
AV	2.441G	110.72	Inf	-Inf	29.94	3	Vertical	20	2.27	-	80.78
PK	2.4846G	69.39	74.00	-4.61	30.05	3	Vertical	20	2.27	-	39.34
AV	2.4838G	53.87	54.00	-0.13	30.05	3	Vertical	20	2.27	-	23.82

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2447MHz_TX




EUT_Y_3TX
Setting 100
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3586G	53.96	74.00	-20.04	29.86	3	Horizontal	96	2.50	-	24.10
AV	2.375G	42.11	54.00	-11.89	29.85	3	Horizontal	96	2.50	-	12.26
PK	2.4426G	119.14	Inf	-Inf	29.95	3	Horizontal	96	2.50	-	89.19
AV	2.4426G	109.48	Inf	-Inf	29.95	3	Horizontal	96	2.50	-	79.53
PK	2.4866G	67.00	74.00	-7.00	30.05	3	Horizontal	96	2.50	-	36.95
AV	2.4854G	49.02	54.00	-4.98	30.05	3	Horizontal	96	2.50	-	18.97

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2452MHz_TX




EUT Y_3TX
Setting 95
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.384G	54.41	74.00	-19.59	29.85	3	Vertical	68	1.96	-	24.56
AV	2.39G	42.20	54.00	-11.80	29.84	3	Vertical	68	1.96	-	12.36
PK	2.4432G	121.38	Inf	-Inf	29.95	3	Vertical	68	1.96	-	91.43
AV	2.448G	110.98	Inf	-Inf	29.96	3	Vertical	68	1.96	-	81.02
PK	2.486G	70.09	74.00	-3.91	30.05	3	Vertical	68	1.96	-	40.04
AV	2.484G	53.98	54.00	-0.02	30.05	3	Vertical	68	1.96	-	23.93

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2452MHz_TX




EUT_Y_3TX
Setting 95
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	54.52	74.00	-19.48	29.85	3	Horizontal	105	1.50	-	24.67
AV	2.37G	41.86	54.00	-12.14	29.85	3	Horizontal	105	1.50	-	12.01
PK	2.4416G	116.59	Inf	-Inf	29.94	3	Horizontal	105	1.50	-	86.65
AV	2.44G	106.77	Inf	-Inf	29.94	3	Horizontal	105	1.50	-	76.83
PK	2.488G	62.27	74.00	-11.73	30.06	3	Horizontal	105	1.50	-	32.21
AV	2.4864G	44.44	54.00	-9.56	30.05	3	Horizontal	105	1.50	-	14.39

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2452MHz_TX




EUT Y_3TX
Setting 95
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90376G	47.96	74.00	-26.04	3.21	3	Vertical	153	2.48	-	44.75
AV	4.89956G	33.35	54.00	-20.65	3.20	3	Vertical	153	2.48	-	30.15

VHT40-BF_Nss1,(MCS0)_3TX

31/08/2019

2452MHz_TX




EUT Y_3TX
Setting 95
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90884G	45.40	74.00	-28.60	3.22	3	Horizontal	323	1.21	-	42.18
AV	4.899G	31.41	54.00	-22.59	3.20	3	Horizontal	323	1.21	-	28.21

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

09/09/2019

2412MHz_TX




EUT Y_3TX
Setting 103
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.00	74.00	-7.00	29.84	3	Vertical	9	1.89	-	37.16
AV	2.39G	53.61	54.00	-0.39	29.84	3	Vertical	9	1.89	-	23.77
PK	2.4172G	126.02	Inf	-Inf	29.88	3	Vertical	9	1.89	-	96.14
AV	2.414G	114.51	Inf	-Inf	29.88	3	Vertical	9	1.89	-	84.63
PK	2.4888G	54.84	74.00	-19.16	30.06	3	Vertical	9	1.89	-	24.78
AV	2.4844G	42.54	54.00	-11.46	30.05	3	Vertical	9	1.89	-	12.49

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

09/09/2019

2412MHz_TX




EUT_Y_3TX
Setting 103
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.56	74.00	-10.44	29.84	3	Horizontal	66	1.83	-	33.72
AV	2.39G	49.45	54.00	-4.55	29.84	3	Horizontal	66	1.83	-	19.61
PK	2.4152G	124.21	Inf	-Inf	29.88	3	Horizontal	66	1.83	-	94.33
AV	2.4132G	112.14	Inf	-Inf	29.88	3	Horizontal	66	1.83	-	82.26
PK	2.4992G	54.15	74.00	-19.85	30.09	3	Horizontal	66	1.83	-	24.06
AV	2.5G	42.52	54.00	-11.48	30.09	3	Horizontal	66	1.83	-	12.43

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

09/09/2019

2412MHz_TX




EUT Y_3TX
Setting 103
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8272G	46.46	74.00	-27.54	2.97	3	Vertical	279	2.62	-	43.49
AV	4.82624G	33.09	54.00	-20.91	2.97	3	Vertical	279	2.62	-	30.12

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

09/09/2019

2412MHz_TX




EUT Y_3TX
Setting 103
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81938G	45.42	74.00	-28.58	2.95	3	Horizontal	325	1.33	-	42.47
AV	4.82264G	32.07	54.00	-21.93	2.96	3	Horizontal	325	1.33	-	29.11

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2417MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	58.47	74.00	-15.53	29.84	3	Vertical	65	1.84	-	28.63
AV	2.3898G	46.50	54.00	-7.50	29.84	3	Vertical	65	1.84	-	16.66
PK	2.413G	125.00	Inf	-Inf	29.88	3	Vertical	65	1.84	-	95.12
AV	2.4126G	113.09	Inf	-Inf	29.88	3	Vertical	65	1.84	-	83.21
PK	2.4835G	55.25	74.00	-18.75	30.05	3	Vertical	65	1.84	-	25.20
AV	2.485G	42.59	54.00	-11.41	30.05	3	Vertical	65	1.84	-	12.54

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2417MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.20	74.00	-11.80	29.84	3	Horizontal	58	2.14	-	32.36
AV	2.3898G	47.46	54.00	-6.54	29.84	3	Horizontal	58	2.14	-	17.62
PK	2.411G	125.63	Inf	-Inf	29.87	3	Horizontal	58	2.14	-	95.76
AV	2.4138G	113.73	Inf	-Inf	29.88	3	Horizontal	58	2.14	-	83.85
PK	2.4958G	54.78	74.00	-19.22	30.08	3	Horizontal	58	2.14	-	24.70
AV	2.485G	42.58	54.00	-11.42	30.05	3	Horizontal	58	2.14	-	12.53

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3722G	54.64	74.00	-19.36	29.86	3	Vertical	77	1.35	-	24.78
AV	2.3894G	42.98	54.00	-11.02	29.84	3	Vertical	77	1.35	-	13.14
PK	2.4418G	127.71	Inf	-Inf	29.94	3	Vertical	77	1.35	-	97.77
AV	2.4334G	115.12	Inf	-Inf	29.93	3	Vertical	77	1.35	-	85.19
PK	2.4835G	55.33	74.00	-18.67	30.05	3	Vertical	77	1.35	-	25.28
AV	2.4842G	43.70	54.00	-10.30	30.05	3	Vertical	77	1.35	-	13.65

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3734G	54.53	74.00	-19.47	29.86	3	Horizontal	66	1.45	-	24.67
AV	2.383G	42.38	54.00	-11.62	29.85	3	Horizontal	66	1.45	-	12.53
PK	2.4458G	124.42	Inf	-Inf	29.95	3	Horizontal	66	1.45	-	94.47
AV	2.4458G	113.26	Inf	-Inf	29.95	3	Horizontal	66	1.45	-	83.31
PK	2.4858G	55.35	74.00	-18.65	30.05	3	Horizontal	66	1.45	-	25.30
AV	2.4858G	43.25	54.00	-10.75	30.05	3	Horizontal	66	1.45	-	13.20

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87658G	49.17	74.00	-24.83	3.13	3	Vertical	130	2.04	-	46.04
AV	4.87474G	35.54	54.00	-18.46	3.12	3	Vertical	130	2.04	-	32.42

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87494G	49.19	74.00	-24.81	3.12	3	Horizontal	33	2.95	-	46.07
AV	4.87488G	35.51	54.00	-18.49	3.12	3	Horizontal	33	2.95	-	32.39

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2457MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	54.42	74.00	-19.58	29.84	3	Vertical	66	2.41	-	24.58
AV	2.373G	42.55	54.00	-11.45	29.86	3	Vertical	66	2.41	-	12.69
PK	2.4602G	127.50	Inf	-Inf	29.99	3	Vertical	66	2.41	-	97.51
AV	2.4582G	115.43	Inf	-Inf	29.99	3	Vertical	66	2.41	-	85.44
PK	2.4835G	71.36	74.00	-2.64	30.05	3	Vertical	66	2.41	-	41.31
AV	2.4838G	53.07	54.00	-0.93	30.05	3	Vertical	66	2.41	-	23.02

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2457MHz_TX




EUT_Y_3TX
Setting 110
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3754G	54.06	74.00	-19.94	29.85	3	Horizontal	82	1.75	-	24.21
AV	2.3674G	42.10	54.00	-11.90	29.85	3	Horizontal	82	1.75	-	12.25
PK	2.4482G	122.10	Inf	-Inf	29.96	3	Horizontal	82	1.75	-	92.14
AV	2.4658G	112.22	Inf	-Inf	30.00	3	Horizontal	82	1.75	-	82.22
PK	2.4838G	70.38	74.00	-3.62	30.05	3	Horizontal	82	1.75	-	40.33
AV	2.4835G	52.56	54.00	-1.44	30.05	3	Horizontal	82	1.75	-	22.51

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2462MHz_TX




EUT_Y_3TX
Setting 97
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3808G	54.30	74.00	-19.70	29.85	3	Vertical	60	2.20	-	24.45
AV	2.3876G	42.37	54.00	-11.63	29.84	3	Vertical	60	2.20	-	12.53
PK	2.4672G	126.36	Inf	-Inf	30.00	3	Vertical	60	2.20	-	96.36
AV	2.4632G	113.56	Inf	-Inf	30.00	3	Vertical	60	2.20	-	83.56
PK	2.4835G	69.47	74.00	-4.53	30.05	3	Vertical	60	2.20	-	39.42
AV	2.4835G	53.98	54.00	-0.02	30.05	3	Vertical	60	2.20	-	23.93

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2462MHz_TX




EUT_Y_3TX
Setting 97
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3724G	53.61	74.00	-20.39	29.86	3	Horizontal	88	2.75	-	23.75
AV	2.3644G	42.13	54.00	-11.87	29.86	3	Horizontal	88	2.75	-	12.27
PK	2.4668G	123.05	Inf	-Inf	30.00	3	Horizontal	88	2.75	-	93.05
AV	2.4704G	111.98	Inf	-Inf	30.02	3	Horizontal	88	2.75	-	81.96
PK	2.486G	59.24	74.00	-14.76	30.05	3	Horizontal	88	2.75	-	29.19
AV	2.484G	44.57	54.00	-9.43	30.05	3	Horizontal	88	2.75	-	14.52

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2462MHz_TX




EUT Y_3TX
Setting 97
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9218G	46.27	74.00	-27.73	3.24	3	Vertical	216	1.71	-	43.03
AV	4.92614G	32.76	54.00	-21.24	3.25	3	Vertical	216	1.71	-	29.51

802.11ax HEW20-BF_Nss1,(MCS0)_3TX

31/08/2019

2462MHz_TX




EUT Y_3TX
Setting 97
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9279G	46.11	74.00	-27.89	3.26	3	Horizontal	319	1.72	-	42.85
AV	4.9288G	32.76	54.00	-21.24	3.26	3	Horizontal	319	1.72	-	29.50

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2422MHz_TX




EUT_Y_3TX
Setting 101
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.21	74.00	-6.79	29.84	3	Vertical	67	2.36	-	37.37
AV	2.3884G	53.76	54.00	-0.24	29.84	3	Vertical	67	2.36	-	23.92
PK	2.4156G	125.81	Inf	-Inf	29.88	3	Vertical	67	2.36	-	95.93
AV	2.4132G	114.75	Inf	-Inf	29.88	3	Vertical	67	2.36	-	84.87
PK	2.488G	57.13	74.00	-16.87	30.06	3	Vertical	67	2.36	-	27.07
AV	2.4876G	44.01	54.00	-9.99	30.06	3	Vertical	67	2.36	-	13.95

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2422MHz_TX




EUT_Y_3TX
Setting 101
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3748G	63.20	74.00	-10.80	29.86	3	Horizontal	66	1.18	-	33.34
AV	2.3792G	47.11	54.00	-6.89	29.85	3	Horizontal	66	1.18	-	17.26
PK	2.41G	122.57	Inf	-Inf	29.86	3	Horizontal	66	1.18	-	92.71
AV	2.4104G	110.12	Inf	-Inf	29.87	3	Horizontal	66	1.18	-	80.25
PK	2.4868G	54.65	74.00	-19.35	30.05	3	Horizontal	66	1.18	-	24.60
AV	2.4864G	42.42	54.00	-11.58	30.05	3	Horizontal	66	1.18	-	12.37

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2422MHz_TX




EUT Y_3TX
Setting 101
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84798G	47.58	74.00	-26.42	3.04	3	Vertical	181	2.61	-	44.54
AV	4.84896G	33.20	54.00	-20.80	3.05	3	Vertical	181	2.61	-	30.15

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2422MHz_TX




EUT Y_3TX
Setting 101
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8471G	46.00	74.00	-28.00	3.04	3	Horizontal	177	1.19	-	42.96
AV	4.84792G	31.20	54.00	-22.80	3.04	3	Horizontal	177	1.19	-	28.16

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

09/09/2019

2427MHz_TX




EUT_Y_3TX
Setting 103
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3798G	71.00	74.00	-3.00	29.85	3	Vertical	77	1.98	-	41.15
AV	2.3898G	53.84	54.00	-0.16	29.84	3	Vertical	77	1.98	-	24.00
PK	2.4222G	125.14	Inf	-Inf	29.89	3	Vertical	77	1.98	-	95.25
AV	2.4202G	112.87	Inf	-Inf	29.89	3	Vertical	77	1.98	-	82.98
PK	2.4838G	61.65	74.00	-12.35	30.05	3	Vertical	77	1.98	-	31.60
AV	2.4846G	45.54	54.00	-8.46	30.05	3	Vertical	77	1.98	-	15.49

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

09/09/2019

2427MHz_TX




EUT Y_3TX
Setting 103
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3818G	64.97	74.00	-9.03	29.85	3	Horizontal	62	1.16	-	35.12
AV	2.381G	49.87	54.00	-4.13	29.85	3	Horizontal	62	1.16	-	20.02
PK	2.4102G	123.28	Inf	-Inf	29.87	3	Horizontal	62	1.16	-	93.41
AV	2.4098G	110.96	Inf	-Inf	29.86	3	Horizontal	62	1.16	-	81.10
PK	2.4846G	58.35	74.00	-15.65	30.05	3	Horizontal	62	1.16	-	28.30
AV	2.4862G	43.72	54.00	-10.28	30.05	3	Horizontal	62	1.16	-	13.67

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
Setting 105
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3814G	60.36	74.00	-13.64	29.85	3	Vertical	39	1.90	-	30.51
AV	2.3898G	47.47	54.00	-6.53	29.84	3	Vertical	39	1.90	-	17.63
PK	2.4302G	124.95	Inf	-Inf	29.92	3	Vertical	39	1.90	-	95.03
AV	2.4298G	114.78	Inf	-Inf	29.91	3	Vertical	39	1.90	-	84.87
PK	2.4835G	70.13	74.00	-3.87	30.05	3	Vertical	39	1.90	-	40.08
AV	2.485G	53.94	54.00	-0.06	30.05	3	Vertical	39	1.90	-	23.89

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT_Y_3TX
Setting 105
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3762G	54.37	74.00	-19.63	29.85	3	Horizontal	100	1.50	-	24.52
AV	2.3898G	42.26	54.00	-11.74	29.84	3	Horizontal	100	1.50	-	12.42
PK	2.4418G	121.66	Inf	-Inf	29.94	3	Horizontal	100	1.50	-	91.72
AV	2.4422G	109.70	Inf	-Inf	29.94	3	Horizontal	100	1.50	-	79.76
PK	2.4862G	60.28	74.00	-13.72	30.05	3	Horizontal	100	1.50	-	30.23
AV	2.4858G	44.18	54.00	-9.82	30.05	3	Horizontal	100	1.50	-	14.13

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
Setting 105
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87174G	49.14	74.00	-24.86	3.12	3	Vertical	196	1.65	-	46.02
AV	4.87606G	34.37	54.00	-19.63	3.13	3	Vertical	196	1.65	-	31.24

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2437MHz_TX




EUT Y_3TX
Setting 105
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87868G	45.81	74.00	-28.19	3.14	3	Horizontal	42	1.19	-	42.67
AV	4.87604G	31.35	54.00	-22.65	3.13	3	Horizontal	42	1.19	-	28.22

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2447MHz_TX




EUT_Y_3TX
Setting 97
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	54.19	74.00	-19.81	29.84	3	Vertical	40	2.26	-	24.35
AV	2.3898G	42.60	54.00	-11.40	29.84	3	Vertical	40	2.26	-	12.76
PK	2.4406G	122.46	Inf	-Inf	29.94	3	Vertical	40	2.26	-	92.52
AV	2.4398G	109.45	Inf	-Inf	29.94	3	Vertical	40	2.26	-	79.51
PK	2.4866G	69.21	74.00	-4.79	30.05	3	Vertical	40	2.26	-	39.16
AV	2.4862G	53.75	54.00	-0.25	30.05	3	Vertical	40	2.26	-	23.70

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2447MHz_TX




EUT_Y_3TX
Setting 97
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3526G	54.91	74.00	-19.09	29.87	3	Horizontal	68	1.19	-	25.04
AV	2.3754G	42.03	54.00	-11.97	29.85	3	Horizontal	68	1.19	-	12.18
PK	2.443G	121.49	Inf	-Inf	29.95	3	Horizontal	68	1.19	-	91.54
AV	2.4406G	108.31	Inf	-Inf	29.94	3	Horizontal	68	1.19	-	78.37
PK	2.485G	60.17	74.00	-13.83	30.05	3	Horizontal	68	1.19	-	30.12
AV	2.4835G	43.49	54.00	-10.51	30.05	3	Horizontal	68	1.19	-	13.44

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2452MHz_TX




EUT_Y_3TX
Setting 95
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	54.51	74.00	-19.49	29.85	3	Vertical	34	2.20	-	24.66
AV	2.39G	42.66	54.00	-11.34	29.84	3	Vertical	34	2.20	-	12.82
PK	2.4504G	121.23	Inf	-Inf	29.97	3	Vertical	34	2.20	-	91.26
AV	2.4376G	108.87	Inf	-Inf	29.94	3	Vertical	34	2.20	-	78.93
PK	2.4864G	68.79	74.00	-5.21	30.05	3	Vertical	34	2.20	-	38.74
AV	2.4848G	53.71	54.00	-0.29	30.05	3	Vertical	34	2.20	-	23.66

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2452MHz_TX




EUT_Y_3TX
Setting 95
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3668G	54.75	74.00	-19.25	29.85	3	Horizontal	106	2.18	-	24.90
AV	2.3552G	42.12	54.00	-11.88	29.86	3	Horizontal	106	2.18	-	12.26
PK	2.44G	116.88	Inf	-Inf	29.94	3	Horizontal	106	2.18	-	86.94
AV	2.4384G	105.25	Inf	-Inf	29.94	3	Horizontal	106	2.18	-	75.31
PK	2.4884G	66.85	74.00	-7.15	30.06	3	Horizontal	106	2.18	-	36.79
AV	2.4872G	49.50	54.00	-4.50	30.05	3	Horizontal	106	2.18	-	19.45

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2452MHz_TX




EUT Y_3TX
Setting 95
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8995G	46.58	74.00	-27.42	3.20	3	Vertical	13	1.97	-	43.38
AV	4.89908G	32.40	54.00	-21.60	3.20	3	Vertical	13	1.97	-	29.20

802.11ax HEW40-BF_Nss1,(MCS0)_3TX

31/08/2019

2452MHz_TX



EUT Y_3TX
Setting 95
04-G-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90576G	45.67	74.00	-28.33	3.21	3	Horizontal	146	2.19	-	42.46
AV	4.90078G	31.43	54.00	-22.57	3.20	3	Horizontal	146	2.19	-	28.23




3T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss2,(MCS0)_3TX	Pass	AV	2.39G	53.98	54.00	-0.02	29.84	3	Vertical	80	1.51	-

VHT20-BF_Nss2,(MCS0)_3TX

02/09/2019

2412MHz_TX




EUT Y_3TX
Setting 108
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.70	74.00	-6.30	29.84	3	Vertical	72	2.05	-	37.86
AV	2.39G	53.88	54.00	-0.12	29.84	3	Vertical	72	2.05	-	24.04
PK	2.419G	123.78	Inf	-Inf	29.89	3	Vertical	72	2.05	-	93.89
AV	2.418G	113.51	Inf	-Inf	29.89	3	Vertical	72	2.05	-	83.62

VHT20-BF_Nss2,(MCS0)_3TX

02/09/2019

2412MHz_TX




EUT Y_3TX
Setting 108
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.07	74.00	-12.93	29.84	3	Horizontal	74	1.27	-	31.23
AV	2.39G	47.20	54.00	-6.80	29.84	3	Horizontal	74	1.27	-	17.36
PK	2.42G	122.71	Inf	-Inf	29.89	3	Horizontal	74	1.27	-	92.82
AV	2.4186G	111.61	Inf	-Inf	29.89	3	Horizontal	74	1.27	-	81.72

VHT20-BF_Nss2,(MCS0)_3TX

02/09/2019

2412MHz_TX




EUT Y_3TX
 Setting 108
 04-A-3
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8241G	48.19	74.00	-25.81	2.96	3	Vertical	299	1.50	-	45.23
AV	4.8238G	40.23	54.00	-13.77	2.96	3	Vertical	299	1.50	-	37.27

VHT20-BF_Nss2,(MCS0)_3TX

02/09/2019

2412MHz_TX




EUT Y_3TX
 Setting 108
 04-A-3
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8239G	50.24	74.00	-23.76	2.96	3	Horizontal	62	1.66	-	47.28
AV	4.8255G	36.37	54.00	-17.63	2.97	3	Horizontal	62	1.66	-	33.40

VHT20-BF_Nss2,(MCS0)_3TX

02/09/2019

2462MHz_TX




EUT Y_3TX
Setting 110
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.46G	122.10	Inf	-Inf	29.99	3	Vertical	356	1.50	-	92.11
AV	2.4612G	113.56	Inf	-Inf	29.99	3	Vertical	356	1.50	-	83.57
PK	2.484G	68.01	74.00	-5.99	30.05	3	Vertical	356	1.50	-	37.96
AV	2.4838G	51.28	54.00	-2.72	30.05	3	Vertical	356	1.50	-	21.23

VHT20-BF_Nss2,(MCS0)_3TX

02/09/2019

2462MHz_TX




EUT Y_3TX
Setting 110
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4556G	123.64	Inf	-Inf	29.98	3	Horizontal	97	2.69	-	93.66
AV	2.4554G	112.90	Inf	-Inf	29.98	3	Horizontal	97	2.69	-	82.92
PK	2.4864G	62.03	74.00	-11.97	30.05	3	Horizontal	97	2.69	-	31.98
AV	2.484G	45.47	54.00	-8.53	30.05	3	Horizontal	97	2.69	-	15.42

VHT20-BF_Nss2,(MCS0)_3TX

02/09/2019

2462MHz_TX




EUT Y_3TX
 Setting 110
 04-A-3
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9147G	49.49	74.00	-24.51	3.24	3	Vertical	320	1.49	-	46.25
AV	4.9135G	36.24	54.00	-17.76	3.24	3	Vertical	320	1.49	-	33.00

VHT20-BF_Nss2,(MCS0)_3TX

02/09/2019

2462MHz_TX




EUT Y_3TX
 Setting 110
 04-A-3
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9114G	49.24	74.00	-24.76	3.23	3	Horizontal	320	1.38	-	46.01
AV	4.9132G	36.23	54.00	-17.77	3.24	3	Horizontal	320	1.38	-	32.99

802.11ax HEW20-BF_Nss2,(MCS0)_3TX

02/09/2019

2412MHz_TX




EUT Y_3TX
Setting 107
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	69.00	74.00	-5.00	29.84	3	Vertical	80	1.51	-	39.16
AV	2.39G	53.98	54.00	-0.02	29.84	3	Vertical	80	1.51	-	24.14
PK	2.4202G	125.74	Inf	-Inf	29.89	3	Vertical	80	1.51	-	95.85
AV	2.4106G	114.71	Inf	-Inf	29.87	3	Vertical	80	1.51	-	84.84

802.11ax HEW20-BF_Nss2,(MCS0)_3TX

02/09/2019

2412MHz_TX




EUT Y_3TX
Setting 107
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.02	74.00	-7.98	29.84	3	Horizontal	67	1.70	-	36.18
AV	2.39G	49.83	54.00	-4.17	29.84	3	Horizontal	67	1.70	-	19.99
PK	2.408G	122.88	Inf	-Inf	29.86	3	Horizontal	67	1.70	-	93.02
AV	2.4084G	110.08	Inf	-Inf	29.86	3	Horizontal	67	1.70	-	80.22

802.11ax HEW20-BF_Nss2,(MCS0)_3TX

02/09/2019

2412MHz_TX




EUT Y_3TX
Setting 107
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8261G	47.69	74.00	-26.31	2.97	3	Vertical	305	1.50	-	44.72
AV	4.824G	40.46	54.00	-13.54	2.96	3	Vertical	305	1.50	-	37.50

802.11ax HEW20-BF_Nss2,(MCS0)_3TX

02/09/2019

2412MHz_TX




EUT Y_3TX
Setting 107
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83174G	49.37	74.00	-24.63	2.99	3	Horizontal	65	1.50	-	46.38
AV	4.82364G	36.25	54.00	-17.75	2.96	3	Horizontal	65	1.50	-	33.29

802.11ax HEW20-BF_Nss2,(MCS0)_3TX

02/09/2019

2462MHz_TX




EUT_Y_3TX
Setting 108
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3652G	54.07	74.00	-19.93	29.85	3	Vertical	100	2.01	-	24.22
AV	2.3716G	41.92	54.00	-12.08	29.86	3	Vertical	100	2.01	-	12.06
PK	2.4688G	123.30	Inf	-Inf	30.01	3	Vertical	100	2.01	-	93.29
AV	2.4628G	110.49	Inf	-Inf	30.00	3	Vertical	100	2.01	-	80.49
PK	2.4848G	73.36	74.00	-0.64	30.05	3	Vertical	100	2.01	-	43.31
AV	2.4852G	53.44	54.00	-0.56	30.05	3	Vertical	100	2.01	-	23.39

802.11ax HEW20-BF_Nss2,(MCS0)_3TX

02/09/2019

2462MHz_TX




EUT Y_3TX
Setting 108
04-A-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.384G	54.21	74.00	-19.79	29.85	3	Horizontal	95	2.01	-	24.36
AV	2.3724G	42.00	54.00	-12.00	29.86	3	Horizontal	95	2.01	-	12.14
PK	2.4628G	123.20	Inf	-Inf	30.00	3	Horizontal	95	2.01	-	93.20
AV	2.4628G	110.14	Inf	-Inf	30.00	3	Horizontal	95	2.01	-	80.14
PK	2.4856G	73.11	74.00	-0.89	30.05	3	Horizontal	95	2.01	-	43.06
AV	2.4848G	53.65	54.00	-0.35	30.05	3	Horizontal	95	2.01	-	23.60

802.11ax HEW20-BF_Nss2,(MCS0)_3TX

02/09/2019

2462MHz_TX




EUT Y_3TX
 Setting 108
 04-A-3
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92034G	49.52	74.00	-24.48	3.24	3	Vertical	335	1.36	-	46.28
AV	4.9237G	35.83	54.00	-18.17	3.25	3	Vertical	335	1.36	-	32.58

802.11ax HEW20-BF_Nss2,(MCS0)_3TX

02/09/2019

2462MHz_TX



EUT Y_3TX
 Setting 108
 04-A-3
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92046G	49.44	74.00	-24.56	3.24	3	Horizontal	332	1.50	-	46.20
AV	4.92334G	34.91	54.00	-19.09	3.25	3	Horizontal	332	1.50	-	31.66




4T1S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	2.4835G	53.96	54.00	-0.04	30.05	3	Vertical	249	1.53	-

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 106
04-A-3-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.69	74.00	-5.31	29.84	3	Vertical	67	2.25	-	38.85
AV	2.39G	53.78	54.00	-0.22	29.84	3	Vertical	67	2.25	-	23.94
PK	2.413G	127.82	Inf	-Inf	29.88	3	Vertical	67	2.25	-	97.94
AV	2.4132G	117.60	Inf	-Inf	29.88	3	Vertical	67	2.25	-	87.72

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 106
04-A-3-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.01	74.00	-9.99	29.84	3	Horizontal	84	2.40	-	34.17
AV	2.39G	48.77	54.00	-5.23	29.84	3	Horizontal	84	2.40	-	18.93
PK	2.4054G	124.13	Inf	-Inf	29.85	3	Horizontal	84	2.40	-	94.28
AV	2.4052G	113.55	Inf	-Inf	29.85	3	Horizontal	84	2.40	-	83.70

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 106
 04-A-3
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8214G	51.12	74.00	-22.88	2.95	3	Vertical	246	2.13	-	48.17
AV	4.8258G	37.50	54.00	-16.50	2.97	3	Vertical	246	2.13	-	34.53

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 106
 04-A-3
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8264G	51.68	74.00	-22.32	2.97	3	Horizontal	324	1.49	-	48.71
AV	4.8244G	38.15	54.00	-15.85	2.96	3	Horizontal	324	1.49	-	35.19

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2417MHz_TX




EUT_Y_4TX
Setting 110
04-A-3-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	67.53	74.00	-6.47	29.84	3	Vertical	61	1.76	-	37.69
AV	2.39G	52.36	54.00	-1.64	29.84	3	Vertical	61	1.76	-	22.52
PK	2.419G	129.12	Inf	-Inf	29.89	3	Vertical	61	1.76	-	99.23
AV	2.4182G	118.33	Inf	-Inf	29.89	3	Vertical	61	1.76	-	88.44

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2417MHz_TX




EUT_Y_4TX
Setting 110
04-A-3-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3776G	58.63	74.00	-15.37	29.85	3	Horizontal	291	1.50	-	28.78
AV	2.39G	44.25	54.00	-9.75	29.84	3	Horizontal	291	1.50	-	14.41
PK	2.4252G	125.84	Inf	-Inf	29.90	3	Horizontal	291	1.50	-	95.94
AV	2.425G	117.11	Inf	-Inf	29.90	3	Horizontal	291	1.50	-	87.21

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 110
04-A-3-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	57.44	74.00	-16.56	29.84	3	Vertical	100	1.19	-	27.60
AV	2.3898G	44.27	54.00	-9.73	29.84	3	Vertical	100	1.19	-	14.43
PK	2.433G	128.17	Inf	-Inf	29.93	3	Vertical	100	1.19	-	98.24
AV	2.433G	117.53	Inf	-Inf	29.93	3	Vertical	100	1.19	-	87.60
PK	2.4942G	57.38	74.00	-16.62	30.08	3	Vertical	100	1.19	-	27.30
AV	2.485G	44.60	54.00	-9.40	30.05	3	Vertical	100	1.19	-	14.55

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 110
04-A-3-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3854G	56.20	74.00	-17.80	29.84	3	Horizontal	90	2.53	-	26.36
AV	2.3898G	43.44	54.00	-10.56	29.84	3	Horizontal	90	2.53	-	13.60
PK	2.4418G	123.58	Inf	-Inf	29.94	3	Horizontal	90	2.53	-	93.64
AV	2.4286G	113.44	Inf	-Inf	29.91	3	Horizontal	90	2.53	-	83.53
PK	2.485G	56.75	74.00	-17.25	30.05	3	Horizontal	90	2.53	-	26.70
AV	2.4858G	43.80	54.00	-10.20	30.05	3	Horizontal	90	2.53	-	13.75

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 110
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8764G	50.61	74.00	-23.39	3.13	3	Vertical	247	2.54	-	47.48
AV	4.87454G	36.33	54.00	-17.67	3.12	3	Vertical	247	2.54	-	33.21
PK	7.3008G	51.56	74.00	-22.44	8.48	3	Vertical	144	1.50	-	43.08
AV	7.30512G	37.21	54.00	-16.79	8.48	3	Vertical	144	1.50	-	28.73

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 110
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87358G	53.71	74.00	-20.29	3.12	3	Horizontal	330	1.62	-	50.59
AV	4.87448G	39.53	54.00	-14.47	3.12	3	Horizontal	330	1.62	-	36.41
PK	7.29696G	50.62	74.00	-23.38	8.47	3	Horizontal	214	1.50	-	42.15
AV	7.311G	36.35	54.00	-17.65	8.49	3	Horizontal	214	1.50	-	27.86

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2457MHz_TX




EUT Y_4TX
Setting 110
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4532G	127.87	Inf	-Inf	29.98	3	Vertical	64	2.17	-	97.89
AV	2.4492G	117.31	Inf	-Inf	29.96	3	Vertical	64	2.17	-	87.35
PK	2.4835G	69.28	74.00	-4.72	30.05	3	Vertical	64	2.17	-	39.23
AV	2.4835G	49.59	54.00	-4.41	30.05	3	Vertical	64	2.17	-	19.54

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2457MHz_TX




EUT_Y_4TX
Setting 110
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4598G	122.61	Inf	-Inf	29.99	3	Horizontal	147	1.45	-	92.62
AV	2.4616G	112.60	Inf	-Inf	29.99	3	Horizontal	147	1.45	-	82.61
PK	2.4854G	62.06	74.00	-11.94	30.05	3	Horizontal	147	1.45	-	32.01
AV	2.4854G	45.42	54.00	-8.58	30.05	3	Horizontal	147	1.45	-	15.37

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
Setting 102
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4642G	126.39	Inf	-Inf	30.00	3	Vertical	60	2.19	-	96.39
AV	2.465G	116.19	Inf	-Inf	30.00	3	Vertical	60	2.19	-	86.19
PK	2.4835G	70.88	74.00	-3.12	30.05	3	Vertical	60	2.19	-	40.83
AV	2.4835G	53.92	54.00	-0.08	30.05	3	Vertical	60	2.19	-	23.87

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
Setting 102
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.464G	121.67	Inf	-Inf	30.00	3	Horizontal	277	1.92	-	91.67
AV	2.4634G	111.17	Inf	-Inf	30.00	3	Horizontal	277	1.92	-	81.17
PK	2.484G	67.92	74.00	-6.08	30.05	3	Horizontal	277	1.92	-	37.87
AV	2.4838G	49.18	54.00	-4.82	30.05	3	Horizontal	277	1.92	-	19.13

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 102
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92528G	46.73	74.00	-27.27	3.25	3	Vertical	146	1.49	-	43.48
AV	4.9236G	33.00	54.00	-21.00	3.25	3	Vertical	146	1.49	-	29.75

VHT20-BF_Nss1,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 102
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92394G	49.39	74.00	-24.61	3.25	3	Horizontal	329	1.46	-	46.14
AV	4.92358G	35.89	54.00	-18.11	3.25	3	Horizontal	329	1.46	-	32.64

VHT40-BF_Nss1,(MCS0)_4TX

09/09/2019

2422MHz_TX



EUT_Y_4TX
Setting 97
04-B-4
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.81	74.00	-1.19	29.84	3	Vertical	106	1.72	-	42.97
AV	2.39G	53.88	54.00	-0.12	29.84	3	Vertical	106	1.72	-	24.04
PK	2.4176G	124.23	Inf	-Inf	29.89	3	Vertical	106	1.72	-	94.34
AV	2.4192G	113.59	Inf	-Inf	29.89	3	Vertical	106	1.72	-	83.70
PK	2.4856G	57.15	74.00	-16.85	30.05	3	Vertical	106	1.72	-	27.10
AV	2.4844G	43.52	54.00	-10.48	30.05	3	Vertical	106	1.72	-	13.47



VHT40-BF_Nss1,(MCS0)_4TX

09/09/2019

2422MHz_TX




EUT_Y_4TX
 Setting 97
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	62.92	74.00	-11.08	29.85	3	Horizontal	276	1.50	-	33.07
AV	2.39G	48.04	54.00	-5.96	29.84	3	Horizontal	276	1.50	-	18.20
PK	2.416G	122.34	Inf	-Inf	29.88	3	Horizontal	276	1.50	-	92.46
AV	2.4164G	112.25	Inf	-Inf	29.88	3	Horizontal	276	1.50	-	82.37
PK	2.4844G	54.13	74.00	-19.87	30.05	3	Horizontal	276	1.50	-	24.08
AV	2.4864G	42.14	54.00	-11.86	30.05	3	Horizontal	276	1.50	-	12.09

VHT40-BF_Nss1,(MCS0)_4TX

09/09/2019

2422MHz_TX




EUT Y_4TX
 Setting 97
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84416G	46.11	74.00	-27.89	3.03	3	Vertical	314	2.12	-	43.08
AV	4.84408G	37.71	54.00	-16.29	3.03	3	Vertical	314	2.12	-	34.68

VHT40-BF_Nss1,(MCS0)_4TX

09/09/2019

2422MHz_TX




EUT Y_4TX
 Setting 97
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.85064G	50.36	74.00	-23.64	3.04	3	Horizontal	72	1.46	-	47.32
AV	4.84968G	37.14	54.00	-16.86	3.05	3	Horizontal	72	1.46	-	34.09

VHT40-BF_Nss1,(MCS0)_4TX

09/09/2019

2427MHz_TX




EUT_Y_4TX
Setting 104
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	71.55	74.00	-2.45	29.84	3	Vertical	69	1.69	-	41.71
AV	2.3898G	53.79	54.00	-0.21	29.84	3	Vertical	69	1.69	-	23.95
PK	2.4186G	125.49	Inf	-Inf	29.89	3	Vertical	69	1.69	-	95.60
AV	2.4202G	115.07	Inf	-Inf	29.89	3	Vertical	69	1.69	-	85.18
PK	2.4835G	62.48	74.00	-11.52	30.05	3	Vertical	69	1.69	-	32.43
AV	2.4835G	44.99	54.00	-9.01	30.05	3	Vertical	69	1.69	-	14.94

VHT40-BF_Nss1,(MCS0)_4TX

09/09/2019

2427MHz_TX




EUT_Y_4TX
Setting 104
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.79	74.00	-10.21	29.84	3	Horizontal	274	1.51	-	33.95
AV	2.3898G	49.05	54.00	-4.95	29.84	3	Horizontal	274	1.51	-	19.21
PK	2.415G	122.02	Inf	-Inf	29.88	3	Horizontal	274	1.51	-	92.14
AV	2.4162G	111.81	Inf	-Inf	29.88	3	Horizontal	274	1.51	-	81.93
PK	2.4866G	58.31	74.00	-15.69	30.05	3	Horizontal	274	1.51	-	28.26
AV	2.487G	42.34	54.00	-11.66	30.05	3	Horizontal	274	1.51	-	12.29

VHT40-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	60.87	74.00	-13.13	29.84	3	Vertical	65	2.75	-	31.03
AV	2.3898G	48.07	54.00	-5.93	29.84	3	Vertical	65	2.75	-	18.23
PK	2.4418G	124.52	Inf	-Inf	29.94	3	Vertical	65	2.75	-	94.58
AV	2.4402G	113.98	Inf	-Inf	29.94	3	Vertical	65	2.75	-	84.04
PK	2.4846G	70.83	74.00	-3.17	30.05	3	Vertical	65	2.75	-	40.78
AV	2.4838G	53.77	54.00	-0.23	30.05	3	Vertical	65	2.75	-	23.72

VHT40-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 105
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	56.81	74.00	-17.19	29.84	3	Horizontal	271	1.50	-	26.97
AV	2.3898G	42.56	54.00	-11.44	29.84	3	Horizontal	271	1.50	-	12.72
PK	2.4258G	119.25	Inf	-Inf	29.90	3	Horizontal	271	1.50	-	89.35
AV	2.419G	109.90	Inf	-Inf	29.89	3	Horizontal	271	1.50	-	80.01
PK	2.4866G	63.00	74.00	-11.00	30.05	3	Horizontal	271	1.50	-	32.95
AV	2.4835G	47.03	54.00	-6.97	30.05	3	Horizontal	271	1.50	-	16.98

VHT40-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 105
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.874G	46.55	74.00	-27.45	3.12	3	Vertical	317	1.50	-	43.43
AV	4.874G	32.08	54.00	-21.92	3.12	3	Vertical	317	1.50	-	28.96

VHT40-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 105
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87416G	49.78	74.00	-24.22	3.12	3	Horizontal	326	1.28	-	46.66
AV	4.8744G	35.14	54.00	-18.86	3.12	3	Horizontal	326	1.28	-	32.02

VHT40-BF_Nss1,(MCS0)_4TX

15/10/2019

2447MHz_TX




EUT Y_4TX
 Setting 94
 06-B-4
 FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3482G	56.32	74.00	-17.68	31.09	3	Vertical	253	1.52	-	25.23
AV	2.353G	43.93	54.00	-10.07	31.08	3	Vertical	253	1.52	-	12.85
PK	2.4422G	121.45	Inf	-Inf	30.87	3	Vertical	253	1.52	-	90.58
AV	2.4446G	109.74	Inf	-Inf	30.87	3	Vertical	253	1.52	-	78.87
PK	2.485G	67.45	74.00	-6.55	30.78	3	Vertical	253	1.52	-	36.67
AV	2.4866G	50.95	54.00	-3.05	30.77	3	Vertical	253	1.52	-	20.18

VHT40-BF_Nss1,(MCS0)_4TX

15/10/2019

2447MHz_TX




EUT_Y_4TX
Setting 94
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.379G	60.31	74.00	-13.69	30.76	3	Horizontal	272	2.10	-	29.55
AV	2.3878G	45.35	54.00	-8.65	30.79	3	Horizontal	272	2.10	-	14.56
PK	2.445G	119.46	Inf	-Inf	30.91	3	Horizontal	272	2.10	-	88.55
AV	2.4506G	109.85	Inf	-Inf	30.92	3	Horizontal	272	2.10	-	78.93
PK	2.4835G	66.26	74.00	-7.74	30.96	3	Horizontal	272	2.10	-	35.30
AV	2.4835G	47.54	54.00	-6.46	30.96	3	Horizontal	272	2.10	-	16.58

VHT40-BF_Nss1,(MCS0)_4TX

15/10/2019

2452MHz_TX




EUT_Y_4TX
Setting 94
06-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3808G	56.10	74.00	-17.90	31.02	3	Vertical	251	1.76	-	25.08
AV	2.3564G	43.88	54.00	-10.12	31.07	3	Vertical	251	1.76	-	12.81
PK	2.4472G	121.82	Inf	-Inf	30.86	3	Vertical	251	1.76	-	90.96
AV	2.4464G	110.48	Inf	-Inf	30.86	3	Vertical	251	1.76	-	79.62
PK	2.484G	70.68	74.00	-3.32	30.78	3	Vertical	251	1.76	-	39.90
AV	2.4872G	53.93	54.00	-0.07	30.77	3	Vertical	251	1.76	-	23.16

VHT40-BF_Nss1,(MCS0)_4TX

15/10/2019

2452MHz_TX




EUT_Y_4TX
Setting 94
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3832G	60.88	74.00	-13.12	30.78	3	Horizontal	276	2.08	-	30.10
AV	2.3828G	43.75	54.00	-10.25	30.78	3	Horizontal	276	2.08	-	12.97
PK	2.45G	120.04	Inf	-Inf	30.92	3	Horizontal	276	2.08	-	89.12
AV	2.45G	109.89	Inf	-Inf	30.92	3	Horizontal	276	2.08	-	78.97
PK	2.4872G	71.16	74.00	-2.84	30.97	3	Horizontal	276	2.08	-	40.19
AV	2.4872G	51.13	54.00	-2.87	30.97	3	Horizontal	276	2.08	-	20.16

VHT40-BF_Nss1,(MCS0)_4TX

15/10/2019

2452MHz_TX




EUT Y_4TX
Setting 94
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9036G	46.89	74.00	-27.11	3.94	3	Vertical	249	1.02	-	42.95
AV	4.905G	32.99	54.00	-21.01	3.95	3	Vertical	249	1.02	-	29.04

VHT40-BF_Nss1,(MCS0)_4TX

15/10/2019

2452MHz_TX




EUT Y_4TX
 Setting 94
 01-P-2
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.926G	48.04	74.00	-25.96	4.05	3	Horizontal	332	1.07	-	43.99
AV	4.924G	34.83	54.00	-19.17	4.04	3	Horizontal	332	1.07	-	30.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 101
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.79	74.00	-3.21	29.84	3	Vertical	67	1.77	-	40.95
AV	2.39G	53.81	54.00	-0.19	29.84	3	Vertical	67	1.77	-	23.97
PK	2.416G	129.26	Inf	-Inf	29.88	3	Vertical	67	1.77	-	99.38
AV	2.4166G	116.76	Inf	-Inf	29.88	3	Vertical	67	1.77	-	86.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 101
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	58.09	74.00	-15.91	29.84	3	Horizontal	287	1.41	-	28.25
AV	2.39G	46.03	54.00	-7.97	29.84	3	Horizontal	287	1.41	-	16.19
PK	2.416G	124.40	Inf	-Inf	29.88	3	Horizontal	287	1.41	-	94.52
AV	2.4182G	112.13	Inf	-Inf	29.89	3	Horizontal	287	1.41	-	82.24

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 101
 04-B-4
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82395G	46.90	74.00	-27.10	2.96	3	Vertical	329	2.08	-	43.94
AV	4.82394G	40.46	54.00	-13.54	2.96	3	Vertical	329	2.08	-	37.50

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 101
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83666G	51.19	74.00	-22.81	3.00	3	Horizontal	34	1.60	-	48.19
AV	4.83594G	37.79	54.00	-16.21	3.00	3	Horizontal	34	1.60	-	34.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/09/2019

2417MHz_TX




EUT Y_4TX
Setting 107
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.01	74.00	-2.99	29.84	3	Vertical	66	1.76	-	41.17
AV	2.39G	53.76	54.00	-0.24	29.84	3	Vertical	66	1.76	-	23.92
PK	2.421G	131.04	Inf	-Inf	29.89	3	Vertical	66	1.76	-	101.15
AV	2.4194G	118.47	Inf	-Inf	29.89	3	Vertical	66	1.76	-	88.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

13/09/2019

2417MHz_TX




EUT Y_4TX
Setting 107
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	59.02	74.00	-14.98	29.84	3	Horizontal	260	1.48	-	29.18
AV	2.39G	45.24	54.00	-8.76	29.84	3	Horizontal	260	1.48	-	15.40
PK	2.4262G	124.88	Inf	-Inf	29.90	3	Horizontal	260	1.48	-	94.98
AV	2.4246G	113.29	Inf	-Inf	29.90	3	Horizontal	260	1.48	-	83.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
Setting 110
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3618G	58.41	74.00	-15.59	29.86	3	Vertical	66	1.39	-	28.55
AV	2.3898G	45.56	54.00	-8.44	29.84	3	Vertical	66	1.39	-	15.72
PK	2.4282G	129.60	Inf	-Inf	29.91	3	Vertical	66	1.39	-	99.69
AV	2.4286G	118.02	Inf	-Inf	29.91	3	Vertical	66	1.39	-	88.11
PK	2.4835G	58.26	74.00	-15.74	30.05	3	Vertical	66	1.39	-	28.21
AV	2.4835G	46.09	54.00	-7.91	30.05	3	Vertical	66	1.39	-	16.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 110
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3566G	57.33	74.00	-16.67	29.86	3	Horizontal	282	2.31	-	27.47
AV	2.383G	44.96	54.00	-9.04	29.85	3	Horizontal	282	2.31	-	15.11
PK	2.4334G	126.94	Inf	-Inf	29.93	3	Horizontal	282	2.31	-	97.01
AV	2.4342G	114.64	Inf	-Inf	29.93	3	Horizontal	282	2.31	-	84.71
PK	2.4958G	57.89	74.00	-16.11	30.08	3	Horizontal	282	2.31	-	27.81
AV	2.4835G	45.42	54.00	-8.58	30.05	3	Horizontal	282	2.31	-	15.37

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
Setting 110
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86464G	51.90	74.00	-22.10	3.09	3	Vertical	285	1.28	-	48.81
AV	4.86824G	37.80	54.00	-16.20	3.10	3	Vertical	285	1.28	-	34.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
Setting 110
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86944G	48.59	74.00	-25.41	3.11	3	Horizontal	285	1.50	-	45.48
AV	4.86902G	35.89	54.00	-18.11	3.11	3	Horizontal	285	1.50	-	32.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2457MHz_TX




EUT_Y_4TX
Setting 109
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4624G	129.49	Inf	-Inf	29.99	3	Vertical	60	1.47	-	99.50
AV	2.4636G	117.09	Inf	-Inf	30.00	3	Vertical	60	1.47	-	87.09
PK	2.48351G	71.76	74.00	-2.24	30.05	3	Vertical	60	1.47	-	41.71
AV	2.48351G	53.78	54.00	-0.22	30.05	3	Vertical	60	1.47	-	23.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

29/08/2019

2457MHz_TX




EUT Y_4TX
Setting 109
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.464G	126.84	Inf	-Inf	30.00	3	Horizontal	87	2.21	-	96.84
AV	2.464G	115.22	Inf	-Inf	30.00	3	Horizontal	87	2.21	-	85.22
PK	2.4838G	62.36	74.00	-11.64	30.05	3	Horizontal	87	2.21	-	32.31
AV	2.4852G	47.82	54.00	-6.18	30.05	3	Horizontal	87	2.21	-	17.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

09/09/2019

2462MHz_TX




EUT Y_4TX
Setting 97
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.466G	127.90	Inf	-Inf	30.00	3	Vertical	249	1.53	-	97.90
AV	2.4664G	115.65	Inf	-Inf	30.00	3	Vertical	249	1.53	-	85.65
PK	2.4835G	69.18	74.00	-4.82	30.05	3	Vertical	249	1.53	-	39.13
AV	2.4835G	53.96	54.00	-0.04	30.05	3	Vertical	249	1.53	-	23.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

09/09/2019

2462MHz_TX




EUT Y_4TX
Setting 97
04-B-4-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4568G	125.28	Inf	-Inf	29.98	3	Horizontal	117	2.43	-	95.30
AV	2.4576G	113.91	Inf	-Inf	29.99	3	Horizontal	117	2.43	-	83.92
PK	2.4864G	70.36	74.00	-3.64	30.05	3	Horizontal	117	2.43	-	40.31
AV	2.4852G	51.04	54.00	-2.96	30.05	3	Horizontal	117	2.43	-	20.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

09/09/2019

2462MHz_TX




EUT Y_4TX
Setting 97
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.93306G	49.27	74.00	-24.73	3.28	3	Vertical	278	1.15	-	45.99
AV	4.93102G	35.30	54.00	-18.70	3.27	3	Vertical	278	1.15	-	32.03

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

09/09/2019

2462MHz_TX




EUT Y_4TX
Setting 97
04-B-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92376G	49.10	74.00	-24.90	3.25	3	Horizontal	326	1.56	-	45.85
AV	4.92436G	35.72	54.00	-18.28	3.25	3	Horizontal	326	1.56	-	32.47

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

09/09/2019

2422MHz_TX




EUT_Y_4TX
Setting 92
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3796G	68.89	74.00	-5.11	29.85	3	Vertical	84	2.31	-	39.04
AV	2.3836G	53.78	54.00	-0.22	29.85	3	Vertical	84	2.31	-	23.93
PK	2.428G	124.50	Inf	-Inf	29.91	3	Vertical	84	2.31	-	94.59
AV	2.4128G	114.40	Inf	-Inf	29.88	3	Vertical	84	2.31	-	84.52
PK	2.486G	56.50	74.00	-17.50	30.05	3	Vertical	84	2.31	-	26.45
AV	2.4856G	43.39	54.00	-10.61	30.05	3	Vertical	84	2.31	-	13.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

09/09/2019

2422MHz_TX




EUT_Y_4TX
Setting 92
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3852G	66.15	74.00	-7.85	29.84	3	Horizontal	278	1.50	-	36.31
AV	2.3808G	44.17	54.00	-9.83	29.85	3	Horizontal	278	1.50	-	14.32
PK	2.4284G	123.48	Inf	-Inf	29.91	3	Horizontal	278	1.50	-	93.57
AV	2.4364G	110.52	Inf	-Inf	29.93	3	Horizontal	278	1.50	-	80.59
PK	2.4868G	57.16	74.00	-16.84	30.05	3	Horizontal	278	1.50	-	27.11
AV	2.4868G	43.02	54.00	-10.98	30.05	3	Horizontal	278	1.50	-	12.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

09/09/2019

2422MHz_TX




EUT Y_4TX
 Setting 92
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8242G	47.32	74.00	-26.68	2.96	3	Vertical	328	1.83	-	44.36
AV	4.8236G	38.26	54.00	-15.74	2.96	3	Vertical	328	1.83	-	35.30

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

09/09/2019

2422MHz_TX




EUT Y_4TX
Setting 92
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8442G	49.13	74.00	-24.87	3.03	3	Horizontal	341	1.50	-	46.10
AV	4.8466G	34.97	54.00	-19.03	3.04	3	Horizontal	341	1.50	-	31.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

09/09/2019

2427MHz_TX




EUT_Y_4TX
Setting 99
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.383G	68.96	74.00	-5.04	29.85	3	Vertical	114	1.69	-	39.11
AV	2.3882G	53.80	54.00	-0.20	29.84	3	Vertical	114	1.69	-	23.96
PK	2.425G	126.49	Inf	-Inf	29.90	3	Vertical	114	1.69	-	96.59
AV	2.421G	113.96	Inf	-Inf	29.89	3	Vertical	114	1.69	-	84.07
PK	2.4838G	62.55	74.00	-11.45	30.05	3	Vertical	114	1.69	-	32.50
AV	2.4836G	45.68	54.00	-8.32	30.05	3	Vertical	114	1.69	-	15.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

09/09/2019

2427MHz_TX




EUT_Y_4TX
Setting 99
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3834G	60.80	74.00	-13.20	29.85	3	Horizontal	292	1.50	-	30.95
AV	2.3898G	43.49	54.00	-10.51	29.84	3	Horizontal	292	1.50	-	13.65
PK	2.4394G	122.88	Inf	-Inf	29.94	3	Horizontal	292	1.50	-	92.94
AV	2.4402G	111.30	Inf	-Inf	29.94	3	Horizontal	292	1.50	-	81.36
PK	2.4846G	58.33	74.00	-15.67	30.05	3	Horizontal	292	1.50	-	28.28
AV	2.485G	43.76	54.00	-10.24	30.05	3	Horizontal	292	1.50	-	13.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 104
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	59.09	74.00	-14.91	29.84	3	Vertical	12	1.87	-	29.25
AV	2.3898G	46.52	54.00	-7.48	29.84	3	Vertical	12	1.87	-	16.68
PK	2.4298G	125.07	Inf	-Inf	29.91	3	Vertical	12	1.87	-	95.16
AV	2.425G	114.85	Inf	-Inf	29.90	3	Vertical	12	1.87	-	84.95
PK	2.4838G	70.63	74.00	-3.37	30.05	3	Vertical	12	1.87	-	40.58
AV	2.4846G	52.77	54.00	-1.23	30.05	3	Vertical	12	1.87	-	22.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 104
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3706G	56.35	74.00	-17.65	29.86	3	Horizontal	276	1.89	-	26.49
AV	2.3898G	43.09	54.00	-10.91	29.84	3	Horizontal	276	1.89	-	13.25
PK	2.451G	123.81	Inf	-Inf	29.97	3	Horizontal	276	1.89	-	93.84
AV	2.4514G	111.30	Inf	-Inf	29.97	3	Horizontal	276	1.89	-	81.33
PK	2.4838G	72.91	74.00	-1.09	30.05	3	Horizontal	276	1.89	-	42.86
AV	2.4836G	53.82	54.00	-0.18	30.05	3	Horizontal	276	1.89	-	23.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
Setting 104
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8662G	46.19	74.00	-27.81	3.10	3	Vertical	0	1.62	-	43.09
AV	4.8788G	32.53	54.00	-21.47	3.14	3	Vertical	0	1.62	-	29.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
Setting 104
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.874G	50.30	74.00	-23.70	3.12	3	Horizontal	333	1.88	-	47.18
AV	4.8742G	35.93	54.00	-18.07	3.12	3	Horizontal	333	1.88	-	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

2447MHz_TX




EUT_Y_4TX
Setting 94
06-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.365G	56.13	74.00	-17.87	31.06	3	Vertical	262	1.56	-	25.07
AV	2.3698G	44.07	54.00	-9.93	31.04	3	Vertical	262	1.56	-	13.03
PK	2.4354G	122.87	Inf	-Inf	30.88	3	Vertical	262	1.56	-	91.99
AV	2.4534G	109.74	Inf	-Inf	30.85	3	Vertical	262	1.56	-	78.89
PK	2.4862G	68.28	74.00	-5.72	30.77	3	Vertical	262	1.56	-	37.51
AV	2.4862G	52.63	54.00	-1.37	30.77	3	Vertical	262	1.56	-	21.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

2447MHz_TX




EUT_Y_4TX
Setting 94
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3826G	60.41	74.00	-13.59	30.78	3	Horizontal	276	2.07	-	29.63
AV	2.3894G	45.01	54.00	-8.99	30.80	3	Horizontal	276	2.07	-	14.21
PK	2.449G	122.60	Inf	-Inf	30.91	3	Horizontal	276	2.07	-	91.69
AV	2.451G	109.26	Inf	-Inf	30.92	3	Horizontal	276	2.07	-	78.34
PK	2.4898G	66.90	74.00	-7.10	30.97	3	Horizontal	276	2.07	-	35.93
AV	2.4898G	46.55	54.00	-7.45	30.97	3	Horizontal	276	2.07	-	15.58

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

2452MHz_TX




EUT_Y_4TX
Setting 93
06-B-4
FSP(100080)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.354G	56.03	74.00	-17.97	31.08	3	Vertical	255	1.78	-	24.95
AV	2.3816G	43.95	54.00	-10.05	31.02	3	Vertical	255	1.78	-	12.93
PK	2.45G	122.67	Inf	-Inf	30.86	3	Vertical	255	1.78	-	91.81
AV	2.4464G	109.65	Inf	-Inf	30.86	3	Vertical	255	1.78	-	78.79
PK	2.4856G	68.60	74.00	-5.40	30.77	3	Vertical	255	1.78	-	37.83
AV	2.4872G	53.27	54.00	-0.73	30.77	3	Vertical	255	1.78	-	22.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

2452MHz_TX




EUT_Y_4TX
Setting 93
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	61.42	74.00	-12.58	30.79	3	Horizontal	278	2.07	-	30.63
AV	2.3872G	45.14	54.00	-8.86	30.79	3	Horizontal	278	2.07	-	14.35
PK	2.4488G	122.29	Inf	-Inf	30.91	3	Horizontal	278	2.07	-	91.38
AV	2.4484G	109.62	Inf	-Inf	30.91	3	Horizontal	278	2.07	-	78.71
PK	2.488G	68.04	74.00	-5.96	30.97	3	Horizontal	278	2.07	-	37.07
AV	2.4852G	48.71	54.00	-5.29	30.97	3	Horizontal	278	2.07	-	17.74

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

2452MHz_TX




EUT Y_4TX
Setting 93
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.871G	46.63	74.00	-27.37	3.80	3	Vertical	285	1.01	-	42.83
AV	4.9172G	32.78	54.00	-21.22	4.01	3	Vertical	285	1.01	-	28.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

2452MHz_TX



EUT Y_4TX
Setting 93
01-P-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9286G	47.82	74.00	-26.18	4.06	3	Horizontal	332	1.02	-	43.76
AV	4.9284G	34.61	54.00	-19.39	4.06	3	Horizontal	332	1.02	-	30.55




4T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
VHT40-BF_Nss2,(MCS0)_4TX	Pass	AV	2.39G	53.93	54.00	-0.07	29.84	3	Vertical	89	1.95	-

VHT20-BF_Nss2,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 107
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.86	74.00	-6.14	29.84	3	Vertical	71	2.31	-	38.02
AV	2.39G	53.86	54.00	-0.14	29.84	3	Vertical	71	2.31	-	24.02
PK	2.4164G	124.77	Inf	-Inf	29.88	3	Vertical	71	2.31	-	94.89
AV	2.41G	114.51	Inf	-Inf	29.86	3	Vertical	71	2.31	-	84.65
PK	2.4892G	54.72	74.00	-19.28	30.06	3	Vertical	71	2.31	-	24.66
AV	2.4868G	42.29	54.00	-11.71	30.05	3	Vertical	71	2.31	-	12.24

VHT20-BF_Nss2,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 107
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	64.39	74.00	-9.61	29.84	3	Horizontal	92	2.85	-	34.55
AV	2.39G	50.38	54.00	-3.62	29.84	3	Horizontal	92	2.85	-	20.54
PK	2.4152G	125.03	Inf	-Inf	29.88	3	Horizontal	92	2.85	-	95.15
AV	2.4168G	113.75	Inf	-Inf	29.88	3	Horizontal	92	2.85	-	83.87
PK	2.4984G	54.29	74.00	-19.71	30.09	3	Horizontal	92	2.85	-	24.20
AV	2.4856G	42.16	54.00	-11.84	30.05	3	Horizontal	92	2.85	-	12.11

VHT20-BF_Nss2,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 107
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82124G	49.48	74.00	-24.52	2.95	3	Vertical	291	1.50	-	46.53
AV	4.8237G	36.73	54.00	-17.27	2.96	3	Vertical	291	1.50	-	33.77

VHT20-BF_Nss2,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 107
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81092G	50.09	74.00	-23.91	2.92	3	Horizontal	66	1.50	-	47.17
AV	4.81128G	36.67	54.00	-17.33	2.92	3	Horizontal	66	1.50	-	33.75

VHT20-BF_Nss2,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT_Y_4TX
 Setting 108
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	54.35	74.00	-19.65	29.84	3	Vertical	68	1.50	-	24.51
AV	2.3648G	41.84	54.00	-12.16	29.86	3	Vertical	68	1.50	-	11.98
PK	2.47G	124.02	Inf	-Inf	30.01	3	Vertical	68	1.50	-	94.01
AV	2.464G	113.24	Inf	-Inf	30.00	3	Vertical	68	1.50	-	83.24
PK	2.4856G	69.55	74.00	-4.45	30.05	3	Vertical	68	1.50	-	39.50
AV	2.4835G	52.68	54.00	-1.32	30.05	3	Vertical	68	1.50	-	22.63

VHT20-BF_Nss2,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT_Y_4TX
 Setting 108
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.376G	54.53	74.00	-19.47	29.85	3	Horizontal	285	1.79	-	24.68
AV	2.3804G	41.81	54.00	-12.19	29.85	3	Horizontal	285	1.79	-	11.96
PK	2.4576G	125.25	Inf	-Inf	29.99	3	Horizontal	285	1.79	-	95.26
AV	2.454G	113.24	Inf	-Inf	29.98	3	Horizontal	285	1.79	-	83.26
PK	2.4836G	72.54	74.00	-1.46	30.05	3	Horizontal	285	1.79	-	42.49
AV	2.4836G	53.79	54.00	-0.21	30.05	3	Horizontal	285	1.79	-	23.74

VHT20-BF_Nss2,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 108
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92538G	48.18	74.00	-25.82	3.25	3	Vertical	297	1.00	-	44.93
AV	4.92472G	34.49	54.00	-19.51	3.25	3	Vertical	297	1.00	-	31.24

VHT20-BF_Nss2,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 108
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91926G	49.68	74.00	-24.32	3.24	3	Horizontal	330	1.31	-	46.44
AV	4.91698G	36.15	54.00	-17.85	3.23	3	Horizontal	330	1.31	-	32.92

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 104
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.18	74.00	-7.82	29.84	3	Vertical	89	1.95	-	36.34
AV	2.39G	53.93	54.00	-0.07	29.84	3	Vertical	89	1.95	-	24.09
PK	2.4172G	122.09	Inf	-Inf	29.88	3	Vertical	89	1.95	-	92.21
AV	2.4144G	114.60	Inf	-Inf	29.88	3	Vertical	89	1.95	-	84.72
PK	2.4904G	56.03	74.00	-17.97	30.07	3	Vertical	89	1.95	-	25.96
AV	2.4856G	42.86	54.00	-11.14	30.05	3	Vertical	89	1.95	-	12.81

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 104
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.38G	63.87	74.00	-10.13	29.85	3	Horizontal	278	1.44	-	34.02
AV	2.3804G	47.93	54.00	-6.07	29.85	3	Horizontal	278	1.44	-	18.08
PK	2.4304G	122.95	Inf	-Inf	29.92	3	Horizontal	278	1.44	-	93.03
AV	2.43G	111.91	Inf	-Inf	29.91	3	Horizontal	278	1.44	-	82.00
PK	2.4868G	57.33	74.00	-16.67	30.05	3	Horizontal	278	1.44	-	27.28
AV	2.4856G	43.44	54.00	-10.56	30.05	3	Horizontal	278	1.44	-	13.39

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2422MHz_TX




EUT Y_4TX
Setting 104
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84382G	48.49	74.00	-25.51	3.03	3	Vertical	249	2.42	-	45.46
AV	4.8338G	33.76	54.00	-20.24	2.99	3	Vertical	249	2.42	-	30.77

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2422MHz_TX




EUT Y_4TX
 Setting 104
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.844G	49.97	74.00	-24.03	3.03	3	Horizontal	42	2.01	-	46.94
AV	4.85636G	34.62	54.00	-19.38	3.06	3	Horizontal	42	2.01	-	31.56

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 108
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.01	74.00	-11.99	29.84	3	Vertical	65	1.90	-	32.17
AV	2.3898G	49.85	54.00	-4.15	29.84	3	Vertical	65	1.90	-	20.01
PK	2.4322G	123.94	Inf	-Inf	29.92	3	Vertical	65	1.90	-	94.02
AV	2.425G	113.99	Inf	-Inf	29.90	3	Vertical	65	1.90	-	84.09
PK	2.4858G	70.74	74.00	-3.26	30.05	3	Vertical	65	1.90	-	40.69
AV	2.4836G	53.81	54.00	-0.19	30.05	3	Vertical	65	1.90	-	23.76

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 108
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	56.64	74.00	-17.36	29.84	3	Horizontal	280	2.04	-	26.80
AV	2.3898G	44.00	54.00	-10.00	29.84	3	Horizontal	280	2.04	-	14.16
PK	2.4306G	124.03	Inf	-Inf	29.92	3	Horizontal	280	2.04	-	94.11
AV	2.4406G	112.55	Inf	-Inf	29.94	3	Horizontal	280	2.04	-	82.61
PK	2.4854G	67.43	74.00	-6.57	30.05	3	Horizontal	280	2.04	-	37.38
AV	2.4838G	49.94	54.00	-4.06	30.05	3	Horizontal	280	2.04	-	19.89

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 108
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.874G	49.63	74.00	-24.37	3.12	3	Vertical	294	1.06	-	46.51
AV	4.86656G	33.00	54.00	-21.00	3.10	3	Vertical	294	1.06	-	29.90

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 108
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.874G	50.28	74.00	-23.72	3.12	3	Horizontal	71	1.71	-	47.16
AV	4.8845G	34.00	54.00	-20.00	3.14	3	Horizontal	71	1.71	-	30.86

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 96
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3616G	54.51	74.00	-19.49	29.86	3	Vertical	66	2.15	-	24.65
AV	2.39G	42.02	54.00	-11.98	29.84	3	Vertical	66	2.15	-	12.18
PK	2.4608G	120.79	Inf	-Inf	29.99	3	Vertical	66	2.15	-	90.80
AV	2.444G	111.00	Inf	-Inf	29.95	3	Vertical	66	2.15	-	81.05
PK	2.4864G	69.00	74.00	-5.00	30.05	3	Vertical	66	2.15	-	38.95
AV	2.4848G	53.76	54.00	-0.24	30.05	3	Vertical	66	2.15	-	23.71

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 96
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3724G	54.22	74.00	-19.78	29.86	3	Horizontal	279	2.02	-	24.36
AV	2.3816G	41.84	54.00	-12.16	29.85	3	Horizontal	279	2.02	-	11.99
PK	2.4456G	121.00	Inf	-Inf	29.95	3	Horizontal	279	2.02	-	91.05
AV	2.4352G	108.83	Inf	-Inf	29.93	3	Horizontal	279	2.02	-	78.90
PK	2.486G	66.59	74.00	-7.41	30.05	3	Horizontal	279	2.02	-	36.54
AV	2.4844G	50.75	54.00	-3.25	30.05	3	Horizontal	279	2.02	-	20.70

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 96
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9041G	46.43	74.00	-27.57	3.21	3	Vertical	305	1.02	-	43.22
AV	4.9061G	32.60	54.00	-21.40	3.21	3	Vertical	305	1.02	-	29.39

VHT40-BF_Nss2,(MCS0)_4TX

29/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 96
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.904G	49.24	74.00	-24.76	3.21	3	Horizontal	72	1.69	-	46.03
AV	4.8969G	34.21	54.00	-19.79	3.19	3	Horizontal	72	1.69	-	31.02

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 105
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	66.83	74.00	-7.17	29.84	3	Vertical	73	2.05	-	36.99
AV	2.39G	53.78	54.00	-0.22	29.84	3	Vertical	73	2.05	-	23.94
PK	2.4152G	127.12	Inf	-Inf	29.88	3	Vertical	73	2.05	-	97.24
AV	2.4132G	114.30	Inf	-Inf	29.88	3	Vertical	73	2.05	-	84.42
PK	2.4964G	54.50	74.00	-19.50	30.08	3	Vertical	73	2.05	-	24.42
AV	2.4888G	42.21	54.00	-11.79	30.06	3	Vertical	73	2.05	-	12.15

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 105
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.37	74.00	-11.63	29.84	3	Horizontal	104	2.11	-	32.53
AV	2.39G	48.25	54.00	-5.75	29.84	3	Horizontal	104	2.11	-	18.41
PK	2.414G	126.63	Inf	-Inf	29.88	3	Horizontal	104	2.11	-	96.75
AV	2.416G	113.86	Inf	-Inf	29.88	3	Horizontal	104	2.11	-	83.98
PK	2.4848G	54.19	74.00	-19.81	30.05	3	Horizontal	104	2.11	-	24.14
AV	2.4864G	42.10	54.00	-11.90	30.05	3	Horizontal	104	2.11	-	12.05

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 105
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.824G	48.82	74.00	-25.18	2.96	3	Vertical	171	1.50	-	45.86
AV	4.8246G	33.93	54.00	-20.07	2.96	3	Vertical	171	1.50	-	30.97

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 105
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8129G	49.43	74.00	-24.57	2.94	3	Horizontal	64	1.50	-	46.49
AV	4.8119G	36.49	54.00	-17.51	2.93	3	Horizontal	64	1.50	-	33.56

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT_Y_4TX
Setting 102
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3852G	55.48	74.00	-18.52	29.84	3	Vertical	51	1.95	-	25.64
AV	2.3708G	41.83	54.00	-12.17	29.86	3	Vertical	51	1.95	-	11.97
PK	2.458G	124.93	Inf	-Inf	29.99	3	Vertical	51	1.95	-	94.94
AV	2.4632G	113.64	Inf	-Inf	30.00	3	Vertical	51	1.95	-	83.64
PK	2.4856G	71.25	74.00	-2.75	30.05	3	Vertical	51	1.95	-	41.20
AV	2.4835G	53.89	54.00	-0.11	30.05	3	Vertical	51	1.95	-	23.84

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT_Y_4TX
Setting 102
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3696G	54.35	74.00	-19.65	29.85	3	Horizontal	293	1.49	-	24.50
AV	2.3636G	41.75	54.00	-12.25	29.86	3	Horizontal	293	1.49	-	11.89
PK	2.4548G	122.90	Inf	-Inf	29.98	3	Horizontal	293	1.49	-	92.92
AV	2.4576G	110.41	Inf	-Inf	29.99	3	Horizontal	293	1.49	-	80.42
PK	2.486G	67.30	74.00	-6.70	30.05	3	Horizontal	293	1.49	-	37.25
AV	2.484G	48.79	54.00	-5.21	30.05	3	Horizontal	293	1.49	-	18.74

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
Setting 102
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9259G	45.76	74.00	-28.24	3.25	3	Vertical	342	1.26	-	42.51
AV	4.9211G	32.28	54.00	-21.72	3.24	3	Vertical	342	1.26	-	29.04

802.11ax HEW20-BF_Nss2,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 102
 04-C-5
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9153G	49.30	74.00	-24.70	3.24	3	Horizontal	331	1.08	-	46.06
AV	4.9146G	35.28	54.00	-18.72	3.24	3	Horizontal	331	1.08	-	32.04

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 102
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	69.09	74.00	-4.91	29.84	3	Vertical	66	1.50	-	39.25
AV	2.39G	53.84	54.00	-0.16	29.84	3	Vertical	66	1.50	-	24.00
PK	2.424G	123.58	Inf	-Inf	29.90	3	Vertical	66	1.50	-	93.68
AV	2.4148G	111.42	Inf	-Inf	29.88	3	Vertical	66	1.50	-	81.54
PK	2.4896G	56.40	74.00	-17.60	30.06	3	Vertical	66	1.50	-	26.34
AV	2.4856G	43.43	54.00	-10.57	30.05	3	Vertical	66	1.50	-	13.38

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 102
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3692G	65.73	74.00	-8.27	29.85	3	Horizontal	275	1.46	-	35.88
AV	2.372G	47.49	54.00	-6.51	29.86	3	Horizontal	275	1.46	-	17.63
PK	2.434G	123.02	Inf	-Inf	29.93	3	Horizontal	275	1.46	-	93.09
AV	2.4316G	110.99	Inf	-Inf	29.92	3	Horizontal	275	1.46	-	81.07
PK	2.4864G	56.21	74.00	-17.79	30.05	3	Horizontal	275	1.46	-	26.16
AV	2.486G	43.20	54.00	-10.80	30.05	3	Horizontal	275	1.46	-	13.15

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2422MHz_TX




EUT Y_4TX
Setting 102
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8241G	46.50	74.00	-27.50	2.96	3	Vertical	325	1.74	-	43.54
AV	4.8238G	39.66	54.00	-14.34	2.96	3	Vertical	325	1.74	-	36.70

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2422MHz_TX




EUT Y_4TX
Setting 102
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8441G	46.75	74.00	-27.25	3.03	3	Horizontal	70	2.39	-	43.72
AV	4.8559G	32.91	54.00	-21.09	3.06	3	Horizontal	70	2.39	-	29.85

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 106
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.60	74.00	-11.40	29.84	3	Vertical	66	1.92	-	32.76
AV	2.3898G	50.38	54.00	-3.62	29.84	3	Vertical	66	1.92	-	20.54
PK	2.4334G	126.14	Inf	-Inf	29.93	3	Vertical	66	1.92	-	96.21
AV	2.4286G	114.46	Inf	-Inf	29.91	3	Vertical	66	1.92	-	84.55
PK	2.4838G	69.61	74.00	-4.39	30.05	3	Vertical	66	1.92	-	39.56
AV	2.4846G	53.85	54.00	-0.15	30.05	3	Vertical	66	1.92	-	23.80

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 106
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3842G	56.15	74.00	-17.85	29.85	3	Horizontal	275	2.07	-	26.30
AV	2.3898G	43.70	54.00	-10.30	29.84	3	Horizontal	275	2.07	-	13.86
PK	2.4402G	124.68	Inf	-Inf	29.94	3	Horizontal	275	2.07	-	94.74
AV	2.4426G	111.64	Inf	-Inf	29.95	3	Horizontal	275	2.07	-	81.69
PK	2.4835G	66.04	74.00	-7.96	30.05	3	Horizontal	275	2.07	-	35.99
AV	2.4842G	50.38	54.00	-3.62	30.05	3	Horizontal	275	2.07	-	20.33

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
Setting 106
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8725G	46.81	74.00	-27.19	3.12	3	Vertical	359	1.50	-	43.69
AV	4.8542G	33.00	54.00	-21.00	3.05	3	Vertical	359	1.50	-	29.95

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2437MHz_TX




EUT Y_4TX
Setting 106
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8785G	47.30	74.00	-26.70	3.14	3	Horizontal	52	1.58	-	44.16
AV	4.876G	33.07	54.00	-20.93	3.13	3	Horizontal	52	1.58	-	29.94

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 96
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3784G	54.48	74.00	-19.52	29.85	3	Vertical	68	1.95	-	24.63
AV	2.39G	42.14	54.00	-11.86	29.84	3	Vertical	68	1.95	-	12.30
PK	2.4484G	122.50	Inf	-Inf	29.96	3	Vertical	68	1.95	-	92.54
AV	2.4432G	111.99	Inf	-Inf	29.95	3	Vertical	68	1.95	-	82.04
PK	2.488G	69.16	74.00	-4.84	30.06	3	Vertical	68	1.95	-	39.10
AV	2.4856G	53.79	54.00	-0.21	30.05	3	Vertical	68	1.95	-	23.74

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 96
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3628G	53.70	74.00	-20.30	29.86	3	Horizontal	243	1.48	-	23.84
AV	2.3776G	41.74	54.00	-12.26	29.85	3	Horizontal	243	1.48	-	11.89
PK	2.4412G	119.54	Inf	-Inf	29.94	3	Horizontal	243	1.48	-	89.60
AV	2.4348G	107.10	Inf	-Inf	29.93	3	Horizontal	243	1.48	-	77.17
PK	2.4876G	62.58	74.00	-11.42	30.06	3	Horizontal	243	1.48	-	32.52
AV	2.4856G	45.22	54.00	-8.78	30.05	3	Horizontal	243	1.48	-	15.17

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2452MHz_TX




EUT Y_4TX
Setting 96
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9131G	46.63	74.00	-27.37	3.24	3	Vertical	202	1.61	-	43.39
AV	4.88G	32.28	54.00	-21.72	3.14	3	Vertical	202	1.61	-	29.14

802.11ax HEW40-BF_Nss2,(MCS0)_4TX

29/08/2019

2452MHz_TX



EUT Y_4TX
Setting 96
04-C-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9039G	48.22	74.00	-25.78	3.21	3	Horizontal	37	2.04	-	45.01
AV	4.8832G	34.38	54.00	-19.62	3.15	3	Horizontal	37	2.04	-	31.23



4T3S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
VHT20-BF_Nss3,(MCS0)_4TX	Pass	AV	2.39G	53.83	54.00	-0.17	29.84	3	Vertical	34	2.03	-