


VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 108
04-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.39G | 68.65 | 74.00 | -5.35 | 29.84 | 3 | Vertical | 34 | 2.03 | - | 38.81 |
| AV | 2.39G | 53.83 | 54.00 | -0.17 | 29.84 | 3 | Vertical | 34 | 2.03 | - | 23.99 |
| PK | 2.4196G | 125.54 | Inf | -Inf | 29.89 | 3 | Vertical | 34 | 2.03 | - | 95.65 |
| AV | 2.4144G | 113.71 | Inf | -Inf | 29.88 | 3 | Vertical | 34 | 2.03 | - | 83.83 |
| PK | 2.4848G | 54.53 | 74.00 | -19.47 | 30.05 | 3 | Vertical | 34 | 2.03 | - | 24.48 |
| AV | 2.4904G | 42.25 | 54.00 | -11.75 | 30.07 | 3 | Vertical | 34 | 2.03 | - | 12.18 |

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT_Y_4TX
Setting 108
04-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.39G | 61.47 | 74.00 | -12.53 | 29.84 | 3 | Horizontal | 275 | 1.53 | - | 31.63 |
| AV | 2.39G | 48.62 | 54.00 | -5.38 | 29.84 | 3 | Horizontal | 275 | 1.53 | - | 18.78 |
| PK | 2.4184G | 124.95 | Inf | -Inf | 29.89 | 3 | Horizontal | 275 | 1.53 | - | 95.06 |
| AV | 2.4184G | 114.34 | Inf | -Inf | 29.89 | 3 | Horizontal | 275 | 1.53 | - | 84.45 |
| PK | 2.498G | 54.56 | 74.00 | -19.44 | 30.09 | 3 | Horizontal | 275 | 1.53 | - | 24.47 |
| AV | 2.494G | 42.16 | 54.00 | -11.84 | 30.08 | 3 | Horizontal | 275 | 1.53 | - | 12.08 |

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 4.8311G | 49.16 | 74.00 | -24.84 | 2.98 | 3 | Vertical | 276 | 1.84 | - | 46.18 |
| AV | 4.8236G | 34.98 | 54.00 | -19.02 | 2.96 | 3 | Vertical | 276 | 1.84 | - | 32.02 |

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2412MHz_TX




EUT Y_4TX
 Setting 108
 04-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK | 4.824G | 50.56 | 74.00 | -23.44 | 2.96 | 3 | Horizontal | 60 | 2.04 | - | 47.60 |
| AV | 4.8231G | 36.46 | 54.00 | -17.54 | 2.96 | 3 | Horizontal | 60 | 2.04 | - | 33.50 |

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT_Y_4TX
Setting 109
04-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.3756G | 54.37 | 74.00 | -19.63 | 29.85 | 3 | Vertical | 53 | 2.50 | - | 24.52 |
| AV | 2.3748G | 41.83 | 54.00 | -12.17 | 29.86 | 3 | Vertical | 53 | 2.50 | - | 11.97 |
| PK | 2.4584G | 124.02 | Inf | -Inf | 29.99 | 3 | Vertical | 53 | 2.50 | - | 94.03 |
| AV | 2.4596G | 114.38 | Inf | -Inf | 29.99 | 3 | Vertical | 53 | 2.50 | - | 84.39 |
| PK | 2.4844G | 68.85 | 74.00 | -5.15 | 30.05 | 3 | Vertical | 53 | 2.50 | - | 38.80 |
| AV | 2.4836G | 53.81 | 54.00 | -0.19 | 30.05 | 3 | Vertical | 53 | 2.50 | - | 23.76 |

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT_Y_4TX
Setting 109
04-C-5
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.3888G | 54.03 | 74.00 | -19.97 | 29.84 | 3 | Horizontal | 292 | 1.99 | - | 24.19 |
| AV | 2.366G | 41.80 | 54.00 | -12.20 | 29.85 | 3 | Horizontal | 292 | 1.99 | - | 11.95 |
| PK | 2.4628G | 123.01 | Inf | -Inf | 30.00 | 3 | Horizontal | 292 | 1.99 | - | 93.01 |
| AV | 2.4656G | 111.19 | Inf | -Inf | 30.00 | 3 | Horizontal | 292 | 1.99 | - | 81.19 |
| PK | 2.4848G | 69.50 | 74.00 | -4.50 | 30.05 | 3 | Horizontal | 292 | 1.99 | - | 39.45 |
| AV | 2.4835G | 52.49 | 54.00 | -1.51 | 30.05 | 3 | Horizontal | 292 | 1.99 | - | 22.44 |

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 109
 04-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 4.9199G | 47.33 | 74.00 | -26.67 | 3.24 | 3 | Vertical | 355 | 1.64 | - | 44.09 |
| AV | 4.9215G | 33.32 | 54.00 | -20.68 | 3.24 | 3 | Vertical | 355 | 1.64 | - | 30.08 |

VHT20-BF_Nss3,(MCS0)_4TX

29/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 109
 04-C-5
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 4.9091G | 49.54 | 74.00 | -24.46 | 3.22 | 3 | Horizontal | 331 | 1.19 | - | 46.32 |
| AV | 4.9153G | 36.62 | 54.00 | -17.38 | 3.24 | 3 | Horizontal | 331 | 1.19 | - | 33.38 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 105
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.384G | 68.26 | 74.00 | -5.74 | 29.85 | 3 | Vertical | 27 | 2.58 | - | 38.41 |
| AV | 2.39G | 53.75 | 54.00 | -0.25 | 29.84 | 3 | Vertical | 27 | 2.58 | - | 23.91 |
| PK | 2.4352G | 121.49 | Inf | -Inf | 29.93 | 3 | Vertical | 27 | 2.58 | - | 91.56 |
| AV | 2.4168G | 110.61 | Inf | -Inf | 29.88 | 3 | Vertical | 27 | 2.58 | - | 80.73 |
| PK | 2.486G | 58.62 | 74.00 | -15.38 | 30.05 | 3 | Vertical | 27 | 2.58 | - | 28.57 |
| AV | 2.4852G | 43.20 | 54.00 | -10.80 | 30.05 | 3 | Vertical | 27 | 2.58 | - | 13.15 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 105
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.3824G | 64.85 | 74.00 | -9.15 | 29.85 | 3 | Horizontal | 280 | 1.87 | - | 35.00 |
| AV | 2.39G | 51.19 | 54.00 | -2.81 | 29.84 | 3 | Horizontal | 280 | 1.87 | - | 21.35 |
| PK | 2.4272G | 122.49 | Inf | -Inf | 29.90 | 3 | Horizontal | 280 | 1.87 | - | 92.59 |
| AV | 2.4296G | 111.74 | Inf | -Inf | 29.91 | 3 | Horizontal | 280 | 1.87 | - | 81.83 |
| PK | 2.488G | 59.85 | 74.00 | -14.15 | 30.06 | 3 | Horizontal | 280 | 1.87 | - | 29.79 |
| AV | 2.4852G | 43.12 | 54.00 | -10.88 | 30.05 | 3 | Horizontal | 280 | 1.87 | - | 13.07 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2422MHz_TX




EUT Y_4TX
 Setting 105
 04-B-4
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 4.84424G | 47.78 | 74.00 | -26.22 | 3.03 | 3 | Vertical | 243 | 1.01 | - | 44.75 |
| AV | 4.844G | 33.54 | 54.00 | -20.46 | 3.03 | 3 | Vertical | 243 | 1.01 | - | 30.51 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2422MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK | 4.84376G | 50.59 | 74.00 | -23.41 | 3.03 | 3 | Horizontal | 52 | 2.40 | - | 47.56 |
| AV | 4.84392G | 33.78 | 54.00 | -20.22 | 3.03 | 3 | Horizontal | 52 | 2.40 | - | 30.75 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 110
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.3898G | 65.90 | 74.00 | -8.10 | 29.84 | 3 | Vertical | 13 | 1.83 | - | 36.06 |
| AV | 2.3898G | 50.45 | 54.00 | -3.55 | 29.84 | 3 | Vertical | 13 | 1.83 | - | 20.61 |
| PK | 2.433G | 122.53 | Inf | -Inf | 29.93 | 3 | Vertical | 13 | 1.83 | - | 92.60 |
| AV | 2.4282G | 115.89 | Inf | -Inf | 29.91 | 3 | Vertical | 13 | 1.83 | - | 85.98 |
| PK | 2.4862G | 69.10 | 74.00 | -4.90 | 30.05 | 3 | Vertical | 13 | 1.83 | - | 39.05 |
| AV | 2.4838G | 53.55 | 54.00 | -0.45 | 30.05 | 3 | Vertical | 13 | 1.83 | - | 23.50 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2437MHz_TX




EUT_Y_4TX
 Setting 110
 04-B-4
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.3898G | 61.55 | 74.00 | -12.45 | 29.84 | 3 | Horizontal | 285 | 1.44 | - | 31.71 |
| AV | 2.3898G | 48.28 | 54.00 | -5.72 | 29.84 | 3 | Horizontal | 285 | 1.44 | - | 18.44 |
| PK | 2.4386G | 123.50 | Inf | -Inf | 29.94 | 3 | Horizontal | 285 | 1.44 | - | 93.56 |
| AV | 2.4402G | 113.52 | Inf | -Inf | 29.94 | 3 | Horizontal | 285 | 1.44 | - | 83.58 |
| PK | 2.485G | 70.12 | 74.00 | -3.88 | 30.05 | 3 | Horizontal | 285 | 1.44 | - | 40.07 |
| AV | 2.485G | 53.58 | 54.00 | -0.42 | 30.05 | 3 | Horizontal | 285 | 1.44 | - | 23.53 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 110
 04-B-4
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 4.864G | 49.60 | 74.00 | -24.40 | 3.09 | 3 | Vertical | 237 | 1.11 | - | 46.51 |
| AV | 4.86368G | 34.23 | 54.00 | -19.77 | 3.09 | 3 | Vertical | 237 | 1.11 | - | 31.14 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2437MHz_TX




EUT Y_4TX
 Setting 110
 04-B-4
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK | 4.86392G | 51.94 | 74.00 | -22.06 | 3.09 | 3 | Horizontal | 52 | 2.40 | - | 48.85 |
| AV | 4.86376G | 34.31 | 54.00 | -19.69 | 3.09 | 3 | Horizontal | 52 | 2.40 | - | 31.22 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 101
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.3876G | 55.04 | 74.00 | -18.96 | 29.84 | 3 | Vertical | 20 | 2.18 | - | 25.20 |
| AV | 2.39G | 41.96 | 54.00 | -12.04 | 29.84 | 3 | Vertical | 20 | 2.18 | - | 12.12 |
| PK | 2.4468G | 119.72 | Inf | -Inf | 29.95 | 3 | Vertical | 20 | 2.18 | - | 89.77 |
| AV | 2.4412G | 113.55 | Inf | -Inf | 29.94 | 3 | Vertical | 20 | 2.18 | - | 83.61 |
| PK | 2.4868G | 71.10 | 74.00 | -2.90 | 30.05 | 3 | Vertical | 20 | 2.18 | - | 41.05 |
| AV | 2.4856G | 53.11 | 54.00 | -0.89 | 30.05 | 3 | Vertical | 20 | 2.18 | - | 23.06 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 101
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.3812G | 54.24 | 74.00 | -19.76 | 29.85 | 3 | Horizontal | 285 | 2.48 | - | 24.39 |
| AV | 2.39G | 41.87 | 54.00 | -12.13 | 29.84 | 3 | Horizontal | 285 | 2.48 | - | 12.03 |
| PK | 2.4416G | 120.61 | Inf | -Inf | 29.94 | 3 | Horizontal | 285 | 2.48 | - | 90.67 |
| AV | 2.4552G | 109.13 | Inf | -Inf | 29.98 | 3 | Horizontal | 285 | 2.48 | - | 79.15 |
| PK | 2.4852G | 69.06 | 74.00 | -4.94 | 30.05 | 3 | Horizontal | 285 | 2.48 | - | 39.01 |
| AV | 2.4864G | 53.78 | 54.00 | -0.22 | 30.05 | 3 | Horizontal | 285 | 2.48 | - | 23.73 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 101
 04-B-4
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 4.90408G | 46.72 | 74.00 | -27.28 | 3.21 | 3 | Vertical | 39 | 1.42 | - | 43.51 |
| AV | 4.90392G | 32.81 | 54.00 | -21.19 | 3.21 | 3 | Vertical | 39 | 1.42 | - | 29.60 |

VHT40-BF_Nss3,(MCS0)_4TX

30/08/2019

2452MHz_TX




EUT Y_4TX
 Setting 101
 04-B-4
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 4.90416G | 48.94 | 74.00 | -25.06 | 3.21 | 3 | Horizontal | 342 | 1.39 | - | 45.73 |
| AV | 4.90664G | 33.66 | 54.00 | -20.34 | 3.21 | 3 | Horizontal | 342 | 1.39 | - | 30.45 |

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

09/09/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.39G | 68.08 | 74.00 | -5.92 | 29.84 | 3 | Vertical | 84 | 1.96 | - | 38.24 |
| AV | 2.39G | 53.76 | 54.00 | -0.24 | 29.84 | 3 | Vertical | 84 | 1.96 | - | 23.92 |
| PK | 2.4158G | 126.33 | Inf | -Inf | 29.88 | 3 | Vertical | 84 | 1.96 | - | 96.45 |
| AV | 2.4142G | 114.82 | Inf | -Inf | 29.88 | 3 | Vertical | 84 | 1.96 | - | 84.94 |

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

09/09/2019

2412MHz_TX




EUT Y_4TX
Setting 108
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.3896G | 65.69 | 74.00 | -8.31 | 29.84 | 3 | Horizontal | 278 | 2.26 | - | 35.85 |
| AV | 2.39G | 49.82 | 54.00 | -4.18 | 29.84 | 3 | Horizontal | 278 | 2.26 | - | 19.98 |
| PK | 2.417G | 126.85 | Inf | -Inf | 29.88 | 3 | Horizontal | 278 | 2.26 | - | 96.97 |
| AV | 2.4178G | 112.72 | Inf | -Inf | 29.89 | 3 | Horizontal | 278 | 2.26 | - | 82.83 |

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

09/09/2019

2412MHz_TX




EUT_Y_4TX
Setting 108
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK | 4.824G | 47.00 | 74.00 | -27.00 | 2.96 | 3 | Vertical | 322 | 1.93 | - | 44.04 |
| AV | 4.8237G | 39.56 | 54.00 | -14.44 | 2.96 | 3 | Vertical | 322 | 1.93 | - | 36.60 |

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

09/09/2019

2412MHz_TX




EUT_Y_4TX
Setting 108
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK | 4.82424G | 49.27 | 74.00 | -24.73 | 2.96 | 3 | Horizontal | 35 | 1.50 | - | 46.31 |
| AV | 4.824G | 35.34 | 54.00 | -18.66 | 2.96 | 3 | Horizontal | 35 | 1.50 | - | 32.38 |

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/08/2019

2462MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.4558G | 123.87 | Inf | -Inf | 29.98 | 3 | Vertical | 63 | 1.67 | - | 93.89 |
| AV | 2.4602G | 111.15 | Inf | -Inf | 29.99 | 3 | Vertical | 63 | 1.67 | - | 81.16 |
| PK | 2.4868G | 71.25 | 74.00 | -2.75 | 30.05 | 3 | Vertical | 63 | 1.67 | - | 41.20 |
| AV | 2.483501G | 53.78 | 54.00 | -0.22 | 30.05 | 3 | Vertical | 63 | 1.67 | - | 23.73 |

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/08/2019

2462MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK | 2.4532G | 123.86 | Inf | -Inf | 29.98 | 3 | Horizontal | 283 | 2.01 | - | 93.88 |
| AV | 2.4658G | 110.87 | Inf | -Inf | 30.00 | 3 | Horizontal | 283 | 2.01 | - | 80.87 |
| PK | 2.484G | 70.86 | 74.00 | -3.14 | 30.05 | 3 | Horizontal | 283 | 2.01 | - | 40.81 |
| AV | 2.4835G | 52.90 | 54.00 | -1.10 | 30.05 | 3 | Horizontal | 283 | 2.01 | - | 22.85 |

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/08/2019

2462MHz_TX




EUT Y_4TX
 Setting 105
 04-B-4
 FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 4.92466G | 47.33 | 74.00 | -26.67 | 3.25 | 3 | Vertical | 160 | 1.40 | - | 44.08 |
| AV | 4.92424G | 33.62 | 54.00 | -20.38 | 3.25 | 3 | Vertical | 160 | 1.40 | - | 30.37 |

802.11ax HEW20-BF_Nss3,(MCS0)_4TX

31/08/2019

2462MHz_TX




EUT Y_4TX
Setting 105
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK | 4.92486G | 48.57 | 74.00 | -25.43 | 3.25 | 3 | Horizontal | 336 | 1.50 | - | 45.32 |
| AV | 4.92648G | 34.71 | 54.00 | -19.29 | 3.25 | 3 | Horizontal | 336 | 1.50 | - | 31.46 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 103
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.3836G | 67.07 | 74.00 | -6.93 | 29.85 | 3 | Vertical | 68 | 1.88 | - | 37.22 |
| AV | 2.39G | 53.76 | 54.00 | -0.24 | 29.84 | 3 | Vertical | 68 | 1.88 | - | 23.92 |
| PK | 2.4176G | 122.60 | Inf | -Inf | 29.89 | 3 | Vertical | 68 | 1.88 | - | 92.71 |
| AV | 2.4112G | 113.31 | Inf | -Inf | 29.87 | 3 | Vertical | 68 | 1.88 | - | 83.44 |
| PK | 2.4876G | 56.90 | 74.00 | -17.10 | 30.06 | 3 | Vertical | 68 | 1.88 | - | 26.84 |
| AV | 2.4844G | 43.01 | 54.00 | -10.99 | 30.05 | 3 | Vertical | 68 | 1.88 | - | 12.96 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2422MHz_TX




EUT_Y_4TX
Setting 103
04-B-4
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.3836G | 63.84 | 74.00 | -10.16 | 29.85 | 3 | Horizontal | 291 | 2.29 | - | 33.99 |
| AV | 2.39G | 50.30 | 54.00 | -3.70 | 29.84 | 3 | Horizontal | 291 | 2.29 | - | 20.46 |
| PK | 2.418G | 122.94 | Inf | -Inf | 29.89 | 3 | Horizontal | 291 | 2.29 | - | 93.05 |
| AV | 2.4192G | 109.95 | Inf | -Inf | 29.89 | 3 | Horizontal | 291 | 2.29 | - | 80.06 |
| PK | 2.4848G | 56.94 | 74.00 | -17.06 | 30.05 | 3 | Horizontal | 291 | 2.29 | - | 26.89 |
| AV | 2.486G | 42.63 | 54.00 | -11.37 | 30.05 | 3 | Horizontal | 291 | 2.29 | - | 12.58 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2422MHz_TX




EUT Y_4TX
Setting 103
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 4.84224G | 47.65 | 74.00 | -26.35 | 3.03 | 3 | Vertical | 248 | 1.03 | - | 44.62 |
| AV | 4.8468G | 33.71 | 54.00 | -20.29 | 3.04 | 3 | Vertical | 248 | 1.03 | - | 30.67 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2422MHz_TX




EUT Y_4TX
Setting 103
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK | 4.83488G | 47.93 | 74.00 | -26.07 | 2.99 | 3 | Horizontal | 32 | 1.96 | - | 44.94 |
| AV | 4.84972G | 33.85 | 54.00 | -20.15 | 3.05 | 3 | Horizontal | 32 | 1.96 | - | 30.80 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 109
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 2.3842G | 63.12 | 74.00 | -10.88 | 29.85 | 3 | Vertical | 96 | 1.03 | - | 33.27 |
| AV | 2.3898G | 47.31 | 54.00 | -6.69 | 29.84 | 3 | Vertical | 96 | 1.03 | - | 17.47 |
| PK | 2.4306G | 123.42 | Inf | -Inf | 29.92 | 3 | Vertical | 96 | 1.03 | - | 93.50 |
| AV | 2.4258G | 114.47 | Inf | -Inf | 29.90 | 3 | Vertical | 96 | 1.03 | - | 84.57 |
| PK | 2.487G | 68.46 | 74.00 | -5.54 | 30.05 | 3 | Vertical | 96 | 1.03 | - | 38.41 |
| AV | 2.4854G | 53.60 | 54.00 | -0.40 | 30.05 | 3 | Vertical | 96 | 1.03 | - | 23.55 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2437MHz_TX




EUT_Y_4TX
Setting 109
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.3838G | 61.16 | 74.00 | -12.84 | 29.85 | 3 | Horizontal | 286 | 1.49 | - | 31.31 |
| AV | 2.3898G | 45.62 | 54.00 | -8.38 | 29.84 | 3 | Horizontal | 286 | 1.49 | - | 15.78 |
| PK | 2.4318G | 122.97 | Inf | -Inf | 29.92 | 3 | Horizontal | 286 | 1.49 | - | 93.05 |
| AV | 2.441G | 110.02 | Inf | -Inf | 29.94 | 3 | Horizontal | 286 | 1.49 | - | 80.08 |
| PK | 2.487G | 68.62 | 74.00 | -5.38 | 30.05 | 3 | Horizontal | 286 | 1.49 | - | 38.57 |
| AV | 2.4858G | 53.61 | 54.00 | -0.39 | 30.05 | 3 | Horizontal | 286 | 1.49 | - | 23.56 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2437MHz_TX




EUT Y_4TX
Setting 109
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK | 4.86768G | 46.69 | 74.00 | -27.31 | 3.10 | 3 | Vertical | 148 | 2.07 | - | 43.59 |
| AV | 4.86652G | 32.64 | 54.00 | -21.36 | 3.10 | 3 | Vertical | 148 | 2.07 | - | 29.54 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

13/09/2019

2437MHz_TX




EUT Y_4TX
Setting 109
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 4.87724G | 46.54 | 74.00 | -27.46 | 3.13 | 3 | Horizontal | 56 | 1.84 | - | 43.41 |
| AV | 4.8644G | 34.59 | 54.00 | -19.41 | 3.09 | 3 | Horizontal | 56 | 1.84 | - | 31.50 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 98
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK | 2.3816G | 54.65 | 74.00 | -19.35 | 29.85 | 3 | Vertical | 50 | 2.28 | - | 24.80 |
| AV | 2.39G | 42.48 | 54.00 | -11.52 | 29.84 | 3 | Vertical | 50 | 2.28 | - | 12.64 |
| PK | 2.4564G | 121.55 | Inf | -Inf | 29.98 | 3 | Vertical | 50 | 2.28 | - | 91.57 |
| AV | 2.4436G | 113.93 | Inf | -Inf | 29.95 | 3 | Vertical | 50 | 2.28 | - | 83.98 |
| PK | 2.4856G | 68.56 | 74.00 | -5.44 | 30.05 | 3 | Vertical | 50 | 2.28 | - | 38.51 |
| AV | 2.4868G | 53.72 | 54.00 | -0.28 | 30.05 | 3 | Vertical | 50 | 2.28 | - | 23.67 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2452MHz_TX




EUT_Y_4TX
Setting 98
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK | 2.3848G | 53.98 | 74.00 | -20.02 | 29.85 | 3 | Horizontal | 277 | 1.80 | - | 24.13 |
| AV | 2.3696G | 42.02 | 54.00 | -11.98 | 29.85 | 3 | Horizontal | 277 | 1.80 | - | 12.17 |
| PK | 2.4456G | 120.64 | Inf | -Inf | 29.95 | 3 | Horizontal | 277 | 1.80 | - | 90.69 |
| AV | 2.4448G | 107.37 | Inf | -Inf | 29.95 | 3 | Horizontal | 277 | 1.80 | - | 77.42 |
| PK | 2.4872G | 70.14 | 74.00 | -3.86 | 30.05 | 3 | Horizontal | 277 | 1.80 | - | 40.09 |
| AV | 2.4864G | 52.88 | 54.00 | -1.12 | 30.05 | 3 | Horizontal | 277 | 1.80 | - | 22.83 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX

31/08/2019

2452MHz_TX




EUT Y_4TX
Setting 98
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK | 4.89776G | 45.74 | 74.00 | -28.26 | 3.19 | 3 | Vertical | 168 | 1.25 | - | 42.55 |
| AV | 4.89992G | 31.91 | 54.00 | -22.09 | 3.20 | 3 | Vertical | 168 | 1.25 | - | 28.71 |

802.11ax HEW40-BF_Nss3,(MCS0)_4TX


31/08/2019

2452MHz_TX



EUT Y_4TX
Setting 98
04-G-2
FSP

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK | 4.89924G | 46.35 | 74.00 | -27.65 | 3.20 | 3 | Horizontal | 267 | 2.52 | - | 43.15 |
| AV | 4.89902G | 31.92 | 54.00 | -22.08 | 3.20 | 3 | Horizontal | 267 | 2.52 | - | 28.72 |





| RSE Co-location Result | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-------------|--------------|----------|--------|-------|--------------|--------|-------|-------|--------------|-----------|-------|-------|--------|-----------|--|-----|--------|--------|----|------|----|------|----|----|-----|--|---|---------|-------|-------|--------|-------|------|-------|-------|-----|----------|----------|---|---------|-------|-------|--------|-------|------|-------|-------|-----|-------------|----------|
| Operating Mode | 1 | Polarization | Vertical | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Operating Function | Normal Link | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div> <p>Level (dBuV/m)</p> <p style="text-align: right;">Date: 2019-10-22 Time: 18:58:56</p> </div> <div style="margin-left: 20px;"> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>CableAntenna</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2285.12</td> <td>45.52</td> <td>74.00</td> <td>-28.48</td> <td>48.46</td> <td>2.72</td> <td>29.33</td> <td>34.99</td> <td>197</td> <td>251 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>2285.24</td> <td>37.38</td> <td>54.00</td> <td>-16.62</td> <td>40.32</td> <td>2.72</td> <td>29.33</td> <td>34.99</td> <td>197</td> <td>251 Average</td> <td>VERTICAL</td> </tr> </tbody> </table> </div> </div> | | | | | Freq | Level | Limit | Over | Read | CableAntenna | Preamp | A/Pos | T/Pos | Remark | Pol/Phase | | MHz | dBuV/m | dBuV/m | dB | dBuV | dB | dB/m | dB | cm | deg | | 1 | 2285.12 | 45.52 | 74.00 | -28.48 | 48.46 | 2.72 | 29.33 | 34.99 | 197 | 251 Peak | VERTICAL | 2 | 2285.24 | 37.38 | 54.00 | -16.62 | 40.32 | 2.72 | 29.33 | 34.99 | 197 | 251 Average | VERTICAL |
| | Freq | Level | Limit | Over | Read | CableAntenna | Preamp | A/Pos | T/Pos | Remark | Pol/Phase | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | MHz | dBuV/m | dBuV/m | dB | dBuV | dB | dB/m | dB | cm | deg | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 2285.12 | 45.52 | 74.00 | -28.48 | 48.46 | 2.72 | 29.33 | 34.99 | 197 | 251 Peak | VERTICAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 2285.24 | 37.38 | 54.00 | -16.62 | 40.32 | 2.72 | 29.33 | 34.99 | 197 | 251 Average | VERTICAL | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |