


802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5260MHz\_TX




EUT Y\_4TX  
Setting 100  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77676G	60.11	74.00	-13.89	14.16	3	Horizontal	193	1.18	-	45.95
AV	15.77738G	44.83	54.00	-9.17	14.16	3	Horizontal	193	1.18	-	30.67

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 96  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2972G	127.02	Inf	-Inf	4.63	3	Vertical	224	1.87	-	122.39
AV	5.2968G	112.63	Inf	-Inf	4.63	3	Vertical	224	1.87	-	108.00
PK	5.354G	71.17	74.00	-2.83	4.82	3	Vertical	224	1.87	-	66.35
AV	5.3504G	53.77	54.00	-0.23	4.81	3	Vertical	224	1.87	-	48.96

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

### 5300MHz\_TX




EUT Y\_4TX  
Setting 96  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	118.28	Inf	-Inf	4.63	3	Horizontal	197	1.50	-	113.65
AV	5.3016G	104.29	Inf	-Inf	4.64	3	Horizontal	197	1.50	-	99.65
PK	5.35G	65.87	74.00	-8.13	4.81	3	Horizontal	197	1.50	-	61.06
AV	5.3508G	49.05	54.00	-4.95	4.81	3	Horizontal	197	1.50	-	44.24

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 96  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8968G	59.58	74.00	-14.42	14.03	3	Vertical	58	1.88	-	45.55
AV	15.89638G	45.13	54.00	-8.87	14.03	3	Vertical	58	1.88	-	31.10

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 96  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90308G	59.09	74.00	-14.91	14.02	3	Horizontal	50	2.85	-	45.07
AV	15.89646G	45.07	54.00	-8.93	14.03	3	Horizontal	50	2.85	-	31.04

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5320MHz\_TX




EUT Y\_4TX  
Setting 78  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3168G	122.28	Inf	-Inf	4.70	3	Vertical	222	1.69	-	117.58
AV	5.322G	108.07	Inf	-Inf	4.72	3	Vertical	222	1.69	-	103.35
PK	5.3524G	73.97	74.00	-0.03	4.82	3	Vertical	222	1.69	-	69.15
AV	5.352G	53.98	54.00	-0.02	4.82	3	Vertical	222	1.69	-	49.16

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5320MHz\_TX




EUT Y\_4TX  
Setting 78  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3132G	114.63	Inf	-Inf	4.69	3	Horizontal	155	2.62	-	109.94
AV	5.3228G	101.19	Inf	-Inf	4.72	3	Horizontal	155	2.62	-	96.47
PK	5.352G	65.86	74.00	-8.14	4.82	3	Horizontal	155	2.62	-	61.04
AV	5.3528G	48.73	54.00	-5.27	4.82	3	Horizontal	155	2.62	-	43.91

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5320MHz\_TX



EUT Y\_4TX  
Setting 78  
01-G-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9552G	59.09	74.00	-14.91	13.96	3	Vertical	169	2.74	-	45.13
AV	15.95524G	44.44	54.00	-9.56	13.96	3	Vertical	169	2.74	-	30.48



802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5320MHz\_TX




EUT Y\_4TX  
Setting 78  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96144G	59.46	74.00	-14.54	13.94	3	Horizontal	125	1.29	-	45.52
AV	15.95758G	44.43	54.00	-9.57	13.96	3	Horizontal	125	1.29	-	30.47

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/09/2019

### 5500MHz\_TX




EUT Y\_4TX  
Setting 71  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4584G	63.08	74.00	-10.92	5.22	3	Vertical	259	1.71	-	57.86
AV	5.4584G	47.62	54.00	-6.38	5.22	3	Vertical	259	1.71	-	42.40
PK	5.4682G	68.05	68.20	-0.15	5.25	3	Vertical	259	1.71	-	62.80
PK	5.4932G	119.80	Inf	-Inf	5.35	3	Vertical	259	1.71	-	114.45
AV	5.4984G	106.30	Inf	-Inf	5.38	3	Vertical	259	1.71	-	100.92

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/09/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 71  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4576G	62.38	74.00	-11.62	5.21	3	Horizontal	50	2.32	-	57.17
AV	5.4576G	46.62	54.00	-7.38	5.21	3	Horizontal	50	2.32	-	41.41
PK	5.4614G	63.75	68.20	-4.45	5.22	3	Horizontal	50	2.32	-	58.53
PK	5.5056G	117.96	Inf	-Inf	5.39	3	Horizontal	50	2.32	-	112.57
AV	5.5008G	104.30	Inf	-Inf	5.38	3	Horizontal	50	2.32	-	98.92

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/09/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 71  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.9998G	54.58	74.00	-19.42	11.71	3	Vertical	46	1.93	-	42.87
AV	10.9998G	40.20	54.00	-13.80	11.71	3	Vertical	46	1.93	-	28.49
PK	16.50422G	61.89	68.20	-6.31	15.78	3	Vertical	148	1.12	-	46.11

802.11ax HEW20\_Nss1,(MCS0)\_4TX

12/09/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 71  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00142G	54.18	74.00	-19.82	11.71	3	Horizontal	355	1.49	-	42.47
AV	10.99996G	40.16	54.00	-13.84	11.71	3	Horizontal	355	1.49	-	28.45
PK	16.49578G	62.01	68.20	-6.19	15.74	3	Horizontal	340	2.95	-	46.27

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5580MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4512G	60.34	74.00	-13.66	5.18	3	Vertical	261	1.65	-	55.16
AV	5.456G	48.36	54.00	-5.64	5.21	3	Vertical	261	1.65	-	43.15
PK	5.4624G	61.49	68.20	-6.71	5.23	3	Vertical	261	1.65	-	56.26
PK	5.5888G	125.05	Inf	-Inf	5.61	3	Vertical	261	1.65	-	119.44
AV	5.584G	113.83	Inf	-Inf	5.60	3	Vertical	261	1.65	-	108.23
PK	5.7408G	63.97	68.20	-4.23	5.83	3	Vertical	261	1.65	-	58.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

### 5580MHz\_TX




EUT Y\_4TX  
Setting 100  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.456G	59.48	74.00	-14.52	5.21	3	Horizontal	293	1.60	-	54.27
AV	5.456G	46.88	54.00	-7.12	5.21	3	Horizontal	293	1.60	-	41.67
PK	5.4656G	59.65	68.20	-8.55	5.25	3	Horizontal	293	1.60	-	54.40
PK	5.584G	125.01	Inf	-Inf	5.60	3	Horizontal	293	1.60	-	119.41
AV	5.584G	112.53	Inf	-Inf	5.60	3	Horizontal	293	1.60	-	106.93
PK	5.7456G	61.41	68.20	-6.79	5.84	3	Horizontal	293	1.60	-	55.57

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5580MHz\_TX



EUT Y\_4TX  
Setting 100  
01-G-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16012G	54.06	74.00	-19.94	11.78	3	Vertical	180	1.56	-	42.28
AV	11.15574G	39.38	54.00	-14.62	11.78	3	Vertical	180	1.56	-	27.60
PK	16.74112G	66.11	68.20	-2.09	16.65	3	Vertical	239	2.97	-	49.46



802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5580MHz\_TX




EUT Y\_4TX  
Setting 100  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15866G	54.08	74.00	-19.92	11.78	3	Horizontal	262	1.87	-	42.30
AV	11.15584G	39.40	54.00	-14.60	11.78	3	Horizontal	262	1.87	-	27.62
PK	16.74008G	65.85	68.20	-2.35	16.65	3	Horizontal	204	1.75	-	49.20

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5700MHz\_TX




EUT Y\_4TX  
Setting 64  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6932G	117.18	Inf	-Inf	5.73	3	Vertical	258	1.50	-	111.45
AV	5.6986G	103.93	Inf	-Inf	5.74	3	Vertical	258	1.50	-	98.19
PK	5.7336G	67.88	68.20	-0.32	5.81	3	Vertical	258	1.50	-	62.07

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5700MHz\_TX




EUT Y\_4TX  
Setting 64  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7006G	116.82	Inf	-Inf	5.74	3	Horizontal	49	1.72	-	111.08
AV	5.7008G	103.39	Inf	-Inf	5.74	3	Horizontal	49	1.72	-	97.65
PK	5.7308G	67.72	68.20	-0.48	5.80	3	Horizontal	49	1.72	-	61.92

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5700MHz\_TX




EUT Y\_4TX  
Setting 64  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40424G	54.21	74.00	-19.79	11.89	3	Vertical	47	1.97	-	42.32
AV	11.40002G	40.17	54.00	-13.83	11.89	3	Vertical	47	1.97	-	28.28
PK	17.09872G	62.70	68.20	-5.50	17.80	3	Vertical	27	2.20	-	44.90

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5700MHz\_TX




EUT Y\_4TX  
Setting 64  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39956G	54.61	74.00	-19.39	11.89	3	Horizontal	313	1.54	-	42.72
AV	11.40004G	40.25	54.00	-13.75	11.89	3	Horizontal	313	1.54	-	28.36
PK	17.1041G	62.56	68.20	-5.64	17.81	3	Horizontal	261	1.53	-	44.75

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7136G	125.47	Inf	-Inf	5.78	3	Vertical	261	1.67	-	119.69
AV	5.724G	112.59	Inf	-Inf	5.80	3	Vertical	261	1.67	-	106.79
PK	5.8808G	62.43	68.20	-5.77	6.56	3	Vertical	261	1.67	-	55.87

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-G-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7256G	123.94	Inf	-Inf	5.79	3	Horizontal	53	1.72	-	118.15
AV	5.7152G	111.46	Inf	-Inf	5.78	3	Horizontal	53	1.72	-	105.68
PK	5.8904G	60.85	68.20	-7.35	6.62	3	Horizontal	53	1.72	-	54.23

802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 100  
01-G-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44008G	54.61	74.00	-19.39	11.90	3	Vertical	323	1.18	-	42.71
AV	11.43992G	40.39	54.00	-13.61	11.90	3	Vertical	323	1.18	-	28.49
PK	17.16168G	63.09	68.20	-5.11	17.90	3	Vertical	1	2.30	-	45.19



802.11ax HEW20\_Nss1,(MCS0)\_4TX

24/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-G-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43574G	54.50	74.00	-19.50	11.90	3	Horizontal	158	1.61	-	42.60
AV	11.43996G	40.41	54.00	-13.59	11.90	3	Horizontal	158	1.61	-	28.51
PK	17.15938G	63.45	68.20	-4.75	17.90	3	Horizontal	307	1.50	-	45.55

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5270MHz\_TX




EUT Y\_4TX  
Setting 90  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	62.52	74.00	-11.48	4.25	3	Vertical	224	1.78	-	58.27
AV	5.1458G	50.62	54.00	-3.38	4.25	3	Vertical	224	1.78	-	46.37
PK	5.2622G	122.97	Inf	-Inf	4.50	3	Vertical	224	1.78	-	118.47
AV	5.2622G	111.11	Inf	-Inf	4.50	3	Vertical	224	1.78	-	106.61
PK	5.3522G	69.86	74.00	-4.14	4.82	3	Vertical	224	1.78	-	65.04
AV	5.3522G	53.81	54.00	-0.19	4.82	3	Vertical	224	1.78	-	48.99

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5270MHz\_TX




EUT Y\_4TX  
Setting 90  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	58.68	74.00	-15.32	4.25	3	Horizontal	197	1.50	-	54.43
AV	5.1482G	47.12	54.00	-6.88	4.25	3	Horizontal	197	1.50	-	42.87
PK	5.2622G	114.22	Inf	-Inf	4.50	3	Horizontal	197	1.50	-	109.72
AV	5.2664G	102.65	Inf	-Inf	4.52	3	Horizontal	197	1.50	-	98.13
PK	5.3522G	63.78	74.00	-10.22	4.82	3	Horizontal	197	1.50	-	58.96
AV	5.3522G	49.73	54.00	-4.27	4.82	3	Horizontal	197	1.50	-	44.91

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

### 5270MHz\_TX




EUT Y\_4TX  
Setting 90  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80993G	59.06	74.00	-14.94	14.13	3	Vertical	189	1.47	-	44.93
AV	15.80989G	46.50	54.00	-7.50	14.13	3	Vertical	189	1.47	-	32.37

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5270MHz\_TX




EUT Y\_4TX  
Setting 90  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80957G	58.84	74.00	-15.16	14.13	3	Horizontal	50	2.34	-	44.71
AV	15.81G	46.69	54.00	-7.31	14.13	3	Horizontal	50	2.34	-	32.56

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.304G	115.05	Inf	-Inf	4.65	3	Vertical	256	1.65	-	110.40
AV	5.304G	104.11	Inf	-Inf	4.65	3	Vertical	256	1.65	-	99.46
PK	5.35G	72.90	74.00	-1.10	4.81	3	Vertical	256	1.65	-	68.09
AV	5.35G	53.44	54.00	-0.56	4.81	3	Vertical	256	1.65	-	48.63

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
 Setting 72  
 01-M-1-10  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.302G	108.78	Inf	-Inf	4.65	3	Horizontal	198	1.40	-	104.13
AV	5.2968G	97.54	Inf	-Inf	4.63	3	Horizontal	198	1.40	-	92.91
PK	5.3516G	68.08	74.00	-5.92	4.81	3	Horizontal	198	1.40	-	63.27
AV	5.3516G	48.84	54.00	-5.16	4.81	3	Horizontal	198	1.40	-	44.03

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

### 5310MHz\_TX



EUT Y\_4TX  
 Setting 72  
 01-M-1  
 FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61965G	53.22	74.00	-20.78	11.20	3	Vertical	270	1.21	-	42.02
AV	10.61931G	40.89	54.00	-13.11	11.20	3	Vertical	270	1.21	-	29.69
PK	15.93094G	59.17	74.00	-14.83	13.98	3	Vertical	241	1.39	-	45.19
AV	15.93017G	46.48	54.00	-7.52	13.98	3	Vertical	241	1.39	-	32.50



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62036G	53.25	74.00	-20.75	11.20	3	Horizontal	93	1.21	-	42.05
AV	10.61917G	41.04	54.00	-12.96	11.20	3	Horizontal	93	1.21	-	29.84
PK	15.92978G	58.98	74.00	-15.02	13.98	3	Horizontal	37	2.22	-	45.00
AV	15.93G	46.67	54.00	-7.33	13.98	3	Horizontal	37	2.22	-	32.69

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	66.19	74.00	-7.81	5.21	3	Vertical	258	1.73	-	60.98
AV	5.4588G	52.12	54.00	-1.88	5.22	3	Vertical	258	1.73	-	46.90
PK	5.468G	68.05	68.20	-0.15	5.25	3	Vertical	258	1.73	-	62.80
PK	5.508G	116.10	Inf	-Inf	5.41	3	Vertical	258	1.73	-	110.69
AV	5.5036G	104.15	Inf	-Inf	5.39	3	Vertical	258	1.73	-	98.76

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	65.26	74.00	-8.74	5.21	3	Horizontal	225	2.79	-	60.05
AV	5.4572G	50.76	54.00	-3.24	5.21	3	Horizontal	225	2.79	-	45.55
PK	5.4672G	65.54	68.20	-2.66	5.25	3	Horizontal	225	2.79	-	60.29
PK	5.502G	115.88	Inf	-Inf	5.38	3	Horizontal	225	2.79	-	110.50
AV	5.5168G	103.93	Inf	-Inf	5.42	3	Horizontal	225	2.79	-	98.51

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02052G	53.72	74.00	-20.28	11.72	3	Vertical	337	2.78	-	42.00
AV	11.01972G	41.49	54.00	-12.51	11.72	3	Vertical	337	2.78	-	29.77

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0199G	53.75	74.00	-20.25	11.72	3	Horizontal	229	2.34	-	42.03
AV	11.02043G	41.32	54.00	-12.68	11.72	3	Horizontal	229	2.34	-	29.60

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5550MHz\_TX




EUT\_Y\_4TX  
Setting 92  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	64.60	74.00	-9.40	5.22	3	Vertical	262	1.45	-	59.38
AV	5.4596G	52.15	54.00	-1.85	5.22	3	Vertical	262	1.45	-	46.93
PK	5.47G	68.00	68.20	-0.20	5.26	3	Vertical	262	1.45	-	62.74
PK	5.5436G	120.39	Inf	-Inf	5.49	3	Vertical	262	1.45	-	114.90
AV	5.5436G	110.04	Inf	-Inf	5.49	3	Vertical	262	1.45	-	104.55
PK	5.73G	64.27	68.20	-3.93	5.80	3	Vertical	262	1.45	-	58.47

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

### 5550MHz\_TX




EUT\_Y\_4TX  
Setting 92  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	64.72	74.00	-9.28	5.21	3	Horizontal	206	1.53	-	59.51
AV	5.4564G	51.77	54.00	-2.23	5.21	3	Horizontal	206	1.53	-	46.56
PK	5.466G	67.11	68.20	-1.09	5.25	3	Horizontal	206	1.53	-	61.86
PK	5.5492G	118.61	Inf	-Inf	5.51	3	Horizontal	206	1.53	-	113.10
AV	5.5444G	107.85	Inf	-Inf	5.50	3	Horizontal	206	1.53	-	102.35
PK	5.7348G	60.89	68.20	-7.31	5.81	3	Horizontal	206	1.53	-	55.08

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

### 5550MHz\_TX



EUT Y\_4TX  
Setting 92  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09811G	53.73	74.00	-20.27	11.76	3	Vertical	325	1.95	-	41.97
AV	11.09826G	41.50	54.00	-12.50	11.76	3	Vertical	325	1.95	-	29.74



802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5550MHz\_TX




EUT Y\_4TX  
Setting 92  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09994G	53.63	74.00	-20.37	11.76	3	Horizontal	259	1.59	-	41.87
AV	11.09921G	41.41	54.00	-12.59	11.76	3	Horizontal	259	1.59	-	29.65

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5670MHz\_TX




EUT Y\_4TX  
Setting 75  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6688G	117.28	Inf	-Inf	5.71	3	Vertical	264	1.79	-	111.57
AV	5.674G	106.29	Inf	-Inf	5.71	3	Vertical	264	1.79	-	100.58
PK	5.7252G	68.14	68.20	-0.06	5.79	3	Vertical	264	1.79	-	62.35

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5670MHz\_TX




EUT Y\_4TX  
 Setting 75  
 01-M-1-10  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6716G	116.04	Inf	-Inf	5.71	3	Horizontal	45	2.76	-	110.33
AV	5.6768G	104.92	Inf	-Inf	5.72	3	Horizontal	45	2.76	-	99.20
PK	5.726G	65.88	68.20	-2.32	5.79	3	Horizontal	45	2.76	-	60.09

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5670MHz\_TX




EUT Y\_4TX  
Setting 75  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34157G	53.90	74.00	-20.10	11.86	3	Vertical	101	2.94	-	42.04
AV	11.33781G	41.91	54.00	-12.09	11.86	3	Vertical	101	2.94	-	30.05

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

### 5670MHz\_TX




EUT Y\_4TX  
Setting 75  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33769G	54.31	74.00	-19.69	11.86	3	Horizontal	80	2.51	-	42.45
AV	11.3384G	41.75	54.00	-12.25	11.86	3	Horizontal	80	2.51	-	29.89

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4532G	59.79	74.00	-14.21	5.19	3	Vertical	261	1.65	-	54.60
AV	5.4568G	48.20	54.00	-5.80	5.21	3	Vertical	261	1.65	-	42.99
PK	5.4676G	59.58	68.20	-8.62	5.25	3	Vertical	261	1.65	-	54.33
PK	5.7232G	123.51	Inf	-Inf	5.80	3	Vertical	261	1.65	-	117.71
AV	5.7136G	112.73	Inf	-Inf	5.78	3	Vertical	261	1.65	-	106.95
PK	5.854G	64.91	68.20	-3.29	6.35	3	Vertical	261	1.65	-	58.56

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.452G	58.59	74.00	-15.41	5.19	3	Horizontal	61	1.50	-	53.40
AV	5.4412G	47.25	54.00	-6.75	5.15	3	Horizontal	61	1.50	-	42.10
PK	5.4688G	58.38	68.20	-9.82	5.26	3	Horizontal	61	1.50	-	53.12
PK	5.71G	120.85	Inf	-Inf	5.76	3	Horizontal	61	1.50	-	115.09
AV	5.7136G	110.29	Inf	-Inf	5.78	3	Horizontal	61	1.50	-	104.51
PK	5.86G	61.85	68.20	-6.35	6.40	3	Horizontal	61	1.50	-	55.45

802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 100  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4238G	54.39	74.00	-19.61	11.90	3	Vertical	259	1.50	-	42.49
AV	11.42516G	41.89	54.00	-12.11	11.91	3	Vertical	259	1.50	-	29.98
PK	17.12624G	62.90	68.20	-5.30	17.84	3	Vertical	188	1.37	-	45.06



802.11ax HEW40\_Nss1,(MCS0)\_4TX

25/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42008G	54.45	74.00	-19.55	11.89	3	Horizontal	99	2.99	-	42.56
AV	11.41992G	44.77	54.00	-9.23	11.89	3	Horizontal	99	2.99	-	32.88
PK	17.1274G	64.65	68.20	-3.55	17.85	3	Horizontal	101	2.99	-	46.80

802.11ax HEW80\_Nss1,(MCS0)\_4TX

21/10/2019

5290MHz\_TX




EUT Y\_4TX  
Setting 70  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1412G	60.04	74.00	-13.96	4.24	3	Vertical	257	1.76	-	55.80
AV	5.1476G	48.45	54.00	-5.55	4.25	3	Vertical	257	1.76	-	44.20
PK	5.2892G	111.35	Inf	-Inf	4.60	3	Vertical	257	1.76	-	106.75
AV	5.2796G	101.27	Inf	-Inf	4.57	3	Vertical	257	1.76	-	96.70
PK	5.35G	65.06	74.00	-8.94	4.81	3	Vertical	257	1.76	-	60.25
AV	5.354G	53.93	54.00	-0.07	4.82	3	Vertical	257	1.76	-	49.11
PK	5.4764G	58.30	68.20	-9.90	5.29	3	Vertical	257	1.76	-	53.01

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

21/10/2019

### 5290MHz\_TX




EUT Y\_4TX  
Setting 70  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1436G	58.10	74.00	-15.90	4.24	3	Horizontal	198	1.33	-	53.86
AV	5.15G	46.16	54.00	-7.84	4.25	3	Horizontal	198	1.33	-	41.91
PK	5.2668G	104.00	Inf	-Inf	4.52	3	Horizontal	198	1.33	-	99.48
AV	5.262G	94.22	Inf	-Inf	4.50	3	Horizontal	198	1.33	-	89.72
PK	5.3652G	61.66	74.00	-12.34	4.87	3	Horizontal	198	1.33	-	56.79
AV	5.3564G	49.22	54.00	-4.78	4.83	3	Horizontal	198	1.33	-	44.39
PK	5.4748G	58.25	68.20	-9.95	5.27	3	Horizontal	198	1.33	-	52.98

802.11ax HEW80\_Nss1,(MCS0)\_4TX

21/10/2019

5290MHz\_TX




EUT Y\_4TX  
Setting 70  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87059G	58.76	74.00	-15.24	14.06	3	Vertical	61	1.36	-	44.70
AV	15.8692G	46.51	54.00	-7.49	14.06	3	Vertical	61	1.36	-	32.45

802.11ax HEW80\_Nss1,(MCS0)\_4TX

21/10/2019

5290MHz\_TX




EUT Y\_4TX  
 Setting 70  
 01-M-1  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86904G	59.03	74.00	-14.97	14.06	3	Horizontal	111	2.70	-	44.97
AV	15.87046G	46.43	54.00	-7.57	14.06	3	Horizontal	111	2.70	-	32.37

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.291G	57.70	68.20	-10.50	4.60	3	Vertical	259	1.50	-	53.10
PK	5.46G	67.05	74.00	-6.95	5.22	3	Vertical	259	1.50	-	61.83
AV	5.458G	53.76	54.00	-0.24	5.21	3	Vertical	259	1.50	-	48.55
PK	5.465G	67.13	68.20	-1.07	5.25	3	Vertical	259	1.50	-	61.88
PK	5.529G	114.30	Inf	-Inf	5.45	3	Vertical	259	1.50	-	108.85
AV	5.523G	102.49	Inf	-Inf	5.45	3	Vertical	259	1.50	-	97.04
PK	5.753G	63.10	68.20	-5.10	5.86	3	Vertical	259	1.50	-	57.24

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.324G	57.57	68.20	-10.63	4.72	3	Horizontal	49	2.88	-	52.85
PK	5.446G	65.92	74.00	-8.08	5.18	3	Horizontal	49	2.88	-	60.74
AV	5.452G	51.07	54.00	-2.93	5.19	3	Horizontal	49	2.88	-	45.88
PK	5.465G	66.22	68.20	-1.98	5.25	3	Horizontal	49	2.88	-	60.97
PK	5.521G	111.74	Inf	-Inf	5.44	3	Horizontal	49	2.88	-	106.30
AV	5.536G	100.59	Inf	-Inf	5.47	3	Horizontal	49	2.88	-	95.12
PK	5.727G	59.87	68.20	-8.33	5.79	3	Horizontal	49	2.88	-	54.08

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5530MHz\_TX



EUT Y\_4TX  
Setting 72  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05974G	53.55	74.00	-20.45	11.73	3	Vertical	360	1.10	-	41.82
AV	11.06086G	41.61	54.00	-12.39	11.73	3	Vertical	360	1.10	-	29.88



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05956G	53.78	74.00	-20.22	11.73	3	Horizontal	224	1.16	-	42.05
AV	11.05958G	41.63	54.00	-12.37	11.73	3	Horizontal	224	1.16	-	29.90

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5610MHz\_TX




EUT Y\_4TX  
Setting 79  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	61.14	74.00	-12.86	5.21	3	Vertical	260	1.49	-	55.93
AV	5.4588G	49.22	54.00	-4.78	5.22	3	Vertical	260	1.49	-	44.00
PK	5.4684G	61.01	68.20	-7.19	5.26	3	Vertical	260	1.49	-	55.75
PK	5.6084G	115.81	Inf	-Inf	5.65	3	Vertical	260	1.49	-	110.16
AV	5.6084G	103.52	Inf	-Inf	5.65	3	Vertical	260	1.49	-	97.87
PK	5.7364G	68.06	68.20	-0.14	5.81	3	Vertical	260	1.49	-	62.25

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5610MHz\_TX




EUT Y\_4TX  
Setting 79  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4516G	60.20	74.00	-13.80	5.18	3	Horizontal	293	1.61	-	55.02
AV	5.4564G	47.71	54.00	-6.29	5.21	3	Horizontal	293	1.61	-	42.50
PK	5.4676G	59.80	68.20	-8.40	5.25	3	Horizontal	293	1.61	-	54.55
PK	5.5892G	112.85	Inf	-Inf	5.61	3	Horizontal	293	1.61	-	107.24
AV	5.5988G	102.14	Inf	-Inf	5.64	3	Horizontal	293	1.61	-	96.50
PK	5.7348G	64.53	68.20	-3.67	5.81	3	Horizontal	293	1.61	-	58.72

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5610MHz\_TX




EUT Y\_4TX  
Setting 79  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21902G	53.48	74.00	-20.52	11.81	3	Vertical	104	1.99	-	41.67
AV	11.2196G	41.11	54.00	-12.89	11.81	3	Vertical	104	1.99	-	29.30

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5610MHz\_TX




EUT Y\_4TX  
Setting 79  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22072G	54.13	74.00	-19.87	11.81	3	Horizontal	100	2.14	-	42.32
AV	11.22048G	41.10	54.00	-12.90	11.81	3	Horizontal	100	2.14	-	29.29

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 89  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.444G	59.16	74.00	-14.84	5.16	3	Vertical	259	1.66	-	54.00
AV	5.4524G	48.11	54.00	-5.89	5.19	3	Vertical	259	1.66	-	42.92
PK	5.462G	59.58	68.20	-8.62	5.23	3	Vertical	259	1.66	-	54.35
PK	5.6888G	118.70	Inf	-Inf	5.73	3	Vertical	259	1.66	-	112.97
AV	5.684G	106.92	Inf	-Inf	5.72	3	Vertical	259	1.66	-	101.20
PK	5.85G	68.02	68.20	-0.18	6.33	3	Vertical	259	1.66	-	61.69

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

### 5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 89  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	59.56	74.00	-14.44	5.19	3	Horizontal	49	1.71	-	54.37
AV	5.4596G	47.39	54.00	-6.61	5.22	3	Horizontal	49	1.71	-	42.17
PK	5.47G	59.18	68.20	-9.02	5.26	3	Horizontal	49	1.71	-	53.92
PK	5.6816G	116.87	Inf	-Inf	5.72	3	Horizontal	49	1.71	-	111.15
AV	5.7008G	105.64	Inf	-Inf	5.74	3	Horizontal	49	1.71	-	99.90
PK	5.85G	63.70	68.20	-4.50	6.33	3	Horizontal	49	1.71	-	57.37

802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 89  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3809G	54.29	74.00	-19.71	11.88	3	Vertical	104	1.50	-	42.41
AV	11.38022G	41.55	54.00	-12.45	11.88	3	Vertical	104	1.50	-	29.67



802.11ax HEW80\_Nss1,(MCS0)\_4TX

25/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 89  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38024G	54.72	74.00	-19.28	11.88	3	Horizontal	354	1.20	-	42.84
AV	11.3801G	41.49	54.00	-12.51	11.88	3	Horizontal	354	1.20	-	29.61

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

09/10/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 57  
06-B-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1316G	65.91	74.00	-8.09	5.17	3	Vertical	9	1.57	-	60.74
AV	5.1316G	53.82	54.00	-0.18	5.17	3	Vertical	9	1.57	-	48.65
PK	5.2548G	106.02	Inf	-Inf	4.61	3	Vertical	9	1.57	-	101.41
AV	5.2548G	95.56	Inf	-Inf	4.61	3	Vertical	9	1.57	-	90.95
PK	5.3764G	63.38	74.00	-10.62	4.78	3	Vertical	9	1.57	-	58.60
AV	5.378G	52.08	54.00	-1.92	4.79	3	Vertical	9	1.57	-	47.29
PK	5.5252G	57.01	68.20	-11.19	5.05	3	Vertical	9	1.57	-	51.96

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

09/10/2019

### 5250MHz\_TX




EUT Y\_4TX  
Setting 57  
06-B-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	62.25	74.00	-11.75	5.10	3	Horizontal	163	1.90	-	57.15
AV	5.1444G	51.83	54.00	-2.17	5.12	3	Horizontal	163	1.90	-	46.71
PK	5.2324G	100.84	Inf	-Inf	4.71	3	Horizontal	163	1.90	-	96.13
AV	5.2484G	90.86	Inf	-Inf	4.65	3	Horizontal	163	1.90	-	86.21
PK	5.3716G	59.66	74.00	-14.34	4.75	3	Horizontal	163	1.90	-	54.91
AV	5.3892G	47.98	54.00	-6.02	4.85	3	Horizontal	163	1.90	-	43.13
PK	5.4612G	57.25	68.20	-10.95	5.02	3	Horizontal	163	1.90	-	52.23

802.11ax HEW160\_Nss1,(MCS0)\_4TX

22/10/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 57  
01-P-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74542G	59.92	74.00	-14.08	14.21	3	Vertical	55	1.50	-	45.71
AV	15.74572G	48.53	54.00	-5.47	14.21	3	Vertical	55	1.50	-	34.32

802.11ax HEW160\_Nss1,(MCS0)\_4TX

22/10/2019

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
Setting 57  
01-P-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7452G	59.12	74.00	-14.88	14.20	3	Horizontal	311	1.50	-	44.92
AV	15.7537G	48.40	54.00	-5.60	14.20	3	Horizontal	311	1.50	-	34.20

802.11ax HEW160\_Nss1,(MCS0)\_4TX

09/10/2019

5570MHz\_TX




EUT\_Y\_4TX  
Setting 63  
06-B-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.186G	56.99	68.20	-11.21	4.92	3	Vertical	173	1.66	-	52.07
PK	5.458G	63.35	74.00	-10.65	5.01	3	Vertical	173	1.66	-	58.34
AV	5.458G	53.80	54.00	-0.20	5.01	3	Vertical	173	1.66	-	48.79
PK	5.4692G	63.28	68.20	-4.92	5.04	3	Vertical	173	1.66	-	58.24
PK	5.5396G	107.69	Inf	-Inf	5.02	3	Vertical	173	1.66	-	102.67
AV	5.5732G	96.97	Inf	-Inf	4.96	3	Vertical	173	1.66	-	92.01
PK	5.7252G	64.37	68.20	-3.83	5.16	3	Vertical	173	1.66	-	59.21

802.11ax HEW160\_Nss1,(MCS0)\_4TX

09/10/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 63  
06-B-4-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.21G	57.24	68.20	-10.96	4.81	3	Horizontal	4	1.61	-	52.43
PK	5.458G	60.76	74.00	-13.24	5.01	3	Horizontal	4	1.61	-	55.75
AV	5.4596G	50.05	54.00	-3.95	5.02	3	Horizontal	4	1.61	-	45.03
PK	5.4676G	61.01	68.20	-7.19	5.04	3	Horizontal	4	1.61	-	55.97
PK	5.6004G	105.33	Inf	-Inf	4.91	3	Horizontal	4	1.61	-	100.42
AV	5.5412G	94.88	Inf	-Inf	5.02	3	Horizontal	4	1.61	-	89.86
PK	5.7268G	60.56	68.20	-7.64	5.17	3	Horizontal	4	1.61	-	55.39

802.11ax HEW160\_Nss1,(MCS0)\_4TX

22/10/2019

5570MHz\_TX



EUT Y\_4TX  
Setting 63  
01-P-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14434G	53.59	74.00	-20.41	11.78	3	Vertical	86	1.50	-	41.81
AV	11.13996G	43.17	54.00	-10.83	11.77	3	Vertical	86	1.50	-	31.40



802.11ax HEW160\_Nss1,(MCS0)\_4TX

22/10/2019

5570MHz\_TX



EUT Y\_4TX  
Setting 63  
01-P-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13998G	54.04	74.00	-19.96	11.77	3	Horizontal	333	1.91	-	42.27
AV	11.14002G	44.89	54.00	-9.11	11.77	3	Horizontal	333	1.91	-	33.12




4T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_4TX	Pass	AV	5.458G	53.93	54.00	-0.07	5.21	3	Vertical	251	1.50	-

### 802.11ac VHT80\_Nss2,(MCS0)\_4TX

26/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 18  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.298G	57.42	68.20	-10.78	4.63	3	Vertical	56	1.55	-	52.79
PK	5.459G	65.27	74.00	-8.73	5.22	3	Vertical	56	1.55	-	60.05
AV	5.459G	53.92	54.00	-0.08	5.22	3	Vertical	56	1.55	-	48.70
PK	5.468G	64.48	68.20	-3.72	5.25	3	Vertical	56	1.55	-	59.23
PK	5.543G	109.88	Inf	-Inf	5.49	3	Vertical	56	1.55	-	104.39
AV	5.539G	101.75	Inf	-Inf	5.48	3	Vertical	56	1.55	-	96.27
PK	5.735G	60.71	68.20	-7.49	5.81	3	Vertical	56	1.55	-	54.90

### 802.11ac VHT80\_Nss2,(MCS0)\_4TX

26/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 18  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.335G	57.88	68.20	-10.32	4.77	3	Horizontal	102	1.36	-	53.11
PK	5.46G	63.63	74.00	-10.37	5.22	3	Horizontal	102	1.36	-	58.41
AV	5.459G	52.41	54.00	-1.59	5.22	3	Horizontal	102	1.36	-	47.19
PK	5.47G	64.98	68.20	-3.22	5.26	3	Horizontal	102	1.36	-	59.72
PK	5.55G	109.61	Inf	-Inf	5.51	3	Horizontal	102	1.36	-	104.10
AV	5.528G	99.93	Inf	-Inf	5.45	3	Horizontal	102	1.36	-	94.48
PK	5.761G	59.58	68.20	-8.62	5.87	3	Horizontal	102	1.36	-	53.71

802.11ac VHT80\_Nss2,(MCS0)\_4TX

26/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 18  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05945G	54.23	74.00	-19.77	11.73	3	Vertical	176	1.35	-	42.50
AV	11.06046G	43.30	54.00	-10.70	11.73	3	Vertical	176	1.35	-	31.57

802.11ac VHT80\_Nss2,(MCS0)\_4TX

26/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 18  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06082G	54.23	74.00	-19.77	11.73	3	Horizontal	192	2.72	-	42.50
AV	11.06075G	43.19	54.00	-10.81	11.73	3	Horizontal	192	2.72	-	31.46

### 802.11ac VHT160\_Nss2,(MCS0)\_4TX

26/08/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1332G	65.50	74.00	-8.50	4.24	3	Vertical	90	1.73	-	61.26
AV	5.1316G	53.80	54.00	-0.20	4.24	3	Vertical	90	1.73	-	49.56
PK	5.258G	102.60	Inf	-Inf	4.48	3	Vertical	90	1.73	-	98.12
AV	5.2324G	91.37	Inf	-Inf	4.39	3	Vertical	90	1.73	-	86.98
PK	5.3844G	59.82	74.00	-14.18	4.93	3	Vertical	90	1.73	-	54.89
AV	5.378G	50.35	54.00	-3.65	4.91	3	Vertical	90	1.73	-	45.44
PK	5.6308G	58.49	68.20	-9.71	5.67	3	Vertical	90	1.73	-	52.82

802.11ac VHT160\_Nss2,(MCS0)\_4TX

26/08/2019

5250MHz\_TX



EUT\_Y\_4TX  
Setting 13  
01-M-1-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1364G	61.36	74.00	-12.64	4.25	3	Horizontal	10	2.99	-	57.11
AV	5.138G	50.84	54.00	-3.16	4.24	3	Horizontal	10	2.99	-	46.60
PK	5.266G	98.59	Inf	-Inf	4.52	3	Horizontal	10	2.99	-	94.07
AV	5.258G	88.65	Inf	-Inf	4.48	3	Horizontal	10	2.99	-	84.17
PK	5.5716G	58.64	68.20	-9.56	5.57	3	Horizontal	10	2.99	-	53.07
AV	5.386G	48.47	54.00	-5.53	4.94	3	Horizontal	10	2.99	-	43.53
PK	5.3572G	58.63	74.00	-15.37	4.83	3	Horizontal	10	2.99	-	53.80



### 802.11ac VHT160\_Nss2,(MCS0)\_4TX

26/08/2019

### 5250MHz\_TX




EUT Y\_4TX  
Setting 13  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74987G	58.79	74.00	-15.21	14.21	3	Vertical	337	2.82	-	44.58
AV	15.75032G	48.18	54.00	-5.82	14.20	3	Vertical	337	2.82	-	33.98

802.11ac VHT160\_Nss2,(MCS0)\_4TX

26/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 13  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74977G	58.96	74.00	-15.04	14.21	3	Horizontal	152	1.32	-	44.75
AV	15.7501G	48.23	54.00	-5.77	14.20	3	Horizontal	152	1.32	-	34.03

802.11ac VHT160\_Nss2,(MCS0)\_4TX

26/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 14  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2996G	57.85	68.20	-10.35	4.64	3	Vertical	256	1.76	-	53.21
PK	5.4564G	63.18	74.00	-10.82	5.21	3	Vertical	256	1.76	-	57.97
AV	5.458G	53.79	54.00	-0.21	5.21	3	Vertical	256	1.76	-	48.58
PK	5.4676G	62.11	68.20	-6.09	5.25	3	Vertical	256	1.76	-	56.86
PK	5.5956G	103.82	Inf	-Inf	5.63	3	Vertical	256	1.76	-	98.19
AV	5.578G	93.16	Inf	-Inf	5.58	3	Vertical	256	1.76	-	87.58
PK	5.7252G	63.32	68.20	-4.88	5.79	3	Vertical	256	1.76	-	57.53

### 802.11ac VHT160\_Nss2,(MCS0)\_4TX

26/08/2019

### 5570MHz\_TX




EUT Y\_4TX  
Setting 14  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1956G	57.63	68.20	-10.57	4.27	3	Horizontal	95	1.50	-	53.36
PK	5.458G	60.58	74.00	-13.42	5.21	3	Horizontal	95	1.50	-	55.37
AV	5.458G	49.76	54.00	-4.24	5.21	3	Horizontal	95	1.50	-	44.55
PK	5.4676G	59.54	68.20	-8.66	5.25	3	Horizontal	95	1.50	-	54.29
PK	5.5732G	100.96	Inf	-Inf	5.58	3	Horizontal	95	1.50	-	95.38
AV	5.5828G	90.77	Inf	-Inf	5.60	3	Horizontal	95	1.50	-	85.17
PK	5.9684G	59.93	68.20	-8.27	7.02	3	Horizontal	95	1.50	-	52.91

802.11ac VHT160\_Nss2,(MCS0)\_4TX

26/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 14  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13967G	53.85	74.00	-20.15	11.77	3	Vertical	70	1.51	-	42.08
AV	11.14018G	42.83	54.00	-11.17	11.77	3	Vertical	70	1.51	-	31.06

802.11ac VHT160\_Nss2,(MCS0)\_4TX

26/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 14  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14013G	53.83	74.00	-20.17	11.77	3	Horizontal	25	1.39	-	42.06
AV	11.139G	43.02	54.00	-10.98	11.77	3	Horizontal	25	1.39	-	31.25

802.11ax HEW80\_Nss2,(MCS0)\_4TX

26/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 17  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.347G	57.70	68.20	-10.50	4.81	3	Vertical	253	1.58	-	52.89
PK	5.458G	63.97	74.00	-10.03	5.21	3	Vertical	253	1.58	-	58.76
AV	5.459G	53.76	54.00	-0.24	5.22	3	Vertical	253	1.58	-	48.54
PK	5.467G	64.76	68.20	-3.44	5.25	3	Vertical	253	1.58	-	59.51
PK	5.522G	112.61	Inf	-Inf	5.44	3	Vertical	253	1.58	-	107.17
AV	5.52G	101.19	Inf	-Inf	5.44	3	Vertical	253	1.58	-	95.75
PK	5.764G	60.74	68.20	-7.46	5.89	3	Vertical	253	1.58	-	54.85

802.11ax HEW80\_Nss2,(MCS0)\_4TX

26/08/2019

5530MHz\_TX



EUT Y\_4TX  
Setting 17  
01-M-1-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.335G	58.22	68.20	-9.98	4.77	3	Horizontal	47	2.27	-	53.45
PK	5.454G	63.00	74.00	-11.00	5.19	3	Horizontal	47	2.27	-	57.81
AV	5.453G	51.44	54.00	-2.56	5.19	3	Horizontal	47	2.27	-	46.25
PK	5.465G	61.67	68.20	-6.53	5.25	3	Horizontal	47	2.27	-	56.42
PK	5.535G	109.48	Inf	-Inf	5.47	3	Horizontal	47	2.27	-	104.01
AV	5.533G	99.30	Inf	-Inf	5.47	3	Horizontal	47	2.27	-	93.83
PK	5.759G	59.60	68.20	-8.60	5.87	3	Horizontal	47	2.27	-	53.73



802.11ax HEW80\_Nss2,(MCS0)\_4TX

26/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 17  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05974G	53.70	74.00	-20.30	11.73	3	Vertical	63	2.59	-	41.97
AV	11.05955G	43.37	54.00	-10.63	11.73	3	Vertical	63	2.59	-	31.64

802.11ax HEW80\_Nss2,(MCS0)\_4TX

26/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 17  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06075G	54.50	74.00	-19.50	11.73	3	Horizontal	221	1.50	-	42.77
AV	11.06025G	43.44	54.00	-10.56	11.73	3	Horizontal	221	1.50	-	31.71

802.11ax HEW160\_Nss2,(MCS0)\_4TX

26/08/2019

5250MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1396G	63.15	74.00	-10.85	4.24	3	Vertical	250	1.68	-	58.91
AV	5.138G	53.77	54.00	-0.23	4.24	3	Vertical	250	1.68	-	49.53
PK	5.2836G	103.20	Inf	-Inf	4.58	3	Vertical	250	1.68	-	98.62
AV	5.242G	93.00	Inf	-Inf	4.43	3	Vertical	250	1.68	-	88.57
PK	5.386G	60.28	74.00	-13.72	4.94	3	Vertical	250	1.68	-	55.34
AV	5.3876G	50.48	54.00	-3.52	4.94	3	Vertical	250	1.68	-	45.54
PK	5.6196G	58.66	68.20	-9.54	5.66	3	Vertical	250	1.68	-	53.00

### 802.11ax HEW160\_Nss2,(MCS0)\_4TX

26/08/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1332G	60.51	74.00	-13.49	4.24	3	Horizontal	234	2.45	-	56.27
AV	5.1332G	50.22	54.00	-3.78	4.24	3	Horizontal	234	2.45	-	45.98
PK	5.234G	98.91	Inf	-Inf	4.39	3	Horizontal	234	2.45	-	94.52
AV	5.2372G	88.73	Inf	-Inf	4.41	3	Horizontal	234	2.45	-	84.32
PK	5.4116G	57.85	74.00	-16.15	5.03	3	Horizontal	234	2.45	-	52.82
AV	5.3764G	48.62	54.00	-5.38	4.91	3	Horizontal	234	2.45	-	43.71
PK	5.6468G	58.36	68.20	-9.84	5.69	3	Horizontal	234	2.45	-	52.67

802.11ax HEW160\_Nss2,(MCS0)\_4TX

26/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 13  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7503G	58.82	74.00	-15.18	14.20	3	Vertical	205	1.48	-	44.62
AV	15.74962G	48.20	54.00	-5.80	14.21	3	Vertical	205	1.48	-	33.99

802.11ax HEW160\_Nss2,(MCS0)\_4TX

26/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 13  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75038G	58.93	74.00	-15.07	14.20	3	Horizontal	231	2.48	-	44.73
AV	15.74933G	48.02	54.00	-5.98	14.21	3	Horizontal	231	2.48	-	33.81

802.11ax HEW160\_Nss2,(MCS0)\_4TX

26/08/2019

5570MHz\_TX




EUT\_Y\_4TX  
Setting 15  
01-M-1-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2772G	57.03	68.20	-11.17	4.55	3	Vertical	251	1.50	-	52.48
PK	5.4564G	64.28	74.00	-9.72	5.21	3	Vertical	251	1.50	-	59.07
AV	5.458G	53.93	54.00	-0.07	5.21	3	Vertical	251	1.50	-	48.72
PK	5.4676G	63.07	68.20	-5.13	5.25	3	Vertical	251	1.50	-	57.82
PK	5.5972G	106.38	Inf	-Inf	5.63	3	Vertical	251	1.50	-	100.75
AV	5.5956G	95.92	Inf	-Inf	5.63	3	Vertical	251	1.50	-	90.29
PK	5.7268G	62.97	68.20	-5.23	5.79	3	Vertical	251	1.50	-	57.18

802.11ax HEW160\_Nss2,(MCS0)\_4TX

26/08/2019

5570MHz\_TX



EUT\_Y\_4TX  
Setting 15  
01-M-1-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2676G	57.95	68.20	-10.25	4.52	3	Horizontal	46	2.26	-	53.43
PK	5.4532G	63.26	74.00	-10.74	5.19	3	Horizontal	46	2.26	-	58.07
AV	5.4532G	51.91	54.00	-2.09	5.19	3	Horizontal	46	2.26	-	46.72
PK	5.466G	61.07	68.20	-7.13	5.25	3	Horizontal	46	2.26	-	55.82
PK	5.5764G	104.67	Inf	-Inf	5.57	3	Horizontal	46	2.26	-	99.10
AV	5.5924G	95.09	Inf	-Inf	5.61	3	Horizontal	46	2.26	-	89.48
PK	5.7268G	61.75	68.20	-6.45	5.79	3	Horizontal	46	2.26	-	55.96



802.11ax HEW160\_Nss2,(MCS0)\_4TX

26/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 15  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14002G	54.40	74.00	-19.60	11.77	3	Vertical	69	1.80	-	42.63
AV	11.14G	44.59	54.00	-9.41	11.77	3	Vertical	69	1.80	-	32.82

802.11ax HEW160\_Nss2,(MCS0)\_4TX

26/08/2019

5570MHz\_TX



EUT Y\_4TX  
Setting 15  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1392G	54.96	74.00	-19.04	11.77	3	Horizontal	21	2.02	-	43.19
AV	11.14002G	44.18	54.00	-9.82	11.77	3	Horizontal	21	2.02	-	32.41




4T3S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80_Nss3,(MCS0)_4TX	Pass	AV	5.456G	53.95	54.00	-0.05	5.21	3	Vertical	253	1.68	-

### 802.11ac VHT80\_Nss3,(MCS0)\_4TX

27/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 18  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.322G	57.09	68.20	-11.11	4.72	3	Vertical	253	1.68	-	52.37
PK	5.458G	66.32	74.00	-7.68	5.21	3	Vertical	253	1.68	-	61.11
AV	5.456G	53.95	54.00	-0.05	5.21	3	Vertical	253	1.68	-	48.74
PK	5.467G	67.54	68.20	-0.66	5.25	3	Vertical	253	1.68	-	62.29
PK	5.536G	111.00	Inf	-Inf	5.47	3	Vertical	253	1.68	-	105.53
AV	5.548G	100.52	Inf	-Inf	5.51	3	Vertical	253	1.68	-	95.01
PK	5.727G	61.35	68.20	-6.85	5.79	3	Vertical	253	1.68	-	55.56

### 802.11ac VHT80\_Nss3,(MCS0)\_4TX

27/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 18  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.333G	57.71	68.20	-10.49	4.76	3	Horizontal	62	1.70	-	52.95
PK	5.459G	64.98	74.00	-9.02	5.22	3	Horizontal	62	1.70	-	59.76
AV	5.459G	53.07	54.00	-0.93	5.22	3	Horizontal	62	1.70	-	47.85
PK	5.468G	63.34	68.20	-4.86	5.25	3	Horizontal	62	1.70	-	58.09
PK	5.546G	108.04	Inf	-Inf	5.50	3	Horizontal	62	1.70	-	102.54
AV	5.541G	98.92	Inf	-Inf	5.48	3	Horizontal	62	1.70	-	93.44
PK	5.73G	60.23	68.20	-7.97	5.80	3	Horizontal	62	1.70	-	54.43

### 802.11ac VHT80\_Nss3,(MCS0)\_4TX

27/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 18  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0609G	54.61	74.00	-19.39	11.73	3	Vertical	120	1.36	-	42.88
AV	11.0775G	43.77	54.00	-10.23	11.75	3	Vertical	120	1.36	-	32.02

802.11ac VHT80\_Nss3,(MCS0)\_4TX

27/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 18  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0427G	54.78	74.00	-19.22	11.73	3	Horizontal	357	1.24	-	43.05
AV	11.0601G	43.70	54.00	-10.30	11.73	3	Horizontal	357	1.24	-	31.97

802.11ac VHT160\_Nss3,(MCS0)\_4TX

27/08/2019

5250MHz\_TX



EUT\_Y\_4TX  
Setting 13  
01-J-5-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	64.69	74.00	-9.31	4.24	3	Vertical	272	1.67	-	60.45
AV	5.1428G	53.92	54.00	-0.08	4.24	3	Vertical	272	1.67	-	49.68
PK	5.2388G	103.86	Inf	-Inf	4.42	3	Vertical	272	1.67	-	99.44
AV	5.2132G	92.93	Inf	-Inf	4.32	3	Vertical	272	1.67	-	88.61
PK	5.3748G	60.19	74.00	-13.81	4.89	3	Vertical	272	1.67	-	55.30
AV	5.3748G	51.35	54.00	-2.65	4.89	3	Vertical	272	1.67	-	46.46
PK	5.554G	58.86	68.20	-9.34	5.52	3	Vertical	272	1.67	-	53.34



### 802.11ac VHT160\_Nss3,(MCS0)\_4TX

27/08/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1348G	61.46	74.00	-12.54	4.24	3	Horizontal	191	1.33	-	57.22
AV	5.1332G	50.47	54.00	-3.53	4.24	3	Horizontal	191	1.33	-	46.23
PK	5.2596G	95.83	Inf	-Inf	4.49	3	Horizontal	191	1.33	-	91.34
AV	5.258G	86.10	Inf	-Inf	4.48	3	Horizontal	191	1.33	-	81.62
PK	5.3844G	57.90	74.00	-16.10	4.93	3	Horizontal	191	1.33	-	52.97
AV	5.3828G	48.56	54.00	-5.44	4.93	3	Horizontal	191	1.33	-	43.63
PK	5.602G	58.86	68.20	-9.34	5.64	3	Horizontal	191	1.33	-	53.22

802.11ac VHT160\_Nss3,(MCS0)\_4TX

27/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 13  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7618G	59.81	74.00	-14.19	14.18	3	Vertical	187	1.54	-	45.63
AV	15.7524G	49.03	54.00	-4.97	14.20	3	Vertical	187	1.54	-	34.83

802.11ac VHT160\_Nss3,(MCS0)\_4TX

27/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 13  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7568G	59.28	74.00	-14.72	14.20	3	Horizontal	142	2.56	-	45.08
AV	15.7434G	48.68	54.00	-5.32	14.20	3	Horizontal	142	2.56	-	34.48

802.11ac VHT160\_Nss3,(MCS0)\_4TX

27/08/2019

5570MHz\_TX




EUT\_Y\_4TX  
Setting 14  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.226G	58.33	68.20	-9.87	4.37	3	Vertical	257	1.62	-	53.96
PK	5.458G	64.04	74.00	-9.96	5.21	3	Vertical	257	1.62	-	58.83
AV	5.458G	53.87	54.00	-0.13	5.21	3	Vertical	257	1.62	-	48.66
PK	5.4676G	62.66	68.20	-5.54	5.25	3	Vertical	257	1.62	-	57.41
PK	5.5972G	103.97	Inf	-Inf	5.63	3	Vertical	257	1.62	-	98.34
AV	5.5876G	94.26	Inf	-Inf	5.61	3	Vertical	257	1.62	-	88.65
PK	5.7252G	63.77	68.20	-4.43	5.79	3	Vertical	257	1.62	-	57.98

### 802.11ac VHT160\_Nss3,(MCS0)\_4TX

27/08/2019

### 5570MHz\_TX




EUT Y\_4TX  
Setting 14  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2676G	57.23	68.20	-10.97	4.52	3	Horizontal	63	1.59	-	52.71
PK	5.458G	62.19	74.00	-11.81	5.21	3	Horizontal	63	1.59	-	56.98
AV	5.458G	50.57	54.00	-3.43	5.21	3	Horizontal	63	1.59	-	45.36
PK	5.4676G	59.89	68.20	-8.31	5.25	3	Horizontal	63	1.59	-	54.64
PK	5.5476G	102.63	Inf	-Inf	5.51	3	Horizontal	63	1.59	-	97.12
AV	5.586G	92.89	Inf	-Inf	5.60	3	Horizontal	63	1.59	-	87.29
PK	5.7252G	61.89	68.20	-6.31	5.79	3	Horizontal	63	1.59	-	56.10

802.11ac VHT160\_Nss3,(MCS0)\_4TX

27/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 14  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1364G	54.57	74.00	-19.43	11.78	3	Vertical	135	1.51	-	42.79
AV	11.1272G	43.42	54.00	-10.58	11.77	3	Vertical	135	1.51	-	31.65

802.11ac VHT160\_Nss3,(MCS0)\_4TX

27/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 14  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1199G	54.37	74.00	-19.63	11.76	3	Horizontal	342	1.27	-	42.61
AV	11.1296G	43.34	54.00	-10.66	11.77	3	Horizontal	342	1.27	-	31.57

### 802.11ax HEW80\_Nss3,(MCS0)\_4TX

27/08/2019

### 5530MHz\_TX



EUT Y\_4TX  
Setting 17  
01-J-5-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.298G	58.06	68.20	-10.14	4.63	3	Vertical	255	1.49	-	53.43
PK	5.456G	64.60	74.00	-9.40	5.21	3	Vertical	255	1.49	-	59.39
AV	5.457G	53.95	54.00	-0.05	5.21	3	Vertical	255	1.49	-	48.74
PK	5.466G	65.02	68.20	-3.18	5.25	3	Vertical	255	1.49	-	59.77
PK	5.526G	111.78	Inf	-Inf	5.44	3	Vertical	255	1.49	-	106.34
AV	5.519G	99.90	Inf	-Inf	5.44	3	Vertical	255	1.49	-	94.46
PK	5.748G	60.77	68.20	-7.43	5.85	3	Vertical	255	1.49	-	54.92



802.11ax HEW80\_Nss3,(MCS0)\_4TX

27/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 17  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.304G	57.83	68.20	-10.37	4.65	3	Horizontal	64	1.64	-	53.18
PK	5.458G	61.63	74.00	-12.37	5.21	3	Horizontal	64	1.64	-	56.42
AV	5.459G	51.27	54.00	-2.73	5.22	3	Horizontal	64	1.64	-	46.05
PK	5.466G	62.14	68.20	-6.06	5.25	3	Horizontal	64	1.64	-	56.89
PK	5.546G	109.09	Inf	-Inf	5.50	3	Horizontal	64	1.64	-	103.59
AV	5.559G	98.23	Inf	-Inf	5.54	3	Horizontal	64	1.64	-	92.69
PK	5.74G	59.94	68.20	-8.26	5.83	3	Horizontal	64	1.64	-	54.11

802.11ax HEW80\_Nss3,(MCS0)\_4TX

27/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 17  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0371G	54.50	74.00	-19.50	11.72	3	Vertical	324	1.50	-	42.78
AV	11.0454G	43.53	54.00	-10.47	11.73	3	Vertical	324	1.50	-	31.80

802.11ax HEW80\_Nss3,(MCS0)\_4TX

27/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 17  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06G	54.63	74.00	-19.37	11.73	3	Horizontal	98	2.98	-	42.90
AV	11.06G	45.97	54.00	-8.03	11.73	3	Horizontal	98	2.98	-	34.24

802.11ax HEW160\_Nss3,(MCS0)\_4TX

13/09/2019

5250MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1364G	65.09	74.00	-8.91	4.25	3	Vertical	94	1.73	-	60.84
AV	5.1364G	53.91	54.00	-0.09	4.25	3	Vertical	94	1.73	-	49.66
PK	5.2372G	103.58	Inf	-Inf	4.41	3	Vertical	94	1.73	-	99.17
AV	5.2676G	92.96	Inf	-Inf	4.52	3	Vertical	94	1.73	-	88.44
PK	5.3796G	60.98	74.00	-13.02	4.92	3	Vertical	94	1.73	-	56.06
AV	5.3796G	50.48	54.00	-3.52	4.92	3	Vertical	94	1.73	-	45.56
PK	5.5428G	59.09	68.20	-9.11	5.49	3	Vertical	94	1.73	-	53.60

802.11ax HEW160\_Nss3,(MCS0)\_4TX

27/08/2019

5250MHz\_TX




EUT\_Y\_4TX  
Setting 13  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	61.57	74.00	-12.43	4.25	3	Horizontal	194	1.33	-	57.32
AV	5.146G	49.84	54.00	-4.16	4.25	3	Horizontal	194	1.33	-	45.59
PK	5.2612G	97.06	Inf	-Inf	4.49	3	Horizontal	194	1.33	-	92.57
AV	5.2324G	87.23	Inf	-Inf	4.39	3	Horizontal	194	1.33	-	82.84
PK	5.386G	59.03	74.00	-14.97	4.94	3	Horizontal	194	1.33	-	54.09
AV	5.386G	48.40	54.00	-5.60	4.94	3	Horizontal	194	1.33	-	43.46
PK	5.5972G	58.48	68.20	-9.72	5.63	3	Horizontal	194	1.33	-	52.85

802.11ax HEW160\_Nss3,(MCS0)\_4TX

27/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 13  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7516G	60.76	74.00	-13.24	14.20	3	Vertical	336	1.90	-	46.56
AV	15.7712G	48.31	54.00	-5.69	14.18	3	Vertical	336	1.90	-	34.13

802.11ax HEW160\_Nss3,(MCS0)\_4TX

27/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 13  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7371G	59.14	74.00	-14.86	14.22	3	Horizontal	94	1.64	-	44.92
AV	15.7389G	48.81	54.00	-5.19	14.22	3	Horizontal	94	1.64	-	34.59

802.11ax HEW160\_Nss3,(MCS0)\_4TX

27/08/2019

5570MHz\_TX



EUT\_Y\_4TX  
Setting 15  
01-J-5-10  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3316G	57.74	68.20	-10.46	4.75	3	Vertical	255	1.69	-	52.99
PK	5.458G	65.57	74.00	-8.43	5.21	3	Vertical	255	1.69	-	60.36
AV	5.458G	53.94	54.00	-0.06	5.21	3	Vertical	255	1.69	-	48.73
PK	5.4676G	64.80	68.20	-3.40	5.25	3	Vertical	255	1.69	-	59.55
PK	5.5604G	105.81	Inf	-Inf	5.54	3	Vertical	255	1.69	-	100.27
AV	5.5572G	94.82	Inf	-Inf	5.53	3	Vertical	255	1.69	-	89.29
PK	5.73G	62.84	68.20	-5.36	5.80	3	Vertical	255	1.69	-	57.04



802.11ax HEW160\_Nss3,(MCS0)\_4TX

27/08/2019

5570MHz\_TX




EUT\_Y\_4TX  
Setting 15  
01-J-5-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3444G	57.80	68.20	-10.40	4.80	3	Horizontal	65	1.71	-	53.00
PK	5.4564G	61.96	74.00	-12.04	5.21	3	Horizontal	65	1.71	-	56.75
AV	5.458G	51.76	54.00	-2.24	5.21	3	Horizontal	65	1.71	-	46.55
PK	5.4676G	63.65	68.20	-4.55	5.25	3	Horizontal	65	1.71	-	58.40
PK	5.586G	104.33	Inf	-Inf	5.60	3	Horizontal	65	1.71	-	98.73
AV	5.5844G	93.57	Inf	-Inf	5.60	3	Horizontal	65	1.71	-	87.97
PK	5.7252G	63.04	68.20	-5.16	5.79	3	Horizontal	65	1.71	-	57.25

802.11ax HEW160\_Nss3,(MCS0)\_4TX

27/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 15  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1286G	53.85	74.00	-20.15	11.77	3	Vertical	154	2.01	-	42.08
AV	11.1315G	43.29	54.00	-10.71	11.77	3	Vertical	154	2.01	-	31.52

802.11ax HEW160\_Nss3,(MCS0)\_4TX

27/08/2019

5570MHz\_TX



EUT Y\_4TX  
Setting 15  
01-J-5  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1456G	53.96	74.00	-20.04	11.78	3	Horizontal	231	2.57	-	42.18
AV	11.113272G	43.15	54.00	-10.85	11.75	3	Horizontal	231	2.57	-	31.40



<For beamforming mode>

4T1S


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1364G	53.99	54.00	-0.01	4.25	3	Vertical	240	1.50	-

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

### 5260MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1442G	63.02	74.00	-10.98	4.24	3	Vertical	97	1.74	-	58.78
AV	5.149G	50.19	54.00	-3.81	4.25	3	Vertical	97	1.74	-	45.94
PK	5.257G	126.65	Inf	-Inf	4.48	3	Vertical	97	1.74	-	122.17
AV	5.257G	116.73	Inf	-Inf	4.48	3	Vertical	97	1.74	-	112.25
PK	5.3584G	61.89	74.00	-12.11	4.85	3	Vertical	97	1.74	-	57.04
AV	5.3506G	49.81	54.00	-4.19	4.81	3	Vertical	97	1.74	-	45.00

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5260MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.116G	60.58	74.00	-13.42	4.23	3	Horizontal	176	1.54	-	56.35
AV	5.1472G	47.61	54.00	-6.39	4.25	3	Horizontal	176	1.54	-	43.36
PK	5.2678G	118.63	Inf	-Inf	4.52	3	Horizontal	176	1.54	-	114.11
AV	5.2678G	109.75	Inf	-Inf	4.52	3	Horizontal	176	1.54	-	105.23
PK	5.3842G	60.89	74.00	-13.11	4.93	3	Horizontal	176	1.54	-	55.96
AV	5.3728G	48.25	54.00	-5.75	4.89	3	Horizontal	176	1.54	-	43.36

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5260MHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.78022G	60.39	74.00	-13.61	14.16	3	Vertical	194	2.64	-	46.23
AV	15.78052G	45.59	54.00	-8.41	14.16	3	Vertical	194	2.64	-	31.43

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

### 5260MHz\_TX



EUT Y\_4TX  
Setting 100  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77918G	59.21	74.00	-14.79	14.16	3	Horizontal	204	2.60	-	45.05
AV	15.78027G	45.66	54.00	-8.34	14.16	3	Horizontal	204	2.60	-	31.50



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 95  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2948G	125.11	Inf	-Inf	4.62	3	Vertical	97	1.73	-	120.49
AV	5.294G	114.65	Inf	-Inf	4.62	3	Vertical	97	1.73	-	110.03
PK	5.3544G	68.92	74.00	-5.08	4.82	3	Vertical	97	1.73	-	64.10
AV	5.35G	53.66	54.00	-0.34	4.81	3	Vertical	97	1.73	-	48.85

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 95  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2948G	118.22	Inf	-Inf	4.62	3	Horizontal	201	2.39	-	113.60
AV	5.2956G	107.77	Inf	-Inf	4.63	3	Horizontal	201	2.39	-	103.14
PK	5.3552G	63.85	74.00	-10.15	4.83	3	Horizontal	201	2.39	-	59.02
AV	5.3504G	49.95	54.00	-4.05	4.81	3	Horizontal	201	2.39	-	45.14

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 95  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.9009G	59.67	74.00	-14.33	14.02	3	Vertical	118	1.38	-	45.65
AV	15.90065G	45.65	54.00	-8.35	14.02	3	Vertical	118	1.38	-	31.63

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 95  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89949G	59.46	74.00	-14.54	14.02	3	Horizontal	51	2.29	-	45.44
AV	15.90062G	45.89	54.00	-8.11	14.02	3	Horizontal	51	2.29	-	31.87

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

### 5320MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3256G	120.11	Inf	-Inf	4.74	3	Vertical	216	1.86	-	115.37
AV	5.325G	109.13	Inf	-Inf	4.73	3	Vertical	216	1.86	-	104.40
PK	5.35G	71.67	74.00	-2.33	4.81	3	Vertical	216	1.86	-	66.86
AV	5.35G	53.91	54.00	-0.09	4.81	3	Vertical	216	1.86	-	49.10

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5320MHz\_TX




EUT\_Y\_4TX  
Setting 74  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3256G	111.71	Inf	-Inf	4.74	3	Horizontal	218	2.26	-	106.97
AV	5.3218G	102.30	Inf	-Inf	4.72	3	Horizontal	218	2.26	-	97.58
PK	5.35G	63.71	74.00	-10.29	4.81	3	Horizontal	218	2.26	-	58.90
AV	5.3508G	49.37	54.00	-4.63	4.81	3	Horizontal	218	2.26	-	44.56

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5320MHz\_TX




EUT Y\_4TX  
Setting 74  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95979G	59.17	74.00	-14.83	13.95	3	Vertical	68	1.39	-	45.22
AV	15.95931G	45.36	54.00	-8.64	13.95	3	Vertical	68	1.39	-	31.41

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

### 5320MHz\_TX



EUT Y\_4TX  
 Setting 74  
 01-M-1  
 FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96069G	58.92	74.00	-15.08	13.94	3	Horizontal	182	2.91	-	44.98
AV	15.959G	45.68	54.00	-8.32	13.95	3	Horizontal	182	2.91	-	31.73



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	63.18	74.00	-10.82	5.22	3	Vertical	262	1.52	-	57.96
AV	5.46G	49.86	54.00	-4.14	5.22	3	Vertical	262	1.52	-	44.64
PK	5.4676G	67.72	68.20	-0.48	5.25	3	Vertical	262	1.52	-	62.47
PK	5.5052G	118.67	Inf	-Inf	5.39	3	Vertical	262	1.52	-	113.28
AV	5.5052G	108.74	Inf	-Inf	5.39	3	Vertical	262	1.52	-	103.35

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4368G	61.06	74.00	-12.94	5.14	3	Horizontal	154	1.84	-	55.92
PK	5.4672G	63.60	68.20	-4.60	5.25	3	Horizontal	154	1.84	-	58.35
AV	5.4564G	48.76	54.00	-5.24	5.21	3	Horizontal	154	1.84	-	43.55
PK	5.5028G	115.22	Inf	-Inf	5.39	3	Horizontal	154	1.84	-	109.83
AV	5.5024G	104.86	Inf	-Inf	5.38	3	Horizontal	154	1.84	-	99.48

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99988G	55.39	74.00	-18.61	11.71	3	Vertical	143	2.47	-	43.68
AV	11.00002G	40.40	54.00	-13.60	11.71	3	Vertical	143	2.47	-	28.69

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.00046G	54.05	74.00	-19.95	11.71	3	Horizontal	219	2.46	-	42.34
AV	10.99997G	40.45	54.00	-13.55	11.71	3	Horizontal	219	2.46	-	28.74

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5580MHz\_TX




EUT\_Y\_4TX  
Setting 98  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	62.61	74.00	-11.39	5.22	3	Vertical	260	1.36	-	57.39
AV	5.4552G	49.60	54.00	-4.40	5.21	3	Vertical	260	1.36	-	44.39
PK	5.4632G	62.73	68.20	-5.47	5.23	3	Vertical	260	1.36	-	57.50
PK	5.5856G	125.59	Inf	-Inf	5.60	3	Vertical	260	1.36	-	119.99
AV	5.5848G	115.35	Inf	-Inf	5.60	3	Vertical	260	1.36	-	109.75
PK	5.7664G	65.27	68.20	-2.93	5.89	3	Vertical	260	1.36	-	59.38

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

### 5580MHz\_TX




EUT\_Y\_4TX  
Setting 98  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.44G	61.63	74.00	-12.37	5.15	3	Horizontal	215	1.70	-	56.48
PK	5.4656G	62.29	68.20	-5.91	5.25	3	Horizontal	215	1.70	-	57.04
AV	5.4584G	49.32	54.00	-4.68	5.22	3	Horizontal	215	1.70	-	44.10
PK	5.5736G	124.03	Inf	-Inf	5.58	3	Horizontal	215	1.70	-	118.45
AV	5.5752G	114.92	Inf	-Inf	5.57	3	Horizontal	215	1.70	-	109.35
PK	5.7584G	64.43	68.20	-3.77	5.87	3	Horizontal	215	1.70	-	58.56

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5580MHz\_TX




EUT Y\_4TX  
Setting 98  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.15986G	54.47	74.00	-19.53	11.78	3	Vertical	347	1.18	-	42.69
AV	11.16011G	40.70	54.00	-13.30	11.78	3	Vertical	347	1.18	-	28.92
PK	16.73923G	67.85	68.20	-0.35	16.65	3	Vertical	174	1.95	-	51.20

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5580MHz\_TX



EUT Y\_4TX  
Setting 98  
01-E-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16011G	55.17	74.00	-18.83	11.78	3	Horizontal	101	2.97	-	43.39
AV	11.15996G	43.56	54.00	-10.44	11.78	3	Horizontal	101	2.97	-	31.78
PK	16.74053G	65.68	68.20	-2.52	16.65	3	Horizontal	202	1.60	-	49.03



802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

5700MHz\_TX




EUT\_Y\_4TX  
Setting 70  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7056G	118.01	Inf	-Inf	5.75	3	Vertical	259	1.57	-	112.26
AV	5.6956G	107.40	Inf	-Inf	5.74	3	Vertical	259	1.57	-	101.66
PK	5.7256G	68.05	68.20	-0.15	5.79	3	Vertical	259	1.57	-	62.26

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 70  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7056G	118.33	Inf	-Inf	5.75	3	Horizontal	229	2.96	-	112.58
AV	5.7052G	106.87	Inf	-Inf	5.75	3	Horizontal	229	2.96	-	101.12
PK	5.742G	62.99	68.20	-5.21	5.83	3	Horizontal	229	2.96	-	57.16

### 802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 70  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39966G	55.65	74.00	-18.35	11.89	3	Vertical	207	1.61	-	43.76
AV	11.39981G	41.44	54.00	-12.56	11.89	3	Vertical	207	1.61	-	29.55

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

5700MHz\_TX




EUT Y\_4TX  
Setting 70  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39905G	55.29	74.00	-18.71	11.89	3	Horizontal	349	1.41	-	43.40
AV	11.39966G	41.34	54.00	-12.66	11.89	3	Horizontal	349	1.41	-	29.45

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.426G	60.90	74.00	-13.10	5.10	3	Vertical	265	1.49	-	55.80
PK	5.4666G	61.49	68.20	-6.71	5.25	3	Vertical	265	1.49	-	56.24
AV	5.454G	48.94	54.00	-5.06	5.19	3	Vertical	265	1.49	-	43.75
PK	5.7256G	125.42	Inf	-Inf	5.79	3	Vertical	265	1.49	-	119.63
AV	5.7186G	114.48	Inf	-Inf	5.79	3	Vertical	265	1.49	-	108.69
PK	5.8642G	64.53	68.20	-3.67	6.44	3	Vertical	265	1.49	-	58.09

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4582G	61.56	74.00	-12.44	5.21	3	Horizontal	76	1.97	-	56.35
AV	5.4596G	48.58	54.00	-5.42	5.22	3	Horizontal	76	1.97	-	43.36
PK	5.468G	60.56	68.20	-7.64	5.25	3	Horizontal	76	1.97	-	55.31
PK	5.7256G	124.46	Inf	-Inf	5.79	3	Horizontal	76	1.97	-	118.67
AV	5.7256G	114.41	Inf	-Inf	5.79	3	Horizontal	76	1.97	-	108.62
PK	5.8978G	63.47	68.20	-4.73	6.69	3	Horizontal	76	1.97	-	56.78

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44076G	55.49	74.00	-18.51	11.90	3	Vertical	208	1.02	-	43.59
AV	11.43994G	41.62	54.00	-12.38	11.90	3	Vertical	208	1.02	-	29.72

802.11ac VHT20-BF\_Nss1,(MCS0)\_4TX

27/08/2019

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 100  
01-E-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4399G	55.95	74.00	-18.05	11.90	3	Horizontal	102	2.97	-	44.05
AV	11.44G	45.47	54.00	-8.53	11.90	3	Horizontal	102	2.97	-	33.57



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5270MHz\_TX




EUT\_Y\_4TX  
Setting 90  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1326G	63.52	74.00	-10.48	4.24	3	Vertical	94	1.63	-	59.28
AV	5.1494G	50.52	54.00	-3.48	4.25	3	Vertical	94	1.63	-	46.27
PK	5.2862G	121.55	Inf	-Inf	4.59	3	Vertical	94	1.63	-	116.96
AV	5.285G	111.16	Inf	-Inf	4.58	3	Vertical	94	1.63	-	106.58
PK	5.3516G	68.84	74.00	-5.16	4.81	3	Vertical	94	1.63	-	64.03
AV	5.35G	53.69	54.00	-0.31	4.81	3	Vertical	94	1.63	-	48.88

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5270MHz\_TX




EUT Y\_4TX  
Setting 90  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.135G	62.22	74.00	-11.78	4.25	3	Horizontal	202	2.48	-	57.97
AV	5.15G	48.97	54.00	-5.03	4.25	3	Horizontal	202	2.48	-	44.72
PK	5.2562G	114.17	Inf	-Inf	4.48	3	Horizontal	202	2.48	-	109.69
AV	5.2712G	103.94	Inf	-Inf	4.53	3	Horizontal	202	2.48	-	99.41
PK	5.35G	62.96	74.00	-11.04	4.81	3	Horizontal	202	2.48	-	58.15
AV	5.35G	49.30	54.00	-4.70	4.81	3	Horizontal	202	2.48	-	44.49

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5270MHz\_TX




EUT Y\_4TX  
Setting 90  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80928G	59.68	74.00	-14.32	14.13	3	Vertical	303	1.26	-	45.55
AV	15.81066G	45.31	54.00	-8.69	14.13	3	Vertical	303	1.26	-	31.18

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5270MHz\_TX




EUT Y\_4TX  
Setting 90  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8093G	59.65	74.00	-14.35	14.13	3	Horizontal	181	1.52	-	45.52
AV	15.80919G	46.01	54.00	-7.99	14.13	3	Horizontal	181	1.52	-	31.88

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2968G	116.04	Inf	-Inf	4.63	3	Vertical	98	1.74	-	111.41
AV	5.2972G	105.54	Inf	-Inf	4.63	3	Vertical	98	1.74	-	100.91
PK	5.3516G	71.92	74.00	-2.08	4.81	3	Vertical	98	1.74	-	67.11
AV	5.35G	53.69	54.00	-0.31	4.81	3	Vertical	98	1.74	-	48.88

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3008G	110.08	Inf	-Inf	4.64	3	Horizontal	202	1.43	-	105.44
AV	5.3016G	100.28	Inf	-Inf	4.64	3	Horizontal	202	1.43	-	95.64
PK	5.3508G	65.94	74.00	-8.06	4.81	3	Horizontal	202	1.43	-	61.13
AV	5.35G	49.56	54.00	-4.44	4.81	3	Horizontal	202	1.43	-	44.75

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61978G	54.58	74.00	-19.42	11.20	3	Vertical	282	1.50	-	43.38
AV	10.61992G	39.62	54.00	-14.38	11.20	3	Vertical	282	1.50	-	28.42
PK	15.93006G	59.14	74.00	-14.86	13.98	3	Vertical	323	1.50	-	45.16
AV	15.93096G	45.28	54.00	-8.72	13.98	3	Vertical	323	1.50	-	31.30

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5310MHz\_TX



EUT\_Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61947G	53.62	74.00	-20.38	11.20	3	Horizontal	245	1.70	-	42.42
AV	10.61998G	40.35	54.00	-13.65	11.20	3	Horizontal	245	1.70	-	29.15
PK	15.93085G	59.28	74.00	-14.72	13.98	3	Horizontal	183	2.28	-	45.30
AV	15.92902G	45.43	54.00	-8.57	13.98	3	Horizontal	183	2.28	-	31.45



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5510MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4596G	66.15	74.00	-7.85	5.22	3	Vertical	258	1.47	-	60.93
AV	5.46G	51.19	54.00	-2.81	5.22	3	Vertical	258	1.47	-	45.97
PK	5.4696G	67.97	68.20	-0.23	5.26	3	Vertical	258	1.47	-	62.71
PK	5.5068G	117.07	Inf	-Inf	5.40	3	Vertical	258	1.47	-	111.67
AV	5.5264G	104.68	Inf	-Inf	5.44	3	Vertical	258	1.47	-	99.24

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5510MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.444G	63.50	74.00	-10.50	5.16	3	Horizontal	100	1.48	-	58.34
PK	5.4612G	65.39	68.20	-2.81	5.22	3	Horizontal	100	1.48	-	60.17
AV	5.458G	49.15	54.00	-4.85	5.21	3	Horizontal	100	1.48	-	43.94
PK	5.5244G	115.59	Inf	-Inf	5.45	3	Horizontal	100	1.48	-	110.14
AV	5.524G	105.60	Inf	-Inf	5.45	3	Horizontal	100	1.48	-	100.15

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5510MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01967G	54.16	74.00	-19.84	11.72	3	Vertical	106	2.21	-	42.44
AV	11.02012G	40.27	54.00	-13.73	11.72	3	Vertical	106	2.21	-	28.55

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5510MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01992G	54.49	74.00	-19.51	11.72	3	Horizontal	98	1.50	-	42.77
AV	11.01934G	40.22	54.00	-13.78	11.72	3	Horizontal	98	1.50	-	28.50

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5550MHz\_TX




EUT Y\_4TX  
Setting 88  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	65.05	74.00	-8.95	5.19	3	Vertical	261	1.50	-	59.86
AV	5.4596G	50.84	54.00	-3.16	5.22	3	Vertical	261	1.50	-	45.62
PK	5.47G	67.75	68.20	-0.45	5.26	3	Vertical	261	1.50	-	62.49
PK	5.5388G	119.41	Inf	-Inf	5.48	3	Vertical	261	1.50	-	113.93
AV	5.5404G	108.52	Inf	-Inf	5.48	3	Vertical	261	1.50	-	103.04
PK	5.7276G	64.73	68.20	-3.47	5.80	3	Vertical	261	1.50	-	58.93

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5550MHz\_TX




EUT\_Y\_4TX  
Setting 88  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4572G	62.42	74.00	-11.58	5.21	3	Horizontal	68	1.95	-	57.21
AV	5.4572G	49.02	54.00	-4.98	5.21	3	Horizontal	68	1.95	-	43.81
PK	5.4668G	62.89	68.20	-5.31	5.25	3	Horizontal	68	1.95	-	57.64
PK	5.5452G	120.85	Inf	-Inf	5.50	3	Horizontal	68	1.95	-	115.35
AV	5.5452G	111.10	Inf	-Inf	5.50	3	Horizontal	68	1.95	-	105.60
PK	5.7268G	62.50	68.20	-5.70	5.79	3	Horizontal	68	1.95	-	56.71

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5550MHz\_TX




EUT Y\_4TX  
Setting 88  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10048G	54.41	74.00	-19.59	11.75	3	Vertical	344	1.04	-	42.66
AV	11.09993G	40.40	54.00	-13.60	11.76	3	Vertical	344	1.04	-	28.64

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5550MHz\_TX



EUT Y\_4TX  
Setting 88  
01-E-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.09957G	54.23	74.00	-19.77	11.76	3	Horizontal	349	1.21	-	42.47
AV	11.09984G	40.52	54.00	-13.48	11.76	3	Horizontal	349	1.21	-	28.76



### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5670MHz\_TX




EUT\_Y\_4TX  
Setting 73  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.678G	115.05	Inf	-Inf	5.72	3	Vertical	265	1.56	-	109.33
AV	5.6812G	104.91	Inf	-Inf	5.72	3	Vertical	265	1.56	-	99.19
PK	5.758G	67.72	68.20	-0.48	5.87	3	Vertical	265	1.56	-	61.85

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5670MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6748G	115.17	Inf	-Inf	5.71	3	Horizontal	38	1.72	-	109.46
AV	5.6752G	105.96	Inf	-Inf	5.72	3	Horizontal	38	1.72	-	100.24
PK	5.7584G	66.41	68.20	-1.79	5.87	3	Horizontal	38	1.72	-	60.54

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5670MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34044G	54.31	74.00	-19.69	11.86	3	Vertical	205	1.46	-	42.45
AV	11.33994G	40.82	54.00	-13.18	11.86	3	Vertical	205	1.46	-	28.96

### 802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5670MHz\_TX




EUT Y\_4TX  
Setting 73  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3401G	54.60	74.00	-19.40	11.86	3	Horizontal	139	1.50	-	42.74
AV	11.34011G	40.62	54.00	-13.38	11.86	3	Horizontal	139	1.50	-	28.76

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	61.94	74.00	-12.06	5.19	3	Vertical	76	1.43	-	56.75
AV	5.4538G	48.93	54.00	-5.07	5.19	3	Vertical	76	1.43	-	43.74
PK	5.47G	61.73	68.20	-6.47	5.26	3	Vertical	76	1.43	-	56.47
PK	5.7128G	121.84	Inf	-Inf	5.78	3	Vertical	76	1.43	-	116.06
AV	5.717G	111.42	Inf	-Inf	5.78	3	Vertical	76	1.43	-	105.64
PK	5.8822G	64.22	68.20	-3.98	6.57	3	Vertical	76	1.43	-	57.65

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4314G	62.21	74.00	-11.79	5.11	3	Horizontal	64	2.02	-	57.10
PK	5.4664G	61.51	68.20	-6.69	5.25	3	Horizontal	64	2.02	-	56.26
AV	5.451G	48.76	54.00	-5.24	5.18	3	Horizontal	64	2.02	-	43.58
PK	5.7184G	123.82	Inf	-Inf	5.79	3	Horizontal	64	2.02	-	118.03
AV	5.7226G	114.02	Inf	-Inf	5.80	3	Horizontal	64	2.02	-	108.22
PK	5.9144G	63.72	68.20	-4.48	6.76	3	Horizontal	64	2.02	-	56.96

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41998G	54.85	74.00	-19.15	11.89	3	Vertical	207	1.01	-	42.96
AV	11.41994G	41.18	54.00	-12.82	11.89	3	Vertical	207	1.01	-	29.29

802.11ac VHT40-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5710MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 100  
01-E-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41985G	55.35	74.00	-18.65	11.89	3	Horizontal	99	2.99	-	43.46
AV	11.42007G	42.98	54.00	-11.02	11.89	3	Horizontal	99	2.99	-	31.09



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5290MHz\_TX




EUT\_Y\_4TX  
Setting 71  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.139G	61.94	74.00	-12.06	4.24	3	Vertical	223	1.67	-	57.70
AV	5.149G	49.36	54.00	-4.64	4.25	3	Vertical	223	1.67	-	45.11
PK	5.253G	117.08	Inf	-Inf	4.47	3	Vertical	223	1.67	-	112.61
AV	5.282G	101.30	Inf	-Inf	4.58	3	Vertical	223	1.67	-	96.72
PK	5.358G	67.50	74.00	-6.50	4.83	3	Vertical	223	1.67	-	62.67
AV	5.352G	53.55	54.00	-0.45	4.82	3	Vertical	223	1.67	-	48.73
PK	5.498G	61.02	68.20	-7.18	5.37	3	Vertical	223	1.67	-	55.65

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5290MHz\_TX




EUT Y\_4TX  
Setting 71  
01-E-2-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.131G	61.57	74.00	-12.43	4.24	3	Horizontal	96	1.45	-	57.33
AV	5.15G	49.37	54.00	-4.63	4.25	3	Horizontal	96	1.45	-	45.12
PK	5.286G	111.97	Inf	-Inf	4.59	3	Horizontal	96	1.45	-	107.38
AV	5.26G	101.53	Inf	-Inf	4.49	3	Horizontal	96	1.45	-	97.04
PK	5.359G	64.87	74.00	-9.13	4.85	3	Horizontal	96	1.45	-	60.02
AV	5.355G	52.73	54.00	-1.27	4.82	3	Horizontal	96	1.45	-	47.91
PK	5.485G	61.28	68.20	-6.92	5.32	3	Horizontal	96	1.45	-	55.96

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

28/08/2019

5290MHz\_TX




EUT Y\_4TX  
Setting 71  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86932G	59.26	74.00	-14.74	14.06	3	Vertical	145	2.35	-	45.20
AV	15.87012G	45.50	54.00	-8.50	14.06	3	Vertical	145	2.35	-	31.44

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

28/08/2019

### 5290MHz\_TX




EUT Y\_4TX  
Setting 71  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86971G	59.32	74.00	-14.68	14.06	3	Horizontal	110	1.33	-	45.26
AV	15.86936G	45.50	54.00	-8.50	14.06	3	Horizontal	110	1.33	-	31.44

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 71  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.328G	58.03	68.20	-10.17	4.74	3	Vertical	174	1.50	-	53.29
PK	5.454G	66.06	74.00	-7.94	5.19	3	Vertical	174	1.50	-	60.87
AV	5.459G	51.75	54.00	-2.25	5.22	3	Vertical	174	1.50	-	46.53
PK	5.464G	68.04	68.20	-0.16	5.23	3	Vertical	174	1.50	-	62.81
PK	5.507G	117.52	Inf	-Inf	5.40	3	Vertical	174	1.50	-	112.12
AV	5.561G	100.50	Inf	-Inf	5.54	3	Vertical	174	1.50	-	94.96
PK	5.727G	62.44	68.20	-5.76	5.79	3	Vertical	174	1.50	-	56.65

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 71  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.34G	57.83	68.20	-10.37	4.78	3	Horizontal	56	2.38	-	53.05
PK	5.459G	64.41	74.00	-9.59	5.22	3	Horizontal	56	2.38	-	59.19
AV	5.458G	47.97	54.00	-6.03	5.21	3	Horizontal	56	2.38	-	42.76
PK	5.464G	63.49	68.20	-4.71	5.23	3	Horizontal	56	2.38	-	58.26
PK	5.545G	109.53	Inf	-Inf	5.50	3	Horizontal	56	2.38	-	104.03
AV	5.542G	99.27	Inf	-Inf	5.48	3	Horizontal	56	2.38	-	93.79
PK	5.768G	59.44	68.20	-8.76	5.90	3	Horizontal	56	2.38	-	53.54

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
 Setting 71  
 01-B-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06162G	54.67	74.00	-19.33	11.73	3	Vertical	119	1.28	-	42.94
AV	11.05754G	40.25	54.00	-13.75	11.73	3	Vertical	119	1.28	-	28.52
PK	16.59061G	61.95	68.20	-6.25	16.10	3	Vertical	176	2.21	-	45.85

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5530MHz\_TX



EUT Y\_4TX  
Setting 71  
01-B-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05869G	54.75	74.00	-19.25	11.73	3	Horizontal	354	2.41	-	43.02
AV	11.0576G	40.28	54.00	-13.72	11.73	3	Horizontal	354	2.41	-	28.55
PK	16.58836G	62.31	68.20	-5.89	16.09	3	Horizontal	273	1.54	-	46.22



802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5610MHz\_TX




EUT\_Y\_4TX  
Setting 80  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.459G	63.08	74.00	-10.92	5.22	3	Vertical	168	1.77	-	57.86
AV	5.459G	48.31	54.00	-5.69	5.22	3	Vertical	168	1.77	-	43.09
PK	5.47G	61.58	68.20	-6.62	5.26	3	Vertical	168	1.77	-	56.32
PK	5.615G	111.66	Inf	-Inf	5.66	3	Vertical	168	1.77	-	106.00
AV	5.587G	101.09	Inf	-Inf	5.60	3	Vertical	168	1.77	-	95.49
PK	5.728G	68.04	68.20	-0.16	5.80	3	Vertical	168	1.77	-	62.24

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5610MHz\_TX




EUT\_Y\_4TX  
Setting 80  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.435G	59.97	74.00	-14.03	5.12	3	Horizontal	111	2.18	-	54.85
PK	5.465G	59.03	68.20	-9.17	5.25	3	Horizontal	111	2.18	-	53.78
AV	5.459G	46.45	54.00	-7.55	5.22	3	Horizontal	111	2.18	-	41.23
PK	5.587G	115.80	Inf	-Inf	5.60	3	Horizontal	111	2.18	-	110.20
AV	5.613G	100.44	Inf	-Inf	5.65	3	Horizontal	111	2.18	-	94.79
PK	5.729G	65.54	68.20	-2.66	5.80	3	Horizontal	111	2.18	-	59.74

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5610MHz\_TX




EUT Y\_4TX  
Setting 80  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22052G	53.91	74.00	-20.09	11.81	3	Vertical	354	1.49	-	42.10
AV	11.21894G	39.93	54.00	-14.07	11.81	3	Vertical	354	1.49	-	28.12
PK	16.83034G	62.25	68.20	-5.95	16.99	3	Vertical	292	1.08	-	45.26

### 802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5610MHz\_TX




EUT Y\_4TX  
Setting 80  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.22152G	53.69	74.00	-20.31	11.81	3	Horizontal	120	1.68	-	41.88
AV	11.22021G	39.94	54.00	-14.06	11.81	3	Horizontal	120	1.68	-	28.13
PK	16.83066G	61.73	68.20	-6.47	17.00	3	Horizontal	298	3.00	-	44.73

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 93  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	59.77	74.00	-14.23	5.19	3	Vertical	332	1.50	-	54.58
AV	5.4548G	47.05	54.00	-6.95	5.19	3	Vertical	332	1.50	-	41.86
PK	5.4644G	59.89	68.20	-8.31	5.23	3	Vertical	332	1.50	-	54.66
PK	5.6552G	119.27	Inf	-Inf	5.70	3	Vertical	332	1.50	-	113.57
AV	5.6792G	105.13	Inf	-Inf	5.72	3	Vertical	332	1.50	-	99.41
PK	5.8556G	68.05	68.20	-0.15	6.36	3	Vertical	332	1.50	-	61.69

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
Setting 93  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4476G	60.03	74.00	-13.97	5.18	3	Horizontal	296	2.75	-	54.85
PK	5.462G	59.98	68.20	-8.22	5.23	3	Horizontal	296	2.75	-	54.75
AV	5.4584G	46.98	54.00	-7.02	5.22	3	Horizontal	296	2.75	-	41.76
PK	5.6768G	114.91	Inf	-Inf	5.72	3	Horizontal	296	2.75	-	109.19
AV	5.6792G	105.56	Inf	-Inf	5.72	3	Horizontal	296	2.75	-	99.84
PK	5.8532G	64.87	68.20	-3.33	6.35	3	Horizontal	296	2.75	-	58.52

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 93  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37886G	54.66	74.00	-19.34	11.88	3	Vertical	210	2.01	-	42.78
AV	11.38119G	40.52	54.00	-13.48	11.88	3	Vertical	210	2.01	-	28.64
PK	17.07193G	62.96	68.20	-5.24	17.75	3	Vertical	212	2.80	-	45.21

802.11ac VHT80-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_4TX  
Setting 93  
01-B-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37789G	54.38	74.00	-19.62	11.88	3	Horizontal	97	2.41	-	42.50
AV	11.37771G	40.54	54.00	-13.46	11.88	3	Horizontal	97	2.41	-	28.66
PK	17.06835G	62.24	68.20	-5.96	17.75	3	Horizontal	141	2.73	-	44.49



802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

13/09/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 62  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	68.31	74.00	-5.69	4.24	3	Vertical	11	1.50	-	64.07
AV	5.1172G	53.74	54.00	-0.26	4.23	3	Vertical	11	1.50	-	49.51
PK	5.194G	109.37	Inf	-Inf	4.26	3	Vertical	11	1.50	-	105.11
AV	5.2484G	98.30	Inf	-Inf	4.45	3	Vertical	11	1.50	-	93.85
PK	5.3588G	64.96	74.00	-9.04	4.85	3	Vertical	11	1.50	-	60.11
AV	5.354G	52.42	54.00	-1.58	4.82	3	Vertical	11	1.50	-	47.60
PK	5.5908G	59.09	68.20	-9.11	5.61	3	Vertical	11	1.50	-	53.48

### 802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

13/09/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 62  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1364G	65.03	74.00	-8.97	4.25	3	Horizontal	135	2.45	-	60.78
AV	5.1444G	49.77	54.00	-4.23	4.24	3	Horizontal	135	2.45	-	45.53
PK	5.1876G	108.02	Inf	-Inf	4.26	3	Horizontal	135	2.45	-	103.76
AV	5.2532G	91.62	Inf	-Inf	4.47	3	Horizontal	135	2.45	-	87.15
PK	5.3764G	61.82	74.00	-12.18	4.91	3	Horizontal	135	2.45	-	56.91
AV	5.3508G	49.60	54.00	-4.40	4.81	3	Horizontal	135	2.45	-	44.79
PK	5.6196G	58.53	68.20	-9.67	5.66	3	Horizontal	135	2.45	-	52.87

802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 62  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74906G	59.72	74.00	-14.28	14.21	3	Vertical	197	1.31	-	45.51
AV	15.75222G	45.33	54.00	-8.67	14.20	3	Vertical	197	1.31	-	31.13

802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 62  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74867G	59.44	74.00	-14.56	14.21	3	Horizontal	65	2.33	-	45.23
AV	15.7488G	45.41	54.00	-8.59	14.21	3	Horizontal	65	2.33	-	31.20

802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5570MHz\_TX




EUT\_Y\_4TX  
Setting 67  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2436G	57.68	68.20	-10.52	4.43	3	Vertical	169	1.47	-	53.25
PK	5.4548G	70.16	74.00	-3.84	5.19	3	Vertical	169	1.47	-	64.97
AV	5.4388G	52.13	54.00	-1.87	5.15	3	Vertical	169	1.47	-	46.98
PK	5.4644G	64.52	68.20	-3.68	5.23	3	Vertical	169	1.47	-	59.29
PK	5.578G	108.80	Inf	-Inf	5.58	3	Vertical	169	1.47	-	103.22
AV	5.562G	98.24	Inf	-Inf	5.54	3	Vertical	169	1.47	-	92.70
PK	5.7252G	67.94	68.20	-0.26	5.79	3	Vertical	169	1.47	-	62.15

### 802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5570MHz\_TX




EUT\_Y\_4TX  
Setting 67  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.322G	57.83	68.20	-10.37	4.72	3	Horizontal	66	1.50	-	53.11
PK	5.458G	62.70	74.00	-11.30	5.21	3	Horizontal	66	1.50	-	57.49
AV	5.4596G	48.93	54.00	-5.07	5.22	3	Horizontal	66	1.50	-	43.71
PK	5.4692G	60.80	68.20	-7.40	5.26	3	Horizontal	66	1.50	-	55.54
PK	5.5828G	108.10	Inf	-Inf	5.60	3	Horizontal	66	1.50	-	102.50
AV	5.586G	96.81	Inf	-Inf	5.60	3	Horizontal	66	1.50	-	91.21
PK	5.7268G	64.57	68.20	-3.63	5.79	3	Horizontal	66	1.50	-	58.78

### 802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5570MHz\_TX




EUT Y\_4TX  
Setting 67  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	16.71075G	61.51	68.20	-6.69	16.55	3	Vertical	102	1.27	-	44.96

### 802.11ac VHT160-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5570MHz\_TX



EUT Y\_4TX  
 Setting 67  
 01-B-2  
 FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	16.70956G	61.76	68.20	-6.44	16.54	3	Horizontal	282	1.24	-	45.22



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5260MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	63.01	74.00	-10.99	4.25	3	Vertical	10	1.69	-	58.76
AV	5.1472G	50.89	54.00	-3.11	4.25	3	Vertical	10	1.69	-	46.64
PK	5.2648G	128.24	Inf	-Inf	4.51	3	Vertical	10	1.69	-	123.73
AV	5.2624G	115.83	Inf	-Inf	4.50	3	Vertical	10	1.69	-	111.33
PK	5.3602G	63.25	74.00	-10.75	4.85	3	Vertical	10	1.69	-	58.40
AV	5.35G	50.37	54.00	-3.63	4.81	3	Vertical	10	1.69	-	45.56

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5260MHz\_TX




EUT\_Y\_4TX  
Setting 100  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1268G	61.61	74.00	-12.39	4.24	3	Horizontal	140	1.71	-	57.37
AV	5.1496G	48.56	54.00	-5.44	4.25	3	Horizontal	140	1.71	-	44.31
PK	5.251G	118.39	Inf	-Inf	4.46	3	Horizontal	140	1.71	-	113.93
AV	5.2516G	107.04	Inf	-Inf	4.46	3	Horizontal	140	1.71	-	102.58
PK	5.3818G	61.97	74.00	-12.03	4.93	3	Horizontal	140	1.71	-	57.04
AV	5.3524G	48.91	54.00	-5.09	4.82	3	Horizontal	140	1.71	-	44.09

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5260MHz\_TX




EUT Y\_4TX  
Setting 100  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77765G	59.25	74.00	-14.75	14.16	3	Vertical	352	2.65	-	45.09
AV	15.77891G	45.83	54.00	-8.17	14.16	3	Vertical	352	2.65	-	31.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5260MHz\_TX




EUT Y\_4TX  
Setting 100  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77851G	59.70	74.00	-14.30	14.16	3	Horizontal	26	1.68	-	45.54
AV	15.77799G	45.87	54.00	-8.13	14.16	3	Horizontal	26	1.68	-	31.71

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5300MHz\_TX




EUT Y\_4TX  
Setting 90  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3056G	124.16	Inf	-Inf	4.66	3	Vertical	11	1.69	-	119.50
AV	5.3024G	112.18	Inf	-Inf	4.65	3	Vertical	11	1.69	-	107.53
PK	5.3524G	69.80	74.00	-4.20	4.82	3	Vertical	11	1.69	-	64.98
AV	5.3504G	53.62	54.00	-0.38	4.81	3	Vertical	11	1.69	-	48.81

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5300MHz\_TX




EUT Y\_4TX  
Setting 90  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2912G	117.25	Inf	-Inf	4.60	3	Horizontal	306	2.05	-	112.65
AV	5.2912G	105.54	Inf	-Inf	4.60	3	Horizontal	306	2.05	-	100.94
PK	5.3512G	63.11	74.00	-10.89	4.81	3	Horizontal	306	2.05	-	58.30
AV	5.35G	49.71	54.00	-4.29	4.81	3	Horizontal	306	2.05	-	44.90

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5300MHz\_TX




EUT Y\_4TX  
Setting 90  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.90236G	60.23	74.00	-13.77	14.02	3	Vertical	40	2.93	-	46.21
AV	15.90019G	45.98	54.00	-8.02	14.02	3	Vertical	40	2.93	-	31.96

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5300MHz\_TX



EUT Y\_4TX  
Setting 90  
01-B-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.89992G	58.83	74.00	-15.17	14.02	3	Horizontal	336	2.98	-	44.81
AV	15.90151G	45.82	54.00	-8.18	14.02	3	Horizontal	336	2.98	-	31.80



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5320MHz\_TX




EUT Y\_4TX  
Setting 72  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3228G	120.38	Inf	-Inf	4.72	3	Vertical	7	1.78	-	115.66
AV	5.3244G	108.34	Inf	-Inf	4.72	3	Vertical	7	1.78	-	103.62
PK	5.3512G	71.57	74.00	-2.43	4.81	3	Vertical	7	1.78	-	66.76
AV	5.3516G	53.73	54.00	-0.27	4.81	3	Vertical	7	1.78	-	48.92

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5320MHz\_TX




EUT Y\_4TX  
Setting 72  
01-B-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3112G	114.64	Inf	-Inf	4.68	3	Horizontal	135	2.34	-	109.96
AV	5.3116G	102.12	Inf	-Inf	4.68	3	Horizontal	135	2.34	-	97.44
PK	5.352G	67.58	74.00	-6.42	4.82	3	Horizontal	135	2.34	-	62.76
AV	5.3504G	50.10	54.00	-3.90	4.81	3	Horizontal	135	2.34	-	45.29

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

### 5320MHz\_TX




EUT Y\_4TX  
Setting 72  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.96031G	59.14	74.00	-14.86	13.95	3	Vertical	241	2.14	-	45.19
AV	15.95856G	45.56	54.00	-8.44	13.95	3	Vertical	241	2.14	-	31.61

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

29/08/2019

5320MHz\_TX




EUT Y\_4TX  
Setting 72  
01-B-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.95969G	58.41	74.00	-15.59	13.95	3	Horizontal	29	1.49	-	44.46
AV	15.95878G	45.63	54.00	-8.37	13.95	3	Horizontal	29	1.49	-	31.68

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	61.89	74.00	-12.11	5.19	3	Vertical	263	1.39	-	56.70
AV	5.459G	48.77	54.00	-5.23	5.22	3	Vertical	263	1.39	-	43.55
PK	5.4686G	64.58	68.20	-3.62	5.26	3	Vertical	263	1.39	-	59.32
PK	5.5052G	117.51	Inf	-Inf	5.39	3	Vertical	263	1.39	-	112.12
AV	5.5074G	108.13	Inf	-Inf	5.40	3	Vertical	263	1.39	-	102.73

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

5500MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4594G	60.54	74.00	-13.46	5.22	3	Horizontal	219	1.63	-	55.32
AV	5.4588G	48.49	54.00	-5.51	5.22	3	Horizontal	219	1.63	-	43.27
PK	5.4674G	67.89	68.20	-0.31	5.25	3	Horizontal	219	1.63	-	62.64
PK	5.5082G	117.86	Inf	-Inf	5.41	3	Horizontal	219	1.63	-	112.45
AV	5.5078G	108.76	Inf	-Inf	5.41	3	Horizontal	219	1.63	-	103.35

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

### 5500MHz\_TX




EUT Y\_4TX  
Setting 72  
01-Z-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0022G	54.26	74.00	-19.74	11.71	3	Vertical	206	1.00	-	42.55
AV	10.99208G	40.45	54.00	-13.55	11.70	3	Vertical	206	1.00	-	28.75
PK	16.49428G	61.38	68.20	-6.82	15.74	3	Vertical	342	1.63	-	45.64

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

### 5500MHz\_TX



EUT Y\_4TX  
Setting 72  
01-Z-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99356G	53.94	74.00	-20.06	11.71	3	Horizontal	165	1.16	-	42.23
AV	10.99012G	40.41	54.00	-13.59	11.70	3	Horizontal	165	1.16	-	28.71
PK	16.49492G	62.22	68.20	-5.98	15.74	3	Horizontal	70	1.50	-	46.48



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

30/08/2019

5580MHz\_TX




EUT Y\_4TX  
Setting 98  
01-Z-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4462G	61.42	74.00	-12.58	5.18	3	Vertical	57	2.47	-	56.24
AV	5.4552G	49.08	54.00	-4.92	5.21	3	Vertical	57	2.47	-	43.87
PK	5.4642G	61.52	68.20	-6.68	5.23	3	Vertical	57	2.47	-	56.29
PK	5.5848G	123.54	Inf	-Inf	5.60	3	Vertical	57	2.47	-	117.94
AV	5.5866G	113.59	Inf	-Inf	5.60	3	Vertical	57	2.47	-	107.99
PK	5.7258G	64.07	68.20	-4.13	5.79	3	Vertical	57	2.47	-	58.28

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

30/08/2019

5580MHz\_TX




EUT Y\_4TX  
Setting 98  
01-Z-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4558G	60.53	74.00	-13.47	5.21	3	Horizontal	96	1.55	-	55.32
AV	5.4576G	48.37	54.00	-5.63	5.21	3	Horizontal	96	1.55	-	43.16
PK	5.469G	60.78	68.20	-7.42	5.26	3	Horizontal	96	1.55	-	55.52
PK	5.5782G	122.68	Inf	-Inf	5.58	3	Horizontal	96	1.55	-	117.10
AV	5.5782G	113.96	Inf	-Inf	5.58	3	Horizontal	96	1.55	-	108.38
PK	5.727G	61.69	68.20	-6.51	5.79	3	Horizontal	96	1.55	-	55.90

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

30/08/2019

### 5580MHz\_TX




EUT Y\_4TX  
Setting 98  
01-Z-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16016G	54.54	74.00	-19.46	11.78	3	Vertical	175	1.01	-	42.76
AV	11.16002G	40.80	54.00	-13.20	11.78	3	Vertical	175	1.01	-	29.02
PK	16.73797G	68.12	68.20	-0.08	16.64	3	Vertical	186	1.94	-	51.48

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

30/08/2019

5580MHz\_TX




EUT Y\_4TX  
Setting 98  
01-Z-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.16G	55.33	74.00	-18.67	11.78	3	Horizontal	57	2.47	-	43.55
AV	11.15996G	43.49	54.00	-10.51	11.78	3	Horizontal	57	2.47	-	31.71
PK	16.748G	64.82	68.20	-3.38	16.68	3	Horizontal	203	1.17	-	48.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 62  
01-Z-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6958G	116.10	Inf	-Inf	5.74	3	Vertical	257	1.45	-	110.36
AV	5.693G	106.16	Inf	-Inf	5.73	3	Vertical	257	1.45	-	100.43
PK	5.727G	68.18	68.20	-0.02	5.79	3	Vertical	257	1.45	-	62.39

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 62  
01-Z-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7058G	113.79	Inf	-Inf	5.75	3	Horizontal	57	1.50	-	108.04
AV	5.7074G	104.59	Inf	-Inf	5.75	3	Horizontal	57	1.50	-	98.84
PK	5.7264G	63.47	68.20	-4.73	5.79	3	Horizontal	57	1.50	-	57.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

### 5700MHz\_TX




EUT Y\_4TX  
Setting 62  
01-Z-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.40308G	53.42	74.00	-20.58	11.89	3	Vertical	23	2.28	-	41.53
AV	11.40004G	40.52	54.00	-13.48	11.89	3	Vertical	23	2.28	-	28.63
PK	17.10448G	62.78	68.20	-5.42	17.81	3	Vertical	28	1.79	-	44.97

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

21/10/2019

### 5700MHz\_TX



EUT Y\_4TX  
Setting 62  
01-Z-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.3918G	53.91	74.00	-20.09	11.88	3	Horizontal	117	1.57	-	42.03
AV	11.40012G	40.54	54.00	-13.46	11.89	3	Horizontal	117	1.57	-	28.65
PK	17.09688G	62.88	68.20	-5.32	17.79	3	Horizontal	299	1.48	-	45.09



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/09/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 100  
 01-M-1-13  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4476G	62.14	74.00	-11.86	5.18	3	Vertical	249	1.58	-	56.96
PK	5.4644G	61.94	68.20	-6.26	5.23	3	Vertical	249	1.58	-	56.71
AV	5.4596G	50.54	54.00	-3.46	5.22	3	Vertical	249	1.58	-	45.32
PK	5.7248G	128.61	Inf	-Inf	5.80	3	Vertical	249	1.58	-	122.81
AV	5.7128G	116.58	Inf	-Inf	5.78	3	Vertical	249	1.58	-	110.80
PK	5.882G	64.04	68.20	-4.16	6.57	3	Vertical	249	1.58	-	57.47

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

13/09/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 100  
 01-M-1-13  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	62.00	74.00	-12.00	5.19	3	Horizontal	226	1.53	-	56.81
AV	5.456G	49.59	54.00	-4.41	5.21	3	Horizontal	226	1.53	-	44.38
PK	5.462G	61.35	68.20	-6.85	5.23	3	Horizontal	226	1.53	-	56.12
PK	5.7284G	129.18	Inf	-Inf	5.80	3	Horizontal	226	1.53	-	123.38
AV	5.7284G	118.32	Inf	-Inf	5.80	3	Horizontal	226	1.53	-	112.52
PK	5.876G	64.23	68.20	-3.97	6.53	3	Horizontal	226	1.53	-	57.70

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

02/09/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44012G	54.57	74.00	-19.43	11.90	3	Vertical	199	1.47	-	42.67
AV	11.43998G	41.51	54.00	-12.49	11.90	3	Vertical	199	1.47	-	29.61
PK	17.15664G	65.35	68.20	-2.85	17.90	3	Vertical	211	1.59	-	47.45

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

02/09/2019

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43988G	54.95	74.00	-19.05	11.90	3	Horizontal	94	2.99	-	43.05
AV	11.44006G	44.98	54.00	-9.02	11.90	3	Horizontal	94	2.99	-	33.08
PK	17.15598G	65.78	68.20	-2.42	17.90	3	Horizontal	27	2.92	-	47.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5270MHz\_TX




EUT Y\_4TX  
Setting 89  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	64.48	74.00	-9.52	4.25	3	Vertical	99	1.51	-	60.23
AV	5.1482G	50.04	54.00	-3.96	4.25	3	Vertical	99	1.51	-	45.79
PK	5.2682G	122.57	Inf	-Inf	4.52	3	Vertical	99	1.51	-	118.05
AV	5.2634G	110.14	Inf	-Inf	4.50	3	Vertical	99	1.51	-	105.64
PK	5.35G	70.42	74.00	-3.58	4.81	3	Vertical	99	1.51	-	65.61
AV	5.35G	53.64	54.00	-0.36	4.81	3	Vertical	99	1.51	-	48.83

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5270MHz\_TX




EUT Y\_4TX  
Setting 89  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	61.09	74.00	-12.91	4.24	3	Horizontal	194	1.49	-	56.85
AV	5.1494G	48.23	54.00	-5.77	4.25	3	Horizontal	194	1.49	-	43.98
PK	5.2574G	116.87	Inf	-Inf	4.48	3	Horizontal	194	1.49	-	112.39
AV	5.258G	104.09	Inf	-Inf	4.48	3	Horizontal	194	1.49	-	99.61
PK	5.35G	64.94	74.00	-9.06	4.81	3	Horizontal	194	1.49	-	60.13
AV	5.3504G	50.82	54.00	-3.18	4.81	3	Horizontal	194	1.49	-	46.01

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5270MHz\_TX




EUT Y\_4TX  
Setting 89  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81224G	58.72	74.00	-15.28	14.12	3	Vertical	126	2.58	-	44.60
AV	15.80674G	44.90	54.00	-9.10	14.14	3	Vertical	126	2.58	-	30.76

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5270MHz\_TX



EUT Y\_4TX  
Setting 89  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80942G	59.01	74.00	-14.99	14.13	3	Horizontal	217	2.76	-	44.88
AV	15.80973G	44.82	54.00	-9.18	14.13	3	Horizontal	217	2.76	-	30.69



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.308G	118.03	Inf	-Inf	4.66	3	Vertical	97	1.56	-	113.37
AV	5.306G	105.33	Inf	-Inf	4.66	3	Vertical	97	1.56	-	100.67
PK	5.3524G	72.54	74.00	-1.46	4.82	3	Vertical	97	1.56	-	67.72
AV	5.3501G	53.75	54.00	-0.25	4.81	3	Vertical	97	1.56	-	48.94

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3236G	112.34	Inf	-Inf	4.72	3	Horizontal	172	1.62	-	107.62
AV	5.3228G	98.82	Inf	-Inf	4.72	3	Horizontal	172	1.62	-	94.10
PK	5.3532G	65.44	74.00	-8.56	4.82	3	Horizontal	172	1.62	-	60.62
AV	5.3504G	48.95	54.00	-5.05	4.81	3	Horizontal	172	1.62	-	44.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62076G	53.52	74.00	-20.48	11.20	3	Vertical	354	1.52	-	42.32
AV	10.6195G	39.17	54.00	-14.83	11.20	3	Vertical	354	1.52	-	27.97
PK	15.92925G	58.56	74.00	-15.44	13.98	3	Vertical	210	1.85	-	44.58
AV	15.93014G	44.96	54.00	-9.04	13.98	3	Vertical	210	1.85	-	30.98

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5310MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.62044G	53.20	74.00	-20.80	11.20	3	Horizontal	33	2.00	-	42.00
AV	10.61911G	39.16	54.00	-14.84	11.20	3	Horizontal	33	2.00	-	27.96
PK	15.92909G	58.95	74.00	-15.05	13.98	3	Horizontal	77	2.82	-	44.97
AV	15.93096G	44.80	54.00	-9.20	13.98	3	Horizontal	77	2.82	-	30.82

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5510MHz\_TX




EUT Y\_4TX  
Setting 71  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4548G	65.52	74.00	-8.48	5.19	3	Vertical	265	1.75	-	60.33
AV	5.4592G	51.25	54.00	-2.75	5.22	3	Vertical	265	1.75	-	46.03
PK	5.4652G	68.15	68.20	-0.05	5.25	3	Vertical	265	1.75	-	62.90
PK	5.5112G	116.66	Inf	-Inf	5.41	3	Vertical	265	1.75	-	111.25
AV	5.5152G	104.09	Inf	-Inf	5.42	3	Vertical	265	1.75	-	98.67

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5510MHz\_TX




EUT Y\_4TX  
Setting 71  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	64.61	74.00	-9.39	5.21	3	Horizontal	89	1.52	-	59.40
AV	5.4556G	48.58	54.00	-5.42	5.21	3	Horizontal	89	1.52	-	43.37
PK	5.4676G	63.90	68.20	-4.30	5.25	3	Horizontal	89	1.52	-	58.65
PK	5.5088G	118.88	Inf	-Inf	5.41	3	Horizontal	89	1.52	-	113.47
AV	5.5092G	105.75	Inf	-Inf	5.41	3	Horizontal	89	1.52	-	100.34

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5510MHz\_TX




EUT Y\_4TX  
Setting 71  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01973G	53.50	74.00	-20.50	11.72	3	Vertical	208	1.64	-	41.78
AV	11.02033G	39.71	54.00	-14.29	11.72	3	Vertical	208	1.64	-	27.99

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5510MHz\_TX



EUT Y\_4TX  
Setting 71  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02027G	53.96	74.00	-20.04	11.72	3	Horizontal	208	2.01	-	42.24
AV	11.02015G	39.78	54.00	-14.22	11.72	3	Horizontal	208	2.01	-	28.06



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5550MHz\_TX




EUT Y\_4TX  
Setting 90  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4588G	66.20	74.00	-7.80	5.22	3	Vertical	252	1.49	-	60.98
AV	5.4596G	51.26	54.00	-2.74	5.22	3	Vertical	252	1.49	-	46.04
PK	5.47G	67.99	68.20	-0.21	5.26	3	Vertical	252	1.49	-	62.73
PK	5.5452G	121.22	Inf	-Inf	5.50	3	Vertical	252	1.49	-	115.72
AV	5.5468G	108.94	Inf	-Inf	5.50	3	Vertical	252	1.49	-	103.44
PK	5.7308G	64.52	68.20	-3.68	5.80	3	Vertical	252	1.49	-	58.72

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5550MHz\_TX




EUT\_Y\_4TX  
Setting 90  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4508G	61.49	74.00	-12.51	5.18	3	Horizontal	67	1.50	-	56.31
AV	5.4572G	48.81	54.00	-5.19	5.21	3	Horizontal	67	1.50	-	43.60
PK	5.4692G	66.49	68.20	-1.71	5.26	3	Horizontal	67	1.50	-	61.23
PK	5.5444G	119.40	Inf	-Inf	5.50	3	Horizontal	67	1.50	-	113.90
AV	5.5428G	108.30	Inf	-Inf	5.49	3	Horizontal	67	1.50	-	102.81
PK	5.7364G	62.62	68.20	-5.58	5.81	3	Horizontal	67	1.50	-	56.81

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5550MHz\_TX




EUT Y\_4TX  
Setting 90  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10083G	53.17	74.00	-20.83	11.75	3	Vertical	286	2.66	-	41.42
AV	11.09939G	39.71	54.00	-14.29	11.76	3	Vertical	286	2.66	-	27.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5550MHz\_TX




EUT Y\_4TX  
 Setting 90  
 01-M-1  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10037G	53.86	74.00	-20.14	11.75	3	Horizontal	268	1.10	-	42.11
AV	11.09908G	39.68	54.00	-14.32	11.76	3	Horizontal	268	1.10	-	27.92

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5670MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6838G	117.32	Inf	-Inf	5.72	3	Vertical	255	1.47	-	111.60
AV	5.6844G	104.93	Inf	-Inf	5.72	3	Vertical	255	1.47	-	99.21
PK	5.7258G	67.97	68.20	-0.23	5.79	3	Vertical	255	1.47	-	62.18

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5670MHz\_TX




EUT Y\_4TX  
 Setting 72  
 01-M-1-13  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6766G	117.24	Inf	-Inf	5.72	3	Horizontal	226	2.71	-	111.52
AV	5.6766G	104.28	Inf	-Inf	5.72	3	Horizontal	226	2.71	-	98.56
PK	5.7714G	63.38	68.20	-4.82	5.90	3	Horizontal	226	2.71	-	57.48

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5670MHz\_TX




EUT Y\_4TX  
Setting 72  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34026G	53.74	74.00	-20.26	11.86	3	Vertical	166	1.48	-	41.88
AV	11.34051G	40.57	54.00	-13.43	11.86	3	Vertical	166	1.48	-	28.71

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5670MHz\_TX



EUT Y\_4TX  
Setting 72  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34094G	54.72	74.00	-19.28	11.86	3	Horizontal	196	2.52	-	42.86
AV	11.3409G	40.13	54.00	-13.87	11.86	3	Horizontal	196	2.52	-	28.27



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/09/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4388G	61.29	74.00	-12.71	5.15	3	Vertical	267	1.61	-	56.14
PK	5.4676G	61.63	68.20	-6.57	5.25	3	Vertical	267	1.61	-	56.38
AV	5.4544G	49.09	54.00	-4.91	5.19	3	Vertical	267	1.61	-	43.90
PK	5.7136G	124.24	Inf	-Inf	5.78	3	Vertical	267	1.61	-	118.46
AV	5.7148G	111.82	Inf	-Inf	5.78	3	Vertical	267	1.61	-	106.04
PK	5.8528G	65.54	68.20	-2.66	6.35	3	Vertical	267	1.61	-	59.19

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

13/09/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 100  
 01-M-1-13  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4544G	62.06	74.00	-11.94	5.19	3	Horizontal	42	1.70	-	56.87
AV	5.4592G	48.80	54.00	-5.20	5.22	3	Horizontal	42	1.70	-	43.58
PK	5.4664G	62.23	68.20	-5.97	5.25	3	Horizontal	42	1.70	-	56.98
PK	5.728G	122.22	Inf	-Inf	5.80	3	Horizontal	42	1.70	-	116.42
AV	5.7268G	110.67	Inf	-Inf	5.79	3	Horizontal	42	1.70	-	104.88
PK	5.8564G	64.63	68.20	-3.57	6.38	3	Horizontal	42	1.70	-	58.25

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

02/09/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41794G	54.34	74.00	-19.66	11.89	3	Vertical	0	1.50	-	42.45
AV	11.4237G	40.43	54.00	-13.57	11.90	3	Vertical	0	1.50	-	28.53
PK	17.13138G	62.93	68.20	-5.27	17.85	3	Vertical	175	1.50	-	45.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

02/09/2019

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 100  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42G	55.86	74.00	-18.14	11.89	3	Horizontal	94	2.99	-	43.97
AV	11.41996G	43.90	54.00	-10.10	11.89	3	Horizontal	94	2.99	-	32.01
PK	17.1244G	63.15	68.20	-5.05	17.84	3	Horizontal	305	1.44	-	45.31

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5290MHz\_TX




EUT Y\_4TX  
Setting 73  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	64.56	74.00	-9.44	4.24	3	Vertical	275	2.07	-	60.32
AV	5.149G	49.85	54.00	-4.15	4.25	3	Vertical	275	2.07	-	45.60
PK	5.253G	116.13	Inf	-Inf	4.47	3	Vertical	275	2.07	-	111.66
AV	5.261G	101.16	Inf	-Inf	4.49	3	Vertical	275	2.07	-	96.67
PK	5.358G	69.87	74.00	-4.13	4.83	3	Vertical	275	2.07	-	65.04
AV	5.35G	53.79	54.00	-0.21	4.81	3	Vertical	275	2.07	-	48.98
PK	5.476G	60.44	68.20	-7.76	5.29	3	Vertical	275	2.07	-	55.15

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5290MHz\_TX




EUT Y\_4TX  
Setting 73  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	62.16	74.00	-11.84	4.24	3	Horizontal	227	2.87	-	57.92
AV	5.149G	47.87	54.00	-6.13	4.25	3	Horizontal	227	2.87	-	43.62
PK	5.255G	106.42	Inf	-Inf	4.48	3	Horizontal	227	2.87	-	101.94
AV	5.313G	93.23	Inf	-Inf	4.69	3	Horizontal	227	2.87	-	88.54
PK	5.511G	60.57	68.20	-7.63	5.41	3	Horizontal	227	2.87	-	55.16
AV	5.35G	51.04	54.00	-2.96	4.81	3	Horizontal	227	2.87	-	46.23
PK	5.366G	65.10	74.00	-8.90	4.87	3	Horizontal	227	2.87	-	60.23

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5290MHz\_TX




EUT Y\_4TX  
Setting 73  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.87047G	59.08	74.00	-14.92	14.06	3	Vertical	287	2.96	-	45.02
AV	15.87026G	45.38	54.00	-8.62	14.06	3	Vertical	287	2.96	-	31.32

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5290MHz\_TX



EUT Y\_4TX  
Setting 73  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.86996G	58.92	74.00	-15.08	14.06	3	Horizontal	205	3.00	-	44.86
AV	15.86957G	45.00	54.00	-9.00	14.06	3	Horizontal	205	3.00	-	30.94



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 70  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.344G	60.00	68.20	-8.20	4.80	3	Vertical	116	1.69	-	55.20
PK	5.459G	67.53	74.00	-6.47	5.22	3	Vertical	116	1.69	-	62.31
AV	5.455G	50.95	54.00	-3.05	5.20	3	Vertical	116	1.69	-	45.75
PK	5.467G	68.00	68.20	-0.20	5.25	3	Vertical	116	1.69	-	62.75
PK	5.521G	112.90	Inf	-Inf	5.44	3	Vertical	116	1.69	-	107.46
AV	5.536G	100.14	Inf	-Inf	5.47	3	Vertical	116	1.69	-	94.67
PK	5.738G	61.51	68.20	-6.69	5.83	3	Vertical	116	1.69	-	55.68

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5530MHz\_TX




EUT\_Y\_4TX  
Setting 70  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.321G	60.16	68.20	-8.04	4.71	3	Horizontal	95	1.46	-	55.45
PK	5.448G	65.55	74.00	-8.45	5.18	3	Horizontal	95	1.46	-	60.37
AV	5.45G	50.13	54.00	-3.87	5.19	3	Horizontal	95	1.46	-	44.94
PK	5.47G	66.57	68.20	-1.63	5.26	3	Horizontal	95	1.46	-	61.31
PK	5.513G	116.69	Inf	-Inf	5.42	3	Horizontal	95	1.46	-	111.27
AV	5.511G	104.60	Inf	-Inf	5.41	3	Horizontal	95	1.46	-	99.19
PK	5.766G	61.73	68.20	-6.47	5.89	3	Horizontal	95	1.46	-	55.84

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 70  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05933G	53.53	74.00	-20.47	11.73	3	Vertical	297	1.01	-	41.80
AV	11.05954G	39.81	54.00	-14.19	11.73	3	Vertical	297	1.01	-	28.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 70  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06028G	53.47	74.00	-20.53	11.73	3	Horizontal	38	1.61	-	41.74
AV	11.05998G	39.91	54.00	-14.09	11.73	3	Horizontal	38	1.61	-	28.18

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5610MHz\_TX




EUT Y\_4TX  
Setting 76  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4524G	61.97	74.00	-12.03	5.19	3	Vertical	246	1.55	-	56.78
AV	5.4588G	49.35	54.00	-4.65	5.22	3	Vertical	246	1.55	-	44.13
PK	5.4684G	62.19	68.20	-6.01	5.26	3	Vertical	246	1.55	-	56.93
PK	5.6108G	115.28	Inf	-Inf	5.65	3	Vertical	246	1.55	-	109.63
AV	5.6284G	101.84	Inf	-Inf	5.67	3	Vertical	246	1.55	-	96.17
PK	5.7388G	67.99	68.20	-0.21	5.83	3	Vertical	246	1.55	-	62.16

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5610MHz\_TX




EUT Y\_4TX  
Setting 76  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4564G	61.62	74.00	-12.38	5.21	3	Horizontal	103	1.49	-	56.41
AV	5.4596G	48.80	54.00	-5.20	5.22	3	Horizontal	103	1.49	-	43.58
PK	5.4684G	61.75	68.20	-6.45	5.26	3	Horizontal	103	1.49	-	56.49
PK	5.5796G	117.89	Inf	-Inf	5.58	3	Horizontal	103	1.49	-	112.31
AV	5.578G	104.97	Inf	-Inf	5.58	3	Horizontal	103	1.49	-	99.39
PK	5.7684G	62.89	68.20	-5.31	5.90	3	Horizontal	103	1.49	-	56.99

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5610MHz\_TX




EUT Y\_4TX  
Setting 76  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.21978G	53.59	74.00	-20.41	11.81	3	Vertical	257	1.03	-	41.78
AV	11.22087G	39.73	54.00	-14.27	11.81	3	Vertical	257	1.03	-	27.92

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5610MHz\_TX



EUT Y\_4TX  
Setting 76  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.2192G	53.76	74.00	-20.24	11.81	3	Horizontal	47	1.13	-	41.95
AV	11.22012G	39.98	54.00	-14.02	11.81	3	Horizontal	47	1.13	-	28.17



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 82  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4476G	61.41	74.00	-12.59	5.18	3	Vertical	79	1.45	-	56.23
AV	5.4548G	49.05	54.00	-4.95	5.19	3	Vertical	79	1.45	-	43.86
PK	5.4656G	61.44	68.20	-6.76	5.25	3	Vertical	79	1.45	-	56.19
PK	5.7056G	119.74	Inf	-Inf	5.75	3	Vertical	79	1.45	-	113.99
AV	5.7008G	107.43	Inf	-Inf	5.74	3	Vertical	79	1.45	-	101.69
PK	5.8532G	67.84	68.20	-0.36	6.35	3	Vertical	79	1.45	-	61.49

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz\_TX



EUT\_Y\_4TX  
Setting 82  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4356G	61.34	74.00	-12.66	5.14	3	Horizontal	102	1.50	-	56.20
PK	5.4644G	61.72	68.20	-6.48	5.23	3	Horizontal	102	1.50	-	56.49
AV	5.456G	48.80	54.00	-5.20	5.21	3	Horizontal	102	1.50	-	43.59
PK	5.708G	118.67	Inf	-Inf	5.76	3	Horizontal	102	1.50	-	112.91
AV	5.7104G	106.27	Inf	-Inf	5.76	3	Horizontal	102	1.50	-	100.51
PK	5.852G	67.10	68.20	-1.10	6.34	3	Horizontal	102	1.50	-	60.76

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 82  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.38142G	54.16	74.00	-19.84	11.88	3	Vertical	219	1.32	-	42.28
AV	11.3799G	40.56	54.00	-13.44	11.88	3	Vertical	219	1.32	-	28.68
PK	17.06952G	61.99	68.20	-6.21	17.75	3	Vertical	20	1.50	-	44.24

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

21/10/2019

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
Setting 82  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.37978G	55.45	74.00	-18.55	11.88	3	Horizontal	94	2.99	-	43.57
AV	11.38002G	44.19	54.00	-9.81	11.88	3	Horizontal	94	2.99	-	32.31
PK	17.07144G	63.27	68.20	-4.93	17.75	3	Horizontal	21	2.75	-	45.52

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5250MHz\_TX




EUT\_Y\_4TX  
Setting 60  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1172G	65.27	74.00	-8.73	4.23	3	Vertical	240	1.50	-	61.04
AV	5.1364G	53.99	54.00	-0.01	4.25	3	Vertical	240	1.50	-	49.74
PK	5.2052G	109.71	Inf	-Inf	4.29	3	Vertical	240	1.50	-	105.42
AV	5.1892G	96.49	Inf	-Inf	4.26	3	Vertical	240	1.50	-	92.23
PK	5.3844G	64.44	74.00	-9.56	4.93	3	Vertical	240	1.50	-	59.51
AV	5.3652G	51.39	54.00	-2.61	4.87	3	Vertical	240	1.50	-	46.52
PK	5.5748G	61.66	68.20	-6.54	5.58	3	Vertical	240	1.50	-	56.08

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 60  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	62.83	74.00	-11.17	4.25	3	Horizontal	168	1.02	-	58.58
AV	5.1364G	49.58	54.00	-4.42	4.25	3	Horizontal	168	1.02	-	45.33
PK	5.2196G	105.06	Inf	-Inf	4.34	3	Horizontal	168	1.02	-	100.72
AV	5.2164G	92.09	Inf	-Inf	4.33	3	Horizontal	168	1.02	-	87.76
PK	5.4148G	60.10	74.00	-13.90	5.04	3	Horizontal	168	1.02	-	55.06
AV	5.3652G	47.73	54.00	-6.27	4.87	3	Horizontal	168	1.02	-	42.86
PK	5.6036G	61.76	68.20	-6.44	5.64	3	Horizontal	168	1.02	-	56.12

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5250MHz\_TX




EUT Y\_4TX  
Setting 60  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74926G	59.87	74.00	-14.13	14.21	3	Vertical	254	1.21	-	45.66
AV	15.749G	45.57	54.00	-8.43	14.21	3	Vertical	254	1.21	-	31.36

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5250MHz\_TX



EUT Y\_4TX  
Setting 60  
01-M-1  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7492G	58.69	74.00	-15.31	14.21	3	Horizontal	154	1.59	-	44.48
AV	15.75G	45.20	54.00	-8.80	14.21	3	Horizontal	154	1.59	-	30.99



802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 65  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3332G	60.48	68.20	-7.72	4.76	3	Vertical	250	1.75	-	55.72
PK	5.4548G	67.42	74.00	-6.58	5.19	3	Vertical	250	1.75	-	62.23
AV	5.4468G	53.62	54.00	-0.38	5.18	3	Vertical	250	1.75	-	48.44
PK	5.4628G	65.81	68.20	-2.39	5.23	3	Vertical	250	1.75	-	60.58
PK	5.5044G	112.58	Inf	-Inf	5.39	3	Vertical	250	1.75	-	107.19
AV	5.5828G	98.97	Inf	-Inf	5.60	3	Vertical	250	1.75	-	93.37
PK	5.7348G	67.86	68.20	-0.34	5.81	3	Vertical	250	1.75	-	62.05

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 65  
01-M-1-13  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2772G	59.89	68.20	-8.31	4.55	3	Horizontal	90	1.49	-	55.34
PK	5.4516G	64.03	74.00	-9.97	5.18	3	Horizontal	90	1.49	-	58.85
AV	5.4388G	50.20	54.00	-3.80	5.15	3	Horizontal	90	1.49	-	45.05
PK	5.4612G	64.75	68.20	-3.45	5.22	3	Horizontal	90	1.49	-	59.53
PK	5.5108G	112.51	Inf	-Inf	5.41	3	Horizontal	90	1.49	-	107.10
AV	5.5108G	100.07	Inf	-Inf	5.41	3	Horizontal	90	1.49	-	94.66
PK	5.7252G	63.58	68.20	-4.62	5.79	3	Horizontal	90	1.49	-	57.79

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

31/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 65  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1394G	53.79	74.00	-20.21	11.77	3	Vertical	237	2.52	-	42.02
AV	11.14079G	39.47	54.00	-14.53	11.77	3	Vertical	237	2.52	-	27.70

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

31/08/2019

### 5570MHz\_TX



EUT Y\_4TX  
Setting 65  
01-M-1  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14072G	53.25	74.00	-20.75	11.77	3	Horizontal	195	1.25	-	41.48
AV	11.13915G	39.53	54.00	-14.47	11.77	3	Horizontal	195	1.25	-	27.76




4T2S  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT160-BF_Nss2,(MCS0)_4TX	Pass	PK	5.7476G	68.11	68.20	-0.09	5.85	3	Vertical	255	1.70	-

### 802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5530MHz\_TX




EUT\_Y\_4TX  
Setting 72  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.29G	56.45	68.20	-11.75	4.60	3	Vertical	248	1.78	-	51.85
PK	5.459G	64.81	74.00	-9.19	5.22	3	Vertical	248	1.78	-	59.59
AV	5.455G	50.00	54.00	-4.00	5.20	3	Vertical	248	1.78	-	44.80
PK	5.47G	68.09	68.20	-0.11	5.26	3	Vertical	248	1.78	-	62.83
PK	5.508G	111.34	Inf	-Inf	5.41	3	Vertical	248	1.78	-	105.93
AV	5.538G	98.61	Inf	-Inf	5.48	3	Vertical	248	1.78	-	93.13
PK	5.759G	60.66	68.20	-7.54	5.87	3	Vertical	248	1.78	-	54.79

802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 72  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.329G	56.73	68.20	-11.47	4.75	3	Horizontal	95	1.49	-	51.98
PK	5.459G	64.59	74.00	-9.41	5.22	3	Horizontal	95	1.49	-	59.37
AV	5.457G	48.38	54.00	-5.62	5.21	3	Horizontal	95	1.49	-	43.17
PK	5.462G	65.33	68.20	-2.87	5.23	3	Horizontal	95	1.49	-	60.10
PK	5.517G	112.89	Inf	-Inf	5.42	3	Horizontal	95	1.49	-	107.47
AV	5.518G	101.49	Inf	-Inf	5.43	3	Horizontal	95	1.49	-	96.06
PK	5.745G	59.37	68.20	-8.83	5.84	3	Horizontal	95	1.49	-	53.53

802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5530MHz\_TX



EUT Y\_4TX  
Setting 72  
01-E-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05108G	53.99	74.00	-20.01	11.73	3	Vertical	81	1.20	-	42.26
AV	11.0546G	39.64	54.00	-14.36	11.73	3	Vertical	81	1.20	-	27.91
PK	16.59328G	60.59	68.20	-7.61	16.10	3	Vertical	161	1.40	-	44.49



802.11ac VHT80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 72  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0564G	54.22	74.00	-19.78	11.73	3	Horizontal	294	1.50	-	42.49
AV	11.05384G	39.62	54.00	-14.38	11.73	3	Horizontal	294	1.50	-	27.89
PK	16.58476G	60.53	68.20	-7.67	16.07	3	Horizontal	114	1.99	-	44.46

### 802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 69  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	72.52	74.00	-1.48	4.24	3	Vertical	92	1.50	-	68.28
AV	5.1396G	53.55	54.00	-0.45	4.24	3	Vertical	92	1.50	-	49.31
PK	5.2548G	106.76	Inf	-Inf	4.47	3	Vertical	92	1.50	-	102.29
AV	5.2388G	96.89	Inf	-Inf	4.42	3	Vertical	92	1.50	-	92.47
PK	5.3812G	65.18	74.00	-8.82	4.92	3	Vertical	92	1.50	-	60.26
AV	5.3501G	51.00	54.00	-3.00	4.81	3	Vertical	92	1.50	-	46.19
PK	5.4772G	57.88	68.20	-10.32	5.29	3	Vertical	92	1.50	-	52.59

### 802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 69  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	67.93	74.00	-6.07	4.24	3	Horizontal	221	2.92	-	63.69
AV	5.13G	50.65	54.00	-3.35	4.24	3	Horizontal	221	2.92	-	46.41
PK	5.2036G	103.19	Inf	-Inf	4.28	3	Horizontal	221	2.92	-	98.91
AV	5.2068G	92.39	Inf	-Inf	4.29	3	Horizontal	221	2.92	-	88.10
PK	5.3876G	63.93	74.00	-10.07	4.94	3	Horizontal	221	2.92	-	58.99
AV	5.3588G	48.37	54.00	-5.63	4.85	3	Horizontal	221	2.92	-	43.52
PK	5.5108G	57.40	68.20	-10.80	5.41	3	Horizontal	221	2.92	-	51.99

802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 69  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75452G	58.89	74.00	-15.11	14.20	3	Vertical	360	2.56	-	44.69
AV	15.74144G	44.97	54.00	-9.03	14.21	3	Vertical	360	2.56	-	30.76

802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5250MHz\_TX




EUT Y\_4TX  
Setting 69  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74228G	58.54	74.00	-15.46	14.20	3	Horizontal	152	1.50	-	44.34
AV	15.74188G	44.91	54.00	-9.09	14.20	3	Horizontal	152	1.50	-	30.71

802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 68  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2724G	57.04	68.20	-11.16	4.54	3	Vertical	255	1.70	-	52.50
PK	5.458G	67.99	74.00	-6.01	5.21	3	Vertical	255	1.70	-	62.78
AV	5.4516G	51.33	54.00	-2.67	5.18	3	Vertical	255	1.70	-	46.15
PK	5.4676G	64.91	68.20	-3.29	5.25	3	Vertical	255	1.70	-	59.66
PK	5.5876G	108.74	Inf	-Inf	5.61	3	Vertical	255	1.70	-	103.13
AV	5.5812G	98.95	Inf	-Inf	5.58	3	Vertical	255	1.70	-	93.37
PK	5.7476G	68.11	68.20	-0.09	5.85	3	Vertical	255	1.70	-	62.26

### 802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5570MHz\_TX




EUT Y\_4TX  
Setting 68  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2708G	56.81	68.20	-11.39	4.53	3	Horizontal	92	1.48	-	52.28
PK	5.4548G	62.66	74.00	-11.34	5.19	3	Horizontal	92	1.48	-	57.47
PK	5.4628G	64.09	68.20	-4.11	5.23	3	Horizontal	92	1.48	-	58.86
AV	5.4596G	48.03	54.00	-5.97	5.22	3	Horizontal	92	1.48	-	42.81
PK	5.5092G	108.97	Inf	-Inf	5.41	3	Horizontal	92	1.48	-	103.56
AV	5.5108G	99.54	Inf	-Inf	5.41	3	Horizontal	92	1.48	-	94.13
PK	5.7284G	62.03	68.20	-6.17	5.80	3	Horizontal	92	1.48	-	56.23

802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

13/09/2019

5570MHz\_TX



EUT Y\_4TX  
Setting 68  
01-E-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	16.71368G	61.59	68.20	-6.61	16.55	3	Vertical	141	2.95	-	45.04



802.11ac VHT160-BF\_Nss2,(MCS0)\_4TX

13/09/2019

5570MHz\_TX




EUT Y\_4TX  
Setting 68  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	16.71604G	61.84	68.20	-6.36	16.56	3	Horizontal	349	2.60	-	45.28

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 75  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.334G	57.18	68.20	-11.02	4.76	3	Vertical	258	1.50	-	52.42
PK	5.458G	67.13	74.00	-6.87	5.21	3	Vertical	258	1.50	-	61.92
AV	5.459G	51.84	54.00	-2.16	5.22	3	Vertical	258	1.50	-	46.62
PK	5.466G	67.80	68.20	-0.40	5.25	3	Vertical	258	1.50	-	62.55
PK	5.507G	118.09	Inf	-Inf	5.40	3	Vertical	258	1.50	-	112.69
AV	5.54G	100.26	Inf	-Inf	5.48	3	Vertical	258	1.50	-	94.78
PK	5.735G	61.87	68.20	-6.33	5.81	3	Vertical	258	1.50	-	56.06

802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

5530MHz\_TX




EUT Y\_4TX  
Setting 75  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.339G	57.75	68.20	-10.45	4.78	3	Horizontal	256	2.07	-	52.97
PK	5.46G	64.96	74.00	-9.04	5.22	3	Horizontal	256	2.07	-	59.74
AV	5.458G	48.94	54.00	-5.06	5.21	3	Horizontal	256	2.07	-	43.73
PK	5.466G	64.94	68.20	-3.26	5.25	3	Horizontal	256	2.07	-	59.69
PK	5.522G	112.94	Inf	-Inf	5.44	3	Horizontal	256	2.07	-	107.50
AV	5.529G	100.24	Inf	-Inf	5.45	3	Horizontal	256	2.07	-	94.79
PK	5.749G	59.23	68.20	-8.97	5.85	3	Horizontal	256	2.07	-	53.38

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
 Setting 75  
 01-E-2  
 FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05944G	53.75	74.00	-20.25	11.73	3	Vertical	135	1.50	-	42.02
AV	11.05136G	39.75	54.00	-14.25	11.73	3	Vertical	135	1.50	-	28.02
PK	16.59056G	61.31	68.20	-6.89	16.10	3	Vertical	308	1.50	-	45.21

### 802.11ax HEW80-BF\_Nss2,(MCS0)\_4TX

31/08/2019

### 5530MHz\_TX




EUT Y\_4TX  
Setting 75  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.0522G	54.49	74.00	-19.51	11.73	3	Horizontal	182	1.50	-	42.76
AV	11.05012G	39.78	54.00	-14.22	11.73	3	Horizontal	182	1.50	-	28.05
PK	16.58068G	61.15	68.20	-7.05	16.06	3	Horizontal	339	1.50	-	45.09

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

21/10/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 64  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1188G	70.41	74.00	-3.59	4.23	3	Vertical	71	1.50	-	66.18
AV	5.1444G	53.86	54.00	-0.14	4.24	3	Vertical	71	1.50	-	49.62
PK	5.2372G	106.48	Inf	-Inf	4.41	3	Vertical	71	1.50	-	102.07
AV	5.2356G	95.23	Inf	-Inf	4.40	3	Vertical	71	1.50	-	90.83
PK	5.3732G	64.12	74.00	-9.88	4.89	3	Vertical	71	1.50	-	59.23
AV	5.3636G	49.98	54.00	-4.02	4.86	3	Vertical	71	1.50	-	45.12
PK	5.538G	57.66	68.20	-10.54	5.48	3	Vertical	71	1.50	-	52.18

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

21/10/2019

### 5250MHz\_TX




EUT\_Y\_4TX  
Setting 64  
01-E-2-10  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1268G	67.18	74.00	-6.82	4.24	3	Horizontal	243	2.73	-	62.94
AV	5.1444G	50.95	54.00	-3.05	4.24	3	Horizontal	243	2.73	-	46.71
PK	5.266G	101.95	Inf	-Inf	4.52	3	Horizontal	243	2.73	-	97.43
AV	5.2148G	90.45	Inf	-Inf	4.32	3	Horizontal	243	2.73	-	86.13
PK	5.3764G	63.42	74.00	-10.58	4.91	3	Horizontal	243	2.73	-	58.51
AV	5.3684G	47.34	54.00	-6.66	4.88	3	Horizontal	243	2.73	-	42.46
PK	5.6132G	58.11	68.20	-10.09	5.65	3	Horizontal	243	2.73	-	52.46

### 802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

21/10/2019

### 5250MHz\_TX



EUT Y\_4TX  
Setting 64  
01-E-2  
FSP(100019)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75132G	59.11	74.00	-14.89	14.20	3	Vertical	188	2.12	-	44.91
AV	15.75656G	44.90	54.00	-9.10	14.20	3	Vertical	188	2.12	-	30.70



802.11ax HEW160-BF\_Nss2,(MCS0)\_4TX

21/10/2019

5250MHz\_TX



EUT Y\_4TX  
Setting 64  
01-E-2  
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74116G	58.66	74.00	-15.34	14.22	3	Horizontal	267	2.98	-	44.44
AV	15.75348G	44.91	54.00	-9.09	14.20	3	Horizontal	267	2.98	-	30.71