


802.11ax HEW160-BF_Nss2,(MCS0)_4TX

31/08/2019

5570MHz_TX




EUT Y_4TX
Setting 67
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.21G	56.78	68.20	-11.42	4.31	3	Vertical	57	1.50	-	52.47
PK	5.4564G	65.45	74.00	-8.55	5.21	3	Vertical	57	1.50	-	60.24
AV	5.458G	51.28	54.00	-2.72	5.21	3	Vertical	57	1.50	-	46.07
PK	5.4676G	62.24	68.20	-5.96	5.25	3	Vertical	57	1.50	-	56.99
PK	5.5812G	106.78	Inf	-Inf	5.58	3	Vertical	57	1.50	-	101.20
AV	5.5652G	94.56	Inf	-Inf	5.55	3	Vertical	57	1.50	-	89.01
PK	5.802G	67.75	68.20	-0.45	5.97	3	Vertical	57	1.50	-	61.78

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

31/08/2019

5570MHz_TX




EUT Y_4TX
Setting 67
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2452G	57.01	68.20	-11.19	4.44	3	Horizontal	219	2.51	-	52.57
PK	5.4452G	62.83	74.00	-11.17	5.18	3	Horizontal	219	2.51	-	57.65
AV	5.4548G	48.60	54.00	-5.40	5.19	3	Horizontal	219	2.51	-	43.41
PK	5.4644G	66.32	68.20	-1.88	5.23	3	Horizontal	219	2.51	-	61.09
PK	5.5956G	107.40	Inf	-Inf	5.63	3	Horizontal	219	2.51	-	101.77
AV	5.5988G	96.34	Inf	-Inf	5.64	3	Horizontal	219	2.51	-	90.70
PK	5.786G	65.16	68.20	-3.04	5.92	3	Horizontal	219	2.51	-	59.24

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

31/08/2019

5570MHz_TX




EUT Y_4TX
Setting 67
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14396G	53.14	74.00	-20.86	11.78	3	Vertical	349	1.50	-	41.36
AV	11.14352G	39.44	54.00	-14.56	11.78	3	Vertical	349	1.50	-	27.66
PK	16.70776G	61.32	68.20	-6.88	16.53	3	Vertical	71	2.82	-	44.79

802.11ax HEW160-BF_Nss2,(MCS0)_4TX

31/08/2019

5570MHz_TX



EUT Y_4TX
Setting 67
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14036G	53.27	74.00	-20.73	11.77	3	Horizontal	77	2.48	-	41.50
AV	11.13996G	42.40	54.00	-11.60	11.77	3	Horizontal	77	2.48	-	30.63
PK	16.70372G	61.11	68.20	-7.09	16.52	3	Horizontal	188	1.50	-	44.59




4T3S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT80-BF_Nss3,(MCS0)_4TX	Pass	PK	5.47G	68.06	68.20	-0.14	5.26	3	Horizontal	215	1.63	-

802.11ac VHT80-BF_Nss3,(MCS0)_4TX

01/09/2019

5530MHz_TX




EUT Y_4TX
Setting 76
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.317G	57.32	68.20	-10.88	4.70	3	Vertical	252	1.50	-	52.62
PK	5.456G	68.34	74.00	-5.66	5.21	3	Vertical	252	1.50	-	63.13
AV	5.46G	50.97	54.00	-3.03	5.22	3	Vertical	252	1.50	-	45.75
PK	5.465G	68.00	68.20	-0.20	5.25	3	Vertical	252	1.50	-	62.75
PK	5.537G	110.12	Inf	-Inf	5.47	3	Vertical	252	1.50	-	104.65
AV	5.542G	98.80	Inf	-Inf	5.48	3	Vertical	252	1.50	-	93.32
PK	5.769G	64.26	68.20	-3.94	5.90	3	Vertical	252	1.50	-	58.36

802.11ac VHT80-BF_Nss3,(MCS0)_4TX

01/09/2019

5530MHz_TX




EUT Y_4TX
Setting 76
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.326G	56.71	68.20	-11.49	4.74	3	Horizontal	215	1.63	-	51.97
PK	5.452G	65.88	74.00	-8.12	5.19	3	Horizontal	215	1.63	-	60.69
AV	5.459G	49.61	54.00	-4.39	5.22	3	Horizontal	215	1.63	-	44.39
PK	5.47G	68.06	68.20	-0.14	5.26	3	Horizontal	215	1.63	-	62.80
PK	5.559G	109.72	Inf	-Inf	5.54	3	Horizontal	215	1.63	-	104.18
AV	5.538G	97.73	Inf	-Inf	5.48	3	Horizontal	215	1.63	-	92.25
PK	5.727G	59.30	68.20	-8.90	5.79	3	Horizontal	215	1.63	-	53.51

802.11ac VHT80-BF_Nss3,(MCS0)_4TX

01/09/2019

5530MHz_TX




EUT Y_4TX
Setting 76
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05432G	54.06	74.00	-19.94	11.73	3	Vertical	219	1.50	-	42.33
AV	11.05156G	39.49	54.00	-14.51	11.73	3	Vertical	219	1.50	-	27.76
PK	16.58628G	61.21	68.20	-6.99	16.08	3	Vertical	71	1.50	-	45.13

802.11ac VHT80-BF_Nss3,(MCS0)_4TX

01/09/2019

5530MHz_TX




EUT Y_4TX
Setting 76
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05812G	53.16	74.00	-20.84	11.73	3	Horizontal	265	2.39	-	41.43
AV	11.05636G	39.44	54.00	-14.56	11.73	3	Horizontal	265	2.39	-	27.71
PK	16.5992G	61.46	68.20	-6.74	16.13	3	Horizontal	32	1.94	-	45.33

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

01/09/2019

5250MHz_TX




EUT Y_4TX
Setting 70
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	71.78	74.00	-2.22	4.25	3	Vertical	70	1.67	-	67.53
AV	5.138G	53.85	54.00	-0.15	4.24	3	Vertical	70	1.67	-	49.61
PK	5.2036G	105.79	Inf	-Inf	4.28	3	Vertical	70	1.67	-	101.51
AV	5.234G	94.36	Inf	-Inf	4.39	3	Vertical	70	1.67	-	89.97
PK	5.3956G	66.59	74.00	-7.41	4.98	3	Vertical	70	1.67	-	61.61
AV	5.35G	49.92	54.00	-4.08	4.81	3	Vertical	70	1.67	-	45.11
PK	5.5492G	57.84	68.20	-10.36	5.51	3	Vertical	70	1.67	-	52.33

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

01/09/2019

5250MHz_TX




EUT Y_4TX
Setting 70
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1444G	66.48	74.00	-7.52	4.24	3	Horizontal	347	1.50	-	62.24
AV	5.1476G	49.47	54.00	-4.53	4.25	3	Horizontal	347	1.50	-	45.22
PK	5.186G	108.73	Inf	-Inf	4.27	3	Horizontal	347	1.50	-	104.46
AV	5.2212G	90.24	Inf	-Inf	4.34	3	Horizontal	347	1.50	-	85.90
PK	5.3764G	65.58	74.00	-8.42	4.91	3	Horizontal	347	1.50	-	60.67
AV	5.354G	48.72	54.00	-5.28	4.82	3	Horizontal	347	1.50	-	43.90
PK	5.5236G	57.52	68.20	-10.68	5.45	3	Horizontal	347	1.50	-	52.07

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

01/09/2019

5250MHz_TX




EUT Y_4TX
Setting 70
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74908G	58.83	74.00	-15.17	14.21	3	Vertical	219	1.50	-	44.62
AV	15.74136G	44.94	54.00	-9.06	14.21	3	Vertical	219	1.50	-	30.73

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

01/09/2019

5250MHz_TX




EUT Y_4TX
Setting 70
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74848G	58.80	74.00	-15.20	14.21	3	Horizontal	62	1.50	-	44.59
AV	15.74156G	45.17	54.00	-8.83	14.21	3	Horizontal	62	1.50	-	30.96

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

01/09/2019

5570MHz_TX




EUT Y_4TX
Setting 68
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3236G	56.90	68.20	-11.30	4.72	3	Vertical	69	1.74	-	52.18
PK	5.4484G	69.51	74.00	-4.49	5.19	3	Vertical	69	1.74	-	64.32
PK	5.4612G	66.85	68.20	-1.35	5.22	3	Vertical	69	1.74	-	61.63
AV	5.4564G	52.40	54.00	-1.60	5.21	3	Vertical	69	1.74	-	47.19
PK	5.5924G	105.51	Inf	-Inf	5.61	3	Vertical	69	1.74	-	99.90
AV	5.5732G	95.19	Inf	-Inf	5.58	3	Vertical	69	1.74	-	89.61
PK	5.77G	67.71	68.20	-0.49	5.90	3	Vertical	69	1.74	-	61.81

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

01/09/2019

5570MHz_TX




EUT_Y_4TX
Setting 68
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3316G	57.44	68.20	-10.76	4.75	3	Horizontal	271	2.51	-	52.69
PK	5.4516G	66.17	74.00	-7.83	5.18	3	Horizontal	271	2.51	-	60.99
AV	5.4548G	48.43	54.00	-5.57	5.19	3	Horizontal	271	2.51	-	43.24
PK	5.4676G	66.08	68.20	-2.12	5.25	3	Horizontal	271	2.51	-	60.83
PK	5.5796G	106.15	Inf	-Inf	5.58	3	Horizontal	271	2.51	-	100.57
AV	5.5428G	94.30	Inf	-Inf	5.49	3	Horizontal	271	2.51	-	88.81
PK	5.7268G	64.71	68.20	-3.49	5.79	3	Horizontal	271	2.51	-	58.92

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

01/09/2019

5570MHz_TX




EUT Y_4TX
Setting 68
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13332G	52.86	74.00	-21.14	11.77	3	Vertical	180	1.50	-	41.09
AV	11.14008G	39.45	54.00	-14.55	11.77	3	Vertical	180	1.50	-	27.68
PK	16.70608G	61.58	68.20	-6.62	16.53	3	Vertical	186	1.50	-	45.05

802.11ac VHT160-BF_Nss3,(MCS0)_4TX

01/09/2019

5570MHz_TX




EUT Y_4TX
Setting 68
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.13136G	53.89	74.00	-20.11	11.77	3	Horizontal	155	1.90	-	42.12
AV	11.13256G	39.34	54.00	-14.66	11.77	3	Horizontal	155	1.90	-	27.57
PK	16.71952G	61.70	68.20	-6.50	16.58	3	Horizontal	212	1.53	-	45.12

802.11ax HEW80-BF_Nss3,(MCS0)_4TX

01/09/2019

5530MHz_TX




EUT_Y_4TX
Setting 75
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.291G	57.15	68.20	-11.05	4.60	3	Vertical	252	1.70	-	52.55
PK	5.457G	66.74	74.00	-7.26	5.21	3	Vertical	252	1.70	-	61.53
AV	5.458G	51.55	54.00	-2.45	5.21	3	Vertical	252	1.70	-	46.34
PK	5.4699G	67.80	68.20	-0.40	5.26	3	Vertical	252	1.70	-	62.54
PK	5.543G	112.06	Inf	-Inf	5.49	3	Vertical	252	1.70	-	106.57
AV	5.537G	99.43	Inf	-Inf	5.47	3	Vertical	252	1.70	-	93.96
PK	5.735G	61.62	68.20	-6.58	5.81	3	Vertical	252	1.70	-	55.81

802.11ax HEW80-BF_Nss3,(MCS0)_4TX

01/09/2019

5530MHz_TX




EUT Y_4TX
Setting 75
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.306G	57.46	68.20	-10.74	4.66	3	Horizontal	92	1.50	-	52.80
PK	5.455G	63.50	74.00	-10.50	5.20	3	Horizontal	92	1.50	-	58.30
AV	5.456G	49.05	54.00	-4.95	5.21	3	Horizontal	92	1.50	-	43.84
PK	5.467G	65.00	68.20	-3.20	5.25	3	Horizontal	92	1.50	-	59.75
PK	5.519G	110.14	Inf	-Inf	5.44	3	Horizontal	92	1.50	-	104.70
AV	5.536G	98.23	Inf	-Inf	5.47	3	Horizontal	92	1.50	-	92.76
PK	5.731G	59.79	68.20	-8.41	5.80	3	Horizontal	92	1.50	-	53.99

802.11ax HEW80-BF_Nss3,(MCS0)_4TX

01/09/2019

5530MHz_TX




EUT Y_4TX
Setting 75
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.05456G	53.60	74.00	-20.40	11.73	3	Vertical	277	1.26	-	41.87
AV	11.0592G	39.63	54.00	-14.37	11.73	3	Vertical	277	1.26	-	27.90
PK	16.59672G	61.40	68.20	-6.80	16.12	3	Vertical	326	1.45	-	45.28

802.11ax HEW80-BF_Nss3,(MCS0)_4TX

01/09/2019

5530MHz_TX




EUT Y_4TX
Setting 75
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.06112G	53.76	74.00	-20.24	11.73	3	Horizontal	329	1.63	-	42.03
AV	11.0592G	39.68	54.00	-14.32	11.73	3	Horizontal	329	1.63	-	27.95
PK	16.5908G	60.81	68.20	-7.39	16.10	3	Horizontal	100	1.76	-	44.71

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

21/10/2019

5250MHz_TX




EUT_Y_4TX
Setting 64
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0596G	65.85	74.00	-8.15	4.28	3	Vertical	227	1.60	-	61.57
AV	5.1428G	53.54	54.00	-0.46	4.24	3	Vertical	227	1.60	-	49.30
PK	5.2484G	106.74	Inf	-Inf	4.45	3	Vertical	227	1.60	-	102.29
AV	5.258G	94.53	Inf	-Inf	4.48	3	Vertical	227	1.60	-	90.05
PK	5.3828G	64.80	74.00	-9.20	4.93	3	Vertical	227	1.60	-	59.87
AV	5.3572G	50.48	54.00	-3.52	4.83	3	Vertical	227	1.60	-	45.65
PK	5.5716G	57.92	68.20	-10.28	5.57	3	Vertical	227	1.60	-	52.35

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

21/10/2019

5250MHz_TX




EUT_Y_4TX
Setting 64
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1348G	64.49	74.00	-9.51	4.24	3	Horizontal	190	1.49	-	60.25
AV	5.1476G	49.53	54.00	-4.47	4.25	3	Horizontal	190	1.49	-	45.28
PK	5.2052G	100.85	Inf	-Inf	4.29	3	Horizontal	190	1.49	-	96.56
AV	5.2468G	88.92	Inf	-Inf	4.44	3	Horizontal	190	1.49	-	84.48
PK	5.3812G	60.67	74.00	-13.33	4.92	3	Horizontal	190	1.49	-	55.75
AV	5.3572G	47.56	54.00	-6.44	4.83	3	Horizontal	190	1.49	-	42.73
PK	5.5172G	57.88	68.20	-10.32	5.42	3	Horizontal	190	1.49	-	52.46

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

21/10/2019

5250MHz_TX




EUT Y_4TX
Setting 64
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.75432G	58.80	74.00	-15.20	14.20	3	Vertical	232	1.50	-	44.60
AV	15.75384G	45.06	54.00	-8.94	14.20	3	Vertical	232	1.50	-	30.86

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

21/10/2019

5250MHz_TX




EUT Y_4TX
Setting 64
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.74912G	58.89	74.00	-15.11	14.21	3	Horizontal	92	1.50	-	44.68
AV	15.7532G	44.91	54.00	-9.09	14.20	3	Horizontal	92	1.50	-	30.71

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

01/09/2019

5570MHz_TX




EUT Y_4TX
Setting 70
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.2676G	57.97	68.20	-10.23	4.52	3	Vertical	111	1.50	-	53.45
PK	5.458G	68.30	74.00	-5.70	5.21	3	Vertical	111	1.50	-	63.09
AV	5.4516G	50.70	54.00	-3.30	5.18	3	Vertical	111	1.50	-	45.52
PK	5.4628G	64.87	68.20	-3.33	5.23	3	Vertical	111	1.50	-	59.64
PK	5.5604G	107.16	Inf	-Inf	5.54	3	Vertical	111	1.50	-	101.62
AV	5.5812G	94.57	Inf	-Inf	5.58	3	Vertical	111	1.50	-	88.99
PK	5.7252G	67.80	68.20	-0.40	5.79	3	Vertical	111	1.50	-	62.01

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

01/09/2019

5570MHz_TX




EUT Y_4TX
Setting 70
01-E-2-10
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3204G	56.86	68.20	-11.34	4.71	3	Horizontal	211	1.69	-	52.15
PK	5.442G	65.93	74.00	-8.07	5.16	3	Horizontal	211	1.69	-	60.77
AV	5.4468G	51.83	54.00	-2.17	5.18	3	Horizontal	211	1.69	-	46.65
PK	5.4628G	67.15	68.20	-1.05	5.23	3	Horizontal	211	1.69	-	61.92
PK	5.586G	107.82	Inf	-Inf	5.60	3	Horizontal	211	1.69	-	102.22
AV	5.5684G	95.64	Inf	-Inf	5.56	3	Horizontal	211	1.69	-	90.08
PK	5.7844G	66.63	68.20	-1.57	5.92	3	Horizontal	211	1.69	-	60.71

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

01/09/2019

5570MHz_TX




EUT Y_4TX
Setting 70
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1432G	53.01	74.00	-20.99	11.78	3	Vertical	70	2.42	-	41.23
AV	11.13316G	39.35	54.00	-14.65	11.77	3	Vertical	70	2.42	-	27.58
PK	16.714G	61.06	68.20	-7.14	16.55	3	Vertical	252	1.60	-	44.51

802.11ax HEW160-BF_Nss3,(MCS0)_4TX

01/09/2019

5570MHz_TX



EUT Y_4TX
Setting 70
01-E-2
FSP(100019)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.14572G	53.31	74.00	-20.69	11.78	3	Horizontal	222	2.38	-	41.53
AV	11.13016G	39.39	54.00	-14.61	11.77	3	Horizontal	222	2.38	-	27.62
PK	16.71172G	61.14	68.20	-7.06	16.55	3	Horizontal	50	1.73	-	44.59