



20160930
EUT Y_4TX
Setting 18
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	50.85	54.00	-3.15	6.91	3	H	207	1.50	-
AV	5.5012G	106.37	Inf	-Inf	6.99	3	H	207	1.50	-
AV	11.00078G	44.65	54.00	-9.35	15.29	3	H	255	1.08	-
PK	5.4514G	62.88	74.00	-11.12	6.89	3	H	207	1.50	-
PK	5.4694G	63.53	68.20	-4.67	6.93	3	H	207	1.50	-
PK	5.4934G	116.28	Inf	-Inf	6.98	3	H	207	1.50	-
PK	10.99879G	58.00	74.00	-16.00	15.29	3	H	255	1.08	-
AV	5.4598G	53.64	54.00	-0.36	6.91	3	V	210	1.50	-
AV	5.5042G	111.54	Inf	-Inf	7.00	3	V	210	1.50	-
AV	11.00018G	45.68	54.00	-8.32	15.29	3	V	230	1.50	-
PK	5.4598G	65.20	74.00	-8.80	6.91	3	V	210	1.50	-
PK	5.4688G	67.14	68.20	-1.06	6.92	3	V	210	1.50	-
PK	5.5048G	122.10	Inf	-Inf	7.01	3	V	210	1.50	-
PK	11.00096G	60.04	74.00	-13.96	15.29	3	V	230	1.50	-




20160930
EUT Y_4TX
Setting 18
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	53.64	54.00	-0.36	6.91	3	V	210	1.50	-
AV	5.5042G	111.54	Inf	-Inf	7.00	3	V	210	1.50	-
PK	5.4598G	65.20	74.00	-8.80	6.91	3	V	210	1.50	-
PK	5.4688G	67.14	68.20	-1.06	6.92	3	V	210	1.50	-
PK	5.5048G	122.10	Inf	-Inf	7.01	3	V	210	1.50	-




20160930
EUT Y_4TX
Setting 18
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4598G	50.85	54.00	-3.15	6.91	3	H	207	1.50	-
AV	5.5012G	106.37	Inf	-Inf	6.99	3	H	207	1.50	-
PK	5.4514G	62.88	74.00	-11.12	6.89	3	H	207	1.50	-
PK	5.4694G	63.53	68.20	-4.67	6.93	3	H	207	1.50	-
PK	5.4934G	116.28	Inf	-Inf	6.98	3	H	207	1.50	-




20160930
EUT Y_4TX
Setting 18
04-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00078G	44.65	54.00	-9.35	15.29	3	H	255	1.08	-
PK	10.99879G	58.00	74.00	-16.00	15.29	3	H	255	1.08	-




20160930
EUT Y_4TX
Setting 18
04-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00018G	45.68	54.00	-8.32	15.29	3	V	230	1.50	-
PK	11.00096G	60.04	74.00	-13.96	15.29	3	V	230	1.50	-




20160930
EUT Y_4TX
Setting 23
04-D-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4504G	50.84	54.00	-3.16	6.89	3	H	230	1.50	-
AV	5.5752G	110.68	Inf	-Inf	7.24	3	H	230	1.50	-
AV	11.15978G	48.87	54.00	-5.13	15.28	3	H	254	1.50	-
PK	5.4G	62.73	74.00	-11.27	6.78	3	H	230	1.50	-
PK	5.468G	62.44	68.20	-5.76	6.92	3	H	230	1.50	-
PK	5.5736G	119.47	Inf	-Inf	7.23	3	H	230	1.50	-
PK	5.7256G	64.38	68.20	-3.82	7.83	3	H	230	1.50	-
PK	11.15941G	62.25	74.00	-11.75	15.28	3	H	254	1.50	-
AV	5.4264G	53.51	54.00	-0.49	6.84	3	V	211	1.50	-
AV	5.5728G	115.05	Inf	-Inf	7.23	3	V	211	1.50	-
AV	11.15997G	51.97	54.00	-2.03	15.28	3	V	223	1.50	-
PK	5.4248G	66.15	74.00	-7.85	6.83	3	V	211	1.50	-
PK	5.468G	66.08	68.20	-2.12	6.92	3	V	211	1.50	-
PK	5.5728G	125.16	Inf	-Inf	7.23	3	V	211	1.50	-
PK	5.78G	67.39	68.20	-0.81	8.05	3	V	211	1.50	-
PK	11.1612G	65.85	74.00	-8.15	15.28	3	V	223	1.50	-




20160930
EUT Y_4TX
Setting 23
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4264G	53.51	54.00	-0.49	6.84	3	V	211	1.50	-
AV	5.5728G	115.05	Inf	-Inf	7.23	3	V	211	1.50	-
PK	5.4248G	66.15	74.00	-7.85	6.83	3	V	211	1.50	-
PK	5.468G	66.08	68.20	-2.12	6.92	3	V	211	1.50	-
PK	5.5728G	125.16	Inf	-Inf	7.23	3	V	211	1.50	-
PK	5.78G	67.39	68.20	-0.81	8.05	3	V	211	1.50	-




20160930
EUT Y_4TX
Setting 23
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4504G	50.84	54.00	-3.16	6.89	3	H	230	1.50	-
AV	5.5752G	110.68	Inf	-Inf	7.24	3	H	230	1.50	-
PK	5.4G	62.73	74.00	-11.27	6.78	3	H	230	1.50	-
PK	5.468G	62.44	68.20	-5.76	6.92	3	H	230	1.50	-
PK	5.5736G	119.47	Inf	-Inf	7.23	3	H	230	1.50	-
PK	5.7256G	64.38	68.20	-3.82	7.83	3	H	230	1.50	-




20160930
EUT Y_4TX
Setting 23
04-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15978G	48.87	54.00	-5.13	15.28	3	H	254	1.50	-
PK	11.15941G	62.25	74.00	-11.75	15.28	3	H	254	1.50	-




20160930
EUT Y_4TX
Setting 23
04-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15997G	51.97	54.00	-2.03	15.28	3	V	223	1.50	-
PK	11.1612G	65.85	74.00	-8.15	15.28	3	V	223	1.50	-









20160930
EUT Y_4TX
Setting 17
04-D-1-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6928G	106.02	Inf	-Inf	7.70	3	H	228	1.50	-
PK	5.6934G	115.28	Inf	-Inf	7.70	3	H	228	1.50	-
PK	5.7282G	65.41	68.20	-2.79	7.84	3	H	228	1.50	-
AV	5.6922G	109.32	Inf	-Inf	7.70	3	V	215	1.50	-
AV	11.39991G	49.43	54.00	-4.57	15.27	3	V	301	1.49	-
AV	11.40018G	49.54	54.00	-4.46	15.27	3	V	299	1.50	-
PK	5.7048G	119.62	Inf	-Inf	7.75	3	V	215	1.50	-
PK	5.727G	67.92	68.20	-0.28	7.84	3	V	215	1.50	-
PK	11.39816G	63.53	74.00	-10.47	15.27	3	V	301	1.49	-
PK	11.40075G	63.42	74.00	-10.58	15.27	3	V	299	1.50	-




20160930
EUT Y_4TX
Setting 17
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6922G	109.32	Inf	-Inf	7.70	3	V	215	1.50	-
PK	5.7048G	119.62	Inf	-Inf	7.75	3	V	215	1.50	-
PK	5.727G	67.92	68.20	-0.28	7.84	3	V	215	1.50	-









20161012
EUT Y_4TX
Setting 18
驗證5G
06-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.01736G	46.94	54.00	-7.06	18.10	3	H	101	1.57	-
PK	11.0165G	60.55	74.00	-13.45	18.10	3	H	101	1.57	-




20161003
EUT Y_4TX
Setting 25
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.448G	51.75	54.00	-2.25	6.88	3	H	229	1.50	-
AV	5.5332G	108.49	Inf	-Inf	7.10	3	H	229	1.50	-
AV	11.0926G	44.63	54.00	-9.37	15.29	3	H	248	1.36	-
PK	5.4528G	64.10	74.00	-9.90	6.89	3	H	229	1.50	-
PK	5.4666G	64.65	68.20	-3.55	6.92	3	H	229	1.50	-
PK	5.5338G	117.98	Inf	-Inf	7.10	3	H	229	1.50	-
PK	11.1022G	57.15	74.00	-16.85	15.28	3	H	248	1.36	-
AV	5.448G	53.06	54.00	-0.94	6.88	3	V	213	1.49	-
AV	5.5458G	112.83	Inf	-Inf	7.14	3	V	213	1.49	-
AV	11.1486G	44.57	54.00	-9.43	15.28	3	V	0	1.95	-
PK	5.4552G	65.65	74.00	-8.35	6.90	3	V	213	1.49	-
PK	5.4696G	65.98	68.20	-2.22	6.93	3	V	213	1.49	-
PK	5.5434G	123.49	Inf	-Inf	7.13	3	V	213	1.49	-
PK	11.0902G	58.03	74.00	-15.97	15.29	3	V	0	1.95	-




20160930
EUT Y_4TX
Setting 25
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.448G	53.06	54.00	-0.94	6.88	3	V	213	1.49	-
AV	5.5458G	112.83	Inf	-Inf	7.14	3	V	213	1.49	-
PK	5.4552G	65.65	74.00	-8.35	6.90	3	V	213	1.49	-
PK	5.4696G	65.98	68.20	-2.22	6.93	3	V	213	1.49	-
PK	5.5434G	123.49	Inf	-Inf	7.13	3	V	213	1.49	-




20160930
EUT Y_4TX
Setting 25
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.448G	51.75	54.00	-2.25	6.88	3	H	229	1.50	-
AV	5.5332G	108.49	Inf	-Inf	7.10	3	H	229	1.50	-
PK	5.4528G	64.10	74.00	-9.90	6.89	3	H	229	1.50	-
PK	5.4666G	64.65	68.20	-3.55	6.92	3	H	229	1.50	-
PK	5.5338G	117.98	Inf	-Inf	7.10	3	H	229	1.50	-




20161003
EUT Y_4TX
Setting 25
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1486G	44.57	54.00	-9.43	15.28	3	V	0	1.95	-
PK	11.0902G	58.03	74.00	-15.97	15.29	3	V	0	1.95	-




20161003
EUT Y_4TX
Setting 25
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0926G	44.63	54.00	-9.37	15.29	3	H	248	1.36	-
PK	11.1022G	57.15	74.00	-16.85	15.28	3	H	248	1.36	-




20161003
EUT Y_4TX
Setting 22
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.6856G	107.15	Inf	-Inf	7.67	3	H	231	1.50	-
AV	11.3472G	45.23	54.00	-8.77	15.27	3	H	137	1.50	-
PK	5.6568G	116.34	Inf	-Inf	7.55	3	H	231	1.50	-
PK	5.7282G	65.73	68.20	-2.47	7.84	3	H	231	1.50	-
PK	11.3428G	57.97	74.00	-16.03	15.27	3	H	137	1.50	-
AV	5.6868G	107.15	Inf	-Inf	7.68	3	V	231	1.50	-
AV	11.3414G	46.50	54.00	-7.50	15.27	3	V	299	1.70	-
PK	5.6766G	116.39	Inf	-Inf	7.63	3	V	231	1.50	-
PK	5.7282G	67.90	68.20	-0.30	7.84	3	V	231	1.50	-
PK	11.349G	58.90	74.00	-15.10	15.27	3	V	299	1.70	-




20160930
EUT Y_4TX
Setting 22
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.6868G	107.15	Inf	-Inf	7.68	3	V	231	1.50	-
PK	5.6766G	116.39	Inf	-Inf	7.63	3	V	231	1.50	-
PK	5.7282G	67.90	68.20	-0.30	7.84	3	V	231	1.50	-




20160930
EUT Y_4TX
Setting 22
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.6856G	107.15	Inf	-Inf	7.67	3	H	231	1.50	-
PK	5.6568G	116.34	Inf	-Inf	7.55	3	H	231	1.50	-
PK	5.7282G	65.73	68.20	-2.47	7.84	3	H	231	1.50	-




20161003
EUT Y_4TX
Setting 22
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.3414G	46.50	54.00	-7.50	15.27	3	V	299	1.70	-
PK	11.349G	58.90	74.00	-15.10	15.27	3	V	299	1.70	-



20161003
EUT Y_4TX
Setting 22
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.3472G	45.23	54.00	-8.77	15.27	3	H	137	1.50	-
PK	11.3428G	57.97	74.00	-16.03	15.27	3	H	137	1.50	-










20161003
EUT Y_4TX
Setting 21
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.458G	50.54	54.00	-3.46	6.90	3	H	228	1.50	-
AV	5.7112G	108.80	Inf	-Inf	7.77	3	H	228	1.50	-
AV	11.4212G	45.34	54.00	-8.66	15.27	3	H	132	1.20	-
PK	5.4484G	63.04	74.00	-10.96	6.88	3	H	228	1.50	-
PK	5.4604G	62.03	68.20	-6.17	6.91	3	H	228	1.50	-
PK	5.7136G	118.32	Inf	-Inf	7.78	3	H	228	1.50	-
PK	11.4244G	58.02	74.00	-15.98	15.27	3	H	132	1.20	-
PK	17.13212G	64.02	68.20	-4.18	19.35	3	H	103	1.50	-
AV	5.4304G	52.35	54.00	-1.65	6.84	3	V	214	1.50	-
AV	5.7124G	113.26	Inf	-Inf	7.78	3	V	214	1.50	-
AV	11.4192G	46.42	54.00	-7.58	15.27	3	V	303	1.50	-
PK	5.4412G	64.47	74.00	-9.53	6.87	3	V	214	1.50	-
PK	5.464G	64.40	68.20	-3.80	6.91	3	V	214	1.50	-
PK	5.7028G	123.53	Inf	-Inf	7.74	3	V	214	1.50	-
PK	11.419G	59.42	74.00	-14.58	15.27	3	V	303	1.50	-
PK	17.12768G	67.41	68.20	-0.79	19.35	3	V	281	2.63	-




RSE TX above 1GHz Result






20161012
EUT_Y_4TX
Setting 17
06-S-6-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	50.88	54.00	-3.12	8.58	3	H	176	1.50	-
AV	5.564G	96.49	Inf	-Inf	8.83	3	H	176	1.50	-
PK	5.467G	64.04	68.20	-4.16	8.60	3	H	176	1.50	-
PK	5.536G	106.32	Inf	-Inf	8.77	3	H	176	1.50	-
PK	5.764G	61.43	68.20	-6.77	8.91	3	H	176	1.50	-
PK	5.457G	63.23	74.00	-10.77	8.57	3	H	159	1.50	-




20161012
EUT_Y_4TX
Setting 17
06-S-6

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.07428G	46.79	54.00	-7.21	18.05	3	V	256	1.43	-
PK	11.07302G	59.63	74.00	-14.37	18.05	3	V	256	1.43	-




20161003
EUT_Y_4TX
Setting 21
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.449G	51.01	54.00	-2.99	6.88	3	H	187	1.50	-
AV	5.644G	103.19	Inf	-Inf	7.50	3	H	187	1.50	-
AV	11.2208G	44.30	54.00	-9.70	15.28	3	H	197	1.50	-
PK	5.459G	64.41	74.00	-9.59	6.90	3	H	187	1.50	-
PK	5.461G	63.08	68.20	-5.12	6.91	3	H	187	1.50	-
PK	5.598G	112.90	Inf	-Inf	7.31	3	H	187	1.50	-
PK	5.788G	65.36	68.20	-2.84	8.08	3	H	187	1.50	-
PK	11.199G	57.30	74.00	-16.70	15.28	3	H	197	1.50	-
PK	16.8782G	62.77	68.20	-5.43	18.85	3	H	209	1.50	-
AV	5.457G	52.38	54.00	-1.62	6.90	3	V	213	1.50	-
AV	5.576G	107.51	Inf	-Inf	7.24	3	V	213	1.50	-
AV	11.2316G	45.72	54.00	-8.28	15.28	3	V	226	1.49	-
PK	5.459G	67.23	74.00	-6.77	6.90	3	V	213	1.50	-
PK	5.461G	67.55	68.20	-0.65	6.91	3	V	213	1.50	-
PK	5.598G	117.48	Inf	-Inf	7.31	3	V	213	1.50	-
PK	5.783G	65.77	68.20	-2.43	8.06	3	V	213	1.50	-
PK	11.2248G	59.72	74.00	-14.28	15.28	3	V	226	1.49	-
PK	16.8458G	62.23	68.20	-5.97	18.75	3	V	97	2.80	-




20161012
EUT_Y_4TX
Setting 17
06-S-6

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.072G	46.93	54.00	-7.07	18.05	3	H	328	1.31	-
PK	11.0654G	59.92	74.00	-14.08	18.06	3	H	328	1.31	-









20160930
EUT_Y_4TX
Setting 21
04-D-1-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	52.38	54.00	-1.62	6.90	3	V	213	1.50	-
AV	5.576G	107.51	Inf	-Inf	7.24	3	V	213	1.50	-
PK	5.459G	67.23	74.00	-6.77	6.90	3	V	213	1.50	-
PK	5.461G	67.55	68.20	-0.65	6.91	3	V	213	1.50	-
PK	5.598G	117.48	Inf	-Inf	7.31	3	V	213	1.50	-
PK	5.783G	65.77	68.20	-2.43	8.06	3	V	213	1.50	-



20160930
EUT_Y_4TX
Setting 21
04-D-1-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.449G	51.01	54.00	-2.99	6.88	3	H	187	1.50	-
AV	5.644G	103.19	Inf	-Inf	7.50	3	H	187	1.50	-
PK	5.459G	64.41	74.00	-9.59	6.90	3	H	187	1.50	-
PK	5.461G	63.08	68.20	-5.12	6.91	3	H	187	1.50	-
PK	5.598G	112.90	Inf	-Inf	7.31	3	H	187	1.50	-
PK	5.788G	65.36	68.20	-2.84	8.08	3	H	187	1.50	-






20161003
EUT_Y_4TX
Setting 23
04-J-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4028G	44.71	54.00	-9.29	15.27	3	H	133	1.50	-
AV	17.066G	51.57	Inf	-Inf	19.30	3	H	154	1.50	-
PK	11.4162G	57.58	74.00	-16.42	15.27	3	H	133	1.50	-
PK	17.0734G	65.15	68.20	-3.05	19.30	3	H	154	1.50	-




20160930
EUT_Y_4TX
Setting 19
04-D-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.713G	103.67	Inf	-Inf	7.78	3	H	189	1.50	-
AV	11.44006G	51.38	54.00	-2.62	15.27	3	H	298	1.50	-
PK	5.715G	115.90	Inf	-Inf	7.79	3	H	189	1.50	-
PK	5.965G	62.63	68.20	-5.57	9.94	3	H	189	1.50	-
PK	11.44044G	65.08	74.00	-8.92	15.27	3	H	298	1.50	-
PK	17.1552G	67.37	68.20	-0.83	19.37	3	H	278	2.67	-
AV	5.713G	110.25	Inf	-Inf	7.78	3	V	214	1.50	-
AV	11.44206G	50.77	54.00	-3.23	15.27	3	V	313	2.09	-
PK	5.713G	120.42	Inf	-Inf	7.78	3	V	214	1.50	-
PK	5.933G	63.57	68.20	-4.63	9.66	3	V	214	1.5	-
PK	11.44072G	64.50	74.00	-9.50	15.27	3	V	313	2.09	-
PK	17.1564G	67.51	68.20	-0.19	19.37	3	V	281	2.57	-




20160930
EUT_Y_4TX
Setting 19
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.713G	110.25	Inf	-Inf	7.78	3	V	214	1.50	-
PK	5.713G	120.42	Inf	-Inf	7.78	3	V	214	1.50	-
PK	5.933G	63.57	68.20	-4.63	9.66	3	V	214	1.5	-




20160930
EUT_Y_4TX
Setting 19
04-D-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.713G	103.67	Inf	-Inf	7.78	3	H	189	1.50	-
PK	5.715G	115.90	Inf	-Inf	7.79	3	H	189	1.50	-
PK	5.965G	62.63	68.20	-5.57	9.94	3	H	189	1.50	-




20160930
EUT_Y_4TX
Setting 19
04-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44206G	50.77	54.00	-3.23	15.27	3	V	313	2.09	-
PK	11.44072G	64.50	74.00	-9.50	15.27	3	V	313	2.09	-
PK	17.1564G	67.51	68.20	-0.19	19.37	3	V	281	2.57	-




20160930
EUT_Y_4TX
Setting 19
04-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44006G	51.38	54.00	-2.62	15.27	3	H	298	1.50	-
PK	11.44044G	65.08	74.00	-8.92	15.27	3	H	298	1.50	-
PK	17.1552G	67.37	68.20	-0.83	19.37	3	H	278	2.67	-




20161003
EUT Y_4TX
Setting 21
04-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.4392G	49.44	54.00	-4.56	8.44	3	H	175	1.23	-
AV	5.7148G	108.17	Inf	-Inf	7.79	3	H	175	1.23	-
AV	11.4212G	45.34	54.00	-8.66	15.27	3	H	132	1.20	-
PK	5.458G	64.20	74.00	-9.80	6.90	3	H	175	1.23	-
PK	5.4604G	63.70	68.20	-4.50	6.91	3	H	175	1.23	-
PK	5.7256G	118.12	Inf	-Inf	7.83	3	H	175	1.23	-
PK	5.9368G	66.47	68.20	-1.73	8.48	3	H	175	1.23	-
PK	11.4244G	58.02	74.00	-15.98	15.27	3	H	132	1.20	-
PK	17.13212G	64.02	68.20	-4.18	19.35	3	H	103	1.50	-
AV	5.4332G	51.43	54.00	-2.57	8.43	3	V	191	2.01	-
AV	5.6932G	111.81	Inf	-Inf	7.70	3	V	191	2.01	-
AV	11.4192G	46.42	54.00	-7.58	15.27	3	V	303	1.50	-
PK	5.4484G	63.36	74.00	-10.64	6.88	3	V	191	2.01	-
PK	5.464G	63.50	68.20	-4.70	6.91	3	V	191	2.01	-
PK	5.6932G	121.65	Inf	-Inf	7.70	3	V	191	2.01	-
PK	5.962G	64.23	68.20	-3.97	8.73	3	V	191	2.01	-
PK	11.419G	59.42	74.00	-14.58	15.27	3	V	303	1.50	-
PK	17.12768G	67.41	68.20	-0.79	19.35	3	V	281	2.63	-




20161003
EUT Y_4TX
Setting 21
04-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.6932G	111.81	Inf	-Inf	7.70	3	V	191	2.01	-
PK	5.4484G	63.36	74.00	-10.64	6.88	3	V	191	2.01	-
PK	5.464G	63.50	68.20	-4.70	6.91	3	V	191	2.01	-
PK	5.6932G	121.65	Inf	-Inf	7.70	3	V	191	2.01	-
PK	5.962G	64.23	68.20	-3.97	8.73	3	V	191	2.01	-
AV	5.4332G	51.43	54.00	-2.57	8.43	3	V	191	2.01	-









20161003
EUT Y_4TX
Setting 21
04-J-1-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.7148G	108.17	Inf	-Inf	7.79	3	H	175	1.23	-
PK	5.458G	64.20	74.00	-9.80	6.90	3	H	175	1.23	-
PK	5.4604G	63.70	68.20	-4.50	6.91	3	H	175	1.23	-
PK	5.7256G	118.12	Inf	-Inf	7.83	3	H	175	1.23	-
PK	5.9368G	66.47	68.20	-1.73	8.48	3	H	175	1.23	-
AV	5.4392G	49.44	54.00	-4.56	8.44	3	H	175	1.23	-



20161003
EUT Y_4TX
Setting 21
04-J-1


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.4192G	46.42	54.00	-7.58	15.27	3	V	303	1.50	-
PK	11.419G	59.42	74.00	-14.58	15.27	3	V	303	1.50	-
PK	17.12768G	67.41	68.20	-0.79	19.35	3	V	281	2.63	-






20161003
EUT Y_4TX
Setting 24
04-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.147G	49.46	54.00	-4.54	6.04	3	H	25	2.98	-
AV	5.265G	110.78	Inf	-Inf	6.41	3	H	25	2.98	-
AV	5.42G	51.18	54.00	-2.82	6.82	3	H	25	2.98	-
AV	15.77592G	46.84	54.00	-7.16	16.18	3	H	138	1.48	-
PK	5.143G	61.57	74.00	-12.43	6.02	3	H	25	2.98	-
PK	5.266G	121.49	Inf	-Inf	6.41	3	H	25	2.98	-
PK	5.412G	62.24	74.00	-11.76	6.91	3	H	25	2.98	-
PK	15.7788G	60.22	74.00	-13.78	16.18	3	H	138	1.48	-
AV	5.148G	50.88	54.00	-3.12	6.04	3	V	135	1.50	-
AV	5.261G	116.07	Inf	-Inf	6.40	3	V	135	1.50	-
AV	5.414G	53.65	54.00	-0.35	6.81	3	V	135	1.50	-
AV	15.77616G	46.95	54.00	-7.05	16.18	3	V	282	1.50	-
PK	5.127G	62.75	74.00	-11.25	5.97	3	V	135	1.50	-
PK	5.258G	127.63	Inf	-Inf	6.39	3	V	135	1.50	-
PK	5.362G	65.33	74.00	-8.67	6.91	3	V	135	1.50	-
PK	15.77316G	60.30	74.00	-13.70	16.18	3	V	282	1.50	-




20161003
EUT Y_4TX
Setting 24
04-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.148G	50.88	54.00	-3.12	6.04	3	V	135	1.50	-
AV	5.261G	116.07	Inf	-Inf	6.40	3	V	135	1.50	-
AV	5.414G	53.65	54.00	-0.35	6.81	3	V	135	1.50	-
PK	5.127G	62.75	74.00	-11.25	5.97	3	V	135	1.50	-
PK	5.258G	127.63	Inf	-Inf	6.39	3	V	135	1.50	-
PK	5.362G	65.33	74.00	-8.67	6.91	3	V	135	1.50	-





20161003
EUT Y_4TX
Setting 24
04-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.147G	49.46	54.00	-4.54	6.04	3	H	25	2.98	-
AV	5.265G	110.78	Inf	-Inf	6.41	3	H	25	2.98	-
AV	5.42G	51.18	54.00	-2.82	6.82	3	H	25	2.98	-
PK	5.143G	61.57	74.00	-12.43	6.02	3	H	25	2.98	-
PK	5.266G	121.49	Inf	-Inf	6.41	3	H	25	2.98	-
PK	5.412G	62.24	74.00	-11.76	6.91	3	H	25	2.98	-



20161005
EUT Y_4TX
Setting 24
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	15.77616G	46.95	54.00	-7.05	16.18	3	V	282	1.50	-
PK	15.77316G	60.30	74.00	-13.70	16.18	3	V	282	1.50	-





20161003
EUT_Y_4TX
Setting:21
04-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	48.18	54.00	-5.82	6.02	3	H	22	2.83	-
AV	5.304G	108.52	Inf	-Inf	6.53	3	H	22	2.83	-
AV	5.351G	50.80	54.00	-3.20	6.65	3	H	22	2.83	-
AV	10.59028G	43.27	Inf	-Inf	14.83	3	H	329	1.45	-
AV	15.90636G	46.56	54.00	-7.44	16.11	3	H	358	2.33	-
PK	5.133G	59.91	74.00	-14.09	5.99	3	H	22	2.83	-
PK	5.307G	119.78	Inf	-Inf	6.54	3	H	22	2.83	-
PK	5.357G	61.62	74.00	-12.38	6.67	3	H	174	1.50	-
PK	5.461G	60.68	68.20	-7.52	6.91	3	H	22	2.83	-
PK	10.5996G	56.36	68.20	-11.84	14.84	3	H	329	1.45	-
PK	15.90444G	59.96	74.00	-14.04	16.11	3	H	358	2.33	-
AV	5.14G	49.23	54.00	-4.77	6.01	3	V	132	2.31	-
AV	5.298G	114.30	Inf	-Inf	6.51	3	V	132	2.31	-
AV	5.351G	53.83	54.00	-0.17	6.65	3	V	132	2.31	-
AV	10.59884G	44.00	Inf	-Inf	14.84	3	V	240	1.50	-
AV	15.8908G	47.00	54.00	-7.00	16.12	3	V	161	1.45	-
PK	5.144G	60.88	74.00	-13.12	6.03	3	V	132	2.31	-
PK	5.295G	125.37	Inf	-Inf	6.50	3	V	132	2.31	-
PK	5.389G	64.87	74.00	-9.13	6.75	3	V	174	1.50	-
PK	5.471G	63.73	68.20	-4.47	6.93	3	V	132	2.31	-
PK	10.60196G	57.49	74.00	-16.51	14.84	3	V	240	1.50	-
PK	15.90204G	60.20	74.00	-13.80	16.11	3	V	161	1.45	-

20161005
EUT_Y_4TX
Setting:24
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77592G	46.84	54.00	-7.16	16.18	3	H	138	1.48	-
PK	15.7788G	60.22	74.00	-13.78	16.18	3	H	138	1.48	-





20161003
EUT_Y_4TX
Setting:21
04-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.14G	49.23	54.00	-4.77	6.01	3	V	132	2.31	-
AV	5.298G	114.30	Inf	-Inf	6.51	3	V	132	2.31	-
AV	5.351G	53.83	54.00	-0.17	6.65	3	V	132	2.31	-
PK	5.144G	60.88	74.00	-13.12	6.03	3	V	132	2.31	-
PK	5.295G	125.37	Inf	-Inf	6.50	3	V	132	2.31	-
PK	5.471G	63.73	68.20	-4.47	6.93	3	V	132	2.31	-
PK	5.389G	64.87	74.00	-9.13	6.75	3	V	174	1.50	-

20161003
EUT_Y_4TX
Setting:21
04-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	48.18	54.00	-5.82	6.02	3	H	22	2.83	-
AV	5.304G	108.52	Inf	-Inf	6.53	3	H	22	2.83	-
AV	5.351G	50.80	54.00	-3.20	6.65	3	H	22	2.83	-
PK	5.133G	59.91	74.00	-14.09	5.99	3	H	22	2.83	-
PK	5.307G	119.78	Inf	-Inf	6.54	3	H	22	2.83	-
PK	5.461G	60.68	68.20	-7.52	6.91	3	H	22	2.83	-
PK	5.357G	61.62	74.00	-12.38	6.67	3	H	174	1.50	-




20161003
EUT_Y_4TX
Setting:21
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.59884G	44.00	Inf	-Inf	14.84	3	V	240	1.50	-
AV	15.8908G	47.00	54.00	-7.00	16.12	3	V	161	1.45	-
PK	10.60196G	57.49	74.00	-16.51	14.84	3	V	240	1.50	-
PK	15.90204G	60.20	74.00	-13.80	16.11	3	V	161	1.45	-


20161003
EUT_Y_4TX
Setting:21
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.59028G	43.27	Inf	-Inf	14.83	3	H	329	1.45	-
AV	15.90636G	46.56	54.00	-7.44	16.11	3	H	358	2.33	-
PK	10.5996G	56.36	68.20	-11.84	14.84	3	H	329	1.45	-
PK	15.90444G	59.96	74.00	-14.04	16.11	3	H	358	2.33	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.324G	106.57	Inf	-Inf	8.26	3	H	14	1.25	-
AV	5.3504G	52.47	54.00	-1.53	8.32	3	H	14	1.25	-
AV	10.63696G	41.44	54.00	-12.56	17.64	3	H	183	1.64	-
AV	15.96296G	46.78	54.00	-7.22	18.07	3	H	313	1.50	-
PK	5.3252G	117.60	Inf	-Inf	8.26	3	H	14	1.25	-
PK	5.3524G	67.34	74.00	-6.66	8.32	3	H	14	1.25	-
PK	10.63412G	54.54	74.00	-19.46	17.63	3	H	183	1.64	-
PK	15.96836G	59.56	74.00	-14.44	18.05	3	H	313	1.50	-
AV	5.3268G	107.48	Inf	-Inf	8.26	3	V	229	2.00	-
AV	5.3504G	53.35	54.00	-0.65	8.32	3	V	229	2.00	-
AV	10.63976G	41.52	54.00	-12.48	17.64	3	V	78	1.64	-
AV	15.96068G	46.51	54.00	-7.49	18.08	3	V	68	2.97	-
PK	5.3136G	118.72	Inf	-Inf	8.23	3	V	229	2.00	-
PK	5.3504G	70.80	74.00	-3.20	8.32	3	V	229	2.00	-
PK	10.6398G	53.69	74.00	-20.31	17.64	3	V	78	1.64	-
PK	15.95644G	60.01	74.00	-13.99	18.09	3	V	68	2.97	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.3268G	107.48	Inf	-Inf	8.26	3	V	229	2.00	-
AV	5.3504G	53.35	54.00	-0.65	8.32	3	V	229	2.00	-
PK	5.3136G	118.72	Inf	-Inf	8.23	3	V	229	2.00	-
PK	5.3504G	70.80	74.00	-3.20	8.32	3	V	229	2.00	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.324G	106.57	Inf	-Inf	8.26	3	H	14	1.25	-
AV	5.3504G	52.47	54.00	-1.53	8.32	3	H	14	1.25	-
PK	5.3252G	117.60	Inf	-Inf	8.26	3	H	14	1.25	-
PK	5.3524G	67.34	74.00	-6.66	8.32	3	H	14	1.25	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-P-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	10.63976G	41.52	54.00	-12.48	17.64	3	V	78	1.64	-
AV	15.96068G	46.51	54.00	-7.49	18.08	3	V	68	2.97	-
PK	10.6398G	53.69	74.00	-20.31	17.64	3	V	78	1.64	-
PK	15.95644G	60.01	74.00	-13.99	18.09	3	V	68	2.97	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	10.63696G	41.44	54.00	-12.56	17.64	3	H	183	1.64	-
AV	15.96296G	46.78	54.00	-7.22	18.07	3	H	313	1.50	-
PK	10.63412G	54.54	74.00	-19.46	17.63	3	H	183	1.64	-
PK	15.96836G	59.56	74.00	-14.44	18.05	3	H	313	1.50	-




20161004
EUT Y 4TX
setting 21
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.2664G	106.86	Inf	-Inf	6.42	3	H	27	1.50	-
AV	5.3504G	51.39	54.00	-2.61	6.65	3	H	27	1.50	-
AV	15.81452G	46.42	54.00	-7.58	16.16	3	H	231	1.34	-
PK	5.2812G	116.66	Inf	-Inf	6.46	3	H	27	1.50	-
PK	5.3552G	63.21	74.00	-10.79	6.66	3	H	27	1.50	-
PK	15.8094G	60.31	74.00	-13.69	16.16	3	H	231	1.34	-
AV	5.2656G	111.85	Inf	-Inf	6.41	3	V	284	1.50	-
AV	5.3544G	53.68	54.00	-0.32	6.66	3	V	284	1.50	-
AV	15.81752G	46.62	54.00	-7.38	16.16	3	V	121	1.57	-
PK	5.2544G	123.89	Inf	-Inf	6.38	3	V	284	1.50	-
PK	5.3588G	66.00	74.00	-8.00	6.67	3	V	284	1.50	-
PK	15.81356G	59.78	74.00	-14.22	16.16	3	V	121	1.57	-




20161004
EUT Y_4TX
setting 21
04-R-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2656G	111.85	Inf	-Inf	6.41	3	V	284	1.50	-
AV	5.3544G	53.68	54.00	-0.32	6.66	3	V	284	1.50	-
PK	5.2544G	123.89	Inf	-Inf	6.38	3	V	284	1.50	-
PK	5.3588G	66.00	74.00	-8.00	6.67	3	V	284	1.50	-




20161004
EUT Y_4TX
setting 21
04-R-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2664G	106.86	Inf	-Inf	6.42	3	H	27	1.50	-
AV	5.3504G	51.39	54.00	-2.61	6.65	3	H	27	1.50	-
PK	5.2812G	116.66	Inf	-Inf	6.46	3	H	27	1.50	-
PK	5.3552G	63.21	74.00	-10.79	6.66	3	H	27	1.50	-




20161004
EUT Y_4TX
setting 21
04-L-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81752G	46.62	54.00	-7.38	16.16	3	V	121	1.57	-
PK	15.81356G	59.78	74.00	-14.22	16.16	3	V	121	1.57	-




20161004
EUT Y_4TX
setting 21
04-L-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81452G	46.42	54.00	-7.58	16.16	3	H	231	1.34	-
PK	15.8094G	60.31	74.00	-13.69	16.16	3	H	231	1.34	-




20161014
EUT Y_4TX
Setting :20
TXBF
06-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.079G	45.59	54.00	-8.41	7.85	3	H	166	1.12	-
AV	5.321G	100.59	Inf	-Inf	8.25	3	H	166	1.12	-
AV	5.351G	53.75	54.00	-0.25	8.32	3	H	166	1.12	-
AV	10.61992G	39.84	54.00	-14.16	17.62	3	H	151	1.50	-
AV	15.9292G	46.47	54.00	-7.53	18.17	3	H	192	1.50	-
PK	5.105G	57.86	74.00	-16.14	7.88	3	H	166	1.12	-
PK	5.323G	112.63	Inf	-Inf	8.25	3	H	166	1.12	-
PK	5.351G	70.32	74.00	-3.68	8.32	3	H	166	1.12	-
PK	10.61532G	52.04	74.00	-21.96	17.61	3	H	151	1.50	-
PK	15.93556G	59.83	74.00	-14.17	18.15	3	H	192	1.50	-
AV	5.149G	46.43	54.00	-7.57	7.92	3	V	135	2.51	-
AV	5.326G	102.64	Inf	-Inf	8.26	3	V	135	2.51	-
AV	5.351G	53.29	54.00	-0.71	8.32	3	V	135	2.51	-
AV	10.6198G	40.56	54.00	-13.44	17.62	3	V	78	1.64	-
AV	15.92316G	46.46	54.00	-7.54	18.19	3	V	30	2.99	-
AV	5.139G	58.30	74.00	-15.70	7.91	3	V	135	2.51	-
PK	5.323G	114.01	Inf	-Inf	8.25	3	V	135	2.51	-
PK	5.355G	70.26	74.00	-3.74	8.33	3	V	135	2.51	-
PK	10.61984G	52.62	74.00	-21.38	17.62	3	V	78	1.64	-
PK	15.93888G	59.62	74.00	-14.38	18.14	3	V	30	2.99	-




20161014
EUT Y_4TX
Setting :20
TXBF
06-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	46.43	54.00	-7.57	7.92	3	V	135	2.51	-
AV	5.326G	102.64	Inf	-Inf	8.26	3	V	135	2.51	-
AV	5.351G	53.29	54.00	-0.71	8.32	3	V	135	2.51	-
AV	5.139G	58.30	74.00	-15.70	7.91	3	V	135	2.51	-
PK	5.323G	114.01	Inf	-Inf	8.25	3	V	135	2.51	-
PK	5.355G	70.26	74.00	-3.74	8.33	3	V	135	2.51	-




20161014
EUT Y 4TX
Setting :20
TXBF
06-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.079G	45.59	54.00	-8.41	7.85	3	H	166	1.12	-
AV	5.321G	100.59	Inf	-Inf	8.25	3	H	166	1.12	-
AV	5.351G	53.75	54.00	-0.25	8.32	3	H	166	1.12	-
PK	5.105G	57.86	74.00	-16.14	7.88	3	H	166	1.12	-
PK	5.323G	112.63	Inf	-Inf	8.25	3	H	166	1.12	-
PK	5.351G	70.32	74.00	-3.68	8.32	3	H	166	1.12	-




20161014
EUT Y 4TX
Setting :20
TXBF
06-P-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	10.6198G	40.56	54.00	-13.44	17.62	3	V	78	1.64	-
AV	15.92316G	46.46	54.00	-7.54	18.19	3	V	30	2.99	-
PK	10.61984G	52.62	74.00	-21.38	17.62	3	V	78	1.64	-
PK	15.93888G	59.62	74.00	-14.38	18.14	3	V	30	2.99	-




20161014
EUT Y 4TX
Setting :20
TXBF
06-P-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	10.61992G	39.84	54.00	-14.16	17.62	3	H	151	1.50	-
AV	15.9292G	46.47	54.00	-7.53	18.17	3	H	192	1.50	-
PK	10.61532G	52.04	74.00	-21.96	17.61	3	H	151	1.50	-
PK	15.93556G	59.83	74.00	-14.17	18.15	3	H	192	1.50	-




20161014
EUT Y 4TX
Setting :19
06-S-6

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.149G	45.93	54.00	-8.07	7.92	3	H	184	1.32	-
AV	5.325G	96.02	Inf	-Inf	8.26	3	H	184	1.32	-
AV	5.352G	52.86	54.00	-1.14	8.32	3	H	184	1.32	-
AV	15.952G	46.46	54.00	-7.54	18.10	3	H	240	1.51	-
PK	5.132G	58.17	74.00	-15.83	7.91	3	H	184	1.32	-
PK	5.295G	110.95	Inf	-Inf	8.19	3	H	184	1.32	-
PK	5.358G	68.48	74.00	-5.52	8.33	3	H	184	1.32	-
PK	16.039G	59.92	74.00	-14.08	18.11	3	H	240	1.51	-
AV	5.143G	46.14	54.00	-7.86	7.92	3	V	232	2.22	-
AV	5.325G	100.28	Inf	-Inf	8.26	3	V	232	2.22	-
AV	5.352G	52.92	54.00	-1.08	8.32	3	V	232	2.22	-
AV	15.87604G	45.85	54.00	-8.15	18.33	3	V	0	1.17	-
PK	5.139G	58.61	74.00	-15.39	7.91	3	V	232	2.22	-
PK	5.295G	112.88	Inf	-Inf	8.19	3	V	232	2.22	-
PK	5.384G	73.37	74.00	-0.63	8.39	3	V	232	2.22	-
PK	15.87072G	59.57	74.00	-14.43	18.35	3	V	0	1.17	-









20161014
EUT Y 4TX
Setting :19
TXBF
06-B-2-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.143G	46.14	54.00	-7.86	7.92	3	V	232	2.22	-
AV	5.325G	100.28	Inf	-Inf	8.26	3	V	232	2.22	-
AV	5.352G	52.92	54.00	-1.08	8.32	3	V	232	2.22	-
PK	5.139G	58.61	74.00	-15.39	7.91	3	V	232	2.22	-
PK	5.295G	112.88	Inf	-Inf	8.19	3	V	232	2.22	-
PK	5.384G	73.37	74.00	-0.63	8.39	3	V	232	2.22	-




20161014
EUT Y 4TX
Setting :19
TXBF
06-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.149G	45.93	54.00	-8.07	7.92	3	H	184	1.32	-
AV	5.325G	96.02	Inf	-Inf	8.26	3	H	184	1.32	-
AV	5.352G	52.86	54.00	-1.14	8.32	3	H	184	1.32	-
PK	5.132G	58.17	74.00	-15.83	7.91	3	H	184	1.32	-
PK	5.295G	110.95	Inf	-Inf	8.19	3	H	184	1.32	-
PK	5.358G	68.48	74.00	-5.52	8.33	3	H	184	1.32	-









20161014
EUT Y 4TX
Setting :23
TXBF
06-B-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6956G	104.46	Inf	-Inf	8.92	3	H	177	1.07	-
AV	11.3988G	44.34	54.00	-9.66	17.80	3	H	255	1.50	-
PK	5.694G	116.25	Inf	-Inf	8.92	3	H	177	1.07	-
PK	5.7264G	65.20	68.20	-3.00	8.92	3	H	177	1.07	-
PK	11.39996G	60.24	74.00	-13.76	17.80	3	H	255	1.50	-
AV	5.698G	103.29	Inf	-Inf	8.92	3	V	323	1.49	-
AV	11.39988G	47.35	54.00	-6.65	17.80	3	V	301	1.85	-
PK	5.7068G	114.89	Inf	-Inf	8.92	3	V	323	1.49	-
PK	5.7256G	67.97	68.20	-0.23	8.92	3	V	323	1.49	-
PK	11.39984G	63.17	74.00	-10.83	17.80	3	V	301	1.85	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.698G	103.29	Inf	-Inf	8.92	3	V	323	1.49	-
PK	5.7068G	114.89	Inf	-Inf	8.92	3	V	323	1.49	-
PK	5.7256G	67.97	68.20	-0.23	8.92	3	V	323	1.49	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6956G	104.46	Inf	-Inf	8.92	3	H	177	1.07	-
PK	5.694G	116.25	Inf	-Inf	8.92	3	H	177	1.07	-
PK	5.7264G	65.20	68.20	-3.00	8.92	3	H	177	1.07	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-P-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39988G	47.35	54.00	-6.65	17.80	3	V	301	1.85	-
PK	11.39984G	63.17	74.00	-10.83	17.80	3	V	301	1.85	-




20161004
EUT Y_4TX
setting 19
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.42G	50.15	54.00	-3.85	6.82	3	H	174	1.50	-
AV	5.714G	107.22	Inf	-Inf	7.79	3	H	174	1.50	-
AV	11.4406G	47.53	54.00	-6.47	15.27	3	H	351	2.31	-
AV	17.16192G	50.91	Inf	-Inf	19.38	3	H	286	1.56	-
PK	5.438G	63.97	74.00	-10.03	6.86	3	H	174	1.50	-
PK	5.462G	61.47	68.20	-6.73	6.91	3	H	174	1.50	-
PK	5.7164G	118.22	Inf	-Inf	7.80	3	H	174	1.50	-
PK	11.44228G	61.24	74.00	-12.76	15.27	3	H	351	2.31	-
PK	17.16132G	64.34	68.20	-3.86	19.38	3	H	286	1.56	-
AV	5.4308G	49.98	54.00	-4.02	6.84	3	V	126	1.50	-
AV	5.7272G	110.05	Inf	-Inf	7.84	3	V	126	1.50	-
AV	11.44018G	45.79	54.00	-8.21	15.27	3	V	45	1.50	-
AV	17.15994G	53.40	Inf	-Inf	19.38	3	V	277	2.66	-
PK	5.4236G	63.05	74.00	-10.95	6.83	3	V	126	1.50	-
PK	5.4668G	61.27	68.20	-6.93	6.92	3	V	126	1.50	-
PK	5.7176G	121.46	Inf	-Inf	7.80	3	V	126	1.50	-
PK	11.43994G	60.88	74.00	-13.12	15.27	3	V	45	1.50	-
PK	17.16492G	67.62	68.20	-0.58	19.38	3	V	277	2.66	-




20161014
EUT Y 4TX
Setting :23
TXBF
06-P-1

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3988G	44.34	54.00	-9.66	17.80	3	H	255	1.50	-
PK	11.39996G	60.24	74.00	-13.76	17.80	3	H	255	1.50	-




20161005
EUT Y_4TX
setting 19
04-R-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7272G	110.05	Inf	-Inf	7.84	3	V	126	1.50	-
PK	5.4668G	61.27	68.20	-6.93	6.92	3	V	126	1.50	-
PK	5.7176G	121.46	Inf	-Inf	7.80	3	V	126	1.50	-
PK	5.4236G	63.05	74.00	-10.95	6.83	3	V	126	1.50	-
AV	5.4308G	49.98	54.00	-4.02	6.84	3	V	126	1.50	-




20161005
EUT Y_4TX
setting 19
04-R-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.714G	107.22	Inf	-Inf	7.79	3	H	174	1.50	-
PK	5.438G	63.97	74.00	-10.03	6.86	3	H	174	1.50	-
PK	5.462G	61.47	68.20	-6.73	6.91	3	H	174	1.50	-
PK	5.7164G	118.22	Inf	-Inf	7.80	3	H	174	1.50	-
AV	5.42G	50.15	54.00	-3.85	6.82	3	H	174	1.50	-




20161005
EUT Y_4TX
setting 19
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44018G	45.79	54.00	-8.21	15.27	3	V	45	1.50	-
AV	17.15994G	53.40	Inf	-Inf	19.38	3	V	277	2.66	-
PK	11.43994G	60.88	74.00	-13.12	15.27	3	V	45	1.50	-
PK	17.16492G	67.62	68.20	-0.58	19.38	3	V	277	2.66	-




20161005
EUT Y_4TX
setting 19
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44206G	47.53	54.00	-6.47	15.27	3	H	351	2.31	-
AV	17.16192G	50.91	Inf	-Inf	19.38	3	H	286	1.56	-
PK	11.44228G	61.24	74.00	-12.76	15.27	3	H	351	2.31	-
PK	17.16132G	64.34	68.20	-3.86	19.38	3	H	286	1.56	-









20161014
EUT Y 4TX
Setting :20
TXBF
06-B-2







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.10	54.00	-3.90	8.58	3	H	166	2.01	-
AV	5.526G	101.41	Inf	-Inf	8.74	3	H	166	2.01	-
AV	11.01984G	39.06	54.00	-14.94	18.09	3	H	255	1.50	-
PK	5.458G	62.91	74.00	-11.09	8.52	3	H	166	2.01	-
PK	5.469G	67.41	68.20	-0.79	8.60	3	H	166	2.01	-
PK	5.527G	112.97	Inf	-Inf	8.74	3	H	166	2.01	-
PK	5.741G	58.75	68.20	-9.45	8.93	3	H	166	2.01	-
PK	11.01488G	52.32	74.00	-21.68	18.10	3	H	255	1.50	-
AV	5.46G	49.80	54.00	-4.20	8.58	3	V	127	2.30	-
AV	5.527G	103.10	Inf	-Inf	8.74	3	V	127	2.30	-
AV	11.02236G	39.78	54.00	-14.22	18.09	3	V	251	1.50	-
PK	5.458G	61.65	74.00	-12.35	8.48	3	V	127	2.30	-
PK	5.465G	68.03	68.20	-0.17	8.59	3	V	127	2.30	-
PK	5.52G	114.18	Inf	-Inf	8.73	3	V	127	2.30	-
PK	5.736G	57.78	68.20	-10.42	8.91	3	V	127	2.30	-
PK	11.01852G	53.13	74.00	-20.87	18.10	3	V	251	1.50	-










20161014
EUT Y 4TX
Setting :20
TXBF
06-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	49.80	54.00	-4.20	8.58	3	V	127	2.30	-
AV	5.527G	103.10	Inf	-Inf	8.74	3	V	127	2.30	-
PK	5.465G	68.03	68.20	-0.17	8.59	3	V	127	2.30	-
PK	5.52G	114.18	Inf	-Inf	8.73	3	V	127	2.30	-
PK	5.458G	61.65	74.00	-12.35	8.48	3	V	127	2.30	-
PK	5.736G	57.78	68.20	-10.42	8.91	3	V	127	2.30	-











20161014
EUT Y_4TX
Setting :19
06-S-6

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.46G	50.80	54.00	-3.20	8.58	3	H	159	1.50	-
AV	5.534G	98.06	Inf	-Inf	8.76	3	H	159	1.50	-
AV	11.0598G	38.95	54.00	-15.05	18.06	3	H	258	1.54	-
PK	5.445G	64.36	74.00	-9.64	8.54	3	H	159	1.50	-
PK	5.468G	66.27	68.20	-1.93	8.60	3	H	159	1.50	-
PK	5.541G	111.02	Inf	-Inf	8.78	3	H	159	1.50	-
PK	5.758G	58.95	68.20	-9.25	8.92	3	H	159	1.50	-
PK	11.05892G	52.59	74.00	-21.41	18.06	3	H	258	1.54	-
AV	5.46G	50.07	54.00	-3.93	8.58	3	V	132	1.50	-
AV	5.565G	97.69	Inf	-Inf	8.84	3	V	132	1.50	-
AV	11.06212G	40.05	54.00	-13.95	18.06	3	V	317	1.31	-
PK	5.458G	65.00	74.00	-9.00	8.57	3	V	132	1.50	-
PK	5.464G	67.84	68.20	-0.36	8.59	3	V	132	1.50	-
PK	5.546G	111.60	Inf	-Inf	8.79	3	V	132	1.50	-
PK	5.734G	59.32	68.20	-8.88	8.91	3	V	132	1.50	-
PK	11.0552G	53.02	74.00	-20.98	18.07	3	V	317	1.31	-




20161014
EUT Y_4TX
Setting :19
TXBF
06-B-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.46G	50.07	54.00	-3.93	8.58	3	V	132	1.50	-
AV	5.565G	97.69	Inf	-Inf	8.84	3	V	132	1.50	-
PK	5.458G	65.00	74.00	-9.00	8.57	3	V	132	1.50	-
PK	5.464G	67.84	68.20	-0.36	8.59	3	V	132	1.50	-
PK	5.546G	111.60	Inf	-Inf	8.79	3	V	132	1.50	-
PK	5.734G	59.32	68.20	-8.88	8.91	3	V	132	1.50	-









20161014
EUT Y_4TX
Setting :19
TXBF
06-B-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.46G	50.80	54.00	-3.20	8.58	3	H	159	1.50	-
AV	5.534G	98.06	Inf	-Inf	8.76	3	H	159	1.50	-
PK	5.445G	64.36	74.00	-9.64	8.54	3	H	159	1.50	-
PK	5.468G	66.27	68.20	-1.93	8.60	3	H	159	1.50	-
PK	5.541G	111.02	Inf	-Inf	8.78	3	H	159	1.50	-
PK	5.758G	58.95	68.20	-9.25	8.92	3	H	159	1.50	-



20161014
EUT Y_4TX
Setting :19
TXBF
06-P-1


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.06212G	40.05	54.00	-13.95	18.06	3	V	317	1.31	-
PK	11.0552G	53.02	74.00	-20.98	18.07	3	V	317	1.31	-






20161004
EUT_Y_4TX
setting 25
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.4476G	52.28	54.00	-1.72	6.88	3	H	178	1.57	-
AV	5.7224G	106.32	Inf	-Inf	7.82	3	H	178	1.57	-
AV	11.37396G	43.67	54.00	-10.33	15.27	3	H	312	1.50	-
PK	5.45G	64.67	74.00	-9.33	6.88	3	H	178	1.57	-
PK	5.4692G	64.28	68.20	-3.92	6.93	3	H	178	1.57	-
PK	5.7236G	117.16	Inf	-Inf	7.82	3	H	178	1.57	-
PK	11.37688G	57.75	74.00	-16.25	15.27	3	H	312	1.50	-
AV	5.456G	53.47	54.00	-0.53	6.90	3	V	282	1.03	-
AV	5.6876G	112.56	Inf	-Inf	7.68	3	V	282	1.03	-
AV	11.37308G	44.64	54.00	-9.36	15.27	3	V	307	1.50	-
PK	5.4368G	66.43	74.00	-7.57	6.86	3	V	282	1.03	-
PK	5.4656G	65.70	68.20	-2.50	6.92	3	V	282	1.03	-
PK	5.6624G	125.86	Inf	-Inf	7.58	3	V	282	1.03	-
PK	11.38916G	58.32	74.00	-15.68	15.27	3	V	307	1.50	-




20161004
EUT_Y_4TX
setting 25
04-R-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.456G	53.47	54.00	-0.53	6.90	3	V	282	1.03	-
AV	5.6876G	112.56	Inf	-Inf	7.68	3	V	282	1.03	-
PK	5.4368G	66.43	74.00	-7.57	6.86	3	V	282	1.03	-
PK	5.4656G	65.70	68.20	-2.50	6.92	3	V	282	1.03	-
PK	5.6624G	125.86	Inf	-Inf	7.58	3	V	282	1.03	-









20161004
EUT_Y_4TX
setting 25
04-R-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.4476G	52.28	54.00	-1.72	6.88	3	H	178	1.57	-
AV	5.7224G	106.32	Inf	-Inf	7.82	3	H	178	1.57	-
PK	5.45G	64.67	74.00	-9.33	6.88	3	H	178	1.57	-
PK	5.4692G	64.28	68.20	-3.92	6.93	3	H	178	1.57	-
PK	5.7236G	117.16	Inf	-Inf	7.82	3	H	178	1.57	-



20161004
EUT_Y_4TX
setting 25
04-L-2


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.37308G	44.64	54.00	-9.36	15.27	3	V	307	1.50	-
PK	11.38916G	58.32	74.00	-15.68	15.27	3	V	307	1.50	-






20161004
EUT Y_4TX
setting 25
04-R-2

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4123G	50.38	54.00	-3.62	8.38	3	H	164	1.54	-
AV	5.7124G	109.54	Inf	-Inf	7.78	3	H	164	1.54	-
AV	11.41704G	48.75	54.00	-5.25	15.27	3	H	319	1.66	-
AV	17.12316G	52.78	Inf	-Inf	19.34	3	H	311	2.49	-
PK	5.4124G	64.70	74.00	-9.30	8.38	3	H	164	1.54	-
PK	5.464G	63.80	68.20	-4.40	8.50	3	H	164	1.54	-
PK	5.7136G	118.89	Inf	-Inf	7.78	3	H	164	1.54	-
PK	5.938G	64.51	68.20	-3.69	8.61	3	H	164	1.54	-
PK	11.4198G	63.17	74.00	-10.83	15.27	3	H	319	1.66	-
PK	17.1356G	67.59	68.20	-0.61	19.36	3	H	311	2.49	-
AV	5.4223G	51.38	54.00	-2.62	8.38	3	V	279	1.00	-
AV	5.7124G	114.17	Inf	-Inf	7.78	3	V	279	1.00	-
AV	11.41952G	49.75	54.00	-4.25	15.27	3	V	316	1.69	-
AV	17.13732G	50.78	Inf	-Inf	19.36	3	V	82	1.33	-
PK	5.4232G	63.75	74.00	-10.25	8.40	3	V	279	1.00	-
PK	5.4664G	62.87	68.20	-5.33	8.50	3	V	279	1.00	-
PK	5.698G	125.03	Inf	-Inf	7.72	3	V	279	1.00	-
PK	5.938G	65.22	68.20	-2.98	8.61	3	V	279	1.00	-
PK	11.41652G	63.84	74.00	-10.16	15.27	3	V	316	1.69	-
PK	17.129G	64.16	68.20	-4.04	19.35	3	V	82	1.33	-




20161004
EUT Y_4TX
setting 25
04-R-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7124G	114.17	Inf	-Inf	7.78	3	V	279	1.00	-
PK	5.698G	125.03	Inf	-Inf	7.72	3	V	279	1.00	-
PK	5.938G	65.22	68.20	-2.98	8.61	3	V	279	1.00	-
PK	5.4664G	62.87	68.20	-5.33	8.50	3	V	279	1.00	-
PK	5.4232G	63.75	74.00	-10.25	8.40	3	V	279	1.00	-
AV	5.4223G	51.38	54.00	-2.62	8.38	3	V	279	1.00	-









20161004
EUT Y_4TX
setting 25
04-R-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7124G	109.54	Inf	-Inf	7.78	3	H	164	1.54	-
PK	5.7136G	118.89	Inf	-Inf	7.78	3	H	164	1.54	-
PK	5.938G	64.51	68.20	-3.69	8.61	3	H	164	1.54	-
PK	5.4124G	64.70	74.00	-9.30	8.38	3	H	164	1.54	-
PK	5.464G	63.80	68.20	-4.40	8.50	3	H	164	1.54	-
AV	5.4123G	50.38	54.00	-3.62	8.38	3	H	164	1.54	-



20161004
EUT Y_4TX
setting 25
04-L-2


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41952G	49.75	54.00	-4.25	15.27	3	V	316	1.69	-
AV	17.13732G	50.78	Inf	-Inf	19.36	3	V	82	1.33	-
PK	11.41652G	63.84	74.00	-10.16	15.27	3	V	316	1.69	-
PK	17.129G	64.16	68.20	-4.04	19.35	3	V	82	1.33	-






20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.146G	44.15	54.00	-9.85	7.89	3	H	186	1.50	-
AV	5.2654G	105.95	Inf	-Inf	8.07	3	H	186	1.50	-
AV	5.3638G	46.76	54.00	-7.24	8.27	3	H	186	1.50	-
PK	5.1322G	57.28	74.00	-16.72	7.88	3	H	186	1.50	-
PK	5.2654G	115.51	Inf	-Inf	8.07	3	H	186	1.50	-
PK	5.374G	60.43	74.00	-13.57	8.30	3	H	186	1.50	-
AV	5.1292G	47.99	54.00	-6.01	7.88	3	V	266	2.00	-
AV	5.2666G	111.14	Inf	-Inf	8.07	3	V	266	2.00	-
AV	5.4028G	49.78	54.00	-4.22	8.36	3	V	266	2.00	-
PK	5.1418G	60.45	74.00	-13.55	7.89	3	V	266	2.00	-
PK	5.2654G	122.44	Inf	-Inf	8.07	3	V	266	2.00	-
PK	5.3956G	62.30	74.00	-11.70	8.34	3	V	266	2.00	-
AV	15.77556G	42.61	54.00	-11.39	18.73	3	H	260	2.44	-
PK	15.78834G	56.62	74.00	-17.38	18.69	3	H	260	2.44	-
AV	15.78372G	42.57	54.00	-11.43	18.70	3	V	305	1.43	-
PK	15.77538G	56.89	74.00	-17.11	18.73	3	V	305	1.43	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.1292G	47.99	54.00	-6.01	7.88	3	V	266	2.00	-
AV	5.2666G	111.14	Inf	-Inf	8.07	3	V	266	2.00	-
AV	5.4028G	49.78	54.00	-4.22	8.36	3	V	266	2.00	-
PK	5.1418G	60.45	74.00	-13.55	7.89	3	V	266	2.00	-
PK	5.2654G	122.44	Inf	-Inf	8.07	3	V	266	2.00	-
PK	5.3956G	62.30	74.00	-11.70	8.34	3	V	266	2.00	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.146G	44.15	54.00	-9.85	7.89	3	H	186	1.50	-
AV	5.2654G	105.95	Inf	-Inf	8.07	3	H	186	1.50	-
AV	5.3638G	46.76	54.00	-7.24	8.27	3	H	186	1.50	-
PK	5.1322G	57.28	74.00	-16.72	7.88	3	H	186	1.50	-
PK	5.2654G	115.51	Inf	-Inf	8.07	3	H	186	1.50	-
PK	5.374G	60.43	74.00	-13.57	8.30	3	H	186	1.50	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	15.78372G	42.57	54.00	-11.43	18.70	3	V	305	1.43	-
PK	15.77538G	56.89	74.00	-17.11	18.73	3	V	305	1.43	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	15.77556G	42.61	54.00	-11.39	18.73	3	H	260	2.44	-
PK	15.78834G	56.62	74.00	-17.38	18.69	3	H	260	2.44	-



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.3052G	104.52	Inf	-Inf	8.15	3	H	142	1.50	-
AV	5.3504G	47.80	54.00	-6.20	8.25	3	H	142	1.50	-
PK	5.3064G	115.41	Inf	-Inf	8.15	3	H	142	1.50	-
PK	5.3528G	60.12	74.00	-13.88	8.25	3	H	142	1.50	-
AV	5.302G	111.58	Inf	-Inf	8.14	3	V	252	2.39	-
AV	5.3504G	53.41	54.00	-0.59	8.25	3	V	252	2.39	-
PK	5.2956G	122.36	Inf	-Inf	8.13	3	V	252	2.39	-
PK	5.352G	65.83	74.00	-8.17	8.25	3	V	252	2.39	-
AV	15.90042G	41.53	54.00	-12.47	18.36	3	H	152	2.17	-
PK	15.90162G	55.46	74.00	-18.54	18.35	3	H	152	2.17	-
AV	15.90816G	41.39	54.00	-12.61	18.33	3	V	75	1.99	-
PK	15.8928G	55.25	74.00	-18.75	18.38	3	V	75	1.99	-



Lim.PK
PK
Lim.AV
AV

20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.302G	111.58	Inf	-Inf	8.14	3	V	252	2.39	-
AV	5.3504G	53.41	54.00	-0.59	8.25	3	V	252	2.39	-
PK	5.2956G	122.36	Inf	-Inf	8.13	3	V	252	2.39	-
PK	5.352G	65.83	74.00	-8.17	8.25	3	V	252	2.39	-



Lim.PK
PK
Lim.AV
AV

20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3052G	104.52	Inf	-Inf	8.15	3	H	142	1.50	-
AV	5.3504G	47.80	54.00	-6.20	8.25	3	H	142	1.50	-
PK	5.3064G	115.41	Inf	-Inf	8.15	3	H	142	1.50	-
PK	5.3528G	60.12	74.00	-13.88	8.25	3	H	142	1.50	-



Lim.PK
PK
Lim.AV
AV

20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90816G	41.39	54.00	-12.61	18.33	3	V	75	1.99	-
PK	15.8928G	55.25	74.00	-18.75	18.38	3	V	75	1.99	-



Lim.PK
PK
Lim.AV
AV

20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90042G	41.53	54.00	-12.47	18.36	3	H	152	2.17	-
PK	15.90162G	55.46	74.00	-18.54	18.35	3	H	152	2.17	-



Lim.PK
PK
Lim.AV
AV

20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3252G	102.65	Inf	-Inf	8.19	3	H	135	1.49	-
AV	5.3524G	48.60	54.00	-5.40	8.25	3	H	135	1.49	-
PK	5.326G	112.89	Inf	-Inf	8.19	3	H	135	1.49	-
PK	5.3536G	63.26	74.00	-10.74	8.25	3	H	135	1.49	-
AV	5.3264G	108.29	Inf	-Inf	8.22	3	V	266	1.98	-
AV	5.3512G	53.69	54.00	-0.31	8.28	3	V	266	1.98	-
PK	5.3124G	119.50	Inf	-Inf	8.19	3	V	266	1.98	-
PK	5.3532G	69.55	74.00	-4.45	8.29	3	V	266	1.98	-
AV	10.63628G	38.68	54.00	-15.32	17.77	3	H	231	2.02	-
PK	10.6396G	52.46	74.00	-21.54	17.78	3	H	231	2.02	-
AV	10.638G	38.85	54.00	-15.15	17.78	3	V	124	1.34	-
PK	10.64256G	52.84	74.00	-21.16	17.78	3	V	124	1.34	-



Lim.PK
PK
Lim.AV
AV


20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3264G	108.29	Inf	-Inf	8.22	3	V	266	1.98	-
AV	5.3512G	53.69	54.00	-0.31	8.28	3	V	266	1.98	-
PK	5.3124G	119.50	Inf	-Inf	8.19	3	V	266	1.98	-
PK	5.3532G	69.55	74.00	-4.45	8.29	3	V	266	1.98	-




20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3252G	102.65	Inf	-Inf	8.19	3	H	135	1.49	-
AV	5.3524G	48.60	54.00	-5.40	8.25	3	H	135	1.49	-
PK	5.326G	112.89	Inf	-Inf	8.19	3	H	135	1.49	-
PK	5.3536G	63.26	74.00	-10.74	8.25	3	H	135	1.49	-




20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.638G	38.85	54.00	-15.15	17.78	3	V	124	1.34	-
PK	10.64256G	52.84	74.00	-21.16	17.78	3	V	124	1.34	-




20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63628G	38.68	54.00	-15.32	17.77	3	H	231	2.02	-
PK	10.6396G	52.46	74.00	-21.54	17.78	3	H	231	2.02	-




20161105
EUT Y 4T2S TXBF
Setting 24
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2752G	106.76	Inf	-Inf	8.09	3	H	132	1.50	-
AV	5.3508G	50.45	54.00	-3.55	8.25	3	H	132	1.50	-
PK	5.2748G	117.58	Inf	-Inf	8.09	3	H	132	1.50	-
PK	5.3516G	64.39	74.00	-9.61	8.25	3	H	132	1.50	-
AV	5.2556G	111.48	Inf	-Inf	8.05	3	V	252	2.34	-
AV	5.3504G	53.31	54.00	-0.69	8.25	3	V	252	2.34	-
PK	5.2664G	120.68	Inf	-Inf	8.07	3	V	252	2.34	-
PK	5.3652G	68.35	74.00	-5.65	8.28	3	V	252	2.34	-
AV	15.80548G	47.42	54.00	-6.58	18.64	3	H	274	1.74	-
PK	15.8074G	60.98	74.00	-13.02	18.63	3	H	274	1.74	-
AV	15.8026G	47.43	54.00	-6.57	18.65	3	V	81	1.85	-
PK	15.8046G	60.54	74.00	-13.46	18.64	3	V	81	1.85	-









20161105
EUT Y 4T2S TXBF
Setting 24
06-N-2-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2556G	111.48	Inf	-Inf	8.05	3	V	252	2.34	-
AV	5.3504G	53.31	54.00	-0.69	8.25	3	V	252	2.34	-
PK	5.2664G	120.68	Inf	-Inf	8.07	3	V	252	2.34	-
PK	5.3652G	68.35	74.00	-5.65	8.28	3	V	252	2.34	-





20161105
EUT Y 4T2S TXBF
Setting 24
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2752G	106.76	Inf	-Inf	8.09	3	H	132	1.50	-
AV	5.3508G	50.45	54.00	-3.55	8.25	3	H	132	1.50	-
PK	5.2748G	117.58	Inf	-Inf	8.09	3	H	132	1.50	-
PK	5.3516G	64.39	74.00	-9.61	8.25	3	H	132	1.50	-















20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.458G	52.43	54.00	-1.57	8.48	3	V	252	2.13	-
AV	5.4696G	53.89	54.00	-0.11	8.51	3	V	252	2.13	-
AV	5.5068G	108.90	Inf	-Inf	8.60	3	V	252	2.13	-
PK	5.4572G	65.78	74.00	-8.22	8.48	3	V	252	2.13	-
PK	5.4664G	68.44	74.00	-5.56	8.50	3	V	252	2.13	-
PK	5.5064G	120.04	Inf	-Inf	8.60	3	V	252	2.13	-



20161105
EUT Y 4T2S TXBF
Setting 22
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	10.925G	41.23	54.00	-12.77	11.40	3	V	23	2.15	-
PK	10.925G	53.85	74.00	-20.15	11.40	3	V	23	2.15	-






20161105
EUT Y 4T2S TXBF
Setting 20
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.7052G	102.47	Inf	-Inf	8.90	3	H	185	1.46	-
PK	5.7048G	112.62	Inf	-Inf	8.90	3	H	185	1.46	-
PK	5.7256G	63.44	68.20	-4.76	8.91	3	H	185	1.46	-
AV	5.698G	107.48	Inf	-Inf	8.90	3	V	145	1.08	-
PK	5.6976G	118.55	Inf	-Inf	8.90	3	V	145	1.08	-
PK	5.7256G	68.16	68.20	-0.04	8.91	3	V	145	1.08	-
AV	11.3998G	47.58	54.00	-6.42	17.86	3	H	131	1.50	-
PK	11.3996G	62.06	74.00	-11.94	17.86	3	H	131	1.50	-
AV	11.4G	42.79	54.00	-11.21	17.86	3	V	246	1.49	-
PK	11.3998G	56.88	74.00	-17.12	17.86	3	V	246	1.49	-




20161105
EUT Y 4T2S TXBF
Setting 20
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.698G	107.48	Inf	-Inf	8.90	3	V	145	1.08	-
PK	5.6976G	118.55	Inf	-Inf	8.90	3	V	145	1.08	-
PK	5.7256G	68.16	68.20	-0.04	8.91	3	V	145	1.08	-




20161105
EUT Y 4T2S TXBF
Setting 20
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.7052G	102.47	Inf	-Inf	8.90	3	H	185	1.46	-
PK	5.7048G	112.62	Inf	-Inf	8.90	3	H	185	1.46	-
PK	5.7256G	63.44	68.20	-4.76	8.91	3	H	185	1.46	-




20161105
EUT Y 4T2S TXBF
Setting 20
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.4G	42.79	54.00	-11.21	17.86	3	V	246	1.49	-
PK	11.3998G	56.88	74.00	-17.12	17.86	3	V	246	1.49	-




20161105
EUT Y 4T2S TXBF
Setting 20
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.3998G	47.58	54.00	-6.42	17.86	3	H	131	1.50	-
PK	11.3996G	62.06	74.00	-11.94	17.86	3	H	131	1.50	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.4404G	47.85	54.00	-6.15	8.44	3	H	175	1.50	-
AV	5.468G	47.85	54.00	-6.15	8.51	3	H	175	1.50	-
AV	5.7248G	109.05	Inf	-Inf	8.91	3	H	175	1.50	-
AV	11.4398G	49.19	54.00	-4.81	17.83	3	H	52	1.50	-
PK	5.4344G	60.07	74.00	-13.93	8.43	3	H	175	1.50	-
PK	5.4644G	60.15	74.00	-13.85	8.50	3	H	175	1.50	-
PK	5.7248G	118.46	Inf	-Inf	8.91	3	H	175	1.50	-
PK	11.44436G	63.35	74.00	-10.65	17.82	3	H	52	1.50	-
AV	5.4548G	48.16	54.00	-5.84	8.48	3	V	152	1.50	-
AV	5.4692G	48.31	54.00	-5.69	8.51	3	V	152	1.50	-
AV	5.7128G	109.25	Inf	-Inf	8.90	3	V	152	1.50	-
AV	11.43964G	49.29	54.00	-4.71	17.83	3	V	248	1.52	-
PK	5.4356G	61.48	74.00	-12.52	8.43	3	V	152	1.50	-
PK	5.4692G	60.50	74.00	-13.50	8.51	3	V	152	1.50	-
PK	5.7116G	119.97	Inf	-Inf	8.90	3	V	152	1.50	-
PK	11.43952G	66.11	74.00	-7.89	17.83	3	V	248	1.52	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4548G	48.16	54.00	-5.84	8.48	3	V	152	1.50	-
AV	5.4692G	48.31	54.00	-5.69	8.51	3	V	152	1.50	-
AV	5.7128G	109.25	Inf	-Inf	8.90	3	V	152	1.50	-
PK	5.4356G	61.48	74.00	-12.52	8.43	3	V	152	1.50	-
PK	5.4692G	60.50	74.00	-13.50	8.51	3	V	152	1.50	-
PK	5.7116G	119.97	Inf	-Inf	8.90	3	V	152	1.50	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4404G	47.85	54.00	-6.15	8.44	3	H	175	1.50	-
AV	5.468G	47.85	54.00	-6.15	8.51	3	H	175	1.50	-
AV	5.7248G	109.05	Inf	-Inf	8.91	3	H	175	1.50	-
PK	5.4344G	60.07	74.00	-13.93	8.43	3	H	175	1.50	-
PK	5.4644G	60.15	74.00	-13.85	8.50	3	H	175	1.50	-
PK	5.7248G	118.46	Inf	-Inf	8.91	3	H	175	1.50	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43964G	49.29	54.00	-4.71	17.83	3	V	248	1.52	-
PK	11.43952G	66.11	74.00	-7.89	17.83	3	V	248	1.52	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4398G	49.19	54.00	-4.81	17.83	3	H	52	1.50	-
PK	11.44436G	63.35	74.00	-10.65	17.82	3	H	52	1.50	-









20161105
EUT Y 4T2S TXBF
Setting 18
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	51.33	54.00	-2.67	8.49	3	H	180	1.00	-
AV	5.4696G	53.22	54.00	-0.78	8.51	3	H	180	1.00	-
AV	5.5152G	104.90	Inf	-Inf	8.62	3	H	180	1.00	-
PK	5.4456G	63.17	74.00	-10.83	8.45	3	H	180	1.00	-
PK	5.4664G	66.76	74.00	-7.24	8.50	3	H	180	1.00	-
PK	5.5152G	114.48	Inf	-Inf	8.62	3	H	180	1.00	-
AV	5.4596G	51.14	54.00	-2.86	8.49	3	V	136	2.76	-
AV	5.4688G	53.27	54.00	-0.73	8.51	3	V	136	2.76	-
AV	5.5176G	104.40	Inf	-Inf	8.63	3	V	136	2.76	-
PK	5.4564G	63.97	74.00	-10.03	8.48	3	V	136	2.76	-
PK	5.4684G	65.40	74.00	-8.60	8.51	3	V	136	2.76	-
PK	5.5112G	115.17	Inf	-Inf	8.61	3	V	136	2.76	-
AV	11.02516G	47.17	54.00	-6.83	18.19	3	H	37	1.32	-
PK	11.02568G	60.38	74.00	-13.62	18.19	3	H	37	1.32	-
AV	11.01744G	47.24	54.00	-6.76	18.19	3	V	359	1.04	-
PK	11.01716G	60.42	74.00	-13.58	18.20	3	V	359	1.04	-




20161105
EUT Y 4T2S TXBF
Setting 18
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4596G	51.14	54.00	-2.86	8.49	3	V	136	2.76	-
AV	5.4688G	53.27	54.00	-0.73	8.51	3	V	136	2.76	-
AV	5.5176G	104.40	Inf	-Inf	8.63	3	V	136	2.76	-
PK	5.4564G	63.97	74.00	-10.03	8.48	3	V	136	2.76	-
PK	5.4684G	65.40	74.00	-8.60	8.51	3	V	136	2.76	-
PK	5.5112G	115.17	Inf	-Inf	8.61	3	V	136	2.76	-




RE TX above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5550MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.10036G	50.53	54.00	-3.47	18.12	3	V	313	1.71	-
PK	11.09388G	64.38	74.00	-9.62	18.13	3	V	313	1.71	-


RE TX above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5550MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.09164G	46.99	54.00	-7.01	18.13	3	H	89	1.84	-
PK	11.10788G	60.45	74.00	-13.55	18.12	3	H	89	1.84	-


RE above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5670MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 23
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.6752G	106.86	Inf	-Inf	8.89	3	H	173	1.50	-
AV	11.337G	46.89	54.00	-7.11	17.92	3	H	127	2.02	-
PK	5.6748G	116.57	Inf	-Inf	8.89	3	H	173	1.50	-
PK	5.7252G	67.90	68.20	-0.30	8.91	3	H	173	1.50	-
PK	11.34372G	60.66	74.00	-13.34	17.91	3	H	127	2.02	-
AV	5.6524G	105.63	Inf	-Inf	8.88	3	V	143	1.84	-
AV	11.3402G	48.80	54.00	-5.20	17.91	3	V	246	1.20	-
PK	5.656G	117.63	Inf	-Inf	8.88	3	V	143	1.84	-
PK	5.7256G	66.14	68.20	-2.06	8.91	3	V	143	1.84	-
PK	11.33824G	63.91	74.00	-10.09	17.92	3	V	246	1.20	-


RE above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5670MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 23
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.6524G	105.63	Inf	-Inf	8.88	3	V	143	1.84	-
PK	5.656G	117.63	Inf	-Inf	8.88	3	V	143	1.84	-
PK	5.7256G	66.14	68.20	-2.06	8.91	3	V	143	1.84	-


RE above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5670MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 23
06-N-2-10







Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.6752G	106.86	Inf	-Inf	8.89	3	H	173	1.50	-
PK	5.6748G	116.57	Inf	-Inf	8.89	3	H	173	1.50	-
PK	5.7252G	67.90	68.20	-0.30	8.91	3	H	173	1.50	-


RE above 1GHz;Band:5.6G;VHT40,BF;BWch:40MHz;Nss:2,(M0);Nant:4;Ch:5670MHz;TX



20161105
EUT Y 4T2S TXBF
Setting 23
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.3402G	48.80	54.00	-5.20	17.91	3	V	246	1.20	-
PK	11.33824G	63.91	74.00	-10.09	17.92	3	V	246	1.20	-






20161106
EUT Y 4T2S TXBF
Setting 19
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.46G	50.73	54.00	-3.27	8.49	3	H	135	1.45	-
AV	5.553G	93.97	Inf	-Inf	8.73	3	H	135	1.45	-
AV	11.0596G	47.06	54.00	-6.94	18.16	3	H	10	1.30	-
PK	5.455G	63.33	74.00	-10.67	8.48	3	H	135	1.45	-
PK	5.469G	64.22	68.20	-3.98	8.51	3	H	135	1.45	-
PK	5.554G	104.79	Inf	-Inf	8.73	3	H	135	1.45	-
PK	5.77G	60.54	68.20	-7.66	8.92	3	H	135	1.45	-
PK	11.06086G	60.86	74.00	-13.14	18.16	3	H	10	1.30	-
AV	5.46G	52.98	54.00	-1.02	8.49	3	V	256	1.50	-
AV	5.527G	99.94	Inf	-Inf	8.66	3	V	256	1.50	-
AV	11.06016G	47.26	54.00	-6.74	18.16	3	V	226	1.50	-
PK	5.453G	65.20	74.00	-8.80	8.47	3	V	256	1.50	-
PK	5.469G	67.75	68.20	-0.45	8.51	3	V	256	1.50	-
PK	5.532G	111.23	Inf	-Inf	8.67	3	V	256	1.50	-
PK	5.749G	61.56	68.20	-6.64	8.91	3	V	256	1.50	-
PK	11.0566G	61.12	74.00	-12.88	18.16	3	V	226	1.50	-




20161106
EUT Y 4T2S TXBF
Setting 19
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.46G	52.98	54.00	-1.02	8.49	3	V	256	1.50	-
AV	5.527G	99.94	Inf	-Inf	8.66	3	V	256	1.50	-
PK	5.469G	67.75	68.20	-0.45	8.51	3	V	256	1.50	-
PK	5.532G	111.23	Inf	-Inf	8.67	3	V	256	1.50	-
PK	5.453G	65.20	74.00	-8.80	8.47	3	V	256	1.50	-
PK	5.749G	61.56	68.20	-6.64	8.91	3	V	256	1.50	-









20161106
EUT Y 4T2S TXBF
Setting 19
06-J-1-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.46G	50.73	54.00	-3.27	8.49	3	H	135	1.45	-
AV	5.553G	93.97	Inf	-Inf	8.73	3	H	135	1.45	-
PK	5.469G	64.22	68.20	-3.98	8.51	3	H	135	1.45	-
PK	5.554G	104.79	Inf	-Inf	8.73	3	H	135	1.45	-
PK	5.77G	60.54	68.20	-7.66	8.92	3	H	135	1.45	-
PK	5.455G	63.33	74.00	-10.67	8.48	3	H	135	1.45	-



20161106
EUT Y 4T2S TXBF
Setting 19
06-J-1-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.06016G	47.26	54.00	-6.74	18.16	3	V	226	1.50	-
PK	11.0566G	61.12	74.00	-12.88	18.16	3	V	226	1.50	-






20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.44G	49.90	54.00	-4.10	8.44	3	H	150	2.24	-
AV	5.464G	49.60	54.00	-4.40	8.50	3	H	150	2.24	-
AV	5.668G	100.87	Inf	-Inf	8.89	3	H	150	2.24	-
AV	11.38224G	46.14	54.00	-7.86	17.88	3	H	242	1.32	-
PK	5.457G	62.11	74.00	-11.89	8.48	3	H	150	2.24	-
PK	5.463G	62.38	68.20	-5.82	8.49	3	H	150	2.24	-
PK	5.695G	112.03	Inf	-Inf	8.90	3	H	150	2.24	-
PK	11.38464G	60.01	74.00	-13.99	17.88	3	H	242	1.32	-
AV	5.45G	49.01	54.00	-4.99	8.46	3	V	261	1.52	-
AV	5.462G	48.83	54.00	-5.17	8.49	3	V	261	1.52	-
AV	5.686G	104.36	Inf	-Inf	8.89	3	V	261	1.52	-
AV	11.38492G	46.05	54.00	-7.95	17.88	3	V	266	1.50	-
PK	5.456G	61.39	74.00	-12.61	8.48	3	V	261	1.52	-
PK	5.462G	60.95	68.20	-7.25	8.49	3	V	261	1.52	-
PK	5.722G	115.51	Inf	-Inf	8.91	3	V	261	1.52	-
PK	11.38262G	59.72	74.00	-14.28	17.88	3	V	266	1.50	-




20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.45G	49.01	54.00	-4.99	8.46	3	V	261	1.52	-
AV	5.686G	104.36	Inf	-Inf	8.89	3	V	261	1.52	-
PK	5.456G	61.39	74.00	-12.61	8.48	3	V	261	1.52	-
PK	5.462G	60.95	68.20	-7.25	8.49	3	V	261	1.52	-
PK	5.722G	115.51	Inf	-Inf	8.91	3	V	261	1.52	-
AV	5.462G	48.83	54.00	-5.17	8.49	3	V	261	1.52	-




20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.44G	49.90	54.00	-4.10	8.44	3	H	150	2.24	-
AV	5.668G	100.87	Inf	-Inf	8.89	3	H	150	2.24	-
PK	5.457G	62.11	74.00	-11.89	8.48	3	H	150	2.24	-
PK	5.463G	62.38	68.20	-5.82	8.49	3	H	150	2.24	-
PK	5.695G	112.03	Inf	-Inf	8.90	3	H	150	2.24	-
AV	5.464G	49.60	54.00	-4.40	8.50	3	H	150	2.24	-




20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.38492G	46.05	54.00	-7.95	17.88	3	V	266	1.50	-
PK	11.38262G	59.72	74.00	-14.28	17.88	3	V	266	1.50	-









20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	11.38224G	46.14	54.00	-7.86	17.88	3	H	242	1.32	-
PK	11.38464G	60.01	74.00	-13.99	17.88	3	H	242	1.32	-



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(*)	Height(m)	Comments
AV	5.433G	49.43	54.00	-4.57	8.43	3	H	175	1.50	-
AV	5.7248G	109.05	Inf	-Inf	8.91	3	H	175	1.50	-
AV	11.4398G	49.19	54.00	-4.81	17.83	3	H	52	1.50	-
PK	5.4344G	60.07	74.00	-13.93	8.43	3	H	175	1.50	-
PK	5.7248G	118.46	Inf	-Inf	8.91	3	H	175	1.50	-
PK	5.9768G	61.88	68.20	-6.32	9.46	3	H	175	1.50	-
PK	11.44436G	63.35	74.00	-10.65	17.82	3	H	52	1.50	-
AV	5.433G	50.43	54.00	-3.57	8.43	3	V	152	1.50	-
AV	5.7128G	109.25	Inf	-Inf	8.90	3	V	152	1.50	-
AV	11.43964G	49.29	54.00	-4.71	17.83	3	V	248	1.52	-
PK	5.4356G	61.48	74.00	-12.52	8.43	3	V	152	1.50	-
PK	5.7116G	119.97	Inf	-Inf	8.90	3	V	152	1.50	-
PK	5.9564G	61.41	68.20	-6.79	9.40	3	V	152	1.50	-
PK	11.43952G	66.11	74.00	-7.89	17.83	3	V	248	1.52	-






20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7148G	108.92	Inf	-Inf	8.90	3	H	172	1.50	-
PK	5.7148G	117.80	Inf	-Inf	8.90	3	H	172	1.50	-
PK	5.9332G	61.53	68.20	-6.67	9.33	3	H	172	1.50	-
AV	5.4412G	49.40	54.00	-4.60	8.44	3	H	172	1.50	-
PK	5.4664G	61.15	68.20	-7.05	8.50	3	H	172	1.50	-
PK	5.4436G	60.95	74.00	-13.05	8.45	3	H	172	1.50	-




20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41988G	50.22	54.00	-3.78	17.84	3	V	248	1.81	-
PK	11.41844G	65.92	74.00	-8.08	17.85	3	V	248	1.81	-



20161105
EUT Y 4T2S TXBF
Setting 25
06-N-2-10


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41096G	48.92	54.00	-5.08	17.85	3	H	350	1.50	-
PK	11.4148G	62.73	74.00	-11.27	17.85	3	H	350	1.50	-



20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	48.48	54.00	-5.52	8.48	3	H	150	2.24	-
AV	5.668G	100.87	Inf	-Inf	8.89	3	H	150	2.24	-
AV	11.38224G	46.14	54.00	-7.86	17.88	3	H	242	1.32	-
PK	5.457G	62.11	74.00	-11.89	8.48	3	H	150	2.24	-
PK	5.463G	62.38	68.20	-5.82	8.49	3	H	150	2.24	-
PK	5.695G	112.03	Inf	-Inf	8.90	3	H	150	2.24	-
PK	5.937G	60.63	68.20	-7.57	9.34	3	H	150	2.24	-
PK	11.38464G	60.01	74.00	-13.99	17.88	3	H	242	1.32	-
AV	5.448G	50.46	54.00	-3.54	8.46	3	V	261	1.52	-
AV	5.686G	104.36	Inf	-Inf	8.89	3	V	261	1.52	-
AV	11.38492G	46.05	54.00	-7.95	17.88	3	V	266	1.50	-
PK	5.45G	61.31	74.00	-12.69	8.46	3	V	261	1.52	-
PK	5.466G	60.16	68.20	-8.04	8.50	3	V	261	1.52	-
PK	5.722G	115.51	Inf	-Inf	8.91	3	V	261	1.52	-
PK	5.932G	60.89	68.20	-7.31	9.33	3	V	261	1.52	-
PK	11.38262G	59.72	74.00	-14.28	17.88	3	V	266	1.50	-


RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:2,(M0);Nant:4;Ch:5690MHz;TX



20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.686G	104.36	Inf	-Inf	8.89	3	V	261	1.52	-
PK	5.722G	115.51	Inf	-Inf	8.91	3	V	261	1.52	-
PK	5.932G	60.89	68.20	-7.31	9.33	3	V	261	1.52	-
PK	5.45G	61.31	74.00	-12.69	8.46	3	V	261	1.52	-
PK	5.466G	60.16	68.20	-8.04	8.50	3	V	261	1.52	-
AV	5.448G	50.46	54.00	-3.54	8.46	3	V	261	1.52	-


RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:2,(M0);Nant:4;Ch:5690MHz;TX



20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.668G	100.87	Inf	-Inf	8.89	3	H	150	2.24	-
PK	5.695G	112.03	Inf	-Inf	8.90	3	H	150	2.24	-
PK	5.937G	60.63	68.20	-7.57	9.34	3	H	150	2.24	-
PK	5.463G	62.38	68.20	-5.82	8.49	3	H	150	2.24	-
PK	5.457G	62.11	74.00	-11.89	8.48	3	H	150	2.24	-
AV	5.458G	48.48	54.00	-5.52	8.48	3	H	150	2.24	-


RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:2,(M0);Nant:4;Ch:5690MHz;TX



20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38492G	46.05	54.00	-7.95	17.88	3	V	266	1.50	-
PK	11.38262G	59.72	74.00	-14.28	17.88	3	V	266	1.50	-

RE above 1GHz;Band:5.8G;VHT80,BF;BWch:80MHz;Nss:2,(M0);Nant:4;Ch:5690MHz;TX



20161106
EUT Y 4T2S TXBF
Setting 25
06-J-1-10

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.38224G	46.14	54.00	-7.86	17.88	3	H	242	1.32	-
PK	11.38464G	60.01	74.00	-13.99	17.88	3	H	242	1.32	-

Mode: 20 MHz / Ant. 6

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5299.9126	5299.9116	5299.9110	5299.9103
110.00	5299.9123	5299.9113	5299.9107	5299.9099
93.50	5299.9122	5299.9113	5299.9110	5299.9108
Max. Deviation (MHz)	0.0878	0.0887	0.0893	0.0901
Max. Deviation (ppm)	16.57	16.74	16.85	17.00
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5300 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5299.9147	5299.9141	5299.9138	5299.9135
10	5299.9133	5299.9123	5299.9118	5299.9110
20	5299.9123	5299.9119	5299.9111	5299.9109
30	5299.9107	5299.9098	5299.9092	5299.9090
40	5299.9093	5299.9084	5299.9080	5299.9072
50	5299.9074	5299.9065	5299.9055	5299.9053
Max. Deviation (MHz)	0.0926	0.0935	0.0945	0.0947
Max. Deviation (ppm)	17.47	17.64	17.83	17.87
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5579.9127	5579.9123	5579.9121	5579.9115
110.00	5579.9123	5579.9115	5579.9108	5579.9100
93.50	5579.9119	5579.9116	5579.9106	5579.9102
Max. Deviation (MHz)	0.0881	0.0885	0.0894	0.0900
Max. Deviation (ppm)	15.79	15.86	16.02	16.13
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5580 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5579.9146	5579.9140	5579.9137	5579.9134
10	5579.9126	5579.9124	5579.9119	5579.9112
20	5579.9123	5579.9119	5579.9109	5579.9107
30	5579.9107	5579.9106	5579.9101	5579.9095
40	5579.9091	5579.9088	5579.9086	5579.9076
50	5579.9089	5579.9085	5579.9080	5579.9075
Max. Deviation (MHz)	0.0911	0.0915	0.0920	0.0925
Max. Deviation (ppm)	16.33	16.40	16.49	16.58
Result	Pass			

Mode: 40 MHz / Ant. 6

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5309.9132	5309.9131	5309.9123	5309.9121
110.00	5309.9123	5309.9114	5309.9111	5309.9109
93.50	5309.9120	5309.9111	5309.9108	5309.9103
Max. Deviation (MHz)	0.0880	0.0889	0.0892	0.0897
Max. Deviation (ppm)	16.57	16.74	16.80	16.89
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5310 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5309.9141	5309.9138	5309.9135	5309.9131
10	5309.9138	5309.9136	5309.9127	5309.9118
20	5309.9123	5309.9113	5309.9103	5309.9098
30	5309.9107	5309.9102	5309.9096	5309.9094
40	5309.9091	5309.9083	5309.9077	5309.9070
50	5309.9083	5309.9073	5309.9064	5309.9061
Max. Deviation (MHz)	0.0917	0.0927	0.0936	0.0939
Max. Deviation (ppm)	17.27	17.46	17.63	17.68
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5549.9126	5549.9116	5549.9115	5549.9106
110.00	5549.9123	5549.9120	5549.9116	5549.9112
93.50	5549.9113	5549.9107	5549.9105	5549.9102
Max. Deviation (MHz)	0.0887	0.0893	0.0895	0.0898
Max. Deviation (ppm)	15.98	16.09	16.13	16.18
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5550 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5549.9146	5549.9140	5549.9135	5549.9127
10	5549.9130	5549.9123	5549.9114	5549.9105
20	5549.9123	5549.9116	5549.9106	5549.9097
30	5549.9107	5549.9097	5549.9089	5549.9080
40	5549.9106	5549.9103	5549.9095	5549.9088
50	5549.9094	5549.9091	5549.9087	5549.9082
Max. Deviation (MHz)	0.0906	0.0909	0.0913	0.0920
Max. Deviation (ppm)	16.32	16.38	16.45	16.58
Result	Pass			

Mode: 80 MHz / Ant. 6

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5289.9126	5289.9118	5289.9108	5289.9101
110.00	5289.9123	5289.9122	5289.9114	5289.9111
93.50	5289.9116	5289.9107	5289.9105	5289.9103
Max. Deviation (MHz)	0.0884	0.0893	0.0895	0.0899
Max. Deviation (ppm)	16.71	16.88	16.92	16.99
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5290 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5289.9147	5289.9138	5289.9133	5289.9129
10	5289.9143	5289.9134	5289.9127	5289.9118
20	5289.9123	5289.9115	5289.9107	5289.9104
30	5289.9107	5289.9105	5289.9097	5289.9087
40	5289.9091	5289.9083	5289.9073	5289.9068
50	5289.9085	5289.9084	5289.9081	5289.9077
Max. Deviation (MHz)	0.0915	0.0917	0.0927	0.0932
Max. Deviation (ppm)	17.30	17.33	17.52	17.62
Result	Pass			

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
126.50	5529.9127	5529.9123	5529.9121	5529.9116
110.00	5529.9123	5529.9113	5529.9107	5529.9102
93.50	5529.9121	5529.9112	5529.9106	5529.9105
Max. Deviation (MHz)	0.0879	0.0888	0.0894	0.0898
Max. Deviation (ppm)	15.90	16.06	16.17	16.24
Result	Pass			

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)			
	5530 MHz			
	0 Minute	2 Minute	5 Minute	10 Minute
0	5529.9159	5529.9152	5529.9146	5529.9142
10	5529.9139	5529.9130	5529.9123	5529.9113
20	5529.9123	5529.9115	5529.9107	5529.9103
30	5529.9107	5529.9098	5529.9091	5529.9090
40	5529.9095	5529.9086	5529.9076	5529.9073
50	5529.9093	5529.9086	5529.9083	5529.9075
Max. Deviation (MHz)	0.0907	0.0914	0.0924	0.0927
Max. Deviation (ppm)	16.40	16.53	16.71	16.76
Result	Pass			