


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 74
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07285G	50.45	74.00	-23.55	69.25	3	Horizontal	215	1.32	-	38.55	8.42	65.77
AV	11.05945G	37.08	54.00	-16.92	55.94	3	Horizontal	215	1.32	-	38.52	8.42	65.80

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 88
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4436G	63.31	74.00	-10.69	54.69	3	Vertical	200.8	1.72	-	34.09	5.44	30.91
AV	5.4436G	51.65	54.00	-2.35	43.03	3	Vertical	200.8	1.72	-	34.09	5.44	30.91
PK	5.4628G	67.91	68.20	-0.29	59.28	3	Vertical	200.8	1.72	-	34.10	5.46	30.93
PK	5.6116G	117.74	Inf	-Inf	109.20	3	Vertical	200.8	1.72	-	33.98	5.57	31.01
AV	5.6152G	106.10	Inf	-Inf	97.57	3	Vertical	200.8	1.72	-	33.97	5.57	31.01
PK	5.7344G	65.80	68.20	-2.40	57.26	3	Vertical	200.8	1.72	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 88
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	69.43	74.00	-4.57	60.80	3	Horizontal	-0	1.80	-	34.10	5.45	30.92
AV	5.4588G	51.77	54.00	-2.23	43.14	3	Horizontal	-0	1.80	-	34.10	5.46	30.93
PK	5.462G	64.51	68.20	-3.69	55.88	3	Horizontal	-0	1.80	-	34.10	5.46	30.93
PK	5.64G	114.71	Inf	-Inf	106.23	3	Horizontal	-0	1.80	-	33.92	5.58	31.02
AV	5.5848G	105.68	Inf	-Inf	97.09	3	Horizontal	-0	1.80	-	34.03	5.56	31.00
PK	5.7312G	68.09	68.20	-0.11	59.55	3	Horizontal	-0	1.80	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 88
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2365G	57.41	74.00	-16.59	75.72	3	Vertical	169	2.01	-	38.67	8.48	65.46
AV	11.23685G	44.33	54.00	-9.67	62.64	3	Vertical	169	2.01	-	38.67	8.48	65.46

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 88
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2373G	50.82	74.00	-23.18	69.13	3	Horizontal	70	1.61	-	38.67	8.48	65.46
AV	11.2382G	37.43	54.00	-16.57	55.73	3	Horizontal	70	1.61	-	38.68	8.48	65.46

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 90
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6944G	118.56	Inf	-Inf	110.02	3	Vertical	147.5	1.80	-	33.99	5.60	31.05
AV	5.7008G	106.74	Inf	-Inf	98.19	3	Vertical	147.5	1.80	-	34.00	5.60	31.05
PK	5.8508G	67.84	68.20	-0.36	59.27	3	Vertical	147.5	1.80	-	34.00	5.69	31.12

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 Setting 90
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.656G	114.94	Inf	-Inf	106.47	3	Horizontal	8	1.80	-	33.91	5.59	31.03
AV	5.6648G	105.12	Inf	-Inf	96.64	3	Horizontal	8	1.80	-	33.93	5.59	31.04
PK	5.8752G	64.13	68.20	-4.07	55.45	3	Horizontal	8	1.80	-	34.10	5.71	31.13

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 90
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3854G	56.43	74.00	-17.57	74.41	3	Vertical	140	2.87	-	38.67	8.53	65.18
AV	11.3837G	44.86	54.00	-9.14	62.84	3	Vertical	140	2.87	-	38.67	8.53	65.18

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 90
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39135G	52.45	74.00	-21.55	70.41	3	Horizontal	87	1.42	-	38.68	8.53	65.17
AV	11.39425G	39.20	54.00	-14.80	57.14	3	Horizontal	87	1.42	-	38.69	8.53	65.16

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 Setting 89
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	68.08	69.68	-1.60	59.62	3	Vertical	210.2	1.80	-	33.90	5.59	31.03
PK	5.7415G	118.45	Inf	-Inf	109.91	3	Vertical	210.2	1.80	-	34.00	5.61	31.07
AV	5.7395G	107.71	Inf	-Inf	99.17	3	Vertical	210.2	1.80	-	34.00	5.61	31.07
PK	5.9325G	67.84	68.20	-0.36	58.96	3	Vertical	210.2	1.80	-	34.26	5.78	31.16

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 89
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	64.11	68.20	-4.09	55.59	3	Horizontal	2	1.80	-	33.96	5.58	31.02
PK	5.7795G	113.79	Inf	-Inf	105.26	3	Horizontal	2	1.80	-	34.00	5.62	31.09
AV	5.753G	103.95	Inf	-Inf	95.41	3	Horizontal	2	1.80	-	34.00	5.62	31.08
PK	5.929G	63.59	68.20	-4.61	54.72	3	Horizontal	2	1.80	-	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 89
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5588G	59.37	74.00	-14.63	76.63	3	Vertical	179	1.49	-	39.14	8.59	64.99
AV	11.5553G	47.96	54.00	-6.04	65.24	3	Vertical	179	1.49	-	39.12	8.59	64.99

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 89
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55505G	51.72	74.00	-22.28	69.00	3	Horizontal	203	2.20	-	39.12	8.59	64.99
AV	11.55565G	39.03	54.00	-14.97	56.31	3	Horizontal	203	2.20	-	39.12	8.59	64.99

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 80
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.33	74.00	-0.67	65.09	3	Vertical	61	2.92	-	33.60	5.32	30.68
AV	5.146G	53.59	54.00	-0.41	45.37	3	Vertical	61	2.92	-	33.59	5.31	30.68
PK	5.1764G	114.82	Inf	-Inf	106.47	3	Vertical	61	2.92	-	33.71	5.34	30.70
AV	5.2292G	100.08	Inf	-Inf	91.64	3	Vertical	61	2.92	-	33.80	5.38	30.74
PK	5.3732G	70.25	74.00	-3.75	61.71	3	Vertical	61	2.92	-	34.00	5.40	30.86
AV	5.3724G	53.53	54.00	-0.47	44.99	3	Vertical	61	2.92	-	34.00	5.40	30.86
PK	5.4668G	67.47	68.20	-0.73	58.84	3	Vertical	61	2.92	-	34.10	5.46	30.93

5.25-5.35GHz_802.11ax_HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 80
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	71.02	74.00	-2.98	62.79	3	Horizontal	2	2.24	-	33.60	5.31	30.68
AV	5.15G	51.37	54.00	-2.63	43.13	3	Horizontal	2	2.24	-	33.60	5.32	30.68
PK	5.178G	109.36	Inf	-Inf	101.00	3	Horizontal	2	2.24	-	33.71	5.35	30.70
AV	5.2564G	96.86	Inf	-Inf	88.44	3	Horizontal	2	2.24	-	33.81	5.38	30.77
PK	5.3764G	72.50	74.00	-1.50	63.95	3	Horizontal	2	2.24	-	34.00	5.41	30.86
AV	5.3764G	52.05	54.00	-1.95	43.50	3	Horizontal	2	2.24	-	34.00	5.41	30.86
PK	5.462G	66.05	68.20	-2.15	57.42	3	Horizontal	2	2.24	-	34.10	5.46	30.93

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 80
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7728G	53.91	74.00	-20.09	68.39	3	Vertical	331	2.61	-	37.51	10.21	62.20
AV	15.74015G	40.26	54.00	-13.74	54.60	3	Vertical	331	2.61	-	37.64	10.20	62.18

5.25-5.35GHz 802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_4TX
Setting 80
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7319G	54.10	74.00	-19.90	68.41	3	Horizontal	17	1.32	-	37.67	10.20	62.18
AV	15.74085G	40.27	54.00	-13.73	54.61	3	Horizontal	17	1.32	-	37.64	10.20	62.18

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 71
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	62.48	68.20	-5.72	53.98	3	Vertical	204.4	1.83	-	33.91	5.39	30.80
PK	5.3828G	65.45	74.00	-8.55	56.91	3	Vertical	204.4	1.83	-	34.00	5.41	30.87
PK	5.4652G	67.92	68.20	-0.28	59.29	3	Vertical	204.4	1.83	-	34.10	5.46	30.93
AV	5.4476G	52.80	54.00	-1.20	44.17	3	Vertical	204.4	1.83	-	34.10	5.45	30.92
PK	5.6132G	110.20	Inf	-Inf	101.67	3	Vertical	204.4	1.83	-	33.97	5.57	31.01
AV	5.6028G	98.76	Inf	-Inf	90.21	3	Vertical	204.4	1.83	-	33.99	5.57	31.01
PK	5.7252G	65.69	68.20	-2.51	57.14	3	Vertical	204.4	1.83	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 71
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2484G	61.10	68.20	-7.10	52.68	3	Horizontal	4	1.80	-	33.80	5.38	30.76
PK	5.458G	67.56	74.00	-6.44	58.93	3	Horizontal	4	1.80	-	34.10	5.46	30.93
AV	5.4588G	52.41	54.00	-1.59	43.78	3	Horizontal	4	1.80	-	34.10	5.46	30.93
PK	5.462G	65.86	68.20	-2.34	57.23	3	Horizontal	4	1.80	-	34.10	5.46	30.93
PK	5.4924G	110.53	Inf	-Inf	101.90	3	Horizontal	4	1.80	-	34.10	5.48	30.95
AV	5.542G	96.62	Inf	-Inf	87.98	3	Horizontal	4	1.80	-	34.10	5.52	30.98
PK	5.7764G	63.92	68.20	-4.28	55.39	3	Horizontal	4	1.80	-	34.00	5.62	31.09

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
Setting 71
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12615G	50.53	74.00	-23.47	69.16	3	Vertical	167	2.00	-	38.60	8.44	65.67
AV	11.12405G	37.25	54.00	-16.75	55.88	3	Vertical	167	2.00	-	38.60	8.44	65.67

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 71
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1193G	50.24	74.00	-23.76	68.88	3	Horizontal	151	1.92	-	38.60	8.44	65.68
AV	11.1244G	37.02	54.00	-16.98	55.65	3	Horizontal	151	1.92	-	38.60	8.44	65.67