


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1375G	64.46	74.00	-9.54	56.25	3	Vertical	204	2.54	83	33.58	5.30	30.67
AV	5.15G	53.62	54.00	-0.38	45.38	3	Vertical	204	2.54	83	33.60	5.32	30.68
PK	5.1755G	119.82	Inf	-Inf	111.48	3	Vertical	204	2.54	83	33.70	5.34	30.70
AV	5.175G	112.40	Inf	-Inf	104.06	3	Vertical	204	2.54	83	33.70	5.34	30.70
PK	5.3785G	61.25	74.00	-12.75	52.70	3	Vertical	204	2.54	83	34.00	5.41	30.86
AV	5.375G	50.75	54.00	-3.25	42.20	3	Vertical	204	2.54	83	34.00	5.41	30.86

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	64.97	74.00	-9.03	56.74	3	Horizontal	354	2.07	83	33.60	5.31	30.68
AV	5.15G	51.68	54.00	-2.32	43.44	3	Horizontal	354	2.07	83	33.60	5.32	30.68
PK	5.1815G	114.84	Inf	-Inf	106.47	3	Horizontal	354	2.07	83	33.73	5.35	30.71
AV	5.181G	107.14	Inf	-Inf	98.77	3	Horizontal	354	2.07	83	33.72	5.35	30.70
PK	5.416G	61.06	74.00	-12.94	52.50	3	Horizontal	354	2.07	83	34.03	5.42	30.89
AV	5.3865G	50.06	54.00	-3.94	41.52	3	Horizontal	354	2.07	83	34.00	5.41	30.87

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5588G	52.91	74.00	-21.09	67.06	3	Vertical	271	2.00	-	37.78	10.15	62.08
AV	15.5369G	39.38	54.00	-14.62	53.46	3	Vertical	271	2.00	-	37.85	10.14	62.07

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT Y_4TX
SET

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5384G	53.21	74.00	-20.79	67.29	3	Horizontal	72	1.54	-	37.85	10.14	62.07
AV	15.5542G	39.38	54.00	-14.62	53.53	3	Horizontal	72	1.54	-	37.79	10.14	62.08

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1485G	64.69	74.00	-9.31	56.46	3	Vertical	202	1.76	96	33.60	5.31	30.68
AV	5.15G	53.74	54.00	-0.26	45.50	3	Vertical	202	1.76	96	33.60	5.32	30.68
PK	5.194G	123.55	Inf	-Inf	115.13	3	Vertical	202	1.76	96	33.78	5.36	30.72
AV	5.193G	115.56	Inf	-Inf	107.14	3	Vertical	202	1.76	96	33.77	5.36	30.71
PK	5.396G	63.02	74.00	-10.98	54.49	3	Vertical	202	1.76	96	34.00	5.41	30.88
AV	5.3935G	53.48	54.00	-0.52	44.94	3	Vertical	202	1.76	96	34.00	5.41	30.87

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1425G	60.28	74.00	-13.72	52.05	3	Horizontal	351	1.30	96	33.59	5.31	30.67
AV	5.15G	49.97	54.00	-4.03	41.73	3	Horizontal	351	1.30	96	33.60	5.32	30.68
PK	5.2015G	117.63	Inf	-Inf	109.18	3	Horizontal	351	1.30	96	33.80	5.37	30.72
AV	5.201G	109.91	Inf	-Inf	101.46	3	Horizontal	351	1.30	96	33.80	5.37	30.72
PK	5.4G	61.46	74.00	-12.54	52.93	3	Horizontal	351	1.30	96	34.00	5.41	30.88
AV	5.4015G	50.48	54.00	-3.52	41.95	3	Horizontal	351	1.30	96	34.00	5.41	30.88

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6193G	61.69	74.00	-12.31	75.94	3	Vertical	199	1.09	-	37.70	10.16	62.11
AV	15.5801G	49.10	54.00	-4.90	63.30	3	Vertical	199	1.09	-	37.74	10.15	62.09

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5881G	52.85	74.00	-21.15	67.08	3	Horizontal	76	2.70	-	37.72	10.15	62.10
AV	15.5803G	39.10	54.00	-14.90	53.30	3	Horizontal	76	2.70	-	37.74	10.15	62.09

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.035G	64.61	74.00	-9.39	56.54	3	Vertical	203	1.73	98	33.47	5.19	30.59
AV	5.034G	53.64	54.00	-0.36	45.57	3	Vertical	203	1.73	98	33.47	5.19	30.59
PK	5.234G	123.33	Inf	-Inf	114.90	3	Vertical	203	1.73	98	33.80	5.38	30.75
AV	5.234G	114.93	Inf	-Inf	106.50	3	Vertical	203	1.73	98	33.80	5.38	30.75
PK	5.435G	63.34	74.00	-10.66	54.74	3	Vertical	203	1.73	98	34.07	5.44	30.91
AV	5.4335G	53.74	54.00	-0.26	45.14	3	Vertical	203	1.73	98	34.07	5.44	30.91
PK	5.4625G	61.29	68.20	-6.91	52.66	3	Vertical	203	1.73	98	34.10	5.46	30.93

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	60.24	74.00	-13.76	52.10	3	Horizontal	360	2.00	98	33.52	5.27	30.65
AV	5.15G	49.39	54.00	-4.61	41.15	3	Horizontal	360	2.00	98	33.60	5.32	30.68
PK	5.247G	120.35	Inf	-Inf	111.93	3	Horizontal	360	2.00	98	33.80	5.38	30.76
AV	5.2475G	111.32	Inf	-Inf	102.90	3	Horizontal	360	2.00	98	33.80	5.38	30.76
PK	5.416G	61.59	74.00	-12.41	53.03	3	Horizontal	360	2.00	98	34.03	5.42	30.89
AV	5.4335G	51.86	54.00	-2.14	43.26	3	Horizontal	360	2.00	98	34.07	5.44	30.91
PK	5.4675G	62.01	68.20	-6.19	53.38	3	Horizontal	360	2.00	98	34.10	5.46	30.93

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47141G	53.75	68.20	-14.45	72.60	3	Vertical	190	1.79	98	38.40	8.22	65.47
PK	15.72036G	66.94	74.00	-7.06	81.20	3	Vertical	243	2.29	98	37.72	10.19	62.17
AV	15.71924G	51.30	54.00	-2.70	65.56	3	Vertical	243	2.29	98	37.72	10.19	62.17

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47808G	53.09	68.20	-15.11	71.92	3	Horizontal	80	1.76	98	38.40	8.22	65.45
PK	15.7202G	60.98	74.00	-13.02	75.24	3	Horizontal	57	1.91	98	37.72	10.19	62.17
AV	15.71988G	46.40	54.00	-7.60	60.66	3	Horizontal	57	1.91	98	37.72	10.19	62.17

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.055G	63.71	74.00	-10.29	55.60	3	Vertical	202	1.80	98	33.50	5.21	30.60
AV	5.0535G	53.71	54.00	-0.29	45.60	3	Vertical	202	1.80	98	33.50	5.21	30.60
PK	5.2545G	123.53	Inf	-Inf	115.10	3	Vertical	202	1.80	98	33.81	5.38	30.76
AV	5.2535G	115.24	Inf	-Inf	106.81	3	Vertical	202	1.80	98	33.81	5.38	30.76
PK	5.4535G	64.76	74.00	-9.24	56.13	3	Vertical	202	1.80	98	34.10	5.45	30.92
AV	5.4535G	53.54	54.00	-0.46	44.91	3	Vertical	202	1.80	98	34.10	5.45	30.92
PK	5.497G	63.32	68.20	-4.88	54.69	3	Vertical	202	1.80	98	34.10	5.49	30.96

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	60.70	74.00	-13.30	52.58	3	Horizontal	-0	2.09	98	33.50	5.25	30.63
AV	5.068G	49.45	54.00	-4.55	41.34	3	Horizontal	-0	2.09	98	33.50	5.22	30.61
PK	5.2665G	120.25	Inf	-Inf	111.81	3	Horizontal	-0	2.09	98	33.83	5.38	30.77
AV	5.267G	112.04	Inf	-Inf	103.60	3	Horizontal	-0	2.09	98	33.83	5.38	30.77
PK	5.452G	61.61	74.00	-12.39	52.98	3	Horizontal	-0	2.09	98	34.10	5.45	30.92
AV	5.4525G	51.56	54.00	-2.44	42.93	3	Horizontal	-0	2.09	98	34.10	5.45	30.92
PK	5.468G	61.54	68.20	-6.66	52.91	3	Horizontal	-0	2.09	98	34.10	5.46	30.93

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.755G	60.60	74.00	-13.40	75.00	3	Vertical	357	1.81	-	37.58	10.21	62.19
AV	15.7599G	50.64	54.00	-3.36	65.06	3	Vertical	357	1.81	-	37.56	10.21	62.19

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.782G	52.69	74.00	-21.31	67.21	3	Horizontal	346	1.36	-	37.47	10.21	62.20
AV	15.7603G	39.64	54.00	-14.36	54.06	3	Horizontal	346	1.36	-	37.56	10.21	62.19

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0935G	63.69	74.00	-10.31	55.57	3	Vertical	202	1.67	96	33.50	5.25	30.63
AV	5.093G	53.03	54.00	-0.97	44.91	3	Vertical	202	1.67	96	33.50	5.25	30.63
PK	5.294G	121.64	Inf	-Inf	113.16	3	Vertical	202	1.67	96	33.89	5.39	30.80
AV	5.293G	113.95	Inf	-Inf	105.46	3	Vertical	202	1.67	96	33.89	5.39	30.79
PK	5.3515G	67.21	74.00	-6.79	58.65	3	Vertical	202	1.67	96	34.00	5.40	30.84
AV	5.3515G	53.97	54.00	-0.03	45.41	3	Vertical	202	1.67	96	34.00	5.40	30.84
PK	5.4935G	63.53	68.20	-4.67	54.90	3	Vertical	202	1.67	96	34.10	5.48	30.95

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.64	74.00	-12.36	53.40	3	Horizontal	360	2.06	96	33.60	5.32	30.68
AV	5.1075G	49.91	54.00	-4.09	41.77	3	Horizontal	360	2.06	96	33.52	5.27	30.65
PK	5.3065G	120.59	Inf	-Inf	112.10	3	Horizontal	360	2.06	96	33.91	5.39	30.81
AV	5.306G	111.19	Inf	-Inf	102.69	3	Horizontal	360	2.06	96	33.91	5.39	30.80
PK	5.365G	62.41	74.00	-11.59	53.86	3	Horizontal	360	2.06	96	34.00	5.40	30.85
AV	5.35G	51.34	54.00	-2.66	42.78	3	Horizontal	360	2.06	96	34.00	5.40	30.84
PK	5.494G	61.35	68.20	-6.85	52.72	3	Horizontal	360	2.06	96	34.10	5.49	30.96

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9083G	60.61	74.00	-13.39	75.31	3	Vertical	140	1.22	-	37.32	10.25	62.27
AV	15.8858G	48.05	54.00	-5.95	62.76	3	Vertical	140	1.22	-	37.30	10.25	62.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9172G	51.97	74.00	-22.03	66.67	3	Horizontal	253	2.71	-	37.33	10.25	62.28
AV	15.8858G	39.05	54.00	-14.95	53.76	3	Horizontal	253	2.71	-	37.30	10.25	62.26

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1175G	61.64	74.00	-12.36	53.48	3	Vertical	200	1.80	79	33.53	5.28	30.65
AV	5.113G	50.48	54.00	-3.52	42.33	3	Vertical	200	1.80	79	33.53	5.27	30.65
PK	5.3145G	118.87	Inf	-Inf	110.36	3	Vertical	200	1.80	79	33.93	5.39	30.81
AV	5.3125G	111.12	Inf	-Inf	102.62	3	Vertical	200	1.80	79	33.92	5.39	30.81
PK	5.351G	66.54	74.00	-7.46	57.98	3	Vertical	200	1.80	79	34.00	5.40	30.84
AV	5.3515G	53.60	54.00	-0.40	45.04	3	Vertical	200	1.80	79	34.00	5.40	30.84
PK	5.5155G	61.79	68.20	-6.41	53.16	3	Vertical	200	1.80	79	34.10	5.50	30.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	60.41	74.00	-13.59	52.27	3	Horizontal	356	2.03	79	33.52	5.27	30.65
AV	5.1275G	48.62	54.00	-5.38	40.44	3	Horizontal	356	2.03	79	33.55	5.29	30.66
PK	5.3195G	114.40	Inf	-Inf	105.89	3	Horizontal	356	2.03	79	33.94	5.39	30.82
AV	5.319G	106.87	Inf	-Inf	98.36	3	Horizontal	356	2.03	79	33.94	5.39	30.82
PK	5.351G	65.73	74.00	-8.27	57.17	3	Horizontal	356	2.03	79	34.00	5.40	30.84
AV	5.35G	51.34	54.00	-2.66	42.78	3	Horizontal	356	2.03	79	34.00	5.40	30.84
PK	5.5275G	60.70	68.20	-7.50	52.06	3	Horizontal	356	2.03	79	34.10	5.51	30.97

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9845G	53.79	74.00	-20.21	68.28	3	Vertical	89	1.58	-	37.54	10.28	62.31
AV	15.9393G	41.23	54.00	-12.77	55.88	3	Vertical	89	1.58	-	37.38	10.26	62.29

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9524G	52.18	74.00	-21.82	66.79	3	Horizontal	54	2.27	-	37.41	10.27	62.29
AV	15.9495G	38.25	54.00	-15.75	52.88	3	Horizontal	54	2.27	-	37.40	10.26	62.29

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
 SET 87
 80\93\87\90\89\77\83\86\87
 3.48\5.92\1.16\1.13\4.37\3.68\3.11\2.59\0.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	61.89	68.20	-6.31	53.41	3	Vertical	199	1.69	87	33.89	5.39	30.80
AV	5.35G	49.36	54.00	-4.64	40.80	3	Vertical	199	1.69	87	34.00	5.40	30.84
PK	5.455G	62.59	74.00	-11.41	53.96	3	Vertical	199	1.69	87	34.10	5.45	30.92
AV	5.454G	51.74	54.00	-2.26	43.11	3	Vertical	199	1.69	87	34.10	5.45	30.92
PK	5.47G	67.54	68.20	-0.66	58.91	3	Vertical	199	1.69	87	34.10	5.47	30.94
PK	5.494G	119.34	Inf	-Inf	110.71	3	Vertical	199	1.69	87	34.10	5.49	30.96
AV	5.4935G	111.45	Inf	-Inf	102.82	3	Vertical	199	1.69	87	34.10	5.48	30.95
PK	5.7495G	61.05	68.20	-7.15	52.51	3	Vertical	199	1.69	87	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
 SET 84
 87\77\82\84\85\84
 -2.43\3.88\3.48\2.37~-2.59\2.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	60.96	68.20	-7.24	52.46	3	Horizontal	358	1.87	84	33.91	5.39	30.80
AV	5.35G	48.74	54.00	-5.26	40.18	3	Horizontal	358	1.87	84	34.00	5.40	30.84
PK	5.4585G	62.07	74.00	-11.93	53.44	3	Horizontal	358	1.87	84	34.10	5.46	30.93
AV	5.46G	51.08	54.00	-2.92	42.45	3	Horizontal	358	1.87	84	34.10	5.46	30.93
PK	5.4685G	65.59	68.20	-2.61	56.96	3	Horizontal	358	1.87	84	34.10	5.46	30.93
PK	5.5075G	115.77	Inf	-Inf	107.13	3	Horizontal	358	1.87	84	34.10	5.50	30.96
AV	5.5075G	108.01	Inf	-Inf	99.37	3	Horizontal	358	1.87	84	34.10	5.50	30.96
PK	5.7415G	60.91	68.20	-7.29	52.37	3	Horizontal	358	1.87	84	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9911G	54.29	74.00	-19.71	73.29	3	Vertical	70	1.01	-	38.50	8.40	65.90
AV	10.9809G	43.68	54.00	-10.32	62.68	3	Vertical	70	1.01	-	38.50	8.39	65.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0027G	50.40	74.00	-23.60	69.40	3	Horizontal	16	1.17	-	38.50	8.40	65.90
AV	10.9809G	36.67	54.00	-17.33	55.67	3	Horizontal	16	1.17	-	38.50	8.39	65.89

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
 SET 103
 80\93\99\102\103
 3.44\1.81\0.98\0.58\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3365G	61.13	68.20	-7.07	52.59	3	Vertical	203	1.81	103	33.97	5.40	30.83
AV	5.35G	50.14	54.00	-3.86	41.58	3	Vertical	203	1.81	103	34.00	5.40	30.84
PK	5.373G	63.00	74.00	-11.00	54.46	3	Vertical	203	1.81	103	34.00	5.40	30.86
AV	5.375G	53.55	54.00	-0.45	45.00	3	Vertical	203	1.81	103	34.00	5.41	30.86
PK	5.468G	61.81	68.20	-6.39	53.18	3	Vertical	203	1.81	103	34.10	5.46	30.93
PK	5.574G	123.19	Inf	-Inf	114.58	3	Vertical	203	1.81	103	34.05	5.55	30.99
AV	5.5745G	115.37	Inf	-Inf	106.76	3	Vertical	203	1.81	103	34.05	5.55	30.99
PK	5.783G	63.64	68.20	-4.56	55.11	3	Vertical	203	1.81	103	34.00	5.62	31.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
 SET 103
 103
 2.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	60.59	68.20	-7.61	52.05	3	Horizontal	360	1.80	103	33.97	5.40	30.83
AV	5.35G	49.16	54.00	-4.84	40.60	3	Horizontal	360	1.80	103	34.00	5.40	30.84
AV	5.3875G	51.13	54.00	-2.87	42.59	3	Horizontal	360	1.80	103	34.00	5.41	30.87
PK	5.4565G	62.40	74.00	-11.60	53.77	3	Horizontal	360	1.80	103	34.10	5.46	30.93
PK	5.466G	62.16	68.20	-6.04	53.53	3	Horizontal	360	1.80	103	34.10	5.46	30.93
PK	5.586G	121.37	Inf	-Inf	112.78	3	Horizontal	360	1.80	103	34.03	5.56	31.00
AV	5.5865G	113.20	Inf	-Inf	104.61	3	Horizontal	360	1.80	103	34.03	5.56	31.00
PK	5.792G	62.64	68.20	-5.56	54.10	3	Horizontal	360	1.80	103	34.00	5.63	31.09

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1788G	61.00	74.00	-13.00	79.51	3	Vertical	59	2.37	-	38.60	8.46	65.57
AV	11.1478G	48.55	54.00	-5.45	67.13	3	Vertical	59	2.37	-	38.60	8.45	65.63

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT Y_4TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1513G	50.12	74.00	-23.88	68.69	3	Horizontal	343	2.99	-	38.60	8.45	65.62
AV	11.1476G	36.52	54.00	-17.48	55.10	3	Horizontal	343	2.99	-	38.60	8.45	65.63

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 SET 71
 80\72\68\70\71
 -1.87\ -0.49\5.01\5.20\3.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	59.20	74.00	-14.80	50.57	3	Vertical	144	1.79	71	34.10	5.46	30.93
AV	5.4545G	48.79	54.00	-5.21	40.16	3	Vertical	144	1.79	71	34.10	5.45	30.92
PK	5.461G	59.43	68.20	-8.77	50.80	3	Vertical	144	1.79	71	34.10	5.46	30.93
PK	5.708G	114.65	Inf	-Inf	106.11	3	Vertical	144	1.79	71	34.00	5.60	31.06
AV	5.7075G	107.02	Inf	-Inf	98.48	3	Vertical	144	1.79	71	34.00	5.60	31.06
PK	5.728G	64.59	68.20	-3.61	56.04	3	Vertical	144	1.79	71	34.00	5.61	31.06

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
 SET 71
 71
 5.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	60.21	74.00	-13.79	51.58	3	Horizontal	12	1.32	71	34.10	5.46	30.93
AV	5.4545G	48.79	54.00	-5.21	40.16	3	Horizontal	12	1.32	71	34.10	5.45	30.92
PK	5.466G	59.32	68.20	-8.88	50.69	3	Horizontal	12	1.32	71	34.10	5.46	30.93
PK	5.693G	112.99	Inf	-Inf	104.45	3	Horizontal	12	1.32	71	33.99	5.60	31.05
AV	5.6925G	105.08	Inf	-Inf	96.55	3	Horizontal	12	1.32	71	33.98	5.60	31.05
PK	5.73G	62.00	68.20	-6.20	53.46	3	Horizontal	12	1.32	71	34.00	5.61	31.07

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4037G	53.91	74.00	-20.09	71.80	3	Vertical	253	1.25	-	38.71	8.54	65.14
AV	11.3943G	40.51	54.00	-13.49	58.45	3	Vertical	253	1.25	-	38.69	8.53	65.16

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3896G	52.48	74.00	-21.52	70.44	3	Horizontal	96	2.61	-	38.68	8.53	65.17
AV	11.3941G	38.52	54.00	-15.48	56.46	3	Horizontal	96	2.61	-	38.69	8.53	65.16

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
 SET 108
 80\99\108
 4.97\4.50\3.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45486G	60.06	74.00	-13.94	51.43	3	Vertical	153	2.42	108	34.10	5.45	30.92
AV	5.45972G	49.71	54.00	-4.29	41.08	3	Vertical	153	2.42	108	34.10	5.46	30.93
PK	5.46458G	61.36	68.20	-6.84	52.73	3	Vertical	153	2.42	108	34.10	5.46	30.93
PK	5.71352G	123.48	Inf	-Inf	114.94	3	Vertical	153	2.42	108	34.00	5.60	31.06
AV	5.71244G	115.57	Inf	-Inf	107.03	3	Vertical	153	2.42	108	34.00	5.60	31.06
PK	5.8739G	64.71	68.20	-3.49	56.03	3	Vertical	153	2.42	108	34.10	5.71	31.13

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 SET 108
 108
 4.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.76	74.00	-13.24	52.13	3	Horizontal	1	1.56	108	34.10	5.46	30.93
AV	5.46G	49.92	54.00	-4.08	41.29	3	Horizontal	1	1.56	108	34.10	5.46	30.93
PK	5.46026G	60.76	68.20	-7.44	52.13	3	Horizontal	1	1.56	108	34.10	5.46	30.93
PK	5.72702G	121.62	Inf	-Inf	113.07	3	Horizontal	1	1.56	108	34.00	5.61	31.06
AV	5.72648G	113.54	Inf	-Inf	104.99	3	Horizontal	1	1.56	108	34.00	5.61	31.06
PK	5.85392G	63.82	68.20	-4.38	55.23	3	Horizontal	1	1.56	108	34.02	5.69	31.12

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43549G	64.31	74.00	-9.69	82.07	3	Vertical	214	1.77	108	38.77	8.55	65.08
AV	11.43592G	49.95	54.00	-4.05	67.71	3	Vertical	214	1.77	108	38.77	8.55	65.08
PK	17.15357G	64.23	68.20	-3.97	73.72	3	Vertical	120	1.87	108	41.71	11.08	62.28

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43912G	63.97	74.00	-10.03	81.72	3	Horizontal	129	1.80	108	38.78	8.55	65.08
AV	11.43904G	49.79	54.00	-4.21	67.54	3	Horizontal	129	1.80	108	38.78	8.55	65.08
PK	17.16368G	65.04	68.20	-3.16	74.49	3	Horizontal	45	1.80	108	41.75	11.09	62.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
 SET 108
 80\104\108
 6.20\4.17\5.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5425G	62.57	68.20	-5.63	53.93	3	Vertical	153	2.51	108	34.10	5.52	30.98
PK	5.7375G	123.03	Inf	-Inf	114.49	3	Vertical	153	2.51	108	34.00	5.61	31.07
AV	5.7375G	115.24	Inf	-Inf	106.70	3	Vertical	153	2.51	108	34.00	5.61	31.07
PK	5.939G	62.77	68.20	-5.43	53.87	3	Vertical	153	2.51	108	34.28	5.78	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
 SET 108
 108
 5.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5685G	62.99	68.20	-5.21	54.38	3	Horizontal	359	1.56	108	34.06	5.54	30.99
PK	5.753G	121.15	Inf	-Inf	112.61	3	Horizontal	359	1.56	108	34.00	5.62	31.08
AV	5.7515G	113.53	Inf	-Inf	104.99	3	Horizontal	359	1.56	108	34.00	5.62	31.08
PK	5.9665G	62.95	68.20	-5.25	54.01	3	Horizontal	359	1.56	108	34.30	5.81	31.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48544G	60.24	74.00	-13.76	77.79	3	Vertical	211	2.39	-	38.87	8.57	64.99
AV	11.49036G	49.36	54.00	-4.64	66.89	3	Vertical	211	2.39	-	38.88	8.57	64.98
PK	17.24214G	60.63	68.20	-7.57	69.83	3	Vertical	119	1.94	-	41.98	11.14	62.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48574G	60.06	74.00	-13.94	77.61	3	Horizontal	31	2.08	-	38.87	8.57	64.99
AV	11.49066G	50.04	54.00	-3.96	67.57	3	Horizontal	31	2.08	-	38.88	8.57	64.98
PK	17.2311G	61.58	68.20	-6.62	70.80	3	Horizontal	47	1.20	-	41.96	11.14	62.32

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
 SET 108
 80\105\108
 6.49\5.21\5.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6435G	62.75	68.20	-5.45	54.29	3	Vertical	152	2.50	108	33.91	5.58	31.03
PK	5.778G	122.71	Inf	-Inf	114.18	3	Vertical	152	2.50	108	34.00	5.62	31.09
AV	5.7775G	114.87	Inf	-Inf	106.34	3	Vertical	152	2.50	108	34.00	5.62	31.09
PK	5.931G	62.87	68.20	-5.33	54.00	3	Vertical	152	2.50	108	34.26	5.77	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
 SET 108
 108
 5.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5845G	62.54	68.20	-5.66	53.95	3	Horizontal	168	1.80	108	34.03	5.56	31.00
PK	5.787G	121.29	Inf	-Inf	112.75	3	Horizontal	168	1.80	108	34.00	5.63	31.09
AV	5.786G	112.61	Inf	-Inf	104.07	3	Horizontal	168	1.80	108	34.00	5.63	31.09
PK	5.961G	61.66	68.20	-6.54	52.72	3	Horizontal	168	1.80	108	34.30	5.81	31.17

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57132G	62.46	74.00	-11.54	79.67	3	Vertical	244	2.26	-	39.19	8.59	64.99
AV	11.5688G	51.41	54.00	-2.59	68.63	3	Vertical	244	2.26	-	39.18	8.59	64.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5598G	58.81	74.00	-15.19	76.07	3	Horizontal	210	3.00	-	39.14	8.59	64.99
AV	11.5571G	47.18	54.00	-6.82	64.45	3	Horizontal	210	3.00	-	39.13	8.59	64.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
 SET 108
 80\102\108
 5.60\5.65\5.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6185G	62.92	68.20	-5.28	54.39	3	Vertical	147	1.81	108	33.96	5.58	31.01
PK	5.833G	122.10	Inf	-Inf	113.54	3	Vertical	147	1.81	108	34.00	5.67	31.11
AV	5.8325G	114.49	Inf	-Inf	105.93	3	Vertical	147	1.81	108	34.00	5.67	31.11
PK	5.927G	63.17	68.20	-5.03	54.31	3	Vertical	147	1.81	108	34.25	5.77	31.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
 SET 108
 108
 4.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6315G	63.64	68.20	-4.56	55.14	3	Horizontal	359	1.72	108	33.94	5.58	31.02
PK	5.832G	120.90	Inf	-Inf	112.34	3	Horizontal	359	1.72	108	34.00	5.67	31.11
AV	5.8315G	112.55	Inf	-Inf	104.00	3	Horizontal	359	1.72	108	34.00	5.66	31.11
PK	6.032G	61.89	68.20	-6.31	52.80	3	Horizontal	359	1.72	108	34.43	5.86	31.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6684G	63.10	74.00	-10.90	80.17	3	Vertical	48	1.28	-	39.34	8.63	65.04
AV	11.6748G	50.37	54.00	-3.63	67.43	3	Vertical	48	1.28	-	39.35	8.63	65.04

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6699G	56.34	74.00	-17.66	73.41	3	Horizontal	99	2.04	-	39.34	8.63	65.04
AV	11.675G	44.41	54.00	-9.59	61.47	3	Horizontal	99	2.04	-	39.35	8.63	65.04

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
 SET 78
 80\77\78
 -0.53\0.79\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	63.73	74.00	-10.27	55.51	3	Vertical	199	1.10	78	33.59	5.31	30.68
AV	5.1465G	53.71	54.00	-0.29	45.49	3	Vertical	199	1.10	78	33.59	5.31	30.68
PK	5.182G	120.47	Inf	-Inf	112.10	3	Vertical	199	1.10	78	33.73	5.35	30.71
AV	5.1765G	109.74	Inf	-Inf	101.39	3	Vertical	199	1.10	78	33.71	5.34	30.70
PK	5.3885G	61.33	74.00	-12.67	52.79	3	Vertical	199	1.10	78	34.00	5.41	30.87
AV	5.372G	50.73	54.00	-3.27	42.19	3	Vertical	199	1.10	78	34.00	5.40	30.86

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
 SET 78
 78
 2.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.37	74.00	-8.63	57.13	3	Horizontal	352	2.07	78	33.60	5.32	30.68
AV	5.15G	51.68	54.00	-2.32	43.44	3	Horizontal	352	2.07	78	33.60	5.32	30.68
PK	5.176G	113.38	Inf	-Inf	105.04	3	Horizontal	352	2.07	78	33.70	5.34	30.70
AV	5.1755G	104.98	Inf	-Inf	96.64	3	Horizontal	352	2.07	78	33.70	5.34	30.70
PK	5.389G	60.80	74.00	-13.20	52.26	3	Horizontal	352	2.07	78	34.00	5.41	30.87
AV	5.3785G	49.85	54.00	-4.15	41.30	3	Horizontal	352	2.07	78	34.00	5.41	30.86

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5498G	55.71	74.00	-18.29	69.85	3	Vertical	226	1.84	-	37.80	10.14	62.08
AV	15.5328G	43.51	54.00	-10.49	57.57	3	Vertical	226	1.84	-	37.87	10.14	62.07

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5601G	53.70	74.00	-20.30	67.85	3	Horizontal	359	1.93	-	37.78	10.15	62.08
AV	15.5512G	40.54	54.00	-13.46	54.68	3	Horizontal	359	1.93	-	37.80	10.14	62.08

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 SET 92
 80\90\95\93\92
 2.66\0.92\ -0.75\ -0.07\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	64.81	74.00	-9.19	56.59	3	Vertical	203	1.77	92	33.59	5.31	30.68
AV	5.1465G	53.71	54.00	-0.29	45.49	3	Vertical	203	1.77	92	33.59	5.31	30.68
PK	5.207G	123.13	Inf	-Inf	114.69	3	Vertical	203	1.77	92	33.80	5.37	30.73
AV	5.1965G	113.78	Inf	-Inf	105.34	3	Vertical	203	1.77	92	33.79	5.37	30.72
PK	5.397G	62.50	74.00	-11.50	53.97	3	Vertical	203	1.77	92	34.00	5.41	30.88
AV	5.407G	52.90	54.00	-1.10	44.36	3	Vertical	203	1.77	92	34.01	5.42	30.89

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 SET 92
 92
 3.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	61.04	74.00	-12.96	52.82	3	Horizontal	355	2.04	92	33.59	5.31	30.68
AV	5.15G	50.70	54.00	-3.30	42.46	3	Horizontal	355	2.04	92	33.60	5.32	30.68
PK	5.1955G	118.45	Inf	-Inf	110.02	3	Horizontal	355	2.04	92	33.78	5.37	30.72
AV	5.1955G	108.76	Inf	-Inf	100.33	3	Horizontal	355	2.04	92	33.78	5.37	30.72
PK	5.4085G	61.56	74.00	-12.44	53.01	3	Horizontal	355	2.04	92	34.02	5.42	30.89
AV	5.404G	50.87	54.00	-3.13	42.33	3	Horizontal	355	2.04	92	34.01	5.41	30.88

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.5757G	59.17	74.00	-14.83	73.36	3	Vertical	224	2.61	-	37.75	10.15	62.09
AV	15.5771G	46.15	54.00	-7.85	60.34	3	Vertical	224	2.61	-	37.75	10.15	62.09

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5971G	52.28	74.00	-21.72	66.51	3	Horizontal	275	2.49	-	37.71	10.16	62.10
AV	15.5776G	40.42	54.00	-13.58	54.62	3	Horizontal	275	2.49	-	37.74	10.15	62.09

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 100
97.100
0.95\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0425G	64.02	74.00	-9.98	55.93	3	Vertical	202	2.49	100	33.48	5.20	30.59
AV	5.0415G	53.60	54.00	-0.40	45.51	3	Vertical	202	2.49	100	33.48	5.20	30.59
PK	5.2375G	123.53	Inf	-Inf	115.10	3	Vertical	202	2.49	100	33.80	5.38	30.75
AV	5.2415G	114.83	Inf	-Inf	106.40	3	Vertical	202	2.49	100	33.80	5.38	30.75
PK	5.437G	62.88	74.00	-11.12	54.28	3	Vertical	202	2.49	100	34.07	5.44	30.91
AV	5.4375G	53.39	54.00	-0.61	44.78	3	Vertical	202	2.49	100	34.08	5.44	30.91
PK	5.4805G	61.71	68.20	-6.49	53.08	3	Vertical	202	2.49	100	34.10	5.47	30.94

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 100
100
1.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0875G	60.54	74.00	-13.46	52.42	3	Horizontal	359	2.10	100	33.50	5.25	30.63
AV	5.089G	49.79	54.00	-4.21	41.67	3	Horizontal	359	2.10	100	33.50	5.25	30.63
PK	5.239G	121.23	Inf	-Inf	112.80	3	Horizontal	359	2.10	100	33.80	5.38	30.75
AV	5.2485G	110.09	Inf	-Inf	101.67	3	Horizontal	359	2.10	100	33.80	5.38	30.76
PK	5.4385G	63.17	74.00	-10.83	54.56	3	Horizontal	359	2.10	100	34.08	5.44	30.91
AV	5.435G	52.19	54.00	-1.81	43.59	3	Horizontal	359	2.10	100	34.07	5.44	30.91
PK	5.488G	61.03	68.20	-7.17	52.40	3	Horizontal	359	2.10	100	34.10	5.48	30.95

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7417G	50.90	74.00	-23.10	65.25	3	Vertical	307	1.16	-	37.63	10.20	62.18
AV	15.7223G	47.94	54.00	-6.06	62.20	3	Vertical	307	1.16	-	37.71	10.20	62.17

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7378G	53.17	74.00	-20.83	67.50	3	Horizontal	13	1.95	-	37.65	10.20	62.18
AV	15.7279G	41.04	54.00	-12.96	55.32	3	Horizontal	13	1.95	-	37.69	10.20	62.17

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
 SET 96
 80\89\93\95\96
 2.42\1.45\0.83\0.58\0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0665G	63.34	74.00	-10.66	55.23	3	Vertical	201	1.79	96	33.50	5.22	30.61
AV	5.0615G	53.53	54.00	-0.47	45.42	3	Vertical	201	1.79	96	33.50	5.22	30.61
PK	5.2565G	124.72	Inf	-Inf	116.30	3	Vertical	201	1.79	96	33.81	5.38	30.77
AV	5.257G	114.43	Inf	-Inf	106.01	3	Vertical	201	1.79	96	33.81	5.38	30.77
PK	5.364G	63.14	74.00	-10.86	54.59	3	Vertical	201	1.79	96	34.00	5.40	30.85
PK	5.4675G	65.65	68.20	-2.55	57.02	3	Vertical	201	1.79	96	34.10	5.46	30.93
AV	5.457G	53.42	54.00	-0.58	44.79	3	Vertical	201	1.79	96	34.10	5.46	30.93

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
 SET 96
 96
 2.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.08G	60.17	74.00	-13.83	52.05	3	Horizontal	360	2.09	96	33.50	5.24	30.62
AV	5.0585G	49.74	54.00	-4.26	41.64	3	Horizontal	360	2.09	96	33.50	5.21	30.61
PK	5.259G	120.94	Inf	-Inf	112.51	3	Horizontal	360	2.09	96	33.82	5.38	30.77
AV	5.2585G	110.93	Inf	-Inf	102.50	3	Horizontal	360	2.09	96	33.82	5.38	30.77
PK	5.4545G	61.73	74.00	-12.27	53.10	3	Horizontal	360	2.09	96	34.10	5.45	30.92
AV	5.4565G	51.75	54.00	-2.25	43.12	3	Horizontal	360	2.09	96	34.10	5.46	30.93
PK	5.467G	62.11	68.20	-6.09	53.48	3	Horizontal	360	2.09	96	34.10	5.46	30.93

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7599G	59.96	74.00	-14.04	74.38	3	Vertical	286	1.42	-	37.56	10.21	62.19
AV	15.7601G	47.43	54.00	-6.57	61.85	3	Vertical	286	1.42	-	37.56	10.21	62.19

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7805G	52.37	74.00	-21.63	66.88	3	Horizontal	97	1.43	-	37.48	10.21	62.20
AV	15.7603G	40.44	54.00	-13.56	54.86	3	Horizontal	97	1.43	-	37.56	10.21	62.19

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 SET 90
 80\90\95\93\92\91\90
 2.58\0.52\ -1.88\ -1.19\ -0.43\ -0.20\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1065G	63.80	74.00	-10.20	55.67	3	Vertical	200	1.83	90	33.51	5.27	30.65
AV	5.1065G	52.71	54.00	-1.29	44.58	3	Vertical	200	1.83	90	33.51	5.27	30.65
PK	5.2925G	122.50	Inf	-Inf	114.02	3	Vertical	200	1.83	90	33.88	5.39	30.79
AV	5.307G	113.24	Inf	-Inf	104.75	3	Vertical	200	1.83	90	33.91	5.39	30.81
PK	5.352G	65.06	74.00	-8.94	56.50	3	Vertical	200	1.83	90	34.00	5.40	30.84
AV	5.3515G	53.48	54.00	-0.52	44.92	3	Vertical	200	1.83	90	34.00	5.40	30.84
PK	5.492G	62.69	68.20	-5.51	54.06	3	Vertical	200	1.83	90	34.10	5.48	30.95

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 SET 90
 90
 2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.077G	60.41	74.00	-13.59	52.30	3	Horizontal	358	1.78	90	33.50	5.23	30.62
AV	5.1485G	49.37	54.00	-4.63	41.14	3	Horizontal	358	1.78	90	33.60	5.31	30.68
PK	5.3035G	119.21	Inf	-Inf	110.71	3	Horizontal	358	1.78	90	33.91	5.39	30.80
AV	5.3035G	108.32	Inf	-Inf	99.82	3	Horizontal	358	1.78	90	33.91	5.39	30.80
PK	5.3635G	62.58	74.00	-11.42	54.03	3	Horizontal	358	1.78	90	34.00	5.40	30.85
AV	5.354G	51.19	54.00	-2.81	42.63	3	Horizontal	358	1.78	90	34.00	5.40	30.84
PK	5.499G	62.13	68.20	-6.07	53.50	3	Horizontal	358	1.78	90	34.10	5.49	30.96

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8982G	57.33	74.00	-16.67	72.05	3	Vertical	65	1.73	-	37.30	10.25	62.27
AV	15.9182G	45.17	54.00	-8.83	59.85	3	Vertical	65	1.73	-	37.34	10.26	62.28

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9087G	52.39	74.00	-21.61	67.09	3	Horizontal	139	1.50	-	37.32	10.25	62.27
AV	15.8858G	40.13	54.00	-13.87	54.84	3	Horizontal	139	1.50	-	37.30	10.25	62.26

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
 SET 71
 80\68\74\71
 -2.96\1.45\ -0.20\0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1125G	60.42	74.00	-13.58	52.28	3	Vertical	200	1.78	71	33.52	5.27	30.65
AV	5.1265G	50.20	54.00	-3.80	42.02	3	Vertical	200	1.78	71	33.55	5.29	30.66
PK	5.322G	118.02	Inf	-Inf	109.51	3	Vertical	200	1.78	71	33.94	5.39	30.82
AV	5.3215G	108.68	Inf	-Inf	100.17	3	Vertical	200	1.78	71	33.94	5.39	30.82
PK	5.352G	64.09	74.00	-9.91	55.53	3	Vertical	200	1.78	71	34.00	5.40	30.84
AV	5.3515G	53.60	54.00	-0.40	45.04	3	Vertical	200	1.78	71	34.00	5.40	30.84
PK	5.5275G	61.45	68.20	-6.75	52.81	3	Vertical	200	1.78	71	34.10	5.51	30.97

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 71
71
3.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0945G	59.51	74.00	-14.49	51.40	3	Horizontal	356	2.05	71	33.50	5.25	30.64
AV	5.1185G	48.79	54.00	-5.21	40.62	3	Horizontal	356	2.05	71	33.54	5.28	30.65
PK	5.3135G	114.05	Inf	-Inf	105.54	3	Horizontal	356	2.05	71	33.93	5.39	30.81
AV	5.3185G	104.29	Inf	-Inf	95.77	3	Horizontal	356	2.05	71	33.94	5.39	30.81
PK	5.3545G	61.87	74.00	-12.13	53.31	3	Horizontal	356	2.05	71	34.00	5.40	30.84
AV	5.35G	50.50	54.00	-3.50	41.94	3	Horizontal	356	2.05	71	34.00	5.40	30.84
PK	5.52G	60.21	68.20	-7.99	51.57	3	Horizontal	356	2.05	71	34.10	5.51	30.97

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9511G	53.89	74.00	-20.11	68.51	3	Vertical	255	1.92	-	37.40	10.27	62.29
AV	15.9493G	39.52	54.00	-14.48	54.15	3	Vertical	255	1.92	-	37.40	10.26	62.29

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9458G	51.69	74.00	-22.31	66.33	3	Horizontal	187	2.63	-	37.39	10.26	62.29
AV	15.9434G	39.42	54.00	-14.58	54.06	3	Horizontal	187	2.63	-	37.39	10.26	62.29

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
 SET 81
 80\83\82\81
 0.78\1.71\0.64\1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.302G	61.73	68.20	-6.47	53.24	3	Vertical	201	2.33	81	33.90	5.39	30.80
AV	5.35G	49.16	54.00	-4.84	40.60	3	Vertical	201	2.33	81	34.00	5.40	30.84
PK	5.4565G	62.21	74.00	-11.79	53.58	3	Vertical	201	2.33	81	34.10	5.46	30.93
AV	5.4565G	52.70	54.00	-1.30	44.07	3	Vertical	201	2.33	81	34.10	5.46	30.93
PK	5.466G	67.02	68.20	-1.18	58.39	3	Vertical	201	2.33	81	34.10	5.46	30.93
PK	5.4975G	120.01	Inf	-Inf	111.38	3	Vertical	201	2.33	81	34.10	5.49	30.96
AV	5.497G	109.74	Inf	-Inf	101.11	3	Vertical	201	2.33	81	34.10	5.49	30.96
PK	5.7265G	60.71	68.20	-7.49	52.16	3	Vertical	201	2.33	81	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 SET 81
 81
 2.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2995G	60.75	68.20	-7.45	52.26	3	Horizontal	358	1.52	81	33.90	5.39	30.80
AV	5.35G	48.95	54.00	-5.05	40.39	3	Horizontal	358	1.52	81	34.00	5.40	30.84
PK	5.457G	61.15	74.00	-12.85	52.52	3	Horizontal	358	1.52	81	34.10	5.46	30.93
AV	5.4585G	51.25	54.00	-2.75	42.62	3	Horizontal	358	1.52	81	34.10	5.46	30.93
PK	5.4645G	64.64	68.20	-3.56	56.01	3	Horizontal	358	1.52	81	34.10	5.46	30.93
PK	5.5035G	116.77	Inf	-Inf	108.14	3	Horizontal	358	1.52	81	34.10	5.49	30.96
AV	5.5085G	107.10	Inf	-Inf	98.46	3	Horizontal	358	1.52	81	34.10	5.50	30.96
PK	5.7325G	60.43	68.20	-7.77	51.89	3	Horizontal	358	1.52	81	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0246G	51.90	74.00	-22.10	70.85	3	Vertical	326	2.52	-	38.50	8.41	65.86
AV	10.9799G	39.60	54.00	-14.40	58.60	3	Vertical	326	2.52	-	38.50	8.39	65.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.001G	49.90	74.00	-24.10	68.91	3	Horizontal	51	1.23	-	38.50	8.40	65.91
AV	10.9808G	37.59	54.00	-16.41	56.59	3	Horizontal	51	1.23	-	38.50	8.39	65.89

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
 SET 105
 80\93\99\102\103\104\105
 3.42\1.94\1.37\0.86\0.73\0.70\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3435G	60.65	68.20	-7.55	52.09	3	Vertical	201	2.34	105	33.99	5.40	30.83
AV	5.35G	50.32	54.00	-3.68	41.76	3	Vertical	201	2.34	105	34.00	5.40	30.84
AV	5.3765G	53.68	54.00	-0.32	45.13	3	Vertical	201	2.34	105	34.00	5.41	30.86
PK	5.41G	62.76	74.00	-11.24	54.21	3	Vertical	201	2.34	105	34.02	5.42	30.89
PK	5.4655G	62.93	68.20	-5.27	54.30	3	Vertical	201	2.34	105	34.10	5.46	30.93
PK	5.582G	124.91	Inf	-Inf	116.31	3	Vertical	201	2.34	105	34.04	5.56	31.00
AV	5.582G	115.59	Inf	-Inf	106.99	3	Vertical	201	2.34	105	34.04	5.56	31.00
PK	5.7825G	63.34	68.20	-4.86	54.81	3	Vertical	201	2.34	105	34.00	5.62	31.09

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
 SET 105
 105
 2.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	60.36	68.20	-7.84	51.81	3	Horizontal	360	1.72	105	33.98	5.40	30.83
AV	5.35G	49.76	54.00	-4.24	41.20	3	Horizontal	360	1.72	105	34.00	5.40	30.84
PK	5.374G	61.97	74.00	-12.03	53.43	3	Horizontal	360	1.72	105	34.00	5.40	30.86
AV	5.3835G	51.76	54.00	-2.24	43.22	3	Horizontal	360	1.72	105	34.00	5.41	30.87
PK	5.466G	60.79	68.20	-7.41	52.16	3	Horizontal	360	1.72	105	34.10	5.46	30.93
PK	5.5785G	124.10	Inf	-Inf	115.51	3	Horizontal	360	1.72	105	34.04	5.55	31.00
AV	5.5835G	113.27	Inf	-Inf	104.68	3	Horizontal	360	1.72	105	34.03	5.56	31.00
PK	5.7765G	62.97	68.20	-5.23	54.44	3	Horizontal	360	1.72	105	34.00	5.62	31.09

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1459G	59.90	74.00	-14.10	78.48	3	Vertical	223	2.93	-	38.60	8.45	65.63
AV	11.146G	48.60	54.00	-5.40	67.18	3	Vertical	223	2.93	-	38.60	8.45	65.63

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT Y_4TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1606G	50.04	74.00	-23.96	68.59	3	Horizontal	272	2.73	-	38.60	8.45	65.60
AV	11.1447G	37.83	54.00	-16.17	56.42	3	Horizontal	272	2.73	-	38.60	8.45	65.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 SET 72
 80\59\69\74\72\73\72
 -5.22\4.76\2.43\ -2.29\1.51\ -4.70\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.65	74.00	-13.35	52.02	3	Vertical	153	2.53	72	34.10	5.45	30.92
AV	5.4535G	49.46	54.00	-4.54	40.83	3	Vertical	153	2.53	72	34.10	5.45	30.92
PK	5.466G	59.10	68.20	-9.10	50.47	3	Vertical	153	2.53	72	34.10	5.46	30.93
PK	5.6965G	117.47	Inf	-Inf	108.93	3	Vertical	153	2.53	72	33.99	5.60	31.05
AV	5.701G	108.30	Inf	-Inf	99.75	3	Vertical	153	2.53	72	34.00	5.60	31.05
PK	5.726G	67.79	68.20	-0.41	59.24	3	Vertical	153	2.53	72	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
 SET 72
 72
 4.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	60.31	74.00	-13.69	51.68	3	Horizontal	-0	1.69	72	34.10	5.45	30.92
AV	5.454G	49.46	54.00	-4.54	40.83	3	Horizontal	-0	1.69	72	34.10	5.45	30.92
PK	5.4605G	59.63	68.20	-8.57	51.00	3	Horizontal	-0	1.69	72	34.10	5.46	30.93
PK	5.6965G	115.19	Inf	-Inf	106.65	3	Horizontal	-0	1.69	72	33.99	5.60	31.05
AV	5.7035G	104.56	Inf	-Inf	96.01	3	Horizontal	-0	1.69	72	34.00	5.60	31.05
PK	5.729G	63.29	68.20	-4.91	54.75	3	Horizontal	-0	1.69	72	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4044G	52.02	74.00	-21.98	69.91	3	Vertical	293	1.82	-	38.71	8.54	65.14
AV	11.3924G	39.61	54.00	-14.39	57.56	3	Vertical	293	1.82	-	38.68	8.53	65.16

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4152G	51.70	74.00	-22.30	69.55	3	Horizontal	87	2.03	-	38.73	8.54	65.12
AV	11.3946G	39.59	54.00	-14.41	57.53	3	Horizontal	87	2.03	-	38.69	8.53	65.16

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 SET 108
 80\98\107\108
 4.55\4.09\3.90\3.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	59.89	74.00	-14.11	51.26	3	Vertical	154	1.80	108	34.10	5.46	30.93
AV	5.4581G	50.11	54.00	-3.89	41.48	3	Vertical	154	1.80	108	34.10	5.46	30.93
PK	5.46998G	61.28	68.20	-6.92	52.65	3	Vertical	154	1.80	108	34.10	5.47	30.94
PK	5.71136G	125.39	Inf	-Inf	116.85	3	Vertical	154	1.80	108	34.00	5.60	31.06
AV	5.72162G	115.21	Inf	-Inf	106.66	3	Vertical	154	1.80	108	34.00	5.61	31.06
PK	5.91764G	63.40	68.20	-4.80	54.55	3	Vertical	154	1.80	108	34.24	5.76	31.15

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
 SET 108
 108
 3.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45756G	61.32	74.00	-12.68	52.69	3	Horizontal	1	1.79	108	34.10	5.46	30.93
AV	5.45972G	50.52	54.00	-3.48	41.89	3	Horizontal	1	1.79	108	34.10	5.46	30.93
PK	5.46782G	60.19	68.20	-8.01	51.56	3	Horizontal	1	1.79	108	34.10	5.46	30.93
PK	5.72378G	121.84	Inf	-Inf	113.29	3	Horizontal	1	1.79	108	34.00	5.61	31.06
AV	5.72324G	112.46	Inf	-Inf	103.91	3	Horizontal	1	1.79	108	34.00	5.61	31.06
PK	5.85068G	62.79	68.20	-5.41	54.22	3	Horizontal	1	1.79	108	34.00	5.69	31.12

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4164G	63.44	74.00	-10.56	81.29	3	Vertical	250	1.29	-	38.73	8.54	65.12
AV	11.4156G	50.73	54.00	-3.27	68.58	3	Vertical	250	1.29	-	38.73	8.54	65.12

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4195G	60.93	74.00	-13.07	78.76	3	Horizontal	26	1.50	-	38.74	8.54	65.11
AV	11.415G	49.77	54.00	-4.23	67.62	3	Horizontal	26	1.50	-	38.73	8.54	65.12

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 SET 108
 80\104\108
 6.21\4.37\4.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.546G	63.67	68.20	-4.53	55.02	3	Vertical	156	2.59	108	34.10	5.53	30.98
PK	5.7365G	125.31	Inf	-Inf	116.77	3	Vertical	156	2.59	108	34.00	5.61	31.07
AV	5.751G	115.68	Inf	-Inf	107.14	3	Vertical	156	2.59	108	34.00	5.62	31.08
PK	5.9465G	63.43	68.20	-4.77	54.52	3	Vertical	156	2.59	108	34.29	5.79	31.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 SET 108
 108
 4.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.548G	62.27	68.20	-5.93	53.62	3	Horizontal	10	1.74	108	34.10	5.53	30.98
PK	5.7415G	123.01	Inf	-Inf	114.47	3	Horizontal	10	1.74	108	34.00	5.61	31.07
AV	5.7415G	112.63	Inf	-Inf	104.09	3	Horizontal	10	1.74	108	34.00	5.61	31.07
PK	5.937G	63.22	68.20	-4.98	54.33	3	Horizontal	10	1.74	108	34.27	5.78	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.502G	61.76	74.00	-12.24	79.24	3	Vertical	328	2.65	-	38.91	8.57	64.96
AV	11.4684G	49.72	54.00	-4.28	67.34	3	Vertical	328	2.65	-	38.84	8.56	65.02

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5091G	59.98	74.00	-14.02	77.43	3	Horizontal	115	1.76	-	38.94	8.57	64.96
AV	11.5074G	47.67	54.00	-6.33	65.13	3	Horizontal	115	1.76	-	38.93	8.57	64.96

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 108
80\104\108
6.15\3.23\3.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5895G	64.41	68.20	-3.79	55.83	3	Vertical	216	1.70	108	34.02	5.56	31.00
PK	5.784G	125.44	Inf	-Inf	116.90	3	Vertical	216	1.70	108	34.00	5.63	31.09
AV	5.784G	114.89	Inf	-Inf	106.35	3	Vertical	216	1.70	108	34.00	5.63	31.09
PK	5.9775G	64.11	68.20	-4.09	55.16	3	Vertical	216	1.70	108	34.30	5.83	31.18

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 108
108
5.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5815G	63.03	68.20	-5.17	54.43	3	Horizontal	9	1.08	108	34.04	5.56	31.00
PK	5.777G	121.10	Inf	-Inf	112.57	3	Horizontal	9	1.08	108	34.00	5.62	31.09
AV	5.7865G	112.92	Inf	-Inf	104.38	3	Horizontal	9	1.08	108	34.00	5.63	31.09
PK	5.948G	62.55	68.20	-5.65	53.63	3	Horizontal	9	1.08	108	34.30	5.79	31.17

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55896G	61.97	74.00	-12.03	79.23	3	Vertical	244	2.79	-	39.14	8.59	64.99
AV	11.56862G	52.91	54.00	-1.09	70.14	3	Vertical	244	2.79	-	39.17	8.59	64.99

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58488G	50.04	74.00	-23.96	67.20	3	Horizontal	21	1.00	-	39.24	8.60	65.00
AV	11.5691G	39.06	54.00	-14.94	56.28	3	Horizontal	21	1.00	-	39.18	8.59	64.99

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 SET 108
 80\105\108
 6.44\3.89\3.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	63.64	68.20	-4.56	55.14	3	Vertical	157	2.08	108	33.94	5.58	31.02
PK	5.831G	125.20	Inf	-Inf	116.65	3	Vertical	157	2.08	108	34.00	5.66	31.11
AV	5.8315G	114.75	Inf	-Inf	106.20	3	Vertical	157	2.08	108	34.00	5.66	31.11
PK	5.926G	64.30	68.20	-3.90	55.44	3	Vertical	157	2.08	108	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 108
108
5.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6295G	62.16	68.20	-6.04	53.66	3	Horizontal	231	1.83	108	33.94	5.58	31.02
PK	5.827G	120.86	Inf	-Inf	112.31	3	Horizontal	231	1.83	108	34.00	5.66	31.11
AV	5.8265G	111.56	Inf	-Inf	103.01	3	Horizontal	231	1.83	108	34.00	5.66	31.11
PK	5.9275G	62.89	68.20	-5.31	54.02	3	Horizontal	231	1.83	108	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6705G	64.75	74.00	-9.25	81.82	3	Vertical	211	2.91	-	39.34	8.63	65.04
AV	11.6724G	52.23	54.00	-1.77	69.30	3	Vertical	211	2.91	-	39.34	8.63	65.04

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6562G	58.95	74.00	-15.05	76.05	3	Horizontal	68	1.10	-	39.31	8.62	65.03
AV	11.6745G	46.22	54.00	-7.78	63.28	3	Horizontal	68	1.10	-	39.35	8.63	65.04

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
 SET 61
 61
 0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	63.85	74.00	-10.15	55.63	3	Vertical	202	1.77	61	33.59	5.31	30.68
AV	5.1465G	53.71	54.00	-0.29	45.49	3	Vertical	202	1.77	61	33.59	5.31	30.68
PK	5.192G	113.95	Inf	-Inf	105.53	3	Vertical	202	1.77	61	33.77	5.36	30.71
AV	5.1915G	103.81	Inf	-Inf	95.39	3	Vertical	202	1.77	61	33.77	5.36	30.71
PK	5.4095G	60.83	74.00	-13.17	52.28	3	Vertical	202	1.77	61	34.02	5.42	30.89
AV	5.3715G	50.19	54.00	-3.81	41.65	3	Vertical	202	1.77	61	34.00	5.40	30.86

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 61
61
2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.75	74.00	-13.25	52.52	3	Horizontal	1	2.23	61	33.60	5.31	30.68
AV	5.149G	51.51	54.00	-2.49	43.28	3	Horizontal	1	2.23	61	33.60	5.31	30.68
PK	5.199G	109.25	Inf	-Inf	100.80	3	Horizontal	1	2.23	61	33.80	5.37	30.72
AV	5.1935G	98.96	Inf	-Inf	90.54	3	Horizontal	1	2.23	61	33.77	5.36	30.71
PK	5.3975G	60.20	74.00	-13.80	51.67	3	Horizontal	1	2.23	61	34.00	5.41	30.88
AV	5.412G	50.03	54.00	-3.97	41.48	3	Horizontal	1	2.23	61	34.02	5.42	30.89

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57333G	53.06	74.00	-20.94	67.25	3	Vertical	68	1.80	-	37.75	10.15	62.09
AV	15.5489G	41.31	54.00	-12.69	55.45	3	Vertical	68	1.80	-	37.80	10.14	62.08

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5546G	52.49	74.00	-21.51	66.64	3	Horizontal	334	1.96	-	37.79	10.14	62.08
AV	15.5497G	41.13	54.00	-12.87	55.27	3	Horizontal	334	1.96	-	37.80	10.14	62.08

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
 SET 85
 85
 0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	62.58	74.00	-11.42	54.36	3	Vertical	203	1.80	85	33.59	5.31	30.68
AV	5.1465G	53.71	54.00	-0.29	45.49	3	Vertical	203	1.80	85	33.59	5.31	30.68
PK	5.237G	118.21	Inf	-Inf	109.78	3	Vertical	203	1.80	85	33.80	5.38	30.75
AV	5.2415G	109.02	Inf	-Inf	100.59	3	Vertical	203	1.80	85	33.80	5.38	30.75
PK	5.4275G	61.61	74.00	-12.39	53.03	3	Vertical	203	1.80	85	34.05	5.43	30.90
AV	5.351G	51.97	54.00	-2.03	43.41	3	Vertical	203	1.80	85	34.00	5.40	30.84
PK	5.463G	61.07	68.20	-7.13	52.44	3	Vertical	203	1.80	85	34.10	5.46	30.93

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
 SET 85
 85
 2.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.099G	60.46	74.00	-13.54	52.34	3	Horizontal	359	2.02	85	33.50	5.26	30.64
AV	5.1485G	51.02	54.00	-2.98	42.79	3	Horizontal	359	2.02	85	33.60	5.31	30.68
PK	5.214G	113.44	Inf	-Inf	105.00	3	Horizontal	359	2.02	85	33.80	5.37	30.73
AV	5.2235G	104.67	Inf	-Inf	96.24	3	Horizontal	359	2.02	85	33.80	5.37	30.74
PK	5.442G	61.46	74.00	-12.54	52.85	3	Horizontal	359	2.02	85	34.08	5.44	30.91
AV	5.3815G	51.27	54.00	-2.73	42.73	3	Horizontal	359	2.02	85	34.00	5.41	30.87
PK	5.4655G	60.05	68.20	-8.15	51.42	3	Horizontal	359	2.02	85	34.10	5.46	30.93

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6898G	55.83	74.00	-18.17	70.01	3	Vertical	19	2.72	-	37.78	10.19	62.15
AV	15.6852G	45.32	54.00	-8.68	59.52	3	Vertical	19	2.72	-	37.77	10.18	62.15

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6741G	53.29	74.00	-20.71	67.50	3	Horizontal	228	1.73	-	37.75	10.18	62.14
AV	15.6696G	41.74	54.00	-12.26	55.96	3	Horizontal	228	1.73	-	37.74	10.18	62.14

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 SET 85
 80\85
 1.46\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1365G	62.70	74.00	-11.30	54.50	3	Vertical	201	1.80	85	33.57	5.30	30.67
AV	5.086G	52.44	54.00	-1.56	44.33	3	Vertical	201	1.80	85	33.50	5.24	30.63
PK	5.272G	118.86	Inf	-Inf	110.42	3	Vertical	201	1.80	85	33.84	5.38	30.78
AV	5.267G	109.31	Inf	-Inf	100.87	3	Vertical	201	1.80	85	33.83	5.38	30.77
PK	5.3525G	63.15	74.00	-10.85	54.59	3	Vertical	201	1.80	85	34.00	5.40	30.84
AV	5.3515G	53.97	54.00	-0.03	45.41	3	Vertical	201	1.80	85	34.00	5.40	30.84
PK	5.478G	62.95	68.20	-5.25	54.32	3	Vertical	201	1.80	85	34.10	5.47	30.94

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
 SET 85
 85
 2.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1085G	60.89	74.00	-13.11	52.75	3	Horizontal	359	2.09	85	33.52	5.27	30.65
AV	5.1095G	50.28	54.00	-3.72	42.14	3	Horizontal	359	2.09	85	33.52	5.27	30.65
PK	5.259G	115.11	Inf	-Inf	106.68	3	Horizontal	359	2.09	85	33.82	5.38	30.77
AV	5.2735G	105.98	Inf	-Inf	97.53	3	Horizontal	359	2.09	85	33.85	5.38	30.78
PK	5.3705G	61.42	74.00	-12.58	52.88	3	Horizontal	359	2.09	85	34.00	5.40	30.86
AV	5.3545G	51.98	54.00	-2.02	43.42	3	Horizontal	359	2.09	85	34.00	5.40	30.84
PK	5.488G	61.03	68.20	-7.17	52.40	3	Horizontal	359	2.09	85	34.10	5.48	30.95

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8224G	56.01	74.00	-17.99	70.64	3	Vertical	126	1.21	-	37.36	10.23	62.22
AV	15.7957G	44.92	54.00	-9.08	59.49	3	Vertical	126	1.21	-	37.42	10.22	62.21

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8001G	51.83	74.00	-22.17	66.42	3	Horizontal	242	2.76	-	37.40	10.22	62.21
AV	15.7942G	40.91	54.00	-13.09	55.48	3	Horizontal	242	2.76	-	37.42	10.22	62.21

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 SET 62
 80\56\68\62
 -5.93\1.59\ -1.69\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	60.05	74.00	-13.95	51.85	3	Vertical	200	1.83	62	33.57	5.30	30.67
AV	5.1115G	49.93	54.00	-4.07	41.79	3	Vertical	200	1.83	62	33.52	5.27	30.65
PK	5.3065G	113.75	Inf	-Inf	105.26	3	Vertical	200	1.83	62	33.91	5.39	30.81
AV	5.3065G	103.81	Inf	-Inf	95.32	3	Vertical	200	1.83	62	33.91	5.39	30.81
PK	5.357G	62.91	74.00	-11.09	54.36	3	Vertical	200	1.83	62	34.00	5.40	30.85
AV	5.352G	53.85	54.00	-0.15	45.29	3	Vertical	200	1.83	62	34.00	5.40	30.84
PK	5.5005G	60.80	68.20	-7.40	52.17	3	Vertical	200	1.83	62	34.10	5.49	30.96

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 SET 62
 62
 2.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0665G	59.84	74.00	-14.16	51.73	3	Horizontal	356	1.91	62	33.50	5.22	30.61
AV	5.11G	49.35	54.00	-4.65	41.21	3	Horizontal	356	1.91	62	33.52	5.27	30.65
PK	5.305G	109.15	Inf	-Inf	100.65	3	Horizontal	356	1.91	62	33.91	5.39	30.80
AV	5.3035G	99.22	Inf	-Inf	90.72	3	Horizontal	356	1.91	62	33.91	5.39	30.80
PK	5.3565G	60.48	74.00	-13.52	51.93	3	Horizontal	356	1.91	62	34.00	5.40	30.85
AV	5.35G	51.18	54.00	-2.82	42.62	3	Horizontal	356	1.91	62	34.00	5.40	30.84
PK	5.4815G	60.94	68.20	-7.26	52.31	3	Horizontal	356	1.91	62	34.10	5.48	30.95

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9479G	51.57	74.00	-22.43	66.20	3	Vertical	325	2.67	-	37.40	10.26	62.29
AV	15.9149G	40.80	54.00	-13.20	55.49	3	Vertical	325	2.67	-	37.33	10.25	62.27

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT Y_4TX
SET

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92966G	52.04	74.00	-21.96	66.70	3	Horizontal	30	1.95	-	37.36	10.26	62.28
AV	15.9177G	40.60	54.00	-13.40	55.29	3	Horizontal	30	1.95	-	37.34	10.25	62.28

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
 SET 72
 80\64\72
 -3.95\2.41\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	62.00	68.20	-6.20	53.51	3	Vertical	200	1.76	72	33.91	5.39	30.81
AV	5.35G	49.95	54.00	-4.05	41.39	3	Vertical	200	1.76	72	34.00	5.40	30.84
PK	5.4575G	63.47	74.00	-10.53	54.84	3	Vertical	200	1.76	72	34.10	5.46	30.93
AV	5.457G	53.96	54.00	-0.04	45.33	3	Vertical	200	1.76	72	34.10	5.46	30.93
PK	5.4675G	66.15	68.20	-2.05	57.52	3	Vertical	200	1.76	72	34.10	5.46	30.93
PK	5.527G	115.60	Inf	-Inf	106.96	3	Vertical	200	1.76	72	34.10	5.51	30.97
AV	5.517G	105.92	Inf	-Inf	97.29	3	Vertical	200	1.76	72	34.10	5.50	30.97
PK	5.738G	61.85	68.20	-6.35	53.31	3	Vertical	200	1.76	72	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 72
72
1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.26G	59.93	68.20	-8.27	51.50	3	Horizontal	1	1.80	72	33.82	5.38	30.77
PK	5.419G	61.98	74.00	-12.02	53.41	3	Horizontal	1	1.80	72	34.04	5.43	30.90
AV	5.35G	49.16	54.00	-4.84	40.60	3	Horizontal	1	1.80	72	34.00	5.40	30.84
PK	5.469G	63.87	68.20	-4.33	55.24	3	Horizontal	1	1.80	72	34.10	5.47	30.94
AV	5.4585G	52.86	54.00	-1.14	44.23	3	Horizontal	1	1.80	72	34.10	5.46	30.93
PK	5.519G	114.26	Inf	-Inf	105.62	3	Horizontal	1	1.80	72	34.10	5.51	30.97
AV	5.5135G	102.74	Inf	-Inf	94.11	3	Horizontal	1	1.80	72	34.10	5.50	30.97
PK	5.7575G	62.26	68.20	-5.94	53.72	3	Horizontal	1	1.80	72	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.033G	51.73	74.00	-22.27	70.67	3	Vertical	226	1.29	-	38.50	8.41	65.85
AV	11.0308G	40.32	54.00	-13.68	59.26	3	Vertical	226	1.29	-	38.50	8.41	65.85

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9982G	49.39	74.00	-24.61	68.40	3	Horizontal	338	1.83	-	38.50	8.40	65.91
AV	11.0377G	38.16	54.00	-15.84	57.09	3	Horizontal	338	1.83	-	38.50	8.41	65.84

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 SET 91
 80\89\93\91
 2.33\0.86\ -0.50\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3225G	61.55	68.20	-6.65	53.03	3	Vertical	200	1.75	91	33.95	5.39	30.82
AV	5.35G	51.50	54.00	-2.50	42.94	3	Vertical	200	1.75	91	34.00	5.40	30.84
PK	5.457G	65.22	74.00	-8.78	56.59	3	Vertical	200	1.75	91	34.10	5.46	30.93
AV	5.457G	53.83	54.00	-0.17	45.20	3	Vertical	200	1.75	91	34.10	5.46	30.93
PK	5.467G	65.13	68.20	-3.07	56.50	3	Vertical	200	1.75	91	34.10	5.46	30.93
PK	5.5415G	118.94	Inf	-Inf	110.30	3	Vertical	200	1.75	91	34.10	5.52	30.98
AV	5.542G	109.93	Inf	-Inf	101.29	3	Vertical	200	1.75	91	34.10	5.52	30.98
PK	5.7745G	62.63	68.20	-5.57	54.10	3	Vertical	200	1.75	91	34.00	5.62	31.09

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 91
91
1.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.343G	60.54	68.20	-7.66	51.98	3	Horizontal	359	1.59	91	33.99	5.40	30.83
AV	5.35G	50.50	54.00	-3.50	41.94	3	Horizontal	359	1.59	91	34.00	5.40	30.84
PK	5.459G	63.69	74.00	-10.31	55.06	3	Horizontal	359	1.59	91	34.10	5.46	30.93
AV	5.4585G	52.86	54.00	-1.14	44.23	3	Horizontal	359	1.59	91	34.10	5.46	30.93
PK	5.467G	63.56	68.20	-4.64	54.93	3	Horizontal	359	1.59	91	34.10	5.46	30.93
PK	5.559G	117.31	Inf	-Inf	108.68	3	Horizontal	359	1.59	91	34.08	5.54	30.99
AV	5.5585G	107.71	Inf	-Inf	99.08	3	Horizontal	359	1.59	91	34.08	5.54	30.99
PK	5.7485G	62.35	68.20	-5.85	53.81	3	Horizontal	359	1.59	91	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1249G	58.48	74.00	-15.52	77.11	3	Vertical	301	1.15	-	38.60	8.44	65.67
AV	11.0934G	46.72	54.00	-7.28	65.43	3	Vertical	301	1.15	-	38.59	8.43	65.73

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0843G	50.57	74.00	-23.43	69.32	3	Horizontal	285	2.24	-	38.57	8.43	65.75
AV	11.0878G	38.28	54.00	-15.72	57.01	3	Horizontal	285	2.24	-	38.58	8.43	65.74

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




30/01/2024

EUT_Y_4TX
SET 82
80\85\83\82
1.31\ -0.77\ -0.02\ 0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.51	74.00	-13.49	51.88	3	Vertical	153	1.90	82	34.10	5.46	30.93
AV	5.4565G	51.06	54.00	-2.94	42.43	3	Vertical	153	1.90	82	34.10	5.46	30.93
PK	5.467G	61.20	68.20	-7.00	52.57	3	Vertical	153	1.90	82	34.10	5.46	30.93
PK	5.6765G	116.64	Inf	-Inf	108.14	3	Vertical	153	1.90	82	33.95	5.59	31.04
AV	5.681G	107.61	Inf	-Inf	99.10	3	Vertical	153	1.90	82	33.96	5.59	31.04
PK	5.7265G	67.85	68.20	-0.35	59.30	3	Vertical	153	1.90	82	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT Y_4TX
 SET 82
 82
 2.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4575G	59.81	74.00	-14.19	51.18	3	Horizontal	359	1.72	82	34.10	5.46	30.93
AV	5.451G	50.66	54.00	-3.34	42.03	3	Horizontal	359	1.72	82	34.10	5.45	30.92
PK	5.465G	59.59	68.20	-8.61	50.96	3	Horizontal	359	1.72	82	34.10	5.46	30.93
PK	5.674G	113.17	Inf	-Inf	104.67	3	Horizontal	359	1.72	82	33.95	5.59	31.04
AV	5.6835G	104.58	Inf	-Inf	96.05	3	Horizontal	359	1.72	82	33.97	5.60	31.04
PK	5.725G	65.27	68.20	-2.93	56.72	3	Horizontal	359	1.72	82	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3583G	53.65	74.00	-20.35	71.74	3	Vertical	344	2.66	-	38.62	8.52	65.23
AV	11.357G	41.59	54.00	-12.41	59.69	3	Vertical	344	2.66	-	38.61	8.52	65.23

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3161G	51.45	74.00	-22.55	69.65	3	Horizontal	250	1.90	-	38.60	8.51	65.31
AV	11.3536G	39.67	54.00	-14.33	57.78	3	Horizontal	250	1.90	-	38.61	8.52	65.24

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 SET 108
 80\96\104\108
 4.08\3.29\2.92\1.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.69	74.00	-14.31	51.06	3	Vertical	153	2.62	108	34.10	5.46	30.93
AV	5.46G	51.26	54.00	-2.74	42.63	3	Vertical	153	2.62	108	34.10	5.46	30.93
PK	5.4665G	61.80	68.20	-6.40	53.17	3	Vertical	153	2.62	108	34.10	5.46	30.93
PK	5.7065G	122.87	Inf	-Inf	114.32	3	Vertical	153	2.62	108	34.00	5.60	31.05
AV	5.706G	113.15	Inf	-Inf	104.60	3	Vertical	153	2.62	108	34.00	5.60	31.05
PK	5.862G	66.60	68.20	-1.60	57.98	3	Vertical	153	2.62	108	34.05	5.70	31.13

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 SET 108
 108
 3.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.15	74.00	-13.85	51.52	3	Horizontal	10	1.17	108	34.10	5.46	30.93
AV	5.46G	50.71	54.00	-3.29	42.08	3	Horizontal	10	1.17	108	34.10	5.46	30.93
PK	5.4625G	61.12	68.20	-7.08	52.49	3	Horizontal	10	1.17	108	34.10	5.46	30.93
PK	5.7215G	118.91	Inf	-Inf	110.36	3	Horizontal	10	1.17	108	34.00	5.61	31.06
AV	5.7165G	111.30	Inf	-Inf	102.76	3	Horizontal	10	1.17	108	34.00	5.60	31.06
PK	5.8765G	63.79	68.20	-4.41	55.10	3	Horizontal	10	1.17	108	34.11	5.71	31.13

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3965G	60.96	74.00	-13.04	78.90	3	Vertical	178	2.67	-	38.69	8.53	65.16
AV	11.4279G	48.02	54.00	-5.98	65.81	3	Vertical	178	2.67	-	38.76	8.55	65.10

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4138G	52.68	74.00	-21.32	70.53	3	Horizontal	171	2.52	-	38.73	8.54	65.12
AV	11.3951G	40.97	54.00	-13.03	58.91	3	Horizontal	171	2.52	-	38.69	8.53	65.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
 SET 104
 80\105\93\99\102\103\104
 6.25\1.51\5.29\1.98\1.12\0.83\1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	67.20	68.20	-1.00	58.74	3	Vertical	153	2.61	104	33.91	5.58	31.03
PK	5.757G	120.20	Inf	-Inf	111.66	3	Vertical	153	2.61	104	34.00	5.62	31.08
AV	5.756G	112.32	Inf	-Inf	103.78	3	Vertical	153	2.61	104	34.00	5.62	31.08
PK	5.9625G	63.52	68.20	-4.68	54.58	3	Vertical	153	2.61	104	34.30	5.81	31.17

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 104
104
3.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6365G	64.64	68.20	-3.56	56.15	3	Horizontal	12	1.75	104	33.93	5.58	31.02
PK	5.7415G	119.54	Inf	-Inf	111.00	3	Horizontal	12	1.75	104	34.00	5.61	31.07
AV	5.7415G	109.42	Inf	-Inf	100.88	3	Horizontal	12	1.75	104	34.00	5.61	31.07
PK	5.927G	62.72	68.20	-5.48	53.86	3	Horizontal	12	1.75	104	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4894G	60.27	74.00	-13.73	77.80	3	Vertical	246	2.87	-	38.88	8.57	64.98
AV	11.5337G	48.72	54.00	-5.28	66.09	3	Vertical	246	2.87	-	39.03	8.58	64.98

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 104

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4905G	58.65	74.00	-15.35	76.18	3	Horizontal	189	2.95	-	38.88	8.57	64.98
AV	11.5279G	47.32	54.00	-6.68	64.70	3	Horizontal	189	2.95	-	39.01	8.58	64.97

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




30/01/2024

EUT_Y_4TX
 SET 102
 80\105\93\99\102
 6.27\1.08\4.95\3.67\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	64.48	68.94	-4.46	56.02	3	Vertical	204	1.77	102	33.90	5.59	31.03
PK	5.8025G	120.72	Inf	-Inf	112.19	3	Vertical	204	1.77	102	34.00	5.63	31.10
AV	5.792G	111.07	Inf	-Inf	102.53	3	Vertical	204	1.77	102	34.00	5.63	31.09
PK	5.9225G	69.92	70.05	-0.13	61.07	3	Vertical	204	1.77	102	34.24	5.76	31.15

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 102
102
3.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6225G	60.98	68.20	-7.22	52.47	3	Horizontal	165	1.22	102	33.95	5.58	31.02
PK	5.801G	117.78	Inf	-Inf	109.25	3	Horizontal	165	1.22	102	34.00	5.63	31.10
AV	5.8005G	108.89	Inf	-Inf	100.36	3	Horizontal	165	1.22	102	34.00	5.63	31.10
PK	5.9355G	64.25	68.20	-3.95	55.36	3	Horizontal	165	1.22	102	34.27	5.78	31.16

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6143G	61.10	74.00	-12.90	78.20	3	Vertical	134	1.51	-	39.30	8.61	65.01
AV	11.5707G	48.68	54.00	-5.32	65.90	3	Vertical	134	1.51	-	39.18	8.59	64.99

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6011G	58.67	74.00	-15.33	75.78	3	Horizontal	209	2.14	-	39.30	8.60	65.01
AV	11.6147G	45.72	54.00	-8.28	62.82	3	Horizontal	209	2.14	-	39.30	8.61	65.01

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
 SET 65
 80\58\69\64\66\65
 -5.29\2.05\ -1.07\0.54\ -0.19\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	61.16	74.00	-12.84	52.94	3	Vertical	203	1.77	65	33.59	5.31	30.68
AV	5.1465G	53.71	54.00	-0.29	45.49	3	Vertical	203	1.77	65	33.59	5.31	30.68
PK	5.242G	111.37	Inf	-Inf	102.94	3	Vertical	203	1.77	65	33.80	5.38	30.75
AV	5.1965G	101.20	Inf	-Inf	92.76	3	Vertical	203	1.77	65	33.79	5.37	30.72
PK	5.4285G	60.70	74.00	-13.30	52.11	3	Vertical	203	1.77	65	34.06	5.43	30.90
AV	5.4415G	50.55	54.00	-3.45	41.94	3	Vertical	203	1.77	65	34.08	5.44	30.91

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




30/01/2024

EUT_Y_4TX
 SET 65
 65
 2.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1455G	60.17	74.00	-13.83	51.95	3	Horizontal	352	2.04	65	33.59	5.31	30.68
AV	5.1495G	51.67	54.00	-2.33	43.44	3	Horizontal	352	2.04	65	33.60	5.31	30.68
PK	5.196G	106.58	Inf	-Inf	98.15	3	Horizontal	352	2.04	65	33.78	5.37	30.72
AV	5.195G	96.59	Inf	-Inf	88.17	3	Horizontal	352	2.04	65	33.78	5.36	30.72
PK	5.367G	61.11	74.00	-12.89	52.56	3	Horizontal	352	2.04	65	34.00	5.40	30.85
AV	5.4125G	50.04	54.00	-3.96	41.49	3	Horizontal	352	2.04	65	34.02	5.42	30.89

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.6425G	52.35	74.00	-21.65	66.61	3	Vertical	280	1.98	-	37.70	10.17	62.13
AV	15.6473G	41.08	54.00	-12.92	55.34	3	Vertical	280	1.98	-	37.70	10.17	62.13

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62466G	52.33	74.00	-21.67	66.58	3	Horizontal	178	1.86	-	37.70	10.17	62.12
AV	15.6466G	40.96	54.00	-13.04	55.22	3	Horizontal	178	1.86	-	37.70	10.17	62.13

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
 SET 64
 80\60\70\65\63\64
 -4.92\1.59\ -1.09\ -0.09\0.91\0.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1305G	61.32	74.00	-12.68	53.13	3	Vertical	201	1.72	64	33.56	5.29	30.66
AV	5.148G	50.51	54.00	-3.49	42.28	3	Vertical	201	1.72	64	33.60	5.31	30.68
PK	5.312G	109.94	Inf	-Inf	101.44	3	Vertical	201	1.72	64	33.92	5.39	30.81
AV	5.3015G	101.25	Inf	-Inf	92.76	3	Vertical	201	1.72	64	33.90	5.39	30.80
PK	5.3625G	62.58	74.00	-11.42	54.03	3	Vertical	201	1.72	64	34.00	5.40	30.85
AV	5.3515G	53.48	54.00	-0.52	44.92	3	Vertical	201	1.72	64	34.00	5.40	30.84
PK	5.467G	60.86	68.20	-7.34	52.23	3	Vertical	201	1.72	64	34.10	5.46	30.93

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
 SET 64
 64
 2.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	60.27	74.00	-13.73	52.05	3	Horizontal	359	2.09	64	33.58	5.31	30.67
AV	5.1485G	49.57	54.00	-4.43	41.34	3	Horizontal	359	2.09	64	33.60	5.31	30.68
PK	5.2735G	106.02	Inf	-Inf	97.57	3	Horizontal	359	2.09	64	33.85	5.38	30.78
AV	5.2735G	97.10	Inf	-Inf	88.65	3	Horizontal	359	2.09	64	33.85	5.38	30.78
PK	5.354G	61.78	74.00	-12.22	53.22	3	Horizontal	359	2.09	64	34.00	5.40	30.84
AV	5.354G	51.67	54.00	-2.33	43.11	3	Horizontal	359	2.09	64	34.00	5.40	30.84
PK	5.499G	60.42	68.20	-7.78	51.79	3	Horizontal	359	2.09	64	34.10	5.49	30.96

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8795G	51.72	74.00	-22.28	66.43	3	Vertical	79	1.10	-	37.30	10.24	62.25
AV	15.8935G	40.70	54.00	-13.30	55.41	3	Vertical	79	1.10	-	37.30	10.25	62.26

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
SET 64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8838G	51.90	74.00	-22.10	66.62	3	Horizontal	151	2.50	-	37.30	10.24	62.26
AV	15.8748G	41.14	54.00	-12.86	55.85	3	Horizontal	151	2.50	-	37.30	10.24	62.25

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 SET 70
 80\57\68\73\71\70
 -5.51\2.94\0.58\0.46\0.21\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3405G	60.53	68.20	-7.67	51.98	3	Vertical	202	2.30	70	33.98	5.40	30.83
AV	5.35G	49.76	54.00	-4.24	41.20	3	Vertical	202	2.30	70	34.00	5.40	30.84
PK	5.447G	61.98	74.00	-12.02	53.36	3	Vertical	202	2.30	70	34.09	5.45	30.92
PK	5.4665G	63.43	68.20	-4.77	54.80	3	Vertical	202	2.30	70	34.10	5.46	30.93
AV	5.4575G	53.43	54.00	-0.57	44.80	3	Vertical	202	2.30	70	34.10	5.46	30.93
PK	5.517G	112.06	Inf	-Inf	103.43	3	Vertical	202	2.30	70	34.10	5.50	30.97
AV	5.522G	101.96	Inf	-Inf	93.32	3	Vertical	202	2.30	70	34.10	5.51	30.97
PK	5.735G	61.04	68.20	-7.16	52.50	3	Vertical	202	2.30	70	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
 SET 70
 70
 1.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3315G	59.66	68.20	-8.54	51.13	3	Horizontal	360	1.84	70	33.96	5.40	30.83
AV	5.35G	49.36	54.00	-4.64	40.80	3	Horizontal	360	1.84	70	34.00	5.40	30.84
PK	5.4595G	68.07	74.00	-5.93	59.44	3	Horizontal	360	1.84	70	34.10	5.46	30.93
AV	5.4585G	52.71	54.00	-1.29	44.08	3	Horizontal	360	1.84	70	34.10	5.46	30.93
PK	5.4655G	66.63	68.20	-1.57	58.00	3	Horizontal	360	1.84	70	34.10	5.46	30.93
PK	5.5445G	109.56	Inf	-Inf	100.91	3	Horizontal	360	1.84	70	34.10	5.53	30.98
AV	5.5435G	99.74	Inf	-Inf	91.10	3	Horizontal	360	1.84	70	34.10	5.52	30.98
PK	5.738G	61.56	68.20	-6.64	53.02	3	Horizontal	360	1.84	70	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0513G	50.11	74.00	-23.89	69.00	3	Vertical	177	1.49	-	38.50	8.42	65.81
AV	11.0744G	38.50	54.00	-15.50	57.29	3	Vertical	177	1.49	-	38.55	8.43	65.77

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0813G	50.07	74.00	-23.93	68.84	3	Horizontal	65	1.21	-	38.56	8.43	65.76
AV	11.0526G	38.31	54.00	-15.69	57.19	3	Horizontal	65	1.21	-	38.51	8.42	65.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 SET 87
 80\87
 1.76\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4575G	63.11	74.00	-10.89	54.48	3	Vertical	202	2.34	87	34.10	5.46	30.93
AV	5.456G	53.55	54.00	-0.45	44.92	3	Vertical	202	2.34	87	34.10	5.45	30.92
PK	5.461G	63.70	68.20	-4.50	55.07	3	Vertical	202	2.34	87	34.10	5.46	30.93
PK	5.5975G	115.65	Inf	-Inf	107.07	3	Vertical	202	2.34	87	34.01	5.57	31.00
AV	5.602G	106.33	Inf	-Inf	97.77	3	Vertical	202	2.34	87	34.00	5.57	31.01
PK	5.737G	67.45	68.20	-0.75	58.91	3	Vertical	202	2.34	87	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
 SET 87
 87
 1.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4345G	61.90	74.00	-12.10	53.30	3	Horizontal	358	1.62	87	34.07	5.44	30.91
PK	5.464G	61.94	68.20	-6.26	53.31	3	Horizontal	358	1.62	87	34.10	5.46	30.93
AV	5.459G	51.93	54.00	-2.07	43.30	3	Horizontal	358	1.62	87	34.10	5.46	30.93
PK	5.624G	113.82	Inf	-Inf	105.31	3	Horizontal	358	1.62	87	33.95	5.58	31.02
AV	5.6235G	103.65	Inf	-Inf	95.14	3	Horizontal	358	1.62	87	33.95	5.58	31.02
PK	5.7435G	66.39	68.20	-1.81	57.85	3	Horizontal	358	1.62	87	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.238G	54.64	74.00	-19.36	72.94	3	Vertical	297	3.00	-	38.68	8.48	65.46			
AV	11.1959G	42.45	54.00	-11.55	60.92	3	Vertical	297	3.00	-	38.60	8.47	65.54			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1972G	50.56	74.00	-23.44	69.03	3	Horizontal	38	1.82	-	38.60	8.47	65.54
AV	11.2314G	38.82	54.00	-15.18	57.15	3	Horizontal	38	1.82	-	38.66	8.48	65.47

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
 SET 94
 80\94\101\98\97\96\95\94
 3.50\1.38\5.44\1.17\0.71\1.25\0.26\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	60.96	74.00	-13.04	52.33	3	Vertical	154	1.89	94	34.10	5.45	30.92
PK	5.464G	62.49	68.20	-5.71	53.86	3	Vertical	154	1.89	94	34.10	5.46	30.93
AV	5.46G	51.60	54.00	-2.40	42.97	3	Vertical	154	1.89	94	34.10	5.46	30.93
PK	5.687G	117.59	Inf	-Inf	109.07	3	Vertical	154	1.89	94	33.97	5.60	31.05
AV	5.6815G	107.58	Inf	-Inf	99.07	3	Vertical	154	1.89	94	33.96	5.59	31.04
PK	5.8625G	67.74	68.20	-0.46	59.12	3	Vertical	154	1.89	94	34.05	5.70	31.13

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
 SET 94
 94
 2.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4565G	60.19	74.00	-13.81	51.56	3	Horizontal	10	1.34	94	34.10	5.46	30.93
AV	5.4565G	50.88	54.00	-3.12	42.25	3	Horizontal	10	1.34	94	34.10	5.46	30.93
PK	5.462G	60.22	68.20	-7.98	51.59	3	Horizontal	10	1.34	94	34.10	5.46	30.93
PK	5.7065G	116.10	Inf	-Inf	107.55	3	Horizontal	10	1.34	94	34.00	5.60	31.05
AV	5.676G	104.91	Inf	-Inf	96.41	3	Horizontal	10	1.34	94	33.95	5.59	31.04
PK	5.852G	65.48	68.20	-2.72	56.90	3	Horizontal	10	1.34	94	34.01	5.69	31.12

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3954G	55.77	74.00	-18.23	73.71	3	Vertical	277	1.59	-	38.69	8.53	65.16
AV	11.3867G	44.66	54.00	-9.34	62.64	3	Vertical	277	1.59	-	38.67	8.53	65.18

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3931G	51.55	74.00	-22.45	69.49	3	Horizontal	186	2.60	-	38.69	8.53	65.16
AV	11.3878G	40.37	54.00	-13.63	58.33	3	Horizontal	46	1.70	-	38.68	8.53	65.17
PK	11.405G	51.78	74.00	-22.22	69.67	3	Horizontal	46	1.70	-	38.71	8.54	65.14
AV	11.3955G	40.74	54.00	-13.26	58.68	3	Horizontal	186	2.60	-	38.69	8.53	65.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
 SET 87
 80\103\92\87
 5.82\~7.53\~0.90\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	67.27	68.57	-1.30	58.81	3	Vertical	155	2.60	87	33.90	5.59	31.03
PK	5.7665G	114.87	Inf	-Inf	106.33	3	Vertical	155	2.60	87	34.00	5.62	31.08
AV	5.761G	105.58	Inf	-Inf	97.04	3	Vertical	155	2.60	87	34.00	5.62	31.08
PK	5.9315G	67.77	68.20	-0.43	58.90	3	Vertical	155	2.60	87	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 87
87
4.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	64.17	68.20	-4.03	55.71	3	Horizontal	10	1.22	87	33.91	5.58	31.03
PK	5.7815G	113.33	Inf	-Inf	104.80	3	Horizontal	10	1.22	87	34.00	5.62	31.09
AV	5.7665G	103.19	Inf	-Inf	94.65	3	Horizontal	10	1.22	87	34.00	5.62	31.08
PK	5.9665G	63.43	68.20	-4.77	54.49	3	Horizontal	10	1.22	87	34.30	5.81	31.17

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5727G	59.42	74.00	-14.58	76.63	3	Vertical	247	1.57	-	39.19	8.59	64.99
AV	11.5528G	46.99	54.00	-7.01	64.27	3	Vertical	247	1.57	-	39.11	8.59	64.98

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5518G	57.79	74.00	-16.21	75.07	3	Horizontal	150	2.37	-	39.11	8.59	64.98
AV	11.5554G	45.37	54.00	-8.63	62.65	3	Horizontal	150	2.37	-	39.12	8.59	64.99

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
 SET 56
 80\48\64\56
 -9.98\1.94\2.88\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0775G	60.48	74.00	-13.52	52.36	3	Vertical	201	1.80	56	33.50	5.24	30.62
AV	5.1425G	52.67	54.00	-1.33	44.44	3	Vertical	201	1.80	56	33.59	5.31	30.67
PK	5.272G	106.79	Inf	-Inf	98.35	3	Vertical	201	1.80	56	33.84	5.38	30.78
AV	5.312G	97.34	Inf	-Inf	88.84	3	Vertical	201	1.80	56	33.92	5.39	30.81
PK	5.384G	61.72	74.00	-12.28	53.18	3	Vertical	201	1.80	56	34.00	5.41	30.87
AV	5.382G	53.81	54.00	-0.19	45.27	3	Vertical	201	1.80	56	34.00	5.41	30.87
PK	5.483G	60.46	68.20	-7.74	51.83	3	Vertical	201	1.80	56	34.10	5.48	30.95

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




30/01/2024

EUT_Y_4TX
SET 56
56
1.52

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0295G	59.47	74.00	-14.53	51.41	3	Horizontal	360	2.10	56	33.46	5.18	30.58
AV	5.0785G	51.24	54.00	-2.76	43.12	3	Horizontal	360	2.10	56	33.50	5.24	30.62
PK	5.274G	102.00	Inf	-Inf	93.55	3	Horizontal	360	2.10	56	33.85	5.38	30.78
AV	5.274G	93.58	Inf	-Inf	85.13	3	Horizontal	360	2.10	56	33.85	5.38	30.78
PK	5.422G	62.05	74.00	-11.95	53.48	3	Horizontal	360	2.10	56	34.04	5.43	30.90
AV	5.3765G	52.48	54.00	-1.52	43.93	3	Horizontal	360	2.10	56	34.00	5.41	30.86
PK	5.496G	59.62	68.20	-8.58	50.99	3	Horizontal	360	2.10	56	34.10	5.49	30.96

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7662G	54.01	74.00	-19.99	68.45	3	Vertical	161	1.78	-	37.54	10.21	62.19
AV	15.7405G	42.91	54.00	-11.09	57.25	3	Vertical	161	1.78	-	37.64	10.20	62.18

5.25-5.35GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7298G	53.05	74.00	-20.95	67.34	3	Horizontal	128	2.84	-	37.68	10.20	62.17
AV	15.7411G	43.15	54.00	-10.85	57.49	3	Horizontal	128	2.84	-	37.64	10.20	62.18

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
 SET 61
 80\51\65\58\61
 -7.07\1.91\ -0.23\1.25\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3465G	59.33	68.20	-8.87	50.78	3	Vertical	201	2.35	61	33.99	5.40	30.84
AV	5.35G	50.67	54.00	-3.33	42.11	3	Vertical	201	2.35	61	34.00	5.40	30.84
PK	5.4425G	62.90	74.00	-11.10	54.28	3	Vertical	201	2.35	61	34.09	5.44	30.91
PK	5.4625G	63.54	68.20	-4.66	54.91	3	Vertical	201	2.35	61	34.10	5.46	30.93
AV	5.458G	53.70	54.00	-0.30	45.07	3	Vertical	201	2.35	61	34.10	5.46	30.93
PK	5.5465G	107.14	Inf	-Inf	98.49	3	Vertical	201	2.35	61	34.10	5.53	30.98
AV	5.592G	98.48	Inf	-Inf	89.90	3	Vertical	201	2.35	61	34.02	5.56	31.00
PK	5.7615G	61.48	68.20	-6.72	52.94	3	Vertical	201	2.35	61	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
 SET 61
 61
 0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	59.60	68.20	-8.60	51.06	3	Horizontal	357	1.73	61	33.97	5.40	30.83
AV	5.35G	50.50	54.00	-3.50	41.94	3	Horizontal	357	1.73	61	34.00	5.40	30.84
PK	5.455G	60.97	74.00	-13.03	52.34	3	Horizontal	357	1.73	61	34.10	5.45	30.92
AV	5.456G	53.69	54.00	-0.31	45.06	3	Horizontal	357	1.73	61	34.10	5.45	30.92
PK	5.462G	60.41	68.20	-7.79	51.78	3	Horizontal	357	1.73	61	34.10	5.46	30.93
PK	5.574G	103.79	Inf	-Inf	95.18	3	Horizontal	357	1.73	61	34.05	5.55	30.99
AV	5.5885G	95.17	Inf	-Inf	86.59	3	Horizontal	357	1.73	61	34.02	5.56	31.00
PK	5.756G	61.73	68.20	-6.47	53.19	3	Horizontal	357	1.73	61	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1466G	50.76	74.00	-23.24	69.34	3	Vertical	177	1.06	-	38.60	8.45	65.63
AV	11.1329G	40.41	54.00	-13.59	59.02	3	Vertical	177	1.06	-	38.60	8.45	65.66

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1245G	50.12	74.00	-23.88	68.75	3	Horizontal	142	1.95	-	38.60	8.44	65.67
AV	11.1233G	40.15	54.00	-13.85	58.79	3	Horizontal	142	1.95	-	38.60	8.44	65.68

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 78
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1483G	67.40	74.00	-6.60	59.17	3	Vertical	127	2.56	-	33.60	5.31	30.68
AV	5.1493G	53.73	54.00	-0.27	45.50	3	Vertical	127	2.56	-	33.60	5.31	30.68
PK	5.1862G	123.36	Inf	-Inf	114.98	3	Vertical	127	2.56	-	33.74	5.35	30.71
AV	5.1888G	112.35	Inf	-Inf	103.94	3	Vertical	127	2.56	-	33.76	5.36	30.71

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 78
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	67.07	74.00	-6.93	58.84	3	Horizontal	357	2.14	-	33.60	5.31	30.68
AV	5.1492G	51.97	54.00	-2.03	43.74	3	Horizontal	357	2.14	-	33.60	5.31	30.68
PK	5.187G	120.50	Inf	-Inf	112.10	3	Horizontal	357	2.14	-	33.75	5.36	30.71
AV	5.1878G	110.49	Inf	-Inf	102.09	3	Horizontal	357	2.14	-	33.75	5.36	30.71

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 78
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36291G	51.84	68.20	-16.36	70.96	3	Vertical	78	2.71	-	38.47	8.18	65.77
PK	15.54792G	57.64	74.00	-16.36	71.77	3	Vertical	167	1.95	-	37.81	10.14	62.08
AV	15.5421G	44.99	54.00	-9.01	59.09	3	Vertical	167	1.95	-	37.83	10.14	62.07

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 78
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.348G	51.97	68.20	-16.23	71.10	3	Horizontal	60	1.03	-	38.50	8.18	65.81
PK	15.5355G	55.79	74.00	-18.21	69.86	3	Horizontal	316	1.18	-	37.86	10.14	62.07
AV	15.53931G	42.92	54.00	-11.08	57.01	3	Horizontal	316	1.18	-	37.84	10.14	62.07

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
 Setting 92
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	68.80	74.00	-5.20	60.58	3	Vertical	131	2.07	-	33.59	5.31	30.68
AV	5.1494G	53.61	54.00	-0.39	45.38	3	Vertical	131	2.07	-	33.60	5.31	30.68
PK	5.1924G	126.20	Inf	-Inf	117.78	3	Vertical	131	2.07	-	33.77	5.36	30.71
AV	5.1944G	114.15	Inf	-Inf	105.73	3	Vertical	131	2.07	-	33.78	5.36	30.72

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 92
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.127G	61.84	74.00	-12.16	53.66	3	Horizontal	58	2.75	-	33.55	5.29	30.66
AV	5.15G	49.59	54.00	-4.41	41.35	3	Horizontal	58	2.75	-	33.60	5.32	30.68
PK	5.2042G	121.56	Inf	-Inf	113.11	3	Horizontal	58	2.75	-	33.80	5.37	30.72
AV	5.2022G	109.77	Inf	-Inf	101.32	3	Horizontal	58	2.75	-	33.80	5.37	30.72

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 92
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41437G	52.12	68.20	-16.08	71.14	3	Vertical	253	2.46	-	38.40	8.20	65.62
PK	15.59751G	61.29	74.00	-12.71	75.53	3	Vertical	156	1.84	-	37.70	10.16	62.10
AV	15.59124G	47.60	54.00	-6.40	61.82	3	Vertical	156	1.84	-	37.72	10.16	62.10

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 92
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38743G	51.69	68.20	-16.51	70.77	3	Horizontal	360	1.68	-	38.43	8.19	65.70
PK	15.59469G	57.80	74.00	-16.20	72.03	3	Horizontal	289	2.13	-	37.71	10.16	62.10
AV	15.60003G	45.14	54.00	-8.86	59.38	3	Horizontal	289	2.13	-	37.70	10.16	62.10

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	66.50	74.00	-7.50	58.27	3	Vertical	201	2.48	-	33.60	5.31	30.68
AV	5.1497G	52.55	54.00	-1.45	44.32	3	Vertical	201	2.48	-	33.60	5.31	30.68
PK	5.2406G	128.27	Inf	-Inf	119.84	3	Vertical	201	2.48	-	33.80	5.38	30.75
AV	5.2388G	116.55	Inf	-Inf	108.12	3	Vertical	201	2.48	-	33.80	5.38	30.75
PK	5.3597G	63.95	74.00	-10.05	55.40	3	Vertical	201	2.48	-	34.00	5.40	30.85
AV	5.3576G	52.13	54.00	-1.87	43.58	3	Vertical	201	2.48	-	34.00	5.40	30.85

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	62.73	74.00	-11.27	54.50	3	Horizontal	360	2.18	-	33.60	5.31	30.68
AV	5.1491G	50.51	54.00	-3.49	42.28	3	Horizontal	360	2.18	-	33.60	5.31	30.68
PK	5.2352G	124.03	Inf	-Inf	115.60	3	Horizontal	360	2.18	-	33.80	5.38	30.75
AV	5.2328G	111.90	Inf	-Inf	103.47	3	Horizontal	360	2.18	-	33.80	5.38	30.75
PK	5.3714G	62.95	74.00	-11.05	54.41	3	Horizontal	360	2.18	-	34.00	5.40	30.86
AV	5.3636G	50.88	54.00	-3.12	42.33	3	Horizontal	360	2.18	-	34.00	5.40	30.85

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47952G	55.18	68.20	-13.02	74.01	3	Vertical	127	2.20	-	38.40	8.22	65.45
PK	15.72801G	65.58	74.00	-8.42	79.86	3	Vertical	260	1.59	-	37.69	10.20	62.17
AV	15.72024G	52.85	54.00	-1.15	67.11	3	Vertical	260	1.59	-	37.72	10.19	62.17

5.15-5.25GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 108
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46791G	54.53	68.20	-13.67	73.39	3	Horizontal	21	2.41	-	38.40	8.22	65.48
PK	15.71841G	62.15	74.00	-11.85	76.40	3	Horizontal	290	1.77	-	37.73	10.19	62.17
AV	15.72063G	49.50	54.00	-4.50	63.76	3	Horizontal	290	1.77	-	37.72	10.19	62.17

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	63.16	74.00	-10.84	54.94	3	Vertical	254	1.96	-	33.58	5.31	30.67
AV	5.1496G	51.51	54.00	-2.49	43.28	3	Vertical	254	1.96	-	33.60	5.31	30.68
PK	5.2552G	129.66	Inf	-Inf	121.23	3	Vertical	254	1.96	-	33.81	5.38	30.76
AV	5.2543G	118.09	Inf	-Inf	109.66	3	Vertical	254	1.96	-	33.81	5.38	30.76
PK	5.3536G	63.67	74.00	-10.33	55.11	3	Vertical	254	1.96	-	34.00	5.40	30.84
AV	5.3503G	52.11	54.00	-1.89	43.55	3	Vertical	254	1.96	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	61.82	74.00	-12.18	53.59	3	Horizontal	164	1.44	-	33.60	5.31	30.68
AV	5.1466G	49.94	54.00	-4.06	41.72	3	Horizontal	164	1.44	-	33.59	5.31	30.68
PK	5.2567G	125.86	Inf	-Inf	117.44	3	Horizontal	164	1.44	-	33.81	5.38	30.77
AV	5.2588G	115.63	Inf	-Inf	107.20	3	Horizontal	164	1.44	-	33.82	5.38	30.77
PK	5.3524G	62.24	74.00	-11.76	53.68	3	Horizontal	164	1.44	-	34.00	5.40	30.84
AV	5.3701G	50.19	54.00	-3.81	41.65	3	Horizontal	164	1.44	-	34.00	5.40	30.86

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52057G	54.04	68.20	-14.16	72.81	3	Vertical	60	1.32	-	38.40	8.24	65.41
PK	15.76827G	65.57	74.00	-8.43	80.02	3	Vertical	80.7	1.80	-	37.53	10.21	62.19
AV	15.77511G	51.80	54.00	-2.20	66.29	3	Vertical	80.7	1.80	-	37.50	10.21	62.20

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 108
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52453G	52.68	68.20	-15.52	71.46	3	Horizontal	186	2.69	-	38.40	8.24	65.42
PK	15.78303G	62.63	74.00	-11.37	77.15	3	Horizontal	55	2.91	-	37.47	10.21	62.20
AV	15.78168G	50.82	54.00	-3.18	65.34	3	Horizontal	55	2.91	-	37.47	10.21	62.20

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
 Setting 90
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2972G	125.23	Inf	-Inf	116.75	3	Vertical	201	1.71	-	33.89	5.39	30.80
AV	5.2986G	113.16	Inf	-Inf	104.67	3	Vertical	201	1.71	-	33.90	5.39	30.80
PK	5.3504G	67.41	74.00	-6.59	58.85	3	Vertical	201	1.71	-	34.00	5.40	30.84
AV	5.3506G	53.35	54.00	-0.65	44.79	3	Vertical	201	1.71	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 90
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	124.62	Inf	-Inf	116.13	3	Horizontal	355	1.88	-	33.91	5.39	30.81
AV	5.3072G	113.97	Inf	-Inf	105.48	3	Horizontal	355	1.88	-	33.91	5.39	30.81
PK	5.3854G	63.77	74.00	-10.23	55.23	3	Horizontal	355	1.88	-	34.00	5.41	30.87
AV	5.3544G	51.36	54.00	-2.64	42.80	3	Horizontal	355	1.88	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 90
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61224G	51.57	74.00	-22.43	70.41	3	Vertical	130	2.35	-	38.40	8.27	65.51
PK	15.89253G	62.34	74.00	-11.66	77.05	3	Vertical	222.4	1.74	-	37.30	10.25	62.26
AV	15.8964G	48.75	54.00	-5.25	63.46	3	Vertical	222.4	1.74	-	37.30	10.25	62.26

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 90
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61395G	51.49	74.00	-22.51	70.33	3	Horizontal	6	1.40	-	38.40	8.27	65.51
PK	15.89607G	57.49	74.00	-16.51	72.20	3	Horizontal	56	2.92	-	37.30	10.25	62.26
AV	15.90213G	45.64	54.00	-8.36	60.36	3	Horizontal	56	2.92	-	37.30	10.25	62.27

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
 Setting 70
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3173G	120.19	Inf	-Inf	111.68	3	Vertical	245	1.80	-	33.93	5.39	30.81
AV	5.3177G	107.94	Inf	-Inf	99.42	3	Vertical	245	1.80	-	33.94	5.39	30.81
PK	5.3502G	67.97	74.00	-6.03	59.41	3	Vertical	245	1.80	-	34.00	5.40	30.84
AV	5.3511G	53.22	54.00	-0.78	44.66	3	Vertical	245	1.80	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	118.72	Inf	-Inf	110.21	3	Horizontal	48	2.48	-	33.93	5.39	30.81
AV	5.3126G	106.66	Inf	-Inf	98.15	3	Horizontal	48	2.48	-	33.93	5.39	30.81
PK	5.3508G	63.82	74.00	-10.18	55.26	3	Horizontal	48	2.48	-	34.00	5.40	30.84
AV	5.3507G	51.34	54.00	-2.66	42.78	3	Horizontal	48	2.48	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62698G	51.70	74.00	-22.30	70.55	3	Vertical	232	2.26	-	38.40	8.27	65.52
AV	10.64744G	39.84	54.00	-14.16	58.70	3	Vertical	232	2.26	-	38.40	8.28	65.54
PK	15.95262G	57.50	74.00	-16.50	72.11	3	Vertical	237	2.28	-	37.41	10.27	62.29
AV	15.95934G	45.09	54.00	-8.91	59.68	3	Vertical	237	2.28	-	37.44	10.27	62.30

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 70
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64498G	51.49	74.00	-22.51	70.35	3	Horizontal	325	2.31	-	38.40	8.28	65.54
AV	10.64642G	39.93	54.00	-14.07	58.79	3	Horizontal	325	2.31	-	38.40	8.28	65.54
PK	15.96513G	57.09	74.00	-16.91	71.66	3	Horizontal	111	2.81	-	37.46	10.27	62.30
AV	15.96024G	41.80	54.00	-12.20	56.39	3	Horizontal	111	2.81	-	37.44	10.27	62.30

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 75
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	62.66	74.00	-11.34	54.03	3	Vertical	151	1.79	-	34.10	5.46	30.93
AV	5.4588G	51.25	54.00	-2.75	42.62	3	Vertical	151	1.79	-	34.10	5.46	30.93
PK	5.4698G	67.60	68.20	-0.60	58.97	3	Vertical	151	1.79	-	34.10	5.47	30.94
PK	5.498G	120.74	Inf	-Inf	112.11	3	Vertical	151	1.79	-	34.10	5.49	30.96
AV	5.4949G	109.09	Inf	-Inf	100.46	3	Vertical	151	1.79	-	34.10	5.49	30.96

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
 Setting 75
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	63.89	74.00	-10.11	55.26	3	Horizontal	3	1.79	-	34.10	5.46	30.93
AV	5.4586G	50.89	54.00	-3.11	42.26	3	Horizontal	3	1.79	-	34.10	5.46	30.93
PK	5.4684G	65.62	68.20	-2.58	56.99	3	Horizontal	3	1.79	-	34.10	5.46	30.93
PK	5.5092G	119.58	Inf	-Inf	110.94	3	Horizontal	3	1.79	-	34.10	5.50	30.96
AV	5.5081G	108.18	Inf	-Inf	99.54	3	Horizontal	3	1.79	-	34.10	5.50	30.96

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT Y_4TX
Setting 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99235G	51.31	74.00	-22.69	70.31	3	Vertical	131	2.97	-	38.50	8.40	65.90
AV	11.0069G	37.62	54.00	-16.38	56.62	3	Vertical	131	2.97	-	38.50	8.40	65.90

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0057G	50.45	74.00	-23.55	69.45	3	Horizontal	221	2.12	-	38.50	8.40	65.90
AV	10.98797G	37.60	54.00	-16.40	56.60	3	Horizontal	221	2.12	-	38.50	8.40	65.90

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	62.92	74.00	-11.08	54.29	3	Vertical	190	2.53	-	34.10	5.45	30.92
AV	5.3812G	51.11	54.00	-2.89	42.56	3	Vertical	190	2.53	-	34.00	5.41	30.86
PK	5.4604G	63.13	68.20	-5.07	54.50	3	Vertical	190	2.53	-	34.10	5.46	30.93
PK	5.5724G	126.27	Inf	-Inf	117.65	3	Vertical	190	2.53	-	34.06	5.55	30.99
AV	5.572G	115.06	Inf	-Inf	106.44	3	Vertical	190	2.53	-	34.06	5.55	30.99
PK	5.7716G	65.71	68.20	-2.49	57.17	3	Vertical	190	2.53	-	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.388G	62.79	74.00	-11.21	54.25	3	Horizontal	355	1.47	-	34.00	5.41	30.87
AV	5.3888G	52.23	54.00	-1.77	43.69	3	Horizontal	355	1.47	-	34.00	5.41	30.87
PK	5.4636G	62.82	68.20	-5.38	54.19	3	Horizontal	355	1.47	-	34.10	5.46	30.93
PK	5.5888G	125.78	Inf	-Inf	117.20	3	Horizontal	355	1.47	-	34.02	5.56	31.00
AV	5.5888G	115.70	Inf	-Inf	107.12	3	Horizontal	355	1.47	-	34.02	5.56	31.00
PK	5.77G	63.38	68.20	-4.82	54.84	3	Horizontal	355	1.47	-	34.00	5.62	31.08

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1559G	60.93	74.00	-13.07	79.49	3	Vertical	157	1.46	-	38.60	8.45	65.61
AV	11.16085G	49.25	54.00	-4.75	67.80	3	Vertical	157	1.46	-	38.60	8.45	65.60

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16852G	50.78	74.00	-23.22	69.31	3	Horizontal	195	2.55	-	38.60	8.46	65.59
AV	11.15214G	37.70	54.00	-16.30	56.27	3	Horizontal	195	2.55	-	38.60	8.45	65.62

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 58
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7021G	118.04	Inf	-Inf	109.49	3	Vertical	148	1.80	-	34.00	5.60	31.05
AV	5.7012G	105.85	Inf	-Inf	97.30	3	Vertical	148	1.80	-	34.00	5.60	31.05
PK	5.7257G	67.82	68.20	-0.38	59.27	3	Vertical	148	1.80	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 58
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6912G	115.01	Inf	-Inf	106.48	3	Horizontal	43	1.93	-	33.98	5.60	31.05
AV	5.6913G	103.79	Inf	-Inf	95.26	3	Horizontal	43	1.93	-	33.98	5.60	31.05
PK	5.7252G	62.76	68.20	-5.44	54.21	3	Horizontal	43	1.93	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
Setting 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3953G	52.17	74.00	-21.83	70.11	3	Vertical	229	1.32	-	38.69	8.53	65.16
AV	11.3871G	39.51	54.00	-14.49	57.48	3	Vertical	229	1.32	-	38.67	8.53	65.17

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
Setting 58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4147G	52.58	74.00	-21.42	70.43	3	Horizontal	351	2.56	-	38.73	8.54	65.12
AV	11.3942G	39.35	54.00	-14.65	57.29	3	Horizontal	351	2.56	-	38.69	8.53	65.16

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7228G	127.67	Inf	-Inf	119.12	3	Vertical	155	2.53	-	34.00	5.61	31.06
AV	5.7216G	115.94	Inf	-Inf	107.39	3	Vertical	155	2.53	-	34.00	5.61	31.06
PK	5.914G	66.23	68.20	-1.97	57.39	3	Vertical	155	2.53	-	34.23	5.76	31.15

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	125.81	Inf	-Inf	117.26	3	Horizontal	52	1.80	-	34.00	5.61	31.06
AV	5.7236G	113.43	Inf	-Inf	104.88	3	Horizontal	52	1.80	-	34.00	5.61	31.06
PK	5.8704G	63.66	68.20	-4.54	55.00	3	Horizontal	52	1.80	-	34.08	5.71	31.13

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4356G	62.50	74.00	-11.50	80.26	3	Vertical	273	2.50	-	38.77	8.55	65.08
AV	11.4357G	50.62	54.00	-3.38	68.38	3	Vertical	273	2.50	-	38.77	8.55	65.08

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42755G	51.94	74.00	-22.06	69.73	3	Horizontal	104	1.05	-	38.76	8.55	65.10
AV	11.4152G	38.85	54.00	-15.15	56.70	3	Horizontal	104	1.05	-	38.73	8.54	65.12

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 108
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5495G	65.59	68.20	-2.61	56.94	3	Vertical	148	1.87	-	34.10	5.53	30.98
PK	5.7505G	127.89	Inf	-Inf	119.35	3	Vertical	148	1.87	-	34.00	5.62	31.08
AV	5.747G	116.64	Inf	-Inf	108.10	3	Vertical	148	1.87	-	34.00	5.61	31.07
PK	5.9385G	65.49	68.20	-2.71	56.59	3	Vertical	148	1.87	-	34.28	5.78	31.16

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
 Setting 108
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.538G	63.37	68.20	-4.83	54.73	3	Horizontal	19	1.77	-	34.10	5.52	30.98
PK	5.738G	123.15	Inf	-Inf	114.61	3	Horizontal	19	1.77	-	34.00	5.61	31.07
AV	5.738G	114.13	Inf	-Inf	105.59	3	Horizontal	19	1.77	-	34.00	5.61	31.07
PK	5.94G	63.53	68.20	-4.67	54.63	3	Horizontal	19	1.77	-	34.28	5.78	31.16

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.46915G	60.58	74.00	-13.42	78.20	3	Vertical	148	1.02	-	38.84	8.56	65.02
AV	11.47085G	49.55	54.00	-4.45	67.17	3	Vertical	148	1.02	-	38.84	8.56	65.02

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX



EUT Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4961G	51.38	74.00	-22.62	68.89	3	Horizontal	212	2.53	-	38.89	8.57	64.97
AV	11.4715G	38.45	54.00	-15.55	56.06	3	Horizontal	212	2.53	-	38.84	8.56	65.01

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5825G	65.66	68.20	-2.54	57.07	3	Vertical	152	2.46	-	34.03	5.56	31.00
PK	5.7905G	127.86	Inf	-Inf	119.32	3	Vertical	152	2.46	-	34.00	5.63	31.09
AV	5.7925G	116.33	Inf	-Inf	107.79	3	Vertical	152	2.46	-	34.00	5.63	31.09
PK	5.9875G	65.17	68.20	-3.03	56.21	3	Vertical	152	2.46	-	34.30	5.84	31.18

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
 Setting 108
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.578G	64.30	68.20	-3.90	55.71	3	Horizontal	360	1.74	-	34.04	5.55	31.00
PK	5.7765G	124.65	Inf	-Inf	116.12	3	Horizontal	360	1.74	-	34.00	5.62	31.09
AV	5.7765G	114.25	Inf	-Inf	105.72	3	Horizontal	360	1.74	-	34.00	5.62	31.09
PK	5.977G	63.22	68.20	-4.98	54.28	3	Horizontal	360	1.74	-	34.30	5.82	31.18

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5902G	61.48	74.00	-12.52	78.62	3	Vertical	16	1.75	-	39.26	8.60	65.00
AV	11.5568G	51.16	54.00	-2.84	68.43	3	Vertical	16	1.75	-	39.13	8.59	64.99

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59125G	52.26	74.00	-21.74	69.40	3	Horizontal	42	1.33	-	39.26	8.60	65.00
AV	11.5568G	39.13	54.00	-14.87	56.40	3	Horizontal	42	1.33	-	39.13	8.59	64.99

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
 Setting 108
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6325G	64.20	68.20	-4.00	55.71	3	Vertical	214	2.73	-	33.93	5.58	31.02
PK	5.818G	128.10	Inf	-Inf	119.56	3	Vertical	214	2.73	-	34.00	5.65	31.11
AV	5.818G	117.36	Inf	-Inf	108.82	3	Vertical	214	2.73	-	34.00	5.65	31.11
PK	5.926G	67.41	68.20	-0.79	58.55	3	Vertical	214	2.73	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108
02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6305G	64.05	68.20	-4.15	55.55	3	Horizontal	0	1.77	-	33.94	5.58	31.02
PK	5.8315G	120.43	Inf	-Inf	111.88	3	Horizontal	0	1.77	-	34.00	5.66	31.11
AV	5.8315G	112.28	Inf	-Inf	103.73	3	Horizontal	0	1.77	-	34.00	5.66	31.11
PK	5.9285G	63.22	68.20	-4.98	54.35	3	Horizontal	0	1.77	-	34.26	5.77	31.16

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6465G	63.86	74.00	-10.14	80.97	3	Vertical	133	2.82	-	39.30	8.62	65.03
AV	11.64345G	52.07	54.00	-1.93	69.18	3	Vertical	133	2.82	-	39.30	8.62	65.03

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6716G	52.19	74.00	-21.81	69.26	3	Horizontal	172	2.78	-	39.34	8.63	65.04
AV	11.675G	39.39	54.00	-14.61	56.45	3	Horizontal	172	2.78	-	39.35	8.63	65.04

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
 Setting 69
 02-R-V-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.44	74.00	-7.56	58.21	3	Vertical	254	2.35	-	33.60	5.31	30.68
AV	5.1492G	53.97	54.00	-0.03	45.74	3	Vertical	254	2.35	-	33.60	5.31	30.68
PK	5.2004G	117.22	Inf	-Inf	108.77	3	Vertical	254	2.35	-	33.80	5.37	30.72
AV	5.1812G	105.29	Inf	-Inf	96.92	3	Vertical	254	2.35	-	33.72	5.35	30.70

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 69
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	61.36	74.00	-12.64	53.14	3	Horizontal	-0	2.05	-	33.59	5.31	30.68
AV	5.1496G	49.96	54.00	-4.04	41.73	3	Horizontal	-0	2.05	-	33.60	5.31	30.68
PK	5.1882G	114.01	Inf	-Inf	105.61	3	Horizontal	-0	2.05	-	33.75	5.36	30.71
AV	5.1862G	103.24	Inf	-Inf	94.86	3	Horizontal	-0	2.05	-	33.74	5.35	30.71

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
 Setting 69
 02-R-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.55975G	53.11	74.00	-20.89	67.26	3	Vertical	99	1.86	-	37.78	10.15	62.08			
AV	15.5512G	39.86	54.00	-14.14	54.00	3	Vertical	99	1.86	-	37.80	10.14	62.08			

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 69
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5623G	53.95	74.00	-20.05	68.10	3	Horizontal	64	2.77	-	37.78	10.15	62.08
AV	15.55475G	39.86	54.00	-14.14	54.01	3	Horizontal	64	2.77	-	37.79	10.14	62.08

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 92
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.35	74.00	-6.65	59.12	3	Vertical	256	1.97	-	33.60	5.31	30.68
AV	5.1493G	53.97	54.00	-0.03	45.74	3	Vertical	256	1.97	-	33.60	5.31	30.68
PK	5.2252G	123.08	Inf	-Inf	114.64	3	Vertical	256	1.97	-	33.80	5.38	30.74
AV	5.2225G	111.81	Inf	-Inf	103.38	3	Vertical	256	1.97	-	33.80	5.37	30.74
PK	5.3566G	62.73	74.00	-11.27	54.18	3	Vertical	256	1.97	-	34.00	5.40	30.85
AV	5.3734G	51.08	54.00	-2.92	42.54	3	Vertical	256	1.97	-	34.00	5.40	30.86

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 92
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1457G	65.71	74.00	-8.29	57.49	3	Horizontal	-0	2.14	-	33.59	5.31	30.68
AV	5.1478G	51.19	54.00	-2.81	42.96	3	Horizontal	-0	2.14	-	33.60	5.31	30.68
PK	5.2348G	118.64	Inf	-Inf	110.21	3	Horizontal	-0	2.14	-	33.80	5.38	30.75
AV	5.236G	106.89	Inf	-Inf	98.46	3	Horizontal	-0	2.14	-	33.80	5.38	30.75
PK	5.3551G	61.88	74.00	-12.12	53.32	3	Horizontal	-0	2.14	-	34.00	5.40	30.84
AV	5.3509G	50.50	54.00	-3.50	41.94	3	Horizontal	-0	2.14	-	34.00	5.40	30.84

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
Setting 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7001G	59.96	74.00	-14.04	74.13	3	Vertical	205	1.08	-	37.80	10.19	62.16
AV	15.70905G	46.43	54.00	-7.57	60.64	3	Vertical	205	1.08	-	37.76	10.19	62.16

5.15-5.25GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
Setting 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6992G	53.81	74.00	-20.19	67.98	3	Horizontal	337	2.87	-	37.80	10.19	62.16
AV	15.7092G	40.30	54.00	-13.70	54.51	3	Horizontal	337	2.87	-	37.76	10.19	62.16

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 92
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1272G	64.25	74.00	-9.75	56.07	3	Vertical	214.9	2.43	-	33.55	5.29	30.66
AV	5.15G	51.68	54.00	-2.32	43.44	3	Vertical	214.9	2.43	-	33.60	5.32	30.68
PK	5.2727G	122.36	Inf	-Inf	113.91	3	Vertical	214.9	2.43	-	33.85	5.38	30.78
AV	5.2739G	111.03	Inf	-Inf	102.58	3	Vertical	214.9	2.43	-	33.85	5.38	30.78
PK	5.3537G	69.34	74.00	-4.66	60.78	3	Vertical	214.9	2.43	-	34.00	5.40	30.84
AV	5.3519G	53.85	54.00	-0.15	45.29	3	Vertical	214.9	2.43	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 92
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	61.70	74.00	-12.30	53.47	3	Horizontal	348.7	1.96	-	33.59	5.31	30.67
AV	5.1497G	50.15	54.00	-3.85	41.92	3	Horizontal	348.7	1.96	-	33.60	5.31	30.68
PK	5.2658G	119.81	Inf	-Inf	111.37	3	Horizontal	348.7	1.96	-	33.83	5.38	30.77
AV	5.2652G	107.89	Inf	-Inf	99.45	3	Horizontal	348.7	1.96	-	33.83	5.38	30.77
PK	5.3519G	64.30	74.00	-9.70	55.74	3	Horizontal	348.7	1.96	-	34.00	5.40	30.84
AV	5.35G	51.50	54.00	-2.50	42.94	3	Horizontal	348.7	1.96	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT Y_4TX
Setting 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79125G	62.73	74.00	-11.27	77.28	3	Vertical	57	3.00	-	37.44	10.22	62.21
AV	15.7958G	47.52	54.00	-6.48	62.09	3	Vertical	57	3.00	-	37.42	10.22	62.21

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.83385G	53.36	74.00	-20.64	68.03	3	Horizontal	102	2.56	-	37.33	10.23	62.23
AV	15.82895G	39.58	54.00	-14.42	54.24	3	Horizontal	102	2.56	-	37.34	10.23	62.23

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 66
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	116.79	Inf	-Inf	108.31	3	Vertical	238	2.59	-	33.88	5.39	30.79
AV	5.2996G	104.86	Inf	-Inf	96.37	3	Vertical	238	2.59	-	33.90	5.39	30.80
PK	5.3532G	65.58	74.00	-8.42	57.02	3	Vertical	238	2.59	-	34.00	5.40	30.84
AV	5.3502G	53.84	54.00	-0.16	45.28	3	Vertical	238	2.59	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
 Setting 66
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3078G	116.63	Inf	-Inf	108.13	3	Horizontal	355	1.90	-	33.92	5.39	30.81
AV	5.3078G	104.33	Inf	-Inf	95.83	3	Horizontal	355	1.90	-	33.92	5.39	30.81
PK	5.3502G	61.95	74.00	-12.05	53.39	3	Horizontal	355	1.90	-	34.00	5.40	30.84
AV	5.3552G	49.78	54.00	-4.22	41.22	3	Horizontal	355	1.90	-	34.00	5.40	30.84

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 66
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9129G	52.34	74.00	-21.66	67.03	3	Vertical	143	1.32	-	37.33	10.25	62.27
AV	15.91395G	39.34	54.00	-14.66	54.03	3	Vertical	143	1.32	-	37.33	10.25	62.27

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 66
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9082G	53.10	74.00	-20.90	67.80	3	Horizontal	177	2.35	-	37.32	10.25	62.27
AV	15.9088G	39.34	54.00	-14.66	54.04	3	Horizontal	177	2.35	-	37.32	10.25	62.27

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 72
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	65.33	74.00	-8.67	56.70	3	Vertical	203	1.80	-	34.10	5.46	30.93
AV	5.4598G	53.01	54.00	-0.99	44.38	3	Vertical	203	1.80	-	34.10	5.46	30.93
PK	5.4698G	67.86	68.20	-0.34	59.23	3	Vertical	203	1.80	-	34.10	5.47	30.94
PK	5.5042G	115.94	Inf	-Inf	107.31	3	Vertical	203	1.80	-	34.10	5.49	30.96
AV	5.507G	104.18	Inf	-Inf	95.54	3	Vertical	203	1.80	-	34.10	5.50	30.96

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
 Setting 72
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	63.61	74.00	-10.39	54.98	3	Horizontal	360	1.83	-	34.10	5.46	30.93
AV	5.46G	51.08	54.00	-2.92	42.45	3	Horizontal	360	1.83	-	34.10	5.46	30.93
PK	5.4628G	63.71	68.20	-4.49	55.08	3	Horizontal	360	1.83	-	34.10	5.46	30.93
PK	5.5116G	114.67	Inf	-Inf	106.04	3	Horizontal	360	1.83	-	34.10	5.50	30.97
AV	5.5118G	103.48	Inf	-Inf	94.85	3	Horizontal	360	1.83	-	34.10	5.50	30.97

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 72
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0404G	55.98	74.00	-18.02	74.90	3	Vertical	338	1.72	-	38.50	8.41	65.83
AV	11.03115G	41.92	54.00	-12.08	60.86	3	Vertical	338	1.72	-	38.50	8.41	65.85

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
Setting 72
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03445G	50.00	74.00	-24.00	68.93	3	Horizontal	142	2.43	-	38.50	8.41	65.84
AV	11.00035G	36.88	54.00	-17.12	55.89	3	Horizontal	142	2.43	-	38.50	8.40	65.91

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 95
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	65.74	74.00	-8.26	57.11	3	Vertical	200	1.80	-	34.10	5.46	30.93
AV	5.4598G	53.01	54.00	-0.99	44.38	3	Vertical	200	1.80	-	34.10	5.46	30.93
PK	5.4648G	67.86	68.20	-0.34	59.23	3	Vertical	200	1.80	-	34.10	5.46	30.93
PK	5.5618G	122.05	Inf	-Inf	113.42	3	Vertical	200	1.80	-	34.08	5.54	30.99
AV	5.5348G	110.56	Inf	-Inf	101.92	3	Vertical	200	1.80	-	34.10	5.52	30.98

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
 Setting 95
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	65.19	74.00	-8.81	56.56	3	Horizontal	-0	1.81	-	34.10	5.46	30.93
AV	5.4598G	53.30	54.00	-0.70	44.67	3	Horizontal	-0	1.81	-	34.10	5.46	30.93
PK	5.4676G	68.14	68.20	-0.06	59.51	3	Horizontal	-0	1.81	-	34.10	5.46	30.93
PK	5.5574G	115.76	Inf	-Inf	107.12	3	Horizontal	-0	1.81	-	34.09	5.54	30.99
AV	5.5454G	107.67	Inf	-Inf	99.02	3	Horizontal	-0	1.81	-	34.10	5.53	30.98

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT Y_4TX
Setting 95
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1078G	57.38	74.00	-16.62	76.05	3	Vertical	72	1.43	-	38.60	8.44	65.71
AV	11.11615G	45.05	54.00	-8.95	63.70	3	Vertical	72	1.43	-	38.60	8.44	65.69

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 95
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0913G	50.11	74.00	-23.89	68.84	3	Horizontal	197	1.76	-	38.58	8.43	65.74
AV	11.1247G	37.22	54.00	-16.78	55.85	3	Horizontal	197	1.76	-	38.60	8.44	65.67

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 80
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6826G	119.06	Inf	-Inf	110.54	3	Vertical	146.9	1.80	-	33.97	5.59	31.04
AV	5.6852G	107.55	Inf	-Inf	99.03	3	Vertical	146.9	1.80	-	33.97	5.60	31.05
PK	5.7346G	68.06	68.20	-0.14	59.52	3	Vertical	146.9	1.80	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
 Setting 80
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.671G	115.58	Inf	-Inf	107.09	3	Horizontal	360	1.48	-	33.94	5.59	31.04
AV	5.674G	104.53	Inf	-Inf	96.03	3	Horizontal	360	1.48	-	33.95	5.59	31.04
PK	5.7256G	66.62	68.20	-1.58	58.07	3	Horizontal	360	1.48	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 80
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3581G	53.58	74.00	-20.42	71.67	3	Vertical	245	1.92	-	38.62	8.52	65.23
AV	11.3557G	40.42	54.00	-13.58	58.52	3	Vertical	245	1.92	-	38.61	8.52	65.23

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 80
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3499G	52.06	74.00	-21.94	70.19	3	Horizontal	60	2.34	-	38.60	8.52	65.25
AV	11.3518G	38.29	54.00	-15.71	56.41	3	Horizontal	60	2.34	-	38.60	8.52	65.24

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7004G	124.46	Inf	-Inf	115.91	3	Vertical	152.1	1.79	-	34.00	5.60	31.05
AV	5.6992G	113.25	Inf	-Inf	104.70	3	Vertical	152.1	1.79	-	34.00	5.60	31.05
PK	5.868G	67.88	68.20	-0.32	59.24	3	Vertical	152.1	1.79	-	34.07	5.70	31.13

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	118.91	Inf	-Inf	110.37	3	Horizontal	360	1.80	-	33.99	5.60	31.05
AV	5.6924G	108.90	Inf	-Inf	100.37	3	Horizontal	360	1.80	-	33.98	5.60	31.05
PK	5.8784G	63.74	68.20	-4.46	55.04	3	Horizontal	360	1.80	-	34.11	5.72	31.13

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40065G	58.75	74.00	-15.25	76.66	3	Vertical	232	1.86	-	38.70	8.54	65.15
AV	11.3951G	47.81	54.00	-6.19	65.75	3	Vertical	232	1.86	-	38.69	8.53	65.16

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4108G	52.36	74.00	-21.64	70.23	3	Horizontal	18	1.03	-	38.72	8.54	65.13
AV	11.3974G	38.86	54.00	-15.14	56.78	3	Horizontal	18	1.03	-	38.69	8.54	65.15

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




29/01/2024

EUT_Y_4TX
Setting 105
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6425G	68.19	68.20	-0.01	59.73	3	Vertical	215.2	1.64	-	33.91	5.58	31.03
PK	5.74G	122.41	Inf	-Inf	113.87	3	Vertical	215.2	1.64	-	34.00	5.61	31.07
AV	5.738G	111.69	Inf	-Inf	103.15	3	Vertical	215.2	1.64	-	34.00	5.61	31.07
PK	5.937G	66.43	68.20	-1.77	57.54	3	Vertical	215.2	1.64	-	34.27	5.78	31.16

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 105
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6525G	68.47	70.05	-1.58	60.00	3	Horizontal	15	1.56	-	33.91	5.59	31.03
PK	5.768G	119.39	Inf	-Inf	110.85	3	Horizontal	15	1.56	-	34.00	5.62	31.08
AV	5.7655G	108.64	Inf	-Inf	100.10	3	Horizontal	15	1.56	-	34.00	5.62	31.08
PK	5.955G	63.43	68.20	-4.77	54.50	3	Horizontal	15	1.56	-	34.30	5.80	31.17

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 105
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5346G	58.33	74.00	-15.67	75.69	3	Vertical	36	1.81	-	39.04	8.58	64.98
AV	11.52225G	49.38	54.00	-4.62	66.78	3	Vertical	36	1.81	-	38.99	8.58	64.97

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 105
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53355G	51.56	74.00	-22.44	68.93	3	Horizontal	199	2.75	-	39.03	8.58	64.98
AV	11.5283G	38.18	54.00	-15.82	55.56	3	Horizontal	199	2.75	-	39.01	8.58	64.97

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 Setting 100
 02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5895G	63.77	68.20	-4.43	55.19	3	Vertical	214	2.12	-	34.02	5.56	31.00
PK	5.8125G	122.54	Inf	-Inf	114.00	3	Vertical	214	2.12	-	34.00	5.64	31.10
AV	5.791G	110.77	Inf	-Inf	102.23	3	Vertical	214	2.12	-	34.00	5.63	31.09
PK	5.923G	69.28	69.68	-0.40	60.41	3	Vertical	214	2.12	-	34.25	5.77	31.15

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5775G	63.95	68.20	-4.25	55.35	3	Horizontal	-0	1.61	-	34.05	5.55	31.00
PK	5.7805G	120.76	Inf	-Inf	112.23	3	Horizontal	-0	1.61	-	34.00	5.62	31.09
AV	5.7785G	109.79	Inf	-Inf	101.26	3	Horizontal	-0	1.61	-	34.00	5.62	31.09
PK	5.925G	64.78	68.20	-3.42	55.92	3	Horizontal	-0	1.61	-	34.25	5.77	31.16

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
 Setting 100
 02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5851G	57.26	74.00	-16.74	74.42	3	Vertical	179	2.48	-	39.24	8.60	65.00
AV	11.61465G	44.64	54.00	-9.36	61.74	3	Vertical	179	2.48	-	39.30	8.61	65.01

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 100
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5886G	51.78	74.00	-22.22	68.93	3	Horizontal	141	1.89	-	39.25	8.60	65.00
AV	11.6148G	38.66	54.00	-15.34	55.76	3	Horizontal	141	1.89	-	39.30	8.61	65.01

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 77
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	71.68	74.00	-2.32	63.45	3	Vertical	240.5	2.52	-	33.60	5.31	30.68
AV	5.15G	53.98	54.00	-0.02	45.74	3	Vertical	240.5	2.52	-	33.60	5.32	30.68
PK	5.246G	115.72	Inf	-Inf	107.30	3	Vertical	240.5	2.52	-	33.80	5.38	30.76
AV	5.1748G	104.40	Inf	-Inf	96.06	3	Vertical	240.5	2.52	-	33.70	5.34	30.70
PK	5.3512G	62.24	74.00	-11.76	53.68	3	Vertical	240.5	2.52	-	34.00	5.40	30.84
AV	5.3536G	50.51	54.00	-3.49	41.95	3	Vertical	240.5	2.52	-	34.00	5.40	30.84

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 77
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	63.54	74.00	-10.46	55.32	3	Horizontal	334	1.79	-	33.59	5.31	30.68
AV	5.15G	49.97	54.00	-4.03	41.73	3	Horizontal	334	1.79	-	33.60	5.32	30.68
PK	5.2208G	107.09	Inf	-Inf	98.66	3	Horizontal	334	1.79	-	33.80	5.37	30.74
AV	5.1756G	99.83	Inf	-Inf	91.49	3	Horizontal	334	1.79	-	33.70	5.34	30.70
PK	5.362G	61.09	74.00	-12.91	52.54	3	Horizontal	334	1.79	-	34.00	5.40	30.85
AV	5.3592G	48.97	54.00	-5.03	40.42	3	Horizontal	334	1.79	-	34.00	5.40	30.85

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 77
02-R-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	15.6254G	53.20	74.00	-20.80	67.45	3	Vertical	180	2.03	-	37.70	10.17	62.12			
AV	15.649G	40.04	54.00	-13.96	54.30	3	Vertical	180	2.03	-	37.70	10.17	62.13			

5.15-5.25GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 77
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6476G	52.85	74.00	-21.15	67.11	3	Horizontal	331	2.98	-	37.70	10.17	62.13
AV	15.649G	40.07	54.00	-13.93	54.33	3	Horizontal	331	2.98	-	37.70	10.17	62.13

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	61.82	74.00	-12.18	53.59	3	Vertical	243	2.53	-	33.60	5.31	30.68
AV	5.134G	49.69	54.00	-4.31	41.49	3	Vertical	243	2.53	-	33.57	5.30	30.67
PK	5.2608G	115.75	Inf	-Inf	107.32	3	Vertical	243	2.53	-	33.82	5.38	30.77
AV	5.2572G	106.04	Inf	-Inf	97.62	3	Vertical	243	2.53	-	33.81	5.38	30.77
PK	5.3504G	67.11	74.00	-6.89	58.55	3	Vertical	243	2.53	-	34.00	5.40	30.84
AV	5.35G	53.96	54.00	-0.04	45.40	3	Vertical	243	2.53	-	34.00	5.40	30.84
PK	5.4872G	61.96	68.20	-6.24	53.33	3	Vertical	243	2.53	-	34.10	5.48	30.95

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	60.62	74.00	-13.38	52.40	3	Horizontal	-0	1.80	-	33.59	5.31	30.68
AV	5.1488G	48.96	54.00	-5.04	40.73	3	Horizontal	-0	1.80	-	33.60	5.31	30.68
PK	5.2588G	111.56	Inf	-Inf	103.13	3	Horizontal	-0	1.80	-	33.82	5.38	30.77
AV	5.2596G	99.92	Inf	-Inf	91.49	3	Horizontal	-0	1.80	-	33.82	5.38	30.77
PK	5.35G	64.99	74.00	-9.01	56.43	3	Horizontal	-0	1.80	-	34.00	5.40	30.84
AV	5.3524G	51.97	54.00	-2.03	43.41	3	Horizontal	-0	1.80	-	34.00	5.40	30.84
PK	5.4868G	62.06	68.20	-6.14	53.43	3	Horizontal	-0	1.80	-	34.10	5.48	30.95

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8759G	52.68	74.00	-21.32	67.39	3	Vertical	148	1.24	-	37.30	10.24	62.25
AV	15.8817G	39.53	54.00	-14.47	54.25	3	Vertical	148	1.24	-	37.30	10.24	62.26

5.25-5.35GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 75
02-R-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8797G	52.70	74.00	-21.30	67.42	3	Horizontal	291	1.61	-	37.30	10.24	62.26
AV	15.88265G	39.61	54.00	-14.39	54.33	3	Horizontal	291	1.61	-	37.30	10.24	62.26

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 74
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3464G	61.81	68.20	-6.39	53.26	3	Vertical	204	1.75	-	33.99	5.40	30.84
PK	5.458G	66.28	74.00	-7.72	57.65	3	Vertical	204	1.75	-	34.10	5.46	30.93
AV	5.4596G	53.16	54.00	-0.84	44.53	3	Vertical	204	1.75	-	34.10	5.46	30.93
PK	5.4688G	67.57	68.20	-0.63	58.94	3	Vertical	204	1.75	-	34.10	5.47	30.94
AV	5.4924G	104.06	Inf	-Inf	95.43	3	Vertical	204	1.75	-	34.10	5.48	30.95
PK	5.542G	115.00	Inf	-Inf	106.36	3	Vertical	204	1.75	-	34.10	5.52	30.98
PK	5.7292G	61.59	68.20	-6.61	53.05	3	Vertical	204	1.75	-	34.00	5.61	31.07

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 74
02-R-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	60.55	68.20	-7.65	52.01	3	Horizontal	358	1.80	-	33.96	5.40	30.82
PK	5.4544G	67.07	74.00	-6.93	58.44	3	Horizontal	358	1.80	-	34.10	5.45	30.92
AV	5.46G	52.57	54.00	-1.43	43.94	3	Horizontal	358	1.80	-	34.10	5.46	30.93
PK	5.466G	66.01	68.20	-2.19	57.38	3	Horizontal	358	1.80	-	34.10	5.46	30.93
PK	5.494G	111.55	Inf	-Inf	102.92	3	Horizontal	358	1.80	-	34.10	5.49	30.96
AV	5.5076G	101.42	Inf	-Inf	92.78	3	Horizontal	358	1.80	-	34.10	5.50	30.96
PK	5.7276G	60.65	68.20	-7.55	52.10	3	Horizontal	358	1.80	-	34.00	5.61	31.06

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX



EUT_Y_4TX
Setting 74
02-R-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.054G	50.29	74.00	-23.71	69.17	3	Vertical	355	1.04	-	38.51	8.42	65.81			
AV	11.0591G	36.93	54.00	-17.07	55.79	3	Vertical	355	1.04	-	38.52	8.42	65.80			