
ethertronics
HUMAX




HUMAX
S/N:


HUMAX
W1 CPU B/D REV.0.2
S/N
1 2 3 4 5 6 7 S 8 T


U1003
U1002
U1005
Y1001
TP11211
TP11212
TP11213
TP11217
TP11216
TP11215
TP11205
TP10001
HUMAX

HUMAX
S/N:
STAINLESS STEEL


STAINLESS STEEL


STAINLESS STEEL
HUMAX
W1 AMP 3/0 REV-0.4


S/N:
ASSY REV.
A B C D E F
1 2 3 4 5 6
TF-1
94V-0


GRAY
BLACK
S/N:


Y6001
TP6002
TP6001
TP6004
TP6003
U9171
U9002
U8000
CON6002
CON6001
Y6000
S/N:
PDC1802070036
HUMAX

HONOTO
SWITCHING ADAPTER
MADE IN CHINA
EFFICIENCY LEVEL
CAUTION
INDOOR USE ONLY
DANGEROUS VOLTAGE INSIDE DO NOT OPEN

K181102081
KPSA 면제검사필

HONOTO
SWITCHING ADAPTER
MODEL: ADS-48PI-12N-2 12048E
P/N: HN1240WIC86D_A
INPUT: 100-240V~ 50/60Hz
1. 2A max.
OUTPUT: 12V ⎓ 4. 0A
This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
c UL us LISTED
I. T. E.
E221556
4JN6
MADE IN CHINA
EFFICIENCY LEVEL: VI
SHENZHEN HONOR ELECTRONIC CO., LTD.
CAUTION
·INDOOR USE ONLY
·DANGEROUS VOLTAGE INSIDE, DO NOT OPEN


FPCB Antenna 1
FPCB Antenna 0


FPCB Antenna 0


FPCB Antenna 0


FPCB Antenna 1


FPCB Antenna 1