



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (90°,65°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.43 mW/g, SAR (10g): 0.890 mW/g

Head SAR - Left Cheek/Touch Position
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 25 [1851.25 MHz]
Conducted Power: 24.00 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003




SAR_{Tot} [mW/g]




Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (90°,65°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.51 mW/g, SAR (10g): 0.941 mW/g

Head SAR - Left Cheek/Touch Position
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 600 [1880.00 MHz]
Conducted Power: 24.03 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003




SAR_{Tot} [mW/g]




Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (90°,65°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.53 mW/g, SAR (10g): 0.925 mW/g

Head SAR - Left Cheek/Touch Position
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 1175 [1908.75 MHz]
Conducted Power: 24.03 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section

Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0

1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³

Z-Axis Extrapolation at Peak SAR Location

Head SAR - Left Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


PCS CDMA Mode

Channel 1175 [1908.75 MHz]

Conducted Power: 24.03 dBm

Ambient Temp. 21.9°C; Fluid Temp. 21.6°C


Date Tested: June 23, 2003




Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (105°,65°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.37 mW/g, SAR (10g): 0.801 mW/g

Head SAR - Left Ear/Tilt Position (15°)
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 25 [1851.25 MHz]
Conducted Power: 24.08 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003




SAR_{Tot} [mW/g]




Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (105°,65°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.43 mW/g, SAR (10g): 0.835 mW/g

Head SAR - Left Ear/Tilt Position (15°)
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 600 [1880.00 MHz]
Conducted Power: 24.01 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003




SAR_{Tot} [mW/g]




Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (105°,65°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.28 mW/g, SAR (10g): 0.757 mW/g

Head SAR - Left Ear/Tilt Position (15°)
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 1175 [1908.75 MHz]
Conducted Power: 24.03 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³


Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.44 mW/g, SAR (10g): 0.837 mW/g

Head SAR - Right Cheek/Touch Position
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 25 [1851.25 MHz]
Conducted Power: 24.07 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003

PRIMARY HOTSPOT EVALUATION



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
 Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.05 mW/g, SAR (10g): 0.624 mW/g

Head SAR - Right Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna

PCS CDMA Mode


Channel 25 [1851.25 MHz]

Conducted Power: 24.07 dBm

Ambient Temp. 21.9°C; Fluid Temp. 21.6°C

Date Tested: June 23, 2003

SECONDARY HOTSPOT EVALUATION



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
 Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³


Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.44 mW/g, SAR (10g): 0.840 mW/g

Head SAR - Right Cheek/Touch Position
 Treo 600 Dual-Band CDMA Phone
 Lithium-ion Battery
 Fixed Stubby Antenna
 PCS CDMA Mode
 Channel 600 [1880.00 MHz]
 Conducted Power: 24.00 dBm
 Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
 Date Tested: June 23, 2003

PRIMARY HOTSPOT EVALUATION



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0

1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.08 mW/g, SAR (10g): 0.652 mW/g

Head SAR - Right Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna

PCS CDMA Mode


Channel 600 [1880.00 MHz]

Conducted Power: 24.00 dBm

Ambient Temp. 21.9°C; Fluid Temp. 21.6°C

Date Tested: June 23, 2003

SECONDARY HOTSPOT EVALUATION




Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7
SAR (1g): 1.46 mW/g, SAR (10g): 0.860 mW/g

Head SAR - Right Cheek/Touch Position
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 1175 [1908.75 MHz]
Conducted Power: 24.02 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003

PRIMARY HOTSPOT EVALUATION



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³


Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.04 mW/g, SAR (10g): 0.621 mW/g

Head SAR - Right Cheek/Touch Position
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
PCS CDMA Mode
Channel 1175 [1908.75 MHz]
Conducted Power: 24.02 dBm
Ambient Temp. 21.9°C; Fluid Temp. 21.6°C
Date Tested: June 23, 2003

SECONDARY HOTSPOT EVALUATION



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (105°,295°)
 Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0
 1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.40 mW/g, SAR (10g): 0.805 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


PCS CDMA Mode

Channel 25 [1851.25 MHz]


Conducted Power: 24.07 dBm

Ambient Temp. 21.9°C; Fluid Temp. 21.6°C

Date Tested: June 23, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (105°,295°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0

1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.46 mW/g, SAR (10g): 0.833 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


PCS CDMA Mode

Channel 600 [1880.00 MHz]


Conducted Power: 24.00 dBm

Ambient Temp. 21.9°C; Fluid Temp. 21.6°C

Date Tested: June 23, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (105°,295°)
Probe: ET3DV6 - SN1387; ConvF(5.20,5.20,5.20); Crest factor: 1.0

1900 MHz Brain: $\sigma = 1.43$ mho/m $\epsilon_r = 38.0$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.27 mW/g, SAR (10g): 0.714 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


PCS CDMA Mode

Channel 1175 [1908.75 MHz]

Conducted Power: 24.04 dBm

Ambient Temp. 21.9°C; Fluid Temp. 21.6°C

Date Tested: June 23, 2003



SAR_{Tot} [mW/g]

