

Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (90°,65°)

Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.17 mW/g, SAR (10g): 0.840 mW/g

Head SAR - Left Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 1013 [824.70 MHz]


Conducted Power: 24.10 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (90°,65°)

Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.53 mW/g, SAR (10g): 1.04 mW/g

Head SAR - Left Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 363 [835.89 MHz]


Conducted Power: 24.10 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section

Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Z-Axis Extrapolation at Peak SAR Location

Head SAR - Left Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 363 [835.89 MHz]

Conducted Power: 24.10 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (90°,65°)
 Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.31 mW/g, SAR (10g): 0.919 mW/g

Head SAR - Left Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 777 [848.31 MHz]


Conducted Power: 24.08 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (105°,65°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.631 mW/g, SAR (10g): 0.452 mW/g

Head SAR - Left Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 1013 [824.70 MHz]


Conducted Power: 24.07 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (105°,65°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.810 mW/g, SAR (10g): 0.558 mW/g

Head SAR - Left Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 363 [835.89 MHz]


Conducted Power: 24.10 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Left Head Section; Position: (105°,65°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.747 mW/g, SAR (10g): 0.528 mW/g

Head SAR - Left Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 777 [848.31 MHz]


Conducted Power: 24.09 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.24 mW/g, SAR (10g): 0.879 mW/g

Head SAR - Right Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 1013 [824.70 MHz]


Conducted Power: 24.08 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0


Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0


Cube 5x5x7

SAR (1g): 1.47 mW/g, SAR (10g): 1.03 mW/g

Head SAR - Right Cheek/Touch Position
Treo 600 Dual-Band CDMA Phone
Lithium-ion Battery
Fixed Stubby Antenna
Cellular CDMA Mode
Channel 363 [835.89 MHz]
Conducted Power: 24.10 dBm
Ambient Temp. 24.4°C; Fluid Temp. 22.2°C
Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (90°,295°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.43 mW/g, SAR (10g): 0.997 mW/g

Head SAR - Right Cheek/Touch Position

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 777 [848.31 MHz]


Conducted Power: 24.06 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (105°,295°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.833 mW/g, SAR (10g): 0.538 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 1013 [824.70 MHz]


Conducted Power: 24.10 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (105°,295°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 0.942 mW/g, SAR (10g): 0.595 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 363 [835.89 MHz]


Conducted Power: 24.10 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]



Handspring Inc. FCC ID: O8FBW

SAM Phantom; Right Head Section; Position: (105°,295°)
Probe: ET3DV6 - SN1387; ConvF(6.60,6.60,6.60); Crest factor: 1.0

Brain 835 MHz: $\sigma = 0.91$ mho/m $\epsilon_r = 41.6$ $\rho = 1.00$ g/cm³

Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0

Cube 5x5x7

SAR (1g): 1.01 mW/g, SAR (10g): 0.658 mW/g

Head SAR - Right Ear/Tilt Position (15°)

Treo 600 Dual-Band CDMA Phone

Lithium-ion Battery

Fixed Stubby Antenna


Cellular CDMA Mode

Channel 777 [848.31 MHz]

Conducted Power: 24.00 dBm

Ambient Temp. 24.4°C; Fluid Temp. 22.2°C

Date Tested: June 24, 2003



SAR_{Tot} [mW/g]

