



Profile: 11BS004R	Page No.: 115
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	64.218	33.033	-9.782	74.000	31.185	PK
2	*	2428.668	94.399	63.213	20.399	74.000	31.186	PK

Profile: 11BS004R	Page No.: 116
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at channel 2422MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.462	17.277	-5.538	54.000	31.185	AV
2	*	2417.712	79.385	48.203	25.385	54.000	31.182	AV

Profile: 11BS004R	Page No.: 385
Engineer: Jame	
Site: AC5	Time: 2011/12/16 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.708	107.750	76.546	33.750	74.000	31.204	PK
2		2483.500	72.258	41.049	-1.742	74.000	31.209	PK
3		2483.500	72.258	41.049	-1.742	74.000	31.209	PK

Profile: 11BS004R	Page No.: 118
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.900	91.312	60.108	37.312	54.000	31.203	AV
2		2483.500	51.210	20.001	-2.790	54.000	31.209	AV

Profile: 11BS004R	Page No.: 119
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2434.558	98.751	67.565	24.751	74.000	31.185	PK
2		2483.500	64.228	33.019	-9.772	74.000	31.209	PK

Profile: 11BS004R	Page No.: 120
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2434.402	82.269	51.083	28.269	54.000	31.185	AV
2		2483.500	48.615	17.406	-5.385	54.000	31.209	AV

Profile: 11BS004R	Page No.: 121
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	63.306	32.121	-10.694	74.000	31.185	PK
2	*	2437.776	98.000	66.815	24.000	74.000	31.185	PK

Profile: 11BS004R	Page No.: 122
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.077	16.892	-5.923	54.000	31.185	AV
2	*	2404.776	81.442	50.261	27.442	54.000	31.181	AV

Profile: 11BS004R	Page No.: 123
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	63.161	31.976	-10.839	74.000	31.185	PK
2	*	2437.776	97.882	66.697	23.882	74.000	31.185	PK

Profile: 11BS004R	Page No.: 124
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.160	16.975	-5.840	54.000	31.185	AV
2	*	2434.476	82.916	51.730	28.916	54.000	31.185	AV

Profile: 11BS004R	Page No.: 125
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2437.483	108.108	76.923	34.108	74.000	31.185	PK
2		2483.500	72.293	41.084	-1.707	74.000	31.209	PK

Profile: 11BS004R	Page No.: 126
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2437.171	94.080	62.895	40.080	54.000	31.186	AV
2		2483.500	52.449	21.240	-1.551	54.000	31.209	AV

Profile: 11BS004R	Page No.: 127
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2437.678	96.625	65.440	22.625	74.000	31.185	PK
2		2483.500	63.784	32.575	-10.216	74.000	31.209	PK


Profile: 11BS004R	Page No.: 128
Engineer: Jame	
Site: AC5	Time: 2011/12/03 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.073	82.595	51.391	28.595	54.000	31.204	AV
2		2483.500	49.075	17.866	-4.925	54.000	31.209	AV


Test by build-in antenna (Metal antenna)

Profile: 11BS004R	Page No.: 129
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	62.303	31.118	-11.697	74.000	31.185	PK
2	*	2410.856	109.119	77.939	35.119	74.000	31.180	PK

Profile: 11BS004R	Page No.: 130
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.539	20.354	-2.461	54.000	31.185	AV
2	*	2413.936	101.899	70.718	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 131
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.238	30.053	-12.762	74.000	31.185	PK
2	*	2412.704	102.872	71.691	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 132
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.480	17.295	-5.520	54.000	31.185	AV
2	*	2413.768	92.587	61.406	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 133
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.608	115.549	84.346	N/A	N/A	31.203	PK
2		2483.500	63.632	32.423	-10.368	74.000	31.209	PK

Profile: 11BS004R	Page No.: 134
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.800	103.668	72.465	N/A	N/A	31.204	AV
2		2483.500	50.165	18.956	-3.835	54.000	31.209	AV

Profile: 11BS004R	Page No.: 135
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.728	107.901	76.698	N/A	N/A	31.204	PK
2		2483.500	61.707	30.498	-12.293	74.000	31.209	PK

Profile: 11BS004R	Page No.: 136
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2463.328	94.858	63.655	N/A	N/A	31.203	AV
2		2483.500	48.424	17.215	-5.576	54.000	31.209	AV

Profile: 11BS004R	Page No.: 137
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.700	30.515	-12.300	74.000	31.185	PK
2	*	2410.688	108.180	77.000	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 138
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2320.024	51.355	20.107	-2.645	54.000	31.249	AV
2		2390.000	48.632	17.447	-5.368	54.000	31.185	AV
3	*	2410.464	96.987	65.807	N/A	N/A	31.180	AV

Profile: 11BS004R	Page No.: 139
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.240	30.055	-12.760	74.000	31.185	PK
2	*	2411.080	96.945	65.765	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 140
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	47.795	16.610	-6.205	54.000	31.185	AV
2	*	2410.072	85.162	53.982	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 141
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2460.928	111.123	79.921	N/A	N/A	31.202	PK
2		2483.500	62.629	31.420	-11.371	74.000	31.209	PK

Profile: 11BS004R	Page No.: 142
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2460.784	98.767	67.565	N/A	N/A	31.202	AV
2		2483.500	48.466	17.257	-5.534	54.000	31.209	AV

Profile: 11BS004R	Page No.: 255
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 16:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.656	107.778	76.575	33.778	74.000	31.204	PK
2		2483.500	61.796	30.587	-12.204	74.000	31.209	PK

Profile: 11BS004R	Page No.: 256
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 16:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.872	97.174	65.971	N/A	N/A	31.203	AV
2		2483.500	48.191	16.982	-5.809	54.000	31.209	AV

Profile: 11BS004R	Page No.: 143
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.831	30.646	-12.169	74.000	31.185	PK
2	*	2409.680	111.118	79.938	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 144
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.549	17.364	-5.451	54.000	31.185	AV
2	*	2409.064	98.472	67.292	N/A	N/A	31.180	AV

Profile: 11BS004R	Page No.: 145
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.546	30.361	-12.454	74.000	31.185	PK
2	*	2410.408	101.087	69.907	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 146
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	47.871	16.686	-6.129	54.000	31.185	AV
2	*	2410.576	89.107	57.927	N/A	N/A	31.180	AV

Profile: 11BS004R	Page No.: 147
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.632	112.933	81.730	N/A	N/A	31.203	PK
2		2483.500	61.948	30.739	-12.052	74.000	31.209	PK

Profile: 11BS004R	Page No.: 148
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.800	100.907	69.704	N/A	N/A	31.204	AV
2		2483.500	48.693	17.484	-5.307	54.000	31.209	AV

Profile: 11BS004R	Page No.: 149
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.584	102.280	71.077	N/A	N/A	31.203	PK
2		2483.500	61.441	30.232	-12.559	74.000	31.209	PK

Profile: 11BS004R	Page No.: 150
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.872	91.975	60.772	N/A	N/A	31.203	AV
2		2483.500	47.997	16.788	-6.003	54.000	31.209	AV

Profile: 11BS004R	Page No.: 151
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	67.421	36.236	-6.579	74.000	31.185	PK
2	*	2419.088	111.740	80.557	N/A	N/A	31.183	PK

Profile: 11BS004R	Page No.: 152
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	50.767	19.582	-3.233	54.000	31.185	AV
2	*	2419.312	88.537	57.354	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 153
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	62.740	31.555	-11.260	74.000	31.185	PK
2	*	2419.144	101.551	70.368	N/A	N/A	31.183	PK

Profile: 11BS004R	Page No.: 154
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.452	17.267	-5.548	54.000	31.185	AV
2	*	2419.144	80.630	49.447	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 155
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.480	110.923	79.720	N/A	N/A	31.204	PK
2		2483.500	68.065	36.856	-5.935	74.000	31.209	PK

Profile: 11BS004R	Page No.: 156
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.432	87.717	56.514	N/A	N/A	31.204	AV
2		2483.500	50.326	19.117	-3.674	54.000	31.209	AV

Profile: 11BS004R	Page No.: 157
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.776	104.194	72.990	N/A	N/A	31.204	PK
2		2483.500	62.510	31.301	-11.490	74.000	31.209	PK

Profile: 11BS004R	Page No.: 158
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.600	81.858	50.655	N/A	N/A	31.203	AV
2		2483.500	48.305	17.096	-5.695	54.000	31.209	AV

Profile: 11BS004R	Page No.: 159
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2360.120	65.854	34.640	-8.146	74.000	31.214	PK
2		2390.000	67.951	36.766	-6.049	74.000	31.185	PK
3	*	2405.368	109.740	78.559	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 160
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2319.688	49.012	17.764	-4.988	54.000	31.248	AV
2		2359.840	52.512	21.298	-1.488	54.000	31.214	AV
3		2390.000	50.936	19.751	-3.064	54.000	31.185	AV
4	*	2405.424	86.632	55.451	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 161
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.471	30.286	-12.529	74.000	31.185	PK
2	*	2406.600	97.690	66.509	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 162
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.184	16.999	-5.816	54.000	31.185	AV
2	*	2405.368	77.477	46.296	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 163
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.408	109.437	78.233	N/A	N/A	31.204	PK
2		2483.500	64.810	33.601	-9.190	74.000	31.209	PK

Profile: 11BS004R	Page No.: 164
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.048	86.076	54.872	N/A	N/A	31.204	AV
2		2483.500	49.487	18.278	-4.513	54.000	31.209	AV

Profile: 11BS004R	Page No.: 165
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.432	99.357	68.153	N/A	N/A	31.204	PK
2		2483.500	61.189	29.980	-12.811	74.000	31.209	PK

Profile: 11BS004R	Page No.: 166
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.144	78.233	47.029	N/A	N/A	31.204	AV
2		2483.500	48.139	16.930	-5.861	54.000	31.209	AV

Profile: 11BS004R	Page No.: 167
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	68.864	37.679	-5.136	74.000	31.185	PK
2	*	2405.088	111.750	80.569	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 168
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.352	20.167	-2.648	54.000	31.185	AV
2	*	2404.696	88.422	57.241	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 169
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.486	30.301	-12.514	74.000	31.185	PK
2	*	2404.416	101.159	69.978	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 170
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.210	17.025	-5.790	54.000	31.185	AV
2	*	2404.248	79.543	48.362	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 171
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.064	113.617	82.413	N/A	N/A	31.204	PK
2		2483.500	71.786	40.577	-2.214	74.000	31.209	PK
3		2492.896	70.232	39.017	-3.768	74.000	31.215	PK

Profile: 11BS004R	Page No.: 172
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2468.992	88.306	57.102	N/A	N/A	31.204	AV
2		2483.500	50.045	18.836	-3.955	54.000	31.209	AV

Profile: 11BS004R	Page No.: 173
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2468.968	103.160	71.956	N/A	N/A	31.204	PK
2		2483.500	60.874	29.665	-13.126	74.000	31.209	PK
3		2486.992	65.664	34.453	-8.336	74.000	31.211	PK

Profile: 11BS004R	Page No.: 174
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.376	81.368	50.164	N/A	N/A	31.205	AV
2		2483.500	48.364	17.155	-5.636	54.000	31.209	AV

Profile: 11BS004R	Page No.: 175
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	66.024	34.839	-7.976	74.000	31.185	PK
2	*	2418.920	109.645	78.462	N/A	N/A	31.182	PK

Profile: 11BS004R	Page No.: 176
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	50.769	19.584	-3.231	54.000	31.185	AV
2	*	2419.480	96.416	65.233	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 177
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.188	30.003	-12.812	74.000	31.185	PK
2	*	2419.536	100.432	69.249	N/A	N/A	31.183	PK

Profile: 11BS004R	Page No.: 178
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.445	17.260	-5.555	54.000	31.185	AV
2	*	2419.704	86.890	55.707	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 179
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.248	109.944	78.740	N/A	N/A	31.203	PK
2		2483.500	71.038	39.829	-2.962	74.000	31.209	PK

Profile: 11BS004R	Page No.: 180
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2463.616	96.556	65.353	N/A	N/A	31.203	AV
2		2483.500	50.895	19.686	-3.105	54.000	31.209	AV

Profile: 11BS004R	Page No.: 181
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.056	102.590	71.386	N/A	N/A	31.203	PK
2		2483.500	61.444	30.235	-12.556	74.000	31.209	PK

Profile: 11BS004R	Page No.: 182
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.216	89.269	58.066	N/A	N/A	31.204	AV
2		2483.500	48.454	17.245	-5.546	54.000	31.209	AV

Profile: 11BS004R	Page No.: 183
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	65.938	34.753	-8.062	74.000	31.185	PK
2	*	2405.312	107.247	76.066	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 184
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.222	20.037	-2.778	54.000	31.185	AV
2	*	2405.256	94.409	63.228	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 185
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.617	30.432	-12.383	74.000	31.185	PK
2	*	2407.608	96.383	65.202	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 186
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.166	16.981	-5.834	54.000	31.185	AV
2	*	2405.256	83.288	52.107	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 187
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2461.816	108.072	76.869	N/A	N/A	31.203	PK
2		2483.500	64.530	33.321	-9.470	74.000	31.209	PK

Profile: 11BS004R	Page No.: 188
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.360	94.217	63.013	N/A	N/A	31.204	AV
2		2483.500	49.807	18.598	-4.193	54.000	31.209	AV

Profile: 11BS004R	Page No.: 189
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.816	98.167	66.963	N/A	N/A	31.204	PK
2		2483.500	61.179	29.970	-12.821	74.000	31.209	PK