



Profile: 11BS004R	Page No.: 33
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	67.143	35.958	-6.857	74.000	31.185	PK
2	*	2404.864	108.123	76.942	34.123	74.000	31.181	PK

Profile: 11BS004R	Page No.: 34
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2319.912	51.593	20.345	-2.407	54.000	31.248	AV
2		2390.000	51.322	20.137	-2.678	54.000	31.185	AV
3	*	2405.760	86.036	54.855	32.036	54.000	31.181	AV

Profile: 11BS004R	Page No.: 35
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.207	30.022	-12.793	74.000	31.185	PK
2	*	2406.768	101.011	69.830	27.011	74.000	31.180	PK

Profile: 11BS004R	Page No.: 36
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.207	17.022	-5.793	54.000	31.185	AV
2	*	2406.936	78.716	47.535	24.716	54.000	31.180	AV

Profile: 11BS004R	Page No.: 37
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2466.376	110.030	78.826	36.030	74.000	31.203	PK
2		2483.500	66.366	35.157	-7.634	74.000	31.209	PK
3		2491.744	68.810	37.596	-5.190	74.000	31.215	PK

Profile: 11BS004R	Page No.: 38
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2466.616	85.372	54.168	31.372	54.000	31.204	AV
2		2483.500	49.313	18.104	-4.687	54.000	31.209	AV

Profile: 11BS004R	Page No.: 39
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.992	100.395	69.191	26.395	74.000	31.204	PK
2		2483.500	61.175	29.966	-12.825	74.000	31.209	PK

Profile: 11BS004R	Page No.: 40
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2459.368	79.888	48.688	25.888	54.000	31.200	AV
2		2483.500	48.273	17.064	-5.727	54.000	31.209	AV

Profile: 11BS004R	Page No.: 41
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	68.757	37.572	-5.243	74.000	31.185	PK
2	*	2405.032	111.772	80.591	37.772	74.000	31.182	PK

Profile: 11BS004R	Page No.: 42
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	50.586	19.401	-3.414	54.000	31.185	AV
2	*	2404.528	87.831	56.650	33.831	54.000	31.181	AV

Profile: 11BS004R	Page No.: 43
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.578	30.393	-12.422	74.000	31.185	PK
2	*	2404.304	101.055	69.874	27.055	74.000	31.181	PK

Profile: 11BS004R	Page No.: 44
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.456	17.271	-5.544	54.000	31.185	AV
2	*	2404.864	80.609	49.428	26.609	54.000	31.181	AV

Profile: 11BS004R	Page No.: 45
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.328	113.871	82.667	39.871	74.000	31.205	PK
2		2483.500	70.858	39.649	-3.142	74.000	31.209	PK
3		2492.680	71.812	40.597	-2.188	74.000	31.215	PK

Profile: 11BS004R	Page No.: 46
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.376	88.791	57.587	34.791	54.000	31.205	AV
2		2483.500	50.537	19.328	-3.463	54.000	31.209	AV
3		2487.520	50.743	19.531	-3.257	54.000	31.212	AV

Profile: 11BS004R	Page No.: 47
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2468.944	102.328	71.124	28.328	74.000	31.204	PK
2		2483.500	61.903	30.694	-12.097	74.000	31.209	PK

Profile: 11BS004R	Page No.: 48
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 15:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.136	79.436	48.232	25.436	54.000	31.204	AV
2		2483.500	48.217	17.008	-5.783	54.000	31.209	AV

Profile: 11BS004R	Page No.: 49
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	63.409	32.224	-10.591	74.000	31.185	PK
2	*	2419.704	105.689	74.506	31.689	74.000	31.183	PK

Profile: 11BS004R	Page No.: 50
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	49.861	18.676	-4.139	54.000	31.185	AV
2	*	2419.872	93.470	62.287	39.470	54.000	31.183	AV

Profile: 11BS004R	Page No.: 51
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.093	29.908	-12.907	74.000	31.185	PK
2	*	2419.480	100.391	69.208	26.391	74.000	31.183	PK

Profile: 11BS004R	Page No.: 52
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2419.872	87.929	56.746	33.929	54.000	31.183	AV

Profile: 11BS004R	Page No.: 53
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.888	109.068	77.864	35.068	74.000	31.203	PK
2		2483.500	68.913	37.704	-5.087	74.000	31.209	PK

Profile: 11BS004R	Page No.: 54
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.840	95.003	63.799	41.003	54.000	31.203	AV
2		2483.500	49.910	18.701	-4.090	54.000	31.209	AV

Profile: 11BS004R	Page No.: 55
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2463.880	103.700	72.497	29.700	74.000	31.203	PK
2		2483.500	64.860	33.651	-9.140	74.000	31.209	PK

Profile: 11BS004R	Page No.: 56
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.048	90.661	59.458	36.661	54.000	31.204	AV
2		2483.500	48.879	17.670	-5.121	54.000	31.209	AV

Profile: 11BS004R	Page No.: 57
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2389.128	69.374	38.189	-4.626	74.000	31.186	PK
2		2390.000	66.099	34.914	-7.901	74.000	31.185	PK
3	*	2405.760	106.400	75.219	32.400	74.000	31.181	PK

Profile: 11BS004R	Page No.: 58
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2319.912	52.182	20.934	-1.818	54.000	31.248	AV
2		2390.000	51.366	20.181	-2.634	54.000	31.185	AV
3	*	2404.976	93.140	61.959	39.140	54.000	31.182	AV

Profile: 11BS004R	Page No.: 59
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.191	30.006	-12.809	74.000	31.185	PK
2	*	2405.368	98.813	67.632	24.813	74.000	31.181	PK

Profile: 11BS004R	Page No.: 60
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.339	17.154	-5.661	54.000	31.185	AV
2	*	2405.592	84.874	53.693	30.874	54.000	31.181	AV

Profile: 11BS004R	Page No.: 61
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.480	107.389	76.185	33.389	74.000	31.204	PK
2		2483.500	64.425	33.216	-9.575	74.000	31.209	PK

Profile: 11BS004R	Page No.: 62
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2466.304	92.254	61.050	38.254	54.000	31.203	AV
2		2483.500	49.119	17.910	-4.881	54.000	31.209	AV

Profile: 11BS004R	Page No.: 63
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2455.456	98.811	67.615	24.811	74.000	31.196	PK
2		2483.500	61.439	30.230	-12.561	74.000	31.209	PK

Profile: 11BS004R	Page No.: 64
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2456.296	85.168	53.971	31.168	54.000	31.197	AV
2		2483.500	48.221	17.012	-5.779	54.000	31.209	AV

Profile: 11BS004R	Page No.: 65
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	67.765	36.580	-6.235	74.000	31.185	PK
2	*	2404.192	109.788	78.607	35.788	74.000	31.181	PK

Profile: 11BS004R	Page No.: 66
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	52.587	21.402	-1.413	54.000	31.185	AV
2	*	2404.248	97.253	66.072	43.253	54.000	31.181	AV

Profile: 11BS004R	Page No.: 67
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	60.970	29.785	-13.030	74.000	31.185	PK
2	*	2404.248	98.564	67.383	24.564	74.000	31.181	PK

Profile: 11BS004R	Page No.: 68
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.160	16.975	-5.840	54.000	31.185	AV
2	*	2404.192	84.483	53.302	30.483	54.000	31.181	AV

Profile: 11BS004R	Page No.: 69
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.328	111.310	80.106	37.310	74.000	31.205	PK
2		2483.500	69.448	38.239	-4.552	74.000	31.209	PK
3		2488.072	72.228	41.016	-1.772	74.000	31.212	PK

Profile: 11BS004R	Page No.: 70
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.736	97.256	66.052	43.256	54.000	31.204	AV
2		2483.500	50.322	19.113	-3.678	54.000	31.209	AV

Profile: 11BS004R	Page No.: 71
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.808	100.183	68.979	26.183	74.000	31.204	PK
2		2483.500	61.336	30.127	-12.664	74.000	31.209	PK

Profile: 11BS004R	Page No.: 72
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.736	85.384	54.180	31.384	54.000	31.204	AV
2		2483.500	48.155	16.946	-5.845	54.000	31.209	AV

Profile: 11BS004R	Page No.: 73
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	67.280	36.095	-6.720	74.000	31.185	PK
2	*	2418.864	110.882	79.699	36.882	74.000	31.182	PK

Profile: 11BS004R	Page No.: 74
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.406	20.221	-2.594	54.000	31.185	AV
2	*	2418.976	97.732	66.549	43.732	54.000	31.183	AV

Profile: 11BS004R	Page No.: 75
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.870	30.685	-12.130	74.000	31.185	PK
2	*	2407.048	100.098	68.917	26.098	74.000	31.180	PK

Profile: 11BS004R	Page No.: 76
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.470	17.285	-5.530	54.000	31.185	AV
2	*	2405.424	86.055	54.874	32.055	54.000	31.181	AV

Profile: 11BS004R	Page No.: 77
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2460.496	111.804	80.603	37.804	74.000	31.201	PK
2		2483.500	64.411	33.202	-9.589	74.000	31.209	PK

Profile: 11BS004R	Page No.: 78
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2459.584	97.500	66.300	43.500	54.000	31.200	AV
2		2483.500	50.198	18.989	-3.802	54.000	31.209	AV

Profile: 11BS004R	Page No.: 79
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2466.136	102.213	71.009	28.213	74.000	31.204	PK
2		2483.500	61.017	29.808	-12.983	74.000	31.209	PK

Profile: 11BS004R	Page No.: 80
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2466.328	88.621	57.417	34.621	54.000	31.203	AV
2		2483.500	48.232	17.023	-5.768	54.000	31.209	AV

Profile: 11BS004R	Page No.: 81
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	68.978	37.793	-5.022	74.000	31.185	PK
2	*	2418.136	112.398	81.215	38.398	74.000	31.183	PK

Profile: 11BS004R	Page No.: 82
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2320.024	49.746	18.498	-4.254	54.000	31.249	AV
2		2359.728	49.683	18.469	-4.317	54.000	31.214	AV
3		2390.000	52.141	20.956	-1.859	54.000	31.185	AV
4	*	2417.408	99.195	68.013	45.195	54.000	31.182	AV

Profile: 11BS004R	Page No.: 83
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	62.991	31.806	-11.009	74.000	31.185	PK
2	*	2418.248	102.148	70.965	28.148	74.000	31.183	PK

Profile: 11BS004R	Page No.: 84
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	49.096	17.911	-4.904	54.000	31.185	AV
2	*	2419.872	88.170	56.987	34.170	54.000	31.183	AV

Profile: 11BS004R	Page No.: 85
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.840	115.292	84.088	41.292	74.000	31.204	PK
2		2483.500	67.349	36.140	-6.651	74.000	31.209	PK
3		2496.616	69.281	38.063	-4.719	74.000	31.218	PK

Profile: 11BS004R	Page No.: 86
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2453.848	100.662	69.468	46.662	54.000	31.194	AV
2		2483.500	52.277	21.068	-1.723	54.000	31.209	AV

Profile: 11BS004R	Page No.: 87
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.904	101.624	70.420	27.624	74.000	31.204	PK
2		2483.500	62.389	31.180	-11.611	74.000	31.209	PK

Profile: 11BS004R	Page No.: 88
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.416	89.575	58.371	35.575	54.000	31.204	AV
2		2483.500	48.523	17.314	-5.477	54.000	31.209	AV

Profile: 11BS004R	Page No.: 89
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2422MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	72.261	41.076	-1.739	74.000	31.185	PK
2	*	2424.576	106.219	75.034	32.219	74.000	31.185	PK

Profile: 11BS004R	Page No.: 90
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2422MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.971	20.786	-2.029	54.000	31.185	AV
2	*	2425.896	92.003	60.818	38.003	54.000	31.185	AV

Profile: 11BS004R	Page No.: 91
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2422MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	65.439	34.254	-8.561	74.000	31.185	PK
2	*	2426.820	97.347	66.161	23.347	74.000	31.186	PK

Profile: 11BS004R	Page No.: 92
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 21:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2422MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.767	17.582	-5.233	54.000	31.185	AV
2	*	2426.094	82.588	51.403	28.588	54.000	31.185	AV

Profile: 11BS004R	Page No.: 93
Engineer: Jame	
Site: AC5	Time: 2011/11/15 - 21:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2452MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.017	105.010	73.806	31.010	74.000	31.203	PK
2		2483.500	71.018	39.809	-2.982	74.000	31.209	PK

Profile: 11BS004R	Page No.: 94
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2452MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.407	92.220	61.016	38.220	54.000	31.204	AV
2		2483.500	51.844	20.635	-2.156	54.000	31.209	AV

Profile: 11BS004R	Page No.: 95
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2452MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.716	98.287	67.084	24.287	74.000	31.204	PK
2		2483.500	65.515	34.306	-8.485	74.000	31.209	PK

Profile: 11BS004R	Page No.: 96
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.212	81.682	50.478	27.682	54.000	31.203	AV
2		2483.500	48.883	17.674	-5.117	54.000	31.209	AV

Profile: 11BS004R	Page No.: 97
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	69.497	38.312	-4.503	74.000	31.185	PK
2	*	2406.624	100.712	69.531	26.712	74.000	31.181	PK

Profile: 11BS004R	Page No.: 98
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2320.164	48.821	17.573	-5.179	54.000	31.248	AV
2		2360.028	53.743	22.529	-0.257	54.000	31.214	AV
3		2390.000	51.204	20.019	-2.796	54.000	31.185	AV
4	*	2405.172	87.169	55.988	33.169	54.000	31.181	AV

Profile: 11BS004R	Page No.: 99
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.197	30.012	-12.803	74.000	31.185	PK
2	*	2404.908	89.123	57.942	15.123	74.000	31.181	PK

Profile: 11BS004R	Page No.: 100
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.040	16.855	-5.960	54.000	31.185	AV
2	*	2405.172	75.270	44.089	21.270	54.000	31.181	AV

Profile: 11BS004R	Page No.: 101
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2435.845	101.654	70.468	27.654	74.000	31.185	PK
2		2483.500	67.751	36.542	-6.249	74.000	31.209	PK

Profile: 11BS004R	Page No.: 102
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2435.182	86.308	55.122	32.308	54.000	31.186	AV
2		2483.500	49.683	18.474	-4.317	54.000	31.209	AV

Profile: 11BS004R	Page No.: 103
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2468.332	92.566	61.362	18.566	74.000	31.204	PK
2		2483.500	61.486	30.277	-12.514	74.000	31.209	PK

Profile: 11BS004R	Page No.: 104
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2468.644	80.164	48.960	26.164	54.000	31.204	AV
2		2483.500	48.590	17.381	-5.410	54.000	31.209	AV

Profile: 11BS004R	Page No.: 105
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	69.105	37.920	-4.895	74.000	31.185	PK
2	*	2436.852	106.831	75.646	32.831	74.000	31.186	PK

Profile: 11BS004R	Page No.: 106
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2384.448	51.539	20.352	-2.461	54.000	31.188	AV
2		2390.000	51.758	20.573	-2.242	54.000	31.185	AV
3	*	2437.182	93.386	62.201	39.386	54.000	31.186	AV

Profile: 11BS004R	Page No.: 107
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.152	29.967	-12.848	74.000	31.185	PK
2	*	2437.182	97.492	66.307	23.492	74.000	31.186	PK

Profile: 11BS004R	Page No.: 108
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.566	17.381	-5.434	54.000	31.185	AV
2	*	2436.192	84.688	53.502	30.688	54.000	31.185	AV

Profile: 11BS004R	Page No.: 109
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2435.806	102.726	71.540	28.726	74.000	31.185	PK
2		2483.500	64.815	33.606	-9.185	74.000	31.209	PK

Profile: 11BS004R	Page No.: 110
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2435.806	88.733	57.547	34.733	54.000	31.185	AV
2		2483.500	48.927	17.718	-5.073	54.000	31.209	AV

Profile: 11BS004R	Page No.: 111
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2435.962	93.552	62.366	19.552	74.000	31.185	PK
2		2483.500	61.224	30.015	-12.776	74.000	31.209	PK

Profile: 11BS004R	Page No.: 112
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2436.040	80.448	49.262	26.448	54.000	31.185	AV
2		2483.500	48.002	16.793	-5.998	54.000	31.209	AV

Profile: 11BS004R	Page No.: 113
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	62.560	31.375	-11.440	74.000	31.185	PK
2	*	2425.698	105.791	74.606	31.791	74.000	31.185	PK

Profile: 11BS004R	Page No.: 114
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	50.230	19.045	-3.770	54.000	31.185	AV
2	*	2425.104	90.676	59.491	36.676	54.000	31.185	AV

Profile: 11BS004R	Page No.: 115
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	64.218	33.033	-9.782	74.000	31.185	PK
2	*	2428.668	94.399	63.213	20.399	74.000	31.186	PK

Profile: 11BS004R	Page No.: 116
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4:Transmit at channel 2422MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.462	17.277	-5.538	54.000	31.185	AV
2	*	2417.712	79.385	48.203	25.385	54.000	31.182	AV

Profile: 11BS004R	Page No.: 385
Engineer: Jame	
Site: AC5	Time: 2011/12/16 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.708	107.750	76.546	33.750	74.000	31.204	PK
2		2483.500	72.258	41.049	-1.742	74.000	31.209	PK
3		2483.500	72.258	41.049	-1.742	74.000	31.209	PK

Profile: 11BS004R	Page No.: 118
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.900	91.312	60.108	37.312	54.000	31.203	AV
2		2483.500	51.210	20.001	-2.790	54.000	31.209	AV

Profile: 11BS004R	Page No.: 119
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2434.558	98.751	67.565	24.751	74.000	31.185	PK
2		2483.500	64.228	33.019	-9.772	74.000	31.209	PK

Profile: 11BS004R	Page No.: 120
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2434.402	82.269	51.083	28.269	54.000	31.185	AV
2		2483.500	48.615	17.406	-5.385	54.000	31.209	AV

Profile: 11BS004R	Page No.: 121
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	63.306	32.121	-10.694	74.000	31.185	PK
2	*	2437.776	98.000	66.815	24.000	74.000	31.185	PK

Profile: 11BS004R	Page No.: 122
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.077	16.892	-5.923	54.000	31.185	AV
2	*	2404.776	81.442	50.261	27.442	54.000	31.181	AV

Profile: 11BS004R	Page No.: 123
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	63.161	31.976	-10.839	74.000	31.185	PK
2	*	2437.776	97.882	66.697	23.882	74.000	31.185	PK

Profile: 11BS004R	Page No.: 124
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.160	16.975	-5.840	54.000	31.185	AV
2	*	2434.476	82.916	51.730	28.916	54.000	31.185	AV

Profile: 11BS004R	Page No.: 125
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2437.483	108.108	76.923	34.108	74.000	31.185	PK
2		2483.500	72.293	41.084	-1.707	74.000	31.209	PK

Profile: 11BS004R	Page No.: 126
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2437.171	94.080	62.895	40.080	54.000	31.186	AV
2		2483.500	52.449	21.240	-1.551	54.000	31.209	AV

Profile: 11BS004R	Page No.: 127
Engineer: Jame	
Site: AC5	Time: 2011/11/16 - 20:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2437.678	96.625	65.440	22.625	74.000	31.185	PK
2		2483.500	63.784	32.575	-10.216	74.000	31.209	PK


Profile: 11BS004R	Page No.: 128
Engineer: Jame	
Site: AC5	Time: 2011/12/03 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.073	82.595	51.391	28.595	54.000	31.204	AV
2		2483.500	49.075	17.866	-4.925	54.000	31.209	AV


Test by build-in antenna (Metal antenna)

Profile: 11BS004R	Page No.: 129
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	62.303	31.118	-11.697	74.000	31.185	PK
2	*	2410.856	109.119	77.939	35.119	74.000	31.180	PK

Profile: 11BS004R	Page No.: 130
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.539	20.354	-2.461	54.000	31.185	AV
2	*	2413.936	101.899	70.718	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 131
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.238	30.053	-12.762	74.000	31.185	PK
2	*	2412.704	102.872	71.691	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 132
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.480	17.295	-5.520	54.000	31.185	AV
2	*	2413.768	92.587	61.406	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 133
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.608	115.549	84.346	N/A	N/A	31.203	PK
2		2483.500	63.632	32.423	-10.368	74.000	31.209	PK

Profile: 11BS004R	Page No.: 134
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 20:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.800	103.668	72.465	N/A	N/A	31.204	AV
2		2483.500	50.165	18.956	-3.835	54.000	31.209	AV

Profile: 11BS004R	Page No.: 135
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.728	107.901	76.698	N/A	N/A	31.204	PK
2		2483.500	61.707	30.498	-12.293	74.000	31.209	PK

Profile: 11BS004R	Page No.: 136
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2463.328	94.858	63.655	N/A	N/A	31.203	AV
2		2483.500	48.424	17.215	-5.576	54.000	31.209	AV

Profile: 11BS004R	Page No.: 137
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.700	30.515	-12.300	74.000	31.185	PK
2	*	2410.688	108.180	77.000	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 138
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2320.024	51.355	20.107	-2.645	54.000	31.249	AV
2		2390.000	48.632	17.447	-5.368	54.000	31.185	AV
3	*	2410.464	96.987	65.807	N/A	N/A	31.180	AV

Profile: 11BS004R	Page No.: 139
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.240	30.055	-12.760	74.000	31.185	PK
2	*	2411.080	96.945	65.765	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 140
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	47.795	16.610	-6.205	54.000	31.185	AV
2	*	2410.072	85.162	53.982	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 141
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2460.928	111.123	79.921	N/A	N/A	31.202	PK
2		2483.500	62.629	31.420	-11.371	74.000	31.209	PK

Profile: 11BS004R	Page No.: 142
Engineer: Jame	
Site: AC5	Time: 2011/12/05 - 21:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2460.784	98.767	67.565	N/A	N/A	31.202	AV
2		2483.500	48.466	17.257	-5.534	54.000	31.209	AV

Profile: 11BS004R	Page No.: 255
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 16:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.656	107.778	76.575	33.778	74.000	31.204	PK
2		2483.500	61.796	30.587	-12.204	74.000	31.209	PK

Profile: 11BS004R	Page No.: 256
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 16:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.872	97.174	65.971	N/A	N/A	31.203	AV
2		2483.500	48.191	16.982	-5.809	54.000	31.209	AV

Profile: 11BS004R	Page No.: 143
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.831	30.646	-12.169	74.000	31.185	PK
2	*	2409.680	111.118	79.938	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 144
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.549	17.364	-5.451	54.000	31.185	AV
2	*	2409.064	98.472	67.292	N/A	N/A	31.180	AV

Profile: 11BS004R	Page No.: 145
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.546	30.361	-12.454	74.000	31.185	PK
2	*	2410.408	101.087	69.907	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 146
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	47.871	16.686	-6.129	54.000	31.185	AV
2	*	2410.576	89.107	57.927	N/A	N/A	31.180	AV

Profile: 11BS004R	Page No.: 147
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.632	112.933	81.730	N/A	N/A	31.203	PK
2		2483.500	61.948	30.739	-12.052	74.000	31.209	PK

Profile: 11BS004R	Page No.: 148
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.800	100.907	69.704	N/A	N/A	31.204	AV
2		2483.500	48.693	17.484	-5.307	54.000	31.209	AV

Profile: 11BS004R	Page No.: 149
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.584	102.280	71.077	N/A	N/A	31.203	PK
2		2483.500	61.441	30.232	-12.559	74.000	31.209	PK

Profile: 11BS004R	Page No.: 150
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11b Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.872	91.975	60.772	N/A	N/A	31.203	AV
2		2483.500	47.997	16.788	-6.003	54.000	31.209	AV

Profile: 11BS004R	Page No.: 151
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	67.421	36.236	-6.579	74.000	31.185	PK
2	*	2419.088	111.740	80.557	N/A	N/A	31.183	PK

Profile: 11BS004R	Page No.: 152
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	50.767	19.582	-3.233	54.000	31.185	AV
2	*	2419.312	88.537	57.354	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 153
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	62.740	31.555	-11.260	74.000	31.185	PK
2	*	2419.144	101.551	70.368	N/A	N/A	31.183	PK

Profile: 11BS004R	Page No.: 154
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.452	17.267	-5.548	54.000	31.185	AV
2	*	2419.144	80.630	49.447	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 155
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.480	110.923	79.720	N/A	N/A	31.204	PK
2		2483.500	68.065	36.856	-5.935	74.000	31.209	PK

Profile: 11BS004R	Page No.: 156
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.432	87.717	56.514	N/A	N/A	31.204	AV
2		2483.500	50.326	19.117	-3.674	54.000	31.209	AV

Profile: 11BS004R	Page No.: 157
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.776	104.194	72.990	N/A	N/A	31.204	PK
2		2483.500	62.510	31.301	-11.490	74.000	31.209	PK

Profile: 11BS004R	Page No.: 158
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.600	81.858	50.655	N/A	N/A	31.203	AV
2		2483.500	48.305	17.096	-5.695	54.000	31.209	AV

Profile: 11BS004R	Page No.: 159
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2360.120	65.854	34.640	-8.146	74.000	31.214	PK
2		2390.000	67.951	36.766	-6.049	74.000	31.185	PK
3	*	2405.368	109.740	78.559	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 160
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2319.688	49.012	17.764	-4.988	54.000	31.248	AV
2		2359.840	52.512	21.298	-1.488	54.000	31.214	AV
3		2390.000	50.936	19.751	-3.064	54.000	31.185	AV
4	*	2405.424	86.632	55.451	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 161
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.471	30.286	-12.529	74.000	31.185	PK
2	*	2406.600	97.690	66.509	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 162
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.184	16.999	-5.816	54.000	31.185	AV
2	*	2405.368	77.477	46.296	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 163
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.408	109.437	78.233	N/A	N/A	31.204	PK
2		2483.500	64.810	33.601	-9.190	74.000	31.209	PK

Profile: 11BS004R	Page No.: 164
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.048	86.076	54.872	N/A	N/A	31.204	AV
2		2483.500	49.487	18.278	-4.513	54.000	31.209	AV

Profile: 11BS004R	Page No.: 165
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.432	99.357	68.153	N/A	N/A	31.204	PK
2		2483.500	61.189	29.980	-12.811	74.000	31.209	PK

Profile: 11BS004R	Page No.: 166
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.144	78.233	47.029	N/A	N/A	31.204	AV
2		2483.500	48.139	16.930	-5.861	54.000	31.209	AV

Profile: 11BS004R	Page No.: 167
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	68.864	37.679	-5.136	74.000	31.185	PK
2	*	2405.088	111.750	80.569	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 168
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.352	20.167	-2.648	54.000	31.185	AV
2	*	2404.696	88.422	57.241	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 169
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 13:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.486	30.301	-12.514	74.000	31.185	PK
2	*	2404.416	101.159	69.978	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 170
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.210	17.025	-5.790	54.000	31.185	AV
2	*	2404.248	79.543	48.362	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 171
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.064	113.617	82.413	N/A	N/A	31.204	PK
2		2483.500	71.786	40.577	-2.214	74.000	31.209	PK
3		2492.896	70.232	39.017	-3.768	74.000	31.215	PK

Profile: 11BS004R	Page No.: 172
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2468.992	88.306	57.102	N/A	N/A	31.204	AV
2		2483.500	50.045	18.836	-3.955	54.000	31.209	AV

Profile: 11BS004R	Page No.: 173
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2468.968	103.160	71.956	N/A	N/A	31.204	PK
2		2483.500	60.874	29.665	-13.126	74.000	31.209	PK
3		2486.992	65.664	34.453	-8.336	74.000	31.211	PK

Profile: 11BS004R	Page No.: 174
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11g Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.376	81.368	50.164	N/A	N/A	31.205	AV
2		2483.500	48.364	17.155	-5.636	54.000	31.209	AV

Profile: 11BS004R	Page No.: 175
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	66.024	34.839	-7.976	74.000	31.185	PK
2	*	2418.920	109.645	78.462	N/A	N/A	31.182	PK

Profile: 11BS004R	Page No.: 176
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	50.769	19.584	-3.231	54.000	31.185	AV
2	*	2419.480	96.416	65.233	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 177
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.188	30.003	-12.812	74.000	31.185	PK
2	*	2419.536	100.432	69.249	N/A	N/A	31.183	PK

Profile: 11BS004R	Page No.: 178
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 2412MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.445	17.260	-5.555	54.000	31.185	AV
2	*	2419.704	86.890	55.707	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 179
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.248	109.944	78.740	N/A	N/A	31.203	PK
2		2483.500	71.038	39.829	-2.962	74.000	31.209	PK

Profile: 11BS004R	Page No.: 180
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2463.616	96.556	65.353	N/A	N/A	31.203	AV
2		2483.500	50.895	19.686	-3.105	54.000	31.209	AV

Profile: 11BS004R	Page No.: 181
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.056	102.590	71.386	N/A	N/A	31.203	PK
2		2483.500	61.444	30.235	-12.556	74.000	31.209	PK

Profile: 11BS004R	Page No.: 182
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.216	89.269	58.066	N/A	N/A	31.204	AV
2		2483.500	48.454	17.245	-5.546	54.000	31.209	AV

Profile: 11BS004R	Page No.: 183
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	65.938	34.753	-8.062	74.000	31.185	PK
2	*	2405.312	107.247	76.066	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 184
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	51.222	20.037	-2.778	54.000	31.185	AV
2	*	2405.256	94.409	63.228	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 185
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.617	30.432	-12.383	74.000	31.185	PK
2	*	2407.608	96.383	65.202	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 186
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.166	16.981	-5.834	54.000	31.185	AV
2	*	2405.256	83.288	52.107	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 187
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2461.816	108.072	76.869	N/A	N/A	31.203	PK
2		2483.500	64.530	33.321	-9.470	74.000	31.209	PK

Profile: 11BS004R	Page No.: 188
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.360	94.217	63.013	N/A	N/A	31.204	AV
2		2483.500	49.807	18.598	-4.193	54.000	31.209	AV

Profile: 11BS004R	Page No.: 189
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.816	98.167	66.963	N/A	N/A	31.204	PK
2		2483.500	61.179	29.970	-12.821	74.000	31.209	PK

Profile: 11BS004R	Page No.: 190
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.864	84.765	53.561	N/A	N/A	31.204	AV
2		2483.500	48.152	16.943	-5.848	54.000	31.209	AV

Profile: 11BS004R	Page No.: 191
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	66.168	34.983	-7.832	74.000	31.185	PK
2	*	2404.752	108.377	77.196	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 192
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	50.483	19.298	-3.517	54.000	31.185	AV
2	*	2404.024	94.182	63.001	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 193
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.342	30.157	-12.658	74.000	31.185	PK
2	*	2404.472	98.131	66.950	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 194
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.206	17.021	-5.794	54.000	31.185	AV
2	*	2404.192	85.748	54.567	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 195
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.064	111.002	79.798	N/A	N/A	31.204	PK
2		2483.500	67.782	36.573	-6.218	74.000	31.209	PK
3		2486.584	71.186	39.975	-2.814	74.000	31.211	PK

Profile: 11BS004R	Page No.: 196
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.136	96.514	65.310	N/A	N/A	31.204	AV
2		2483.500	50.013	18.804	-3.987	54.000	31.209	AV

Profile: 11BS004R	Page No.: 197
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.304	100.821	69.617	N/A	N/A	31.205	PK
2		2483.500	61.750	30.541	-12.250	74.000	31.209	PK

Profile: 11BS004R	Page No.: 198
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.520	88.240	57.036	N/A	N/A	31.205	AV
2		2483.500	48.422	17.213	-5.578	54.000	31.209	AV

Profile: 11BS004R	Page No.: 199
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2319.800	64.163	32.915	-9.837	74.000	31.248	PK
2		2390.000	66.745	35.560	-7.255	74.000	31.185	PK
3	*	2418.136	110.560	79.377	N/A	N/A	31.183	PK

Profile: 11BS004R	Page No.: 200
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2320.192	49.393	18.145	-4.607	54.000	31.248	AV
2		2390.000	51.348	20.163	-2.652	54.000	31.185	AV
3	*	2419.704	97.208	66.025	N/A	N/A	31.183	AV

Profile: 11BS004R	Page No.: 201
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.997	30.812	-12.003	74.000	31.185	PK
2	*	2407.664	98.792	67.611	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 202
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.449	17.264	-5.551	54.000	31.185	AV
2	*	2406.600	84.943	53.762	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 203
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2466.016	112.546	81.342	N/A	N/A	31.204	PK
2		2483.500	64.998	33.789	-9.002	74.000	31.209	PK

Profile: 11BS004R	Page No.: 204
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2465.728	99.377	68.173	N/A	N/A	31.204	AV
2		2483.500	51.131	19.922	-2.869	54.000	31.209	AV

Profile: 11BS004R	Page No.: 205
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.008	101.904	70.701	N/A	N/A	31.203	PK
2		2483.500	62.349	31.140	-11.651	74.000	31.209	PK

Profile: 11BS004R	Page No.: 206
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2463.184	87.936	56.733	N/A	N/A	31.203	AV
2		2483.500	48.173	16.964	-5.827	54.000	31.209	AV

Profile: 11BS004R	Page No.: 207
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2319.912	63.746	32.498	-10.254	74.000	31.248	PK
2		2390.000	67.860	36.675	-6.140	74.000	31.185	PK
3	*	2408.168	111.038	79.858	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 208
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2319.968	50.297	19.049	-3.703	54.000	31.249	AV
2		2359.952	51.228	20.014	-2.772	54.000	31.214	AV
3		2390.000	51.464	20.279	-2.536	54.000	31.185	AV
4	*	2408.896	97.843	66.663	N/A	N/A	31.180	AV

Profile: 11BS004R	Page No.: 209
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.668	30.483	-12.332	74.000	31.185	PK
2	*	2419.480	100.207	69.024	N/A	N/A	31.183	PK

Profile: 11BS004R	Page No.: 210
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2412MHz by 802.11n20 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	48.530	17.345	-5.470	54.000	31.185	AV
2	*	2407.664	86.419	55.238	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 211
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2467.960	115.253	84.049	N/A	N/A	31.204	PK
2		2483.500	68.203	36.994	-5.797	74.000	31.209	PK

Profile: 11BS004R	Page No.: 212
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2457.424	101.920	70.722	N/A	N/A	31.198	AV
2		2483.500	51.641	20.432	-2.359	54.000	31.209	AV

Profile: 11BS004R	Page No.: 253
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 16:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.896	103.170	71.967	N/A	N/A	31.203	PK
2		2483.500	61.514	30.305	-12.486	74.000	31.209	PK

Profile: 11BS004R	Page No.: 254
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 16:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 2462MHz by 802.11n20 Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2469.736	87.701	56.497	N/A	N/A	31.204	AV
2		2483.500	48.363	17.154	-5.637	54.000	31.209	AV

Profile: 11BS004R	Page No.: 213
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	71.723	40.538	-2.277	74.000	31.185	PK
2	*	2425.170	106.743	75.558	N/A	N/A	31.185	PK

Profile: 11BS004R	Page No.: 214
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	52.227	21.042	-1.773	54.000	31.185	AV
2	*	2424.510	92.483	61.298	N/A	N/A	31.185	AV

Profile: 11BS004R	Page No.: 215
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	64.463	33.278	-9.537	74.000	31.185	PK
2	*	2426.160	97.247	66.062	N/A	N/A	31.185	PK

Profile: 11BS004R	Page No.: 216
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	49.108	17.923	-4.892	54.000	31.185	AV
2	*	2424.246	83.326	52.141	N/A	N/A	31.184	AV

Profile: 11BS004R	Page No.: 217
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2462.794	105.577	74.374	N/A	N/A	31.204	PK
2		2483.500	70.541	39.332	-3.459	74.000	31.209	PK

Profile: 11BS004R	Page No.: 218
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2463.067	91.434	60.231	N/A	N/A	31.203	AV
2		2483.500	51.785	20.576	-2.215	54.000	31.209	AV

Profile: 11BS004R	Page No.: 219
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2463.652	98.423	67.220	N/A	N/A	31.203	PK
2		2483.500	63.152	31.943	-10.848	74.000	31.209	PK

Profile: 11BS004R	Page No.: 220
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2464.276	84.227	53.024	N/A	N/A	31.204	AV
2		2483.500	48.726	17.517	-5.274	54.000	31.209	AV

Profile: 11BS004R	Page No.: 221
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	68.722	37.537	-5.278	74.000	31.185	PK
2	*	2406.624	99.662	68.481	N/A	N/A	31.181	PK

Profile: 11BS004R	Page No.: 222
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	50.230	19.045	-3.770	54.000	31.185	AV
2	*	2406.690	86.631	55.450	N/A	N/A	31.181	AV

Profile: 11BS004R	Page No.: 223
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	61.267	30.082	-12.733	74.000	31.185	PK
2	*	2407.350	88.912	57.731	N/A	N/A	31.180	PK

Profile: 11BS004R	Page No.: 224
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2422MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		2390.000	47.990	16.805	-6.010	54.000	31.185	AV
2	*	2407.218	73.338	42.157	N/A	N/A	31.180	AV

Profile: 11BS004R	Page No.: 225
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2434.831	102.161	70.975	N/A	N/A	31.186	PK
2		2483.500	69.402	38.193	-4.598	74.000	31.209	PK

Profile: 11BS004R	Page No.: 226
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2434.831	88.837	57.651	N/A	N/A	31.186	AV
2		2483.500	50.181	18.972	-3.819	54.000	31.209	AV

Profile: 11BS004R	Page No.: 227
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2434.792	91.561	60.375	N/A	N/A	31.186	PK
2		2483.500	61.818	30.609	-12.182	74.000	31.209	PK

Profile: 11BS004R	Page No.: 228
Engineer: Jame	
Site: AC5	Time: 2011/12/06 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode4: Transmit at channel 2452MHz by 802.11n40 Chain1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	2435.104	76.068	44.882	N/A	N/A	31.186	AV
2		2483.500	48.322	17.113	-5.678	54.000	31.209	AV