



Profile: 11BS004R	Page No.: 172
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 20:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	46.670	56.940	-7.330	54.000	-10.269	AV
2			5470.000	46.656	56.961	-21.644	68.300	-10.305	AV
3		*	5505.825	76.450	86.686	N/A	N/A	-10.237	AV

Profile: 11BS004R	Page No.: 173
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 20:50
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5704.175	104.891	114.770	N/A	N/A	-9.879	PK
2			5725.000	60.994	70.768	-27.306	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 174
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:06
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5704.467	89.631	99.510	N/A	N/A	-9.880	AV
2			5725.000	47.831	57.605	-20.469	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 175
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:08
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5703.070	92.238	102.114	N/A	N/A	-9.875	PK
2			5725.000	60.425	70.199	-27.875	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 176
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:10
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5696.277	78.602	88.460	N/A	N/A	-9.858	AV
2			5725.000	47.453	57.227	-20.847	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 177
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	60.015	70.442	-13.985	74.000	-10.427	PK
2		*	5178.445	101.319	111.762	N/A	N/A	-10.443	PK

Profile: 11BS004R	Page No.: 178
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	47.025	57.452	-6.975	54.000	-10.427	AV
2		*	5174.080	88.186	98.610	N/A	N/A	-10.424	AV

Profile: 11BS004R	Page No.: 179
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	59.264	69.691	-14.736	74.000	-10.427	PK
2		*	5173.630	88.472	98.894	N/A	N/A	-10.423	PK

Profile: 11BS004R	Page No.: 180
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	46.638	57.065	-7.362	54.000	-10.427	AV
2		*	5173.630	77.076	87.498	N/A	N/A	-10.423	AV

Profile: 11BS004R	Page No.: 181
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5323.480	105.028	115.486	N/A	N/A	-10.458	PK
2			5350.000	59.709	70.208	-14.291	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 182
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5325.440	91.898	102.367	N/A	N/A	-10.468	AV
2			5350.000	47.160	57.659	-6.840	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 183
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5325.080	96.893	107.360	N/A	N/A	-10.466	PK
2			5350.000	59.593	70.092	-14.407	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 184
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5325.520	83.270	93.739	N/A	N/A	-10.469	AV
2			5350.000	46.736	57.235	-7.264	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 185
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	60.103	70.373	-13.897	74.000	-10.269	PK
2			5470.000	60.445	70.750	-27.855	88.300	-10.305	PK
3		*	5500.605	103.878	114.136	N/A	N/A	-10.257	PK

Profile: 11BS004R	Page No.: 186
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.168	57.438	-6.832	54.000	-10.269	AV
2			5470.000	47.180	57.485	-21.120	68.300	-10.305	AV
3		*	5493.630	90.034	100.316	N/A	N/A	-10.282	AV

Profile: 11BS004R	Page No.: 187
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.482	69.752	-14.518	74.000	-10.269	PK
2			5470.000	59.814	70.119	-28.486	88.300	-10.305	PK
3		*	5495.835	92.254	102.529	N/A	N/A	-10.274	PK

Profile: 11BS004R	Page No.: 188
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	46.583	56.853	-7.417	54.000	-10.269	AV
2			5470.000	46.665	56.970	-21.635	68.300	-10.305	AV
3		*	5495.160	79.651	89.928	N/A	N/A	-10.278	AV

Profile: 11BS004R	Page No.: 189
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:34
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5699.690	105.019	114.886	N/A	N/A	-9.866	PK
2			5725.000	61.232	71.006	-27.068	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 190
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:36
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5693.873	90.353	100.205	N/A	N/A	-9.853	AV
2			5725.000	47.923	57.697	-20.377	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 191
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:36
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5693.125	95.777	105.627	N/A	N/A	-9.850	PK
2			5725.000	60.411	70.185	-27.889	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 192
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:38
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5694.165	83.042	92.895	N/A	N/A	-9.853	AV
2			5725.000	47.485	57.259	-20.815	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 193
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	63.447	73.874	-10.553	74.000	-10.427	PK
2		*	5174.800	99.673	110.100	N/A	N/A	-10.428	PK

Profile: 11BS004R	Page No.: 194
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	49.930	60.357	-4.070	54.000	-10.427	AV
2		*	5174.080	87.407	97.831	N/A	N/A	-10.424	AV

Profile: 11BS004R	Page No.: 195
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	62.897	73.324	-11.103	74.000	-10.427	PK
2		*	5173.675	101.662	112.085	N/A	N/A	-10.423	PK

Profile: 11BS004R	Page No.: 196
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	49.950	60.377	-4.050	54.000	-10.427	AV
2		*	5174.530	88.243	98.669	N/A	N/A	-10.426	AV

Profile: 11BS004R	Page No.: 197
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5321.200	104.668	115.113	N/A	N/A	-10.445	PK
2			5350.000	60.124	70.623	-13.876	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 198
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5325.280	91.187	101.655	N/A	N/A	-10.468	AV
2			5350.000	47.203	57.702	-6.797	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 199
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5326.720	90.486	100.962	N/A	N/A	-10.477	PK
2			5350.000	59.470	69.969	-14.530	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 200
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5327.120	76.873	87.351	N/A	N/A	-10.479	AV
2			5350.000	46.727	57.226	-7.273	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 201
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	60.245	70.515	-13.755	74.000	-10.269	PK
2			5470.000	60.224	70.529	-28.076	88.300	-10.305	PK
3		*	5495.880	102.866	113.141	N/A	N/A	-10.274	PK

Profile: 11BS004R	Page No.: 202
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.119	57.389	-6.881	54.000	-10.269	AV
2			5470.000	47.154	57.459	-21.146	68.300	-10.305	AV
3		*	5496.600	87.983	98.255	N/A	N/A	-10.272	AV

Profile: 11BS004R	Page No.: 203
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.313	69.583	-14.687	74.000	-10.269	PK
2			5470.000	59.161	69.466	-29.139	88.300	-10.305	PK
3		*	5494.350	91.300	101.580	N/A	N/A	-10.280	PK

Profile: 11BS004R	Page No.: 204
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	46.227	56.497	-7.773	54.000	-10.269	AV
2			5470.000	46.025	56.330	-22.275	68.300	-10.305	AV
3		*	5493.630	78.126	88.408	N/A	N/A	-10.282	AV

Profile: 11BS004R	Page No.: 205
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:55
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5699.950	102.010	111.878	N/A	N/A	-9.868	PK
2			5725.000	60.409	70.183	-27.891	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 206
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:56
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5694.165	89.109	98.962	N/A	N/A	-9.853	AV
2			5725.000	47.859	57.633	-20.441	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 207
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:57
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5693.385	92.738	102.589	N/A	N/A	-9.851	PK
2			5725.000	59.526	69.300	-28.774	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 208
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:58
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5694.880	78.385	88.240	N/A	N/A	-9.855	AV
2			5725.000	46.703	56.477	-21.597	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 209
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 21:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	62.489	72.916	-11.511	74.000	-10.427	PK
2		*	5175.565	101.306	111.737	N/A	N/A	-10.431	PK

Profile: 11BS004R	Page No.: 210
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	50.044	60.471	-3.956	54.000	-10.427	AV
2		*	5174.575	87.254	97.680	N/A	N/A	-10.426	AV

Profile: 11BS004R	Page No.: 211
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	64.075	74.502	-9.925	74.000	-10.427	PK
2		*	5174.575	87.254	97.680	N/A	N/A	-10.426	PK

Profile: 11BS004R	Page No.: 212
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	49.866	60.293	-4.134	54.000	-10.427	AV
2		*	5174.755	75.509	85.936	N/A	N/A	-10.427	AV

Profile: 11BS004R	Page No.: 213
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5316.000	102.083	112.505	N/A	N/A	-10.421	PK
2			5350.000	61.540	72.039	-12.460	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 214
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5314.200	89.486	99.903	N/A	N/A	-10.417	AV
2			5350.000	47.065	57.564	-6.935	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 215
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5314.280	90.973	101.391	N/A	N/A	-10.417	PK
2			5350.000	58.481	68.980	-15.519	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 216
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5312.680	78.555	88.969	N/A	N/A	-10.413	AV
2			5350.000	45.903	56.402	-8.097	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 217
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	60.283	70.553	-13.717	74.000	-10.269	PK
2			5470.000	60.271	70.576	-28.029	88.300	-10.305	PK
3		*	5505.240	102.147	112.388	N/A	N/A	-10.242	PK

Profile: 11BS004R	Page No.: 218
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.168	57.438	-6.832	54.000	-10.269	AV
2			5470.000	47.179	57.484	-21.121	68.300	-10.305	AV
3		*	5505.645	89.722	99.960	N/A	N/A	-10.237	AV

Profile: 11BS004R	Page No.: 219
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.425	69.695	-14.575	74.000	-10.269	PK
2			5470.000	59.716	70.021	-28.584	88.300	-10.305	PK
3		*	5503.350	88.654	98.902	N/A	N/A	-10.249	PK

Profile: 11BS004R	Page No.: 220
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	46.164	56.434	-7.836	54.000	-10.269	AV
2			5470.000	45.994	56.299	-22.306	68.300	-10.305	AV
3		*	5506.950	75.748	85.976	N/A	N/A	-10.228	AV

Profile: 11BS004R	Page No.: 221
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:25
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5703.460	104.021	113.898	N/A	N/A	-9.878	PK
2			5725.000	61.965	71.739	-26.335	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 222
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:26
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5693.547	91.083	100.934	N/A	N/A	-9.851	AV
2			5725.000	47.982	57.756	-20.318	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 223
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:27
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5698.487	91.600	101.464	N/A	N/A	-9.865	PK
2			5725.000	59.420	69.194	-28.880	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 224
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:28
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5705.995	78.648	88.531	N/A	N/A	-9.883	AV
2			5725.000	46.660	56.434	-21.640	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 225
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	63.145	73.572	-10.855	74.000	-10.427	PK
2		*	5172.775	102.158	112.577	N/A	N/A	-10.419	PK

Profile: 11BS004R	Page No.: 226
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	49.996	60.423	-4.004	54.000	-10.427	AV
2		*	5172.235	89.695	100.111	N/A	N/A	-10.416	AV

Profile: 11BS004R	Page No.: 227
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	58.885	69.312	-15.115	74.000	-10.427	PK
2		*	5172.955	90.573	100.993	N/A	N/A	-10.420	PK

Profile: 11BS004R	Page No.: 228
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	46.177	56.604	-7.823	54.000	-10.427	AV
2		*	5173.495	76.451	86.873	N/A	N/A	-10.422	AV

Profile: 11BS004R	Page No.: 229
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5319.680	103.891	114.327	N/A	N/A	-10.436	PK
2			5350.000	59.289	69.788	-14.711	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 230
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5321.280	90.625	101.070	N/A	N/A	-10.446	AV
2			5350.000	47.111	57.610	-6.889	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 231
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5312.960	91.002	101.416	N/A	N/A	-10.414	PK
2			5350.000	59.272	69.771	-14.728	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 232
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5327.800	79.486	89.968	N/A	N/A	-10.482	AV
2			5350.000	46.638	57.137	-7.362	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 233
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	60.236	70.506	-13.764	74.000	-10.269	PK
2			5470.000	60.733	71.038	-27.567	88.300	-10.305	PK
3		*	5492.685	102.200	112.486	N/A	N/A	-10.285	PK

Profile: 11BS004R	Page No.: 234
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.148	57.418	-6.852	54.000	-10.269	AV
2			5470.000	47.129	57.434	-21.171	68.300	-10.305	AV
3		*	5505.105	88.592	98.834	N/A	N/A	-10.242	AV

Profile: 11BS004R	Page No.: 235
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	58.947	69.217	-15.053	74.000	-10.269	PK
2			5470.000	59.528	69.833	-28.772	88.300	-10.305	PK
3		*	5505.780	93.695	103.932	N/A	N/A	-10.237	PK

Profile: 11BS004R	Page No.: 236
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	46.624	56.894	-7.376	54.000	-10.269	AV
2			5470.000	46.624	56.929	-21.676	68.300	-10.305	AV
3		*	5498.805	79.216	89.480	N/A	N/A	-10.264	AV

Profile: 11BS004R	Page No.: 237
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:53
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5707.035	103.815	113.701	N/A	N/A	-9.885	PK
2			5725.000	61.715	71.489	-26.585	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 238
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:54
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5692.865	89.424	99.273	N/A	N/A	-9.849	AV
2			5725.000	47.790	57.564	-20.510	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 239
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:55
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5692.962	94.673	104.523	N/A	N/A	-9.849	PK
2			5725.000	60.682	70.456	-27.618	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 240
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:57
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5693.353	82.892	92.743	N/A	N/A	-9.851	AV
2			5725.000	47.450	57.224	-20.850	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 241
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	62.706	73.133	-11.294	74.000	-10.427	PK
2		*	5184.880	104.386	114.857	N/A	N/A	-10.470	PK

Profile: 11BS004R	Page No.: 242
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 22:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	50.055	60.482	-3.945	54.000	-10.427	AV
2		*	5172.370	90.108	100.525	N/A	N/A	-10.417	AV

Profile: 11BS004R	Page No.: 243
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	61.886	72.313	-12.114	74.000	-10.427	PK
2		*	5181.235	91.576	102.031	N/A	N/A	-10.454	PK

Profile: 11BS004R	Page No.: 244
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	49.931	60.358	-4.069	54.000	-10.427	AV
2		*	5177.995	74.678	85.119	N/A	N/A	-10.440	AV

Profile: 11BS004R	Page No.: 245
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5314.440	106.484	116.902	N/A	N/A	-10.418	PK
2			5350.000	59.749	70.248	-14.251	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 246
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5327.680	90.032	100.514	N/A	N/A	-10.482	AV
2			5350.000	47.070	57.569	-6.930	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 247
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5321.760	92.903	103.351	N/A	N/A	-10.448	PK
2			5350.000	60.016	70.515	-13.984	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 248
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5324.520	79.937	90.401	N/A	N/A	-10.463	AV
2			5350.000	46.677	57.176	-7.323	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 249
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	60.929	71.199	-13.071	74.000	-10.269	PK
2			5470.000	59.820	70.125	-28.480	88.300	-10.305	PK
3		*	5504.475	104.661	114.906	N/A	N/A	-10.245	PK

Profile: 11BS004R	Page No.: 250
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.104	57.374	-6.896	54.000	-10.269	AV
2			5470.000	47.117	57.422	-21.183	68.300	-10.305	AV
3		*	5505.960	92.293	102.528	N/A	N/A	-10.235	AV

Profile: 11BS004R	Page No.: 251
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.532	69.802	-14.468	74.000	-10.269	PK
2			5470.000	59.178	69.483	-29.122	88.300	-10.305	PK
3		*	5492.685	93.840	104.126	N/A	N/A	-10.285	PK

Profile: 11BS004R	Page No.: 252
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	46.173	56.443	-7.827	54.000	-10.269	AV
2			5470.000	45.957	56.262	-22.343	68.300	-10.305	AV
3		*	5491.695	79.178	89.467	N/A	N/A	-10.289	AV

Profile: 11BS004R	Page No.: 253
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:39
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5694.815	107.126	116.980	N/A	N/A	-9.855	PK
2			5725.000	60.708	70.482	-27.592	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 254
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:40
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5691.955	92.838	102.685	N/A	N/A	-9.847	AV
2			5725.000	47.825	57.599	-20.475	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 255
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:40
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5693.320	95.449	105.299	N/A	N/A	-9.851	PK
2			5725.000	59.317	69.091	-28.983	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 256
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:42
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20 (Chain 0+1+2)	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5704.565	81.607	91.487	N/A	N/A	-9.880	AV
2			5725.000	46.638	56.412	-21.662	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 257
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	59.869	70.296	-14.131	74.000	-10.427	PK
2		*	5186.400	89.368	99.845	N/A	N/A	-10.478	PK

Profile: 11BS004R	Page No.: 258
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 0)	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	46.847	57.274	-7.153	54.000	-10.427	AV
2		*	5201.300	75.443	85.964	N/A	N/A	-10.522	AV

Profile: 11BS004R	Page No.: 259
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	60.938	71.365	-13.062	74.000	-10.427	PK
2		*	5199.650	90.183	100.713	N/A	N/A	-10.530	PK

Profile: 11BS004R	Page No.: 260
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	46.830	57.257	-7.170	54.000	-10.427	AV
2		*	5204.050	76.263	86.770	N/A	N/A	-10.508	AV

Profile: 11BS004R	Page No.: 261
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5312.950	105.667	116.081	N/A	N/A	-10.414	PK
2			5350.000	66.897	77.396	-7.103	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 262
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5326.800	93.349	103.826	N/A	N/A	-10.477	AV
2			5350.000	52.988	63.487	-1.012	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 263
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5312.200	91.306	101.719	N/A	N/A	-10.412	PK
2			5350.000	59.664	70.163	-14.336	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 264
Engineer: Toms	
Site: AC5	Time: 2011/11/21 - 23:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5325.850	77.304	87.775	N/A	N/A	-10.471	AV
2			5350.000	46.579	57.078	-7.421	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 265
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 00:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	66.743	77.013	-7.257	74.000	-10.269	PK
2			5470.000	71.364	81.669	-16.936	88.300	-10.305	PK
3		*	5499.600	108.050	118.312	N/A	N/A	-10.262	PK

Profile: 11BS004R	Page No.: 266
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 00:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	51.663	61.933	-2.337	54.000	-10.269	AV
2			5470.000	52.699	63.004	-15.601	68.300	-10.305	AV
3		*	5501.100	94.070	104.326	N/A	N/A	-10.257	AV

Profile: 11BS004R	Page No.: 267
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 00:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	64.425	74.695	-9.575	74.000	-10.269	PK
2			5470.000	64.024	74.329	-24.276	88.300	-10.305	PK
3		*	5500.650	92.566	102.824	N/A	N/A	-10.257	PK

Profile: 11BS004R	Page No.: 268
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 00:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 0)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	50.707	60.977	-3.293	54.000	-10.269	AV
2			5470.000	50.834	61.139	-17.466	68.300	-10.305	AV
3		*	5499.150	78.660	88.923	N/A	N/A	-10.263	AV

Profile: 11BS004R	Page No.: 901
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:48
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5673.150	104.372	114.203	16.072	88.300	-9.831	PK
2			5725.000	60.191	69.965	-28.109	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 902
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:51
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5654.550	88.491	98.394	20.191	68.300	-9.903	AV
2			5725.000	47.790	57.564	-20.510	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 903
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:51
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5654.950	96.320	106.219	8.020	88.300	-9.899	PK
2			5725.000	61.178	70.952	-27.122	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 904
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:52
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5653.700	82.362	92.273	14.062	68.300	-9.911	AV
2			5725.000	47.769	57.543	-20.531	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 269
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	60.242	70.669	-13.758	74.000	-10.427	PK
2		*	5180.250	100.797	111.248	N/A	N/A	-10.451	PK

Profile: 11BS004R	Page No.: 270
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	47.437	57.864	-6.563	54.000	-10.427	AV
2		*	5176.050	85.883	96.316	N/A	N/A	-10.432	AV

Profile: 11BS004R	Page No.: 271
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	59.454	69.881	-14.546	74.000	-10.427	PK
2		*	5174.900	88.086	98.514	N/A	N/A	-10.428	PK

Profile: 11BS004R	Page No.: 272
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	46.304	56.731	-7.696	54.000	-10.427	AV
2		*	5176.350	70.260	80.694	N/A	N/A	-10.434	AV

Profile: 11BS004R	Page No.: 273
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5313.000	106.394	116.809	N/A	N/A	-10.414	PK
2			5350.000	68.285	78.784	-5.715	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 274
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5324.950	93.449	103.915	N/A	N/A	-10.466	AV
2			5350.000	52.255	62.754	-1.745	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 275
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5313.150	90.770	101.185	N/A	N/A	-10.415	PK
2			5350.000	59.991	70.490	-14.009	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 276
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5322.300	73.310	83.761	N/A	N/A	-10.451	AV
2			5350.000	46.578	57.077	-7.422	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 277
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	61.805	72.075	-12.195	74.000	-10.269	PK
2			5470.000	65.993	76.298	-22.307	88.300	-10.305	PK
3		*	5502.300	105.785	116.037	N/A	N/A	-10.252	PK

Profile: 11BS004R	Page No.: 278
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.974	58.244	-6.026	54.000	-10.269	AV
2			5470.000	49.797	60.102	-18.503	68.300	-10.305	AV
3		*	5497.050	89.439	99.709	N/A	N/A	-10.270	AV

Profile: 11BS004R	Page No.: 279
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.403	69.673	-14.597	74.000	-10.269	PK
2			5470.000	60.208	70.513	-28.092	88.300	-10.305	PK
3		*	5493.250	89.747	100.031	N/A	N/A	-10.284	PK

Profile: 11BS004R	Page No.: 280
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 15:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.094	57.364	-6.906	54.000	-10.269	AV
2			5470.000	46.968	57.273	-21.332	68.300	-10.305	AV
3		*	5494.100	74.552	84.833	N/A	N/A	-10.281	AV

Profile: 11BS004R	Page No.: 905
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:53
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5658.050	102.844	112.715	14.544	88.300	-9.871	PK
2			5725.000	60.471	70.245	-27.829	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 906
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:54
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5657.900	86.934	96.806	18.634	68.300	-9.872	AV
2			5725.000	47.781	57.555	-20.519	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 907
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:54
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5686.550	91.622	101.462	3.322	88.300	-9.841	PK
2			5725.000	60.219	69.993	-28.081	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 908
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:55
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5674.050	75.562	85.391	7.262	68.300	-9.829	AV
2			5725.000	47.752	57.526	-20.548	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 281
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	63.471	73.898	-10.529	74.000	-10.427	PK
2		*	5186.250	101.098	111.575	N/A	N/A	-10.478	PK

Profile: 11BS004R	Page No.: 282
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	50.275	60.702	-3.725	54.000	-10.427	AV
2		*	5175.400	85.440	95.870	N/A	N/A	-10.430	AV

Profile: 11BS004R	Page No.: 283
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	62.682	73.109	-11.318	74.000	-10.427	PK
2		*	5174.000	90.428	100.852	N/A	N/A	-10.424	PK

Profile: 11BS004R	Page No.: 284
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	50.008	60.435	-3.992	54.000	-10.427	AV
2		*	5176.050	77.720	88.153	N/A	N/A	-10.432	AV

Profile: 11BS004R	Page No.: 285
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5317.000	105.094	115.518	N/A	N/A	-10.424	PK
2			5350.000	68.473	78.972	-5.527	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 286
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5324.650	91.974	102.438	N/A	N/A	-10.464	AV
2			5350.000	52.309	62.808	-1.691	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 287
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5324.050	92.552	103.013	N/A	N/A	-10.461	PK
2			5350.000	65.230	75.729	-8.770	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 288
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5325.700	80.102	90.572	N/A	N/A	-10.470	AV
2			5350.000	50.764	61.263	-3.236	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 289
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	60.563	70.833	-13.437	74.000	-10.269	PK
2			5470.000	63.915	74.220	-24.385	88.300	-10.305	PK
3		*	5500.750	104.979	115.237	N/A	N/A	-10.258	PK

Profile: 11BS004R	Page No.: 290
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	48.142	58.412	-5.858	54.000	-10.269	AV
2			5470.000	49.529	59.834	-18.771	68.300	-10.305	AV
3		*	5498.400	90.390	100.656	N/A	N/A	-10.266	AV

Profile: 11BS004R	Page No.: 291
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	61.377	71.647	-12.623	74.000	-10.269	PK
2			5470.000	61.394	71.699	-26.906	88.300	-10.305	PK
3		*	5498.400	95.533	105.799	N/A	N/A	-10.266	PK

Profile: 11BS004R	Page No.: 292
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) (Chain 2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.521	57.791	-6.479	54.000	-10.269	AV
2			5470.000	47.952	58.257	-20.348	68.300	-10.305	AV
3		*	5494.700	81.974	92.253	N/A	N/A	-10.279	AV

Profile: 11BS004R	Page No.: 909
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:56
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5656.150	88.236	98.124	-0.064	88.300	-9.888	PK
2			5725.000	61.082	70.856	-27.218	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 910
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:58
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5673.900	74.558	84.387	6.258	68.300	-9.829	AV
2			5725.000	47.722	57.496	-20.578	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 911
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:58
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5661.500	101.631	111.493	13.331	88.300	-9.862	PK
2			5725.000	61.318	71.092	-26.982	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 912
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:59
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5684.950	87.376	97.214	19.076	68.300	-9.838	AV
2			5725.000	47.816	57.590	-20.484	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 293
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	60.405	70.832	-13.595	74.000	-10.427	PK
2		*	5185.510	100.808	111.281	N/A	N/A	-10.473	PK

Profile: 11BS004R	Page No.: 294
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	47.471	57.898	-6.529	54.000	-10.427	AV
2		*	5176.015	88.241	98.674	N/A	N/A	-10.433	AV

Profile: 11BS004R	Page No.: 295
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	60.491	70.918	-13.509	74.000	-10.427	PK
2		*	5186.320	87.985	98.462	N/A	N/A	-10.477	PK

Profile: 11BS004R	Page No.: 296
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	46.938	57.365	-7.062	54.000	-10.427	AV
2		*	5176.735	73.280	83.716	N/A	N/A	-10.436	AV

Profile: 11BS004R	Page No.: 297
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5324.950	108.182	118.648	N/A	N/A	-10.466	PK
2			5350.000	67.389	77.888	-6.611	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 298
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5323.250	94.603	105.059	N/A	N/A	-10.456	AV
2			5350.000	52.165	62.664	-1.835	54.000	-10.498	AV
3			5359.950	53.117	63.570	-0.883	54.000	-10.453	AV

Profile: 11BS004R	Page No.: 299
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5305.650	90.687	101.084	N/A	N/A	-10.397	PK
2			5350.000	63.786	74.285	-10.214	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 300
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5302.750	75.451	85.841	N/A	N/A	-10.390	AV
2			5350.000	50.635	61.134	-3.365	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 301
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.985	70.255	-14.015	74.000	-10.269	PK
2			5470.000	61.463	71.768	-26.837	88.300	-10.305	PK
3		*	5500.800	102.389	112.646	N/A	N/A	-10.258	PK

Profile: 11BS004R	Page No.: 302
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.233	57.503	-6.767	54.000	-10.269	AV
2			5470.000	47.967	58.272	-20.333	68.300	-10.305	AV
3		*	5498.400	88.670	98.936	N/A	N/A	-10.266	AV

Profile: 11BS004R	Page No.: 303
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.383	69.653	-14.617	74.000	-10.269	PK
2			5470.000	60.180	70.485	-28.120	88.300	-10.305	PK
3		*	5493.550	90.983	101.266	N/A	N/A	-10.283	PK

Profile: 11BS004R	Page No.: 304
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40 (Chain 0+1)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	46.583	56.853	-7.417	54.000	-10.269	AV
2			5470.000	46.682	56.987	-21.618	68.300	-10.305	AV
3		*	5526.050	78.232	88.349	N/A	N/A	-10.116	AV

Profile: 11BS004R	Page No.: 913
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:00
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5665.550	103.764	113.615	15.464	88.300	-9.851	PK
2			5725.000	60.685	70.459	-27.615	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 914
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:01
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5671.900	88.792	98.626	20.492	68.300	-9.834	AV
2			5725.000	47.838	57.612	-20.462	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 915
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:02
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5665.800	92.522	102.373	4.222	88.300	-9.851	PK
2			5725.000	60.816	70.590	-27.484	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 916
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:03
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5655.100	80.735	90.633	12.435	68.300	-9.898	AV
2			5725.000	47.731	57.505	-20.569	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 305
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	60.846	71.273	-13.154	74.000	-10.427	PK
2		*	5185.650	101.939	112.413	N/A	N/A	-10.474	PK

Profile: 11BS004R	Page No.: 306
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	47.283	57.710	-6.717	54.000	-10.427	AV
2		*	5185.850	87.925	98.400	N/A	N/A	-10.475	AV

Profile: 11BS004R	Page No.: 307
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	59.153	69.580	-14.847	74.000	-10.427	PK
2		*	5175.650	88.701	99.132	N/A	N/A	-10.432	PK

Profile: 11BS004R	Page No.: 308
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5150.000	46.346	56.773	-7.654	54.000	-10.427	AV
2		*	5172.800	75.448	85.867	N/A	N/A	-10.419	AV

Profile: 11BS004R	Page No.: 309
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5325.800	104.835	115.306	N/A	N/A	-10.470	PK
2			5350.000	61.133	71.632	-12.867	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 310
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5320.750	90.918	101.360	N/A	N/A	-10.442	AV
2			5350.000	47.790	58.289	-6.210	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 311
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5325.550	93.481	103.950	N/A	N/A	-10.469	PK
2			5350.000	59.881	70.380	-14.119	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 312
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5321.200	78.425	88.870	N/A	N/A	-10.445	AV
2			5350.000	46.740	57.239	-7.260	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 313
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.860	70.130	-14.140	74.000	-10.269	PK
2			5470.000	61.718	72.023	-26.582	88.300	-10.305	PK
3		*	5525.900	103.707	113.823	N/A	N/A	-10.116	PK

Profile: 11BS004R	Page No.: 314
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	47.232	57.502	-6.768	54.000	-10.269	AV
2			5470.000	47.728	58.033	-20.572	68.300	-10.305	AV
3		*	5517.800	89.212	99.356	N/A	N/A	-10.143	AV

Profile: 11BS004R	Page No.: 315
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	59.637	69.907	-14.363	74.000	-10.269	PK
2			5470.000	59.437	69.742	-28.863	88.300	-10.305	PK
3		*	5523.500	92.878	102.991	N/A	N/A	-10.113	PK

Profile: 11BS004R	Page No.: 316
Engineer: Toms	
Site: AC5	Time: 2011/11/22 - 17:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40 (Chain 0+1+2)	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1			5460.000	46.599	56.869	-7.401	54.000	-10.269	AV
2			5470.000	46.628	56.933	-21.672	68.300	-10.305	AV
3		*	5524.650	77.659	87.774	N/A	N/A	-10.115	AV

Profile: 11BS004R	Page No.: 917
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:04
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5678.300	93.792	103.622	5.492	88.300	-9.830	PK
2			5725.000	60.534	70.308	-27.766	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 918
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:05
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5679.500	80.127	89.959	11.827	68.300	-9.831	AV
2			5725.000	47.754	57.528	-20.546	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 919
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:06
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5653.100	105.341	115.257	17.041	88.300	-9.917	PK
2			5725.000	60.730	70.504	-27.570	88.300	-9.774	PK


Profile: 11BS004R	Page No.: 920
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:07
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5674.400	89.418	99.246	21.118	68.300	-9.828	AV
2			5725.000	47.813	57.587	-20.487	68.300	-9.774	AV


Test by build-in antenna (PCB antenna)

Profile: 11BS004R	Page No.: 317
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.396	70.823	-13.604	74.000	-10.427	PK
2	*	5186.590	102.673	113.151	N/A	N/A	-10.478	PK

Profile: 11BS004R	Page No.: 318
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.957	57.384	-7.043	54.000	-10.427	AV
2	*	5184.520	88.179	98.648	N/A	N/A	-10.469	AV

Profile: 11BS004R	Page No.: 319
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.053	69.480	-14.947	74.000	-10.427	PK
2	*	5185.015	92.696	103.167	N/A	N/A	-10.471	PK

Profile: 11BS004R	Page No.: 320
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.943	56.370	-8.057	54.000	-10.427	AV
2	*	5183.980	78.712	89.179	N/A	N/A	-10.467	AV

Profile: 11BS004R	Page No.: 321
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.640	110.001	120.471	N/A	N/A	-10.470	PK
2		5350.000	63.785	74.284	-10.215	74.000	-10.498	PK
3		5350.560	66.379	76.877	-7.621	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 322
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.280	95.632	106.100	N/A	N/A	-10.468	AV
2		5350.000	47.510	58.009	-6.490	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 323
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.160	98.616	109.072	N/A	N/A	-10.456	PK
2		5350.000	59.875	70.374	-14.125	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 324
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.840	84.906	95.371	N/A	N/A	-10.465	AV
2		5350.000	46.745	57.244	-7.255	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 325
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5468.070	67.564	77.862	-6.436	74.000	-10.298	PK
2		5470.000	62.528	72.833	-25.772	88.300	-10.305	PK
3	*	5494.845	108.862	119.140	N/A	N/A	-10.279	PK

Profile: 11BS004R	Page No.: 326
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.601	57.871	-6.399	54.000	-10.269	AV
2		5470.000	48.064	58.369	-20.236	68.300	-10.305	AV
3	*	5494.710	95.314	105.593	N/A	N/A	-10.279	AV

Profile: 11BS004R	Page No.: 327
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.930	70.200	-14.070	74.000	-10.269	PK
2		5470.000	59.249	69.554	-29.051	88.300	-10.305	PK
3	*	5494.260	96.882	107.162	N/A	N/A	-10.280	PK

Profile: 11BS004R	Page No.: 328
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.374	56.644	-7.626	54.000	-10.269	AV
2		5470.000	46.249	56.554	-22.051	68.300	-10.305	AV
3	*	5493.675	83.519	93.801	N/A	N/A	-10.282	AV

Profile: 11BS004R	Page No.: 329
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:37
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.973	104.778	114.654	N/A	N/A	-9.876	PK
2		5725.000	61.847	71.621	-26.453	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 330
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:46
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.362	88.505	98.382	N/A	N/A	-9.876	AV
2		5725.000	46.120	55.894	-22.180	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 331
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:49
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.680	92.581	102.456	N/A	N/A	-9.874	PK
2		5725.000	60.786	70.560	-27.514	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 332
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:50
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.257	79.306	89.180	N/A	N/A	-9.874	AV
2		5725.000	47.727	57.501	-20.573	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 333
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.505	70.932	-13.495	74.000	-10.427	PK
2	*	5182.315	102.787	113.246	N/A	N/A	-10.459	PK

Profile: 11BS004R	Page No.: 334
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.851	57.278	-7.149	54.000	-10.427	AV
2	*	5185.735	86.652	97.126	N/A	N/A	-10.474	AV

Profile: 11BS004R	Page No.: 335
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.762	70.189	-14.238	74.000	-10.427	PK
2	*	5184.970	90.215	100.686	N/A	N/A	-10.470	PK

Profile: 11BS004R	Page No.: 336
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 17:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.908	56.335	-8.092	54.000	-10.427	AV
2	*	5186.140	75.564	86.040	N/A	N/A	-10.476	AV

Profile: 11BS004R	Page No.: 337
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.120	91.424	101.880	N/A	N/A	-10.456	PK
2		5350.000	60.515	71.014	-13.485	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 338
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.480	78.680	89.132	N/A	N/A	-10.452	AV
2		5350.000	46.024	56.523	-7.976	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 339
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.360	103.781	114.244	N/A	N/A	-10.463	PK
2		5350.000	59.668	70.167	-14.332	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 340
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5313.640	88.507	98.923	N/A	N/A	-10.416	AV
2		5350.000	47.240	57.739	-6.760	54.000	-10.498	AV
3		5360.040	49.761	60.214	-4.239	54.000	-10.453	AV

Profile: 11BS004R	Page No.: 341
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.231	70.501	-13.769	74.000	-10.269	PK
2		5470.000	61.095	71.400	-27.205	88.300	-10.305	PK
3	*	5502.900	105.980	116.230	N/A	N/A	-10.249	PK

Profile: 11BS004R	Page No.: 342
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.306	57.576	-6.694	54.000	-10.269	AV
2		5470.000	47.291	57.596	-21.009	68.300	-10.305	AV
3	*	5494.260	87.861	98.141	N/A	N/A	-10.280	AV

Profile: 11BS004R	Page No.: 343
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.803	70.073	-14.197	74.000	-10.269	PK
2		5470.000	59.878	70.183	-28.422	88.300	-10.305	PK
3	*	5495.115	90.201	100.478	N/A	N/A	-10.278	PK

Profile: 11BS004R	Page No.: 344
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.803	57.073	-7.197	54.000	-10.269	AV
2		5470.000	46.776	57.081	-21.524	68.300	-10.305	AV
3	*	5493.495	77.782	88.065	N/A	N/A	-10.284	AV

Profile: 11BS004R	Page No.: 345
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:06
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.127	102.460	112.333	N/A	N/A	-9.874	PK
2		5725.000	61.587	71.361	-26.713	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 346
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:07
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5701.542	85.810	95.682	N/A	N/A	-9.872	AV
2		5725.000	47.960	57.734	-20.340	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 347
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:08
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.615	90.761	100.636	N/A	N/A	-9.874	PK
2		5725.000	59.939	69.713	-28.361	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 348
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:09
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.808	75.446	85.298	N/A	N/A	-9.852	AV
2		5725.000	47.044	56.818	-21.256	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 349
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.518	69.945	-14.482	74.000	-10.427	PK
2	*	5182.945	101.974	112.436	N/A	N/A	-10.462	PK

Profile: 11BS004R	Page No.: 350
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.979	57.406	-7.021	54.000	-10.427	AV
2	*	5183.035	88.556	99.019	N/A	N/A	-10.462	AV

Profile: 11BS004R	Page No.: 351
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.898	69.325	-15.102	74.000	-10.427	PK
2	*	5183.035	88.556	99.019	N/A	N/A	-10.462	PK

Profile: 11BS004R	Page No.: 352
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.890	56.317	-8.110	54.000	-10.427	AV
2	*	5174.890	76.447	86.875	N/A	N/A	-10.428	AV