



Profile: 11BS004R	Page No.: 353
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.880	104.523	114.977	N/A	N/A	-10.454	PK
2		5350.000	60.172	70.671	-13.828	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 354
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5314.040	89.117	99.534	N/A	N/A	-10.416	AV
2		5350.000	47.174	57.673	-6.826	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 355
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.720	91.601	102.060	N/A	N/A	-10.459	PK
2		5350.000	59.441	69.940	-14.559	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 356
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5314.080	78.232	88.649	N/A	N/A	-10.417	AV
2		5350.000	45.997	56.496	-8.003	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 357
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.343	70.613	-13.657	74.000	-10.269	PK
2		5470.000	60.814	71.119	-27.486	88.300	-10.305	PK
3	*	5497.635	103.214	113.482	N/A	N/A	-10.269	PK

Profile: 11BS004R	Page No.: 358
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.276	57.546	-6.724	54.000	-10.269	AV
2		5470.000	47.352	57.657	-20.948	68.300	-10.305	AV
3	*	5493.765	89.001	99.283	N/A	N/A	-10.282	AV

Profile: 11BS004R	Page No.: 359
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	58.773	69.043	-15.227	74.000	-10.269	PK
2		5470.000	59.023	69.328	-29.277	88.300	-10.305	PK
3	*	5493.900	90.631	100.912	N/A	N/A	-10.282	PK

Profile: 11BS004R	Page No.: 360
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.376	56.646	-7.624	54.000	-10.269	AV
2		5470.000	46.161	56.466	-22.139	68.300	-10.305	AV
3	*	5495.430	76.917	87.193	N/A	N/A	-10.276	AV

Profile: 11BS004R	Page No.: 361
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:22
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.165	104.843	114.696	N/A	N/A	-9.853	PK
2		5725.000	61.666	71.440	-26.634	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 362
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:23
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.953	91.298	101.155	N/A	N/A	-9.857	AV
2		5725.000	48.212	57.986	-20.088	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 363
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:24
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.842	90.937	100.812	N/A	N/A	-9.876	PK
2		5725.000	60.453	70.227	-27.847	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 364
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:25
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5697.058	77.074	86.934	N/A	N/A	-9.860	AV
2		5725.000	47.061	56.835	-21.239	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 365
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.646	71.073	-13.354	74.000	-10.427	PK
2	*	5176.150	102.312	112.745	N/A	N/A	-10.432	PK

Profile: 11BS004R	Page No.: 366
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.983	57.410	-7.017	54.000	-10.427	AV
2	*	5186.275	88.624	99.101	N/A	N/A	-10.477	AV

Profile: 11BS004R	Page No.: 367
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.337	69.764	-14.663	74.000	-10.427	PK
2	*	5186.095	93.426	103.902	N/A	N/A	-10.476	PK

Profile: 11BS004R	Page No.: 368
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.889	56.316	-8.111	54.000	-10.427	AV
2	*	5174.890	77.963	88.391	N/A	N/A	-10.428	AV

Profile: 11BS004R	Page No.: 369
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.440	105.543	116.000	N/A	N/A	-10.457	PK
2		5350.000	60.573	71.072	-13.427	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 370
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.240	91.703	102.165	N/A	N/A	-10.462	AV
2		5350.000	47.435	57.934	-6.565	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 371
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.200	93.964	104.431	N/A	N/A	-10.467	PK
2		5350.000	59.945	70.444	-14.055	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 372
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.400	80.404	90.861	N/A	N/A	-10.457	AV
2		5350.000	46.686	57.185	-7.314	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 373
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.083	70.353	-13.917	74.000	-10.269	PK
2		5470.000	60.238	70.543	-28.062	88.300	-10.305	PK
3	*	5495.565	104.541	114.817	N/A	N/A	-10.275	PK

Profile: 11BS004R	Page No.: 374
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.316	57.586	-6.684	54.000	-10.269	AV
2		5470.000	47.324	57.629	-20.976	68.300	-10.305	AV
3	*	5496.420	90.112	100.385	N/A	N/A	-10.273	AV

Profile: 11BS004R	Page No.: 375
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.716	69.986	-14.284	74.000	-10.269	PK
2		5470.000	59.355	69.660	-28.945	88.300	-10.305	PK
3	*	5496.015	93.410	103.684	N/A	N/A	-10.275	PK

Profile: 11BS004R	Page No.: 376
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.344	56.614	-7.656	54.000	-10.269	AV
2		5470.000	46.115	56.420	-22.185	68.300	-10.305	AV
3	*	5495.160	78.914	89.191	N/A	N/A	-10.278	AV

Profile: 11BS004R	Page No.: 377
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:39
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5706.158	104.366	114.250	N/A	N/A	-9.884	PK
2		5725.000	60.822	70.596	-27.478	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 378
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:40
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5704.402	89.853	99.732	N/A	N/A	-9.879	AV
2		5725.000	48.234	58.008	-20.066	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 379
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:41
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: : Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.330	91.856	101.733	N/A	N/A	-9.876	PK
2		5725.000	60.622	70.396	-27.678	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 380
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:43
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.680	76.135	86.010	N/A	N/A	-9.874	AV
2		5725.000	47.057	56.831	-21.243	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 381
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.509	70.936	-13.491	74.000	-10.427	PK
2	*	5180.020	103.093	113.543	N/A	N/A	-10.449	PK

Profile: 11BS004R	Page No.: 382
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.861	57.288	-7.139	54.000	-10.427	AV
2	*	5184.475	87.901	98.370	N/A	N/A	-10.469	AV

Profile: 11BS004R	Page No.: 383
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.668	69.095	-15.332	74.000	-10.427	PK
2	*	5176.780	89.088	99.524	N/A	N/A	-10.436	PK

Profile: 11BS004R	Page No.: 384
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.903	56.330	-8.097	54.000	-10.427	AV
2	*	5186.410	73.654	84.131	N/A	N/A	-10.478	AV

Profile: 11BS004R	Page No.: 385
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5321.000	103.138	113.581	N/A	N/A	-10.444	PK
2		5350.000	60.482	70.981	-13.518	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 386
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5314.640	88.485	98.903	N/A	N/A	-10.418	AV
2		5350.000	47.087	57.586	-6.913	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 387
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.720	90.171	100.641	N/A	N/A	-10.470	PK
2		5350.000	58.895	69.394	-15.105	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 388
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.360	77.618	88.092	N/A	N/A	-10.474	AV
2		5350.000	45.929	56.428	-8.071	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 389
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.115	70.385	-13.885	74.000	-10.269	PK
2		5470.000	60.373	70.678	-27.927	88.300	-10.305	PK
3	*	5494.845	103.170	113.448	N/A	N/A	-10.279	PK

Profile: 11BS004R	Page No.: 390
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.351	57.621	-6.649	54.000	-10.269	AV
2		5470.000	47.404	57.709	-20.896	68.300	-10.305	AV
3	*	5494.170	90.774	101.055	N/A	N/A	-10.281	AV

Profile: 11BS004R	Page No.: 391
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.254	69.524	-14.746	74.000	-10.269	PK
2		5470.000	59.662	69.967	-28.638	88.300	-10.305	PK
3	*	5493.855	89.322	99.604	N/A	N/A	-10.282	PK

Profile: 11BS004R	Page No.: 392
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.319	56.589	-7.681	54.000	-10.269	AV
2		5470.000	46.109	56.414	-22.191	68.300	-10.305	AV
3	*	5494.620	75.579	85.858	N/A	N/A	-10.278	AV

Profile: 11BS004R	Page No.: 393
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:55
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5699.885	107.644	117.512	N/A	N/A	-9.868	PK
2		5725.000	61.387	71.161	-26.913	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 394
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:57
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.417	92.553	102.404	N/A	N/A	-9.850	AV
2		5725.000	48.271	58.045	-20.029	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 395
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:57
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.710	90.953	100.805	N/A	N/A	-9.851	PK
2		5725.000	60.167	69.941	-28.133	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 396
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:58
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.377	76.912	86.760	N/A	N/A	-9.848	AV
2		5725.000	46.992	56.766	-21.308	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 397
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 20:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.997	70.424	-14.003	74.000	-10.427	PK
2	*	5173.225	100.486	110.907	N/A	N/A	-10.420	PK

Profile: 11BS004R	Page No.: 398
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.922	57.349	-7.078	54.000	-10.427	AV
2	*	5186.140	85.716	96.192	N/A	N/A	-10.476	AV

Profile: 11BS004R	Page No.: 399
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.690	69.117	-15.310	74.000	-10.427	PK
2	*	5184.835	89.799	100.270	N/A	N/A	-10.470	PK

Profile: 11BS004R	Page No.: 400
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.872	56.299	-8.128	54.000	-10.427	AV
2	*	5183.620	77.748	88.213	N/A	N/A	-10.465	AV

Profile: 11BS004R	Page No.: 401
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5313.640	103.749	114.165	N/A	N/A	-10.416	PK
2		5350.000	60.353	70.852	-13.647	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 402
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.600	88.553	99.023	N/A	N/A	-10.469	AV
2		5350.000	47.106	57.605	-6.894	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 403
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.480	91.338	101.790	N/A	N/A	-10.452	PK
2		5350.000	58.706	69.205	-15.294	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 404
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5313.200	78.046	88.461	N/A	N/A	-10.415	AV
2		5350.000	45.940	56.439	-8.060	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 405
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.449	70.719	-13.551	74.000	-10.269	PK
2		5470.000	60.410	70.715	-27.890	88.300	-10.305	PK
3	*	5496.780	102.462	112.733	N/A	N/A	-10.271	PK

Profile: 11BS004R	Page No.: 406
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.221	57.491	-6.779	54.000	-10.269	AV
2		5470.000	47.265	57.570	-21.035	68.300	-10.305	AV
3	*	5497.185	89.745	100.015	N/A	N/A	-10.270	AV

Profile: 11BS004R	Page No.: 407
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.091	69.361	-14.909	74.000	-10.269	PK
2		5470.000	59.132	69.437	-29.168	88.300	-10.305	PK
3	*	5493.315	90.898	101.181	N/A	N/A	-10.283	PK

Profile: 11BS004R	Page No.: 408
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.286	56.556	-7.714	54.000	-10.269	AV
2		5470.000	46.054	56.359	-22.246	68.300	-10.305	AV
3	*	5494.620	77.006	87.285	N/A	N/A	-10.278	AV

Profile: 11BS004R	Page No.: 409
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:12
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5706.515	104.336	114.221	N/A	N/A	-9.885	PK
2			5725.000	61.139	70.913	-27.161	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 410
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:13
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.002	91.623	101.475	N/A	N/A	-9.852	AV
2		5725.000	48.031	57.805	-20.269	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 411
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:14
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5699.658	90.283	100.150	N/A	N/A	-9.866	PK
2		5725.000	61.158	70.932	-27.142	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 412
Engineer: Toms	
Site: AC5	Time: 2011/11/25 - 21:15
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5707.652	77.125	87.013	N/A	N/A	-9.887	AV
2		5725.000	47.633	57.407	-20.667	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 413
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.981	71.408	-13.019	74.000	-10.427	PK
2	*	5184.205	101.459	111.927	N/A	N/A	-10.468	PK

Profile: 11BS004R	Page No.: 414
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.391	57.818	-6.609	54.000	-10.427	AV
2	*	5181.640	86.357	96.813	N/A	N/A	-10.456	AV

Profile: 11BS004R	Page No.: 415
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.737	70.164	-14.263	74.000	-10.427	PK
2	*	5172.370	93.164	103.581	N/A	N/A	-10.417	PK

Profile: 11BS004R	Page No.: 416
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.210	57.637	-6.790	54.000	-10.427	AV
2	*	5187.715	81.373	91.856	N/A	N/A	-10.484	AV

Profile: 11BS004R	Page No.: 417
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.440	99.682	110.111	N/A	N/A	-10.429	PK
2		5350.000	60.313	70.812	-13.687	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 418
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5316.360	86.448	96.871	N/A	N/A	-10.422	AV
2		5350.000	46.371	56.870	-7.629	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 419
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.520	91.942	102.411	N/A	N/A	-10.469	PK
2		5350.000	59.530	70.029	-14.470	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 420
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.840	80.043	90.520	N/A	N/A	-10.477	AV
2		5350.000	46.102	56.601	-7.898	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 421
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	61.510	71.780	-12.490	74.000	-10.269	PK
2		5470.000	61.724	72.029	-26.576	88.300	-10.305	PK
3	*	5493.540	104.711	114.994	N/A	N/A	-10.283	PK

Profile: 11BS004R	Page No.: 422
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.824	58.094	-6.176	54.000	-10.269	AV
2		5470.000	47.857	58.162	-20.443	68.300	-10.305	AV
3	*	5493.315	89.591	99.874	N/A	N/A	-10.283	AV

Profile: 11BS004R	Page No.: 423
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.636	70.906	-13.364	74.000	-10.269	PK
2		5470.000	60.864	71.169	-27.436	88.300	-10.305	PK
3	*	5493.090	94.145	104.429	N/A	N/A	-10.284	PK

Profile: 11BS004R	Page No.: 424
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.261	57.531	-6.739	54.000	-10.269	AV
2		5470.000	47.224	57.529	-21.076	68.300	-10.305	AV
3	*	5503.890	75.223	85.470	N/A	N/A	-10.246	AV

Profile: 11BS004R	Page No.: 425
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:49
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.172	103.707	113.562	N/A	N/A	-9.855	PK
2		5725.000	60.641	70.415	-27.659	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 426
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:51
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5699.203	89.434	99.300	N/A	N/A	-9.866	AV
2		5725.000	47.655	57.429	-20.645	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 427
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:51
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5692.540	93.161	103.009	N/A	N/A	-9.849	PK
2		5725.000	60.710	70.484	-27.590	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 428
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:54
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.237	78.689	88.544	N/A	N/A	-9.855	AV
2		5725.000	47.284	57.058	-21.016	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 429
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.306	70.733	-13.694	74.000	-10.427	PK
2	*	5175.700	102.286	112.717	N/A	N/A	-10.432	PK

Profile: 11BS004R	Page No.: 430
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.195	57.622	-6.805	54.000	-10.427	AV
2	*	5181.100	88.959	99.413	N/A	N/A	-10.455	AV

Profile: 11BS004R	Page No.: 431
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 10:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.118	70.545	-13.882	74.000	-10.427	PK
2	*	5181.505	95.068	105.524	N/A	N/A	-10.456	PK

Profile: 11BS004R	Page No.: 432
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5180MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.977	57.404	-7.023	54.000	-10.427	AV
2	*	5175.745	78.674	89.105	N/A	N/A	-10.432	AV

Profile: 11BS004R	Page No.: 433
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5312.480	101.496	111.909	N/A	N/A	-10.413	PK
2		5350.000	59.448	69.947	-14.552	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 434
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5316.480	87.365	97.788	N/A	N/A	-10.423	AV
2		5350.000	46.293	56.792	-7.707	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 435
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5314.240	91.279	101.696	N/A	N/A	-10.417	PK
2		5350.000	59.135	69.634	-14.865	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 436
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5320MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5312.080	79.286	89.698	N/A	N/A	-10.411	AV
2		5350.000	45.984	56.483	-8.016	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 437
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	61.756	72.026	-12.244	74.000	-10.269	PK
2		5470.000	60.336	70.641	-27.964	88.300	-10.305	PK
3	*	5497.365	105.441	115.710	N/A	N/A	-10.270	PK

Profile: 11BS004R	Page No.: 438
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.788	58.058	-6.212	54.000	-10.269	AV
2		5470.000	47.894	58.199	-20.406	68.300	-10.305	AV
3	*	5498.265	92.612	102.878	N/A	N/A	-10.266	AV

Profile: 11BS004R	Page No.: 439
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.798	70.068	-14.202	74.000	-10.269	PK
2		5470.000	60.247	60.247	-28.053	88.300	-10.268	PK
3	*	5497.995	94.577	104.844	20.577	74.000	-10.267	PK

Profile: 11BS004R	Page No.: 440
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5500MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.917	57.187	-7.083	54.000	-10.269	AV
2		5470.000	46.730	57.035	-21.570	68.300	-10.305	AV
3	*	5500.920	80.175	90.432	N/A	N/A	-10.258	AV

Profile: 11BS004R	Page No.: 441
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:12
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.320	106.552	116.402	N/A	N/A	-9.851	PK
2		5725.000	61.035	70.809	-27.265	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 442
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:14
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5691.663	88.797	98.644	N/A	N/A	-9.847	AV
2		5725.000	47.687	57.461	-20.613	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 443
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:14
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.970	93.478	103.330	N/A	N/A	-9.853	PK
2		5725.000	59.531	69.305	-28.769	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 444
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:15
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode2: Transmit at channel 5700MHz by 802.11n20(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.750	79.495	89.349	N/A	N/A	-9.854	AV
2		5725.000	46.442	56.216	-21.858	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 445
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.829	72.256	-12.171	74.000	-10.427	PK
2	*	5186.100	98.076	108.552	N/A	N/A	-10.476	PK

Profile: 11BS004R	Page No.: 446
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.548	57.975	-6.452	54.000	-10.427	AV
2	*	5203.050	83.883	94.395	N/A	N/A	-10.513	AV

Profile: 11BS004R	Page No.: 447
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.361	69.788	-14.639	74.000	-10.427	PK
2	*	5200.600	92.059	102.584	N/A	N/A	-10.525	PK

Profile: 11BS004R	Page No.: 448
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.515	56.942	-7.485	54.000	-10.427	AV
2	*	5196.950	78.605	89.129	N/A	N/A	-10.524	AV

Profile: 11BS004R	Page No.: 449
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5296.500	100.808	111.215	N/A	N/A	-10.407	PK
2		5350.000	61.391	71.890	-12.609	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 450
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5295.900	86.001	96.411	N/A	N/A	-10.410	AV
2		5350.000	46.999	57.498	-7.001	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 451
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5295.750	94.482	104.893	N/A	N/A	-10.410	PK
2		5350.000	58.685	69.184	-15.315	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 452
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5295.250	78.309	88.722	N/A	N/A	-10.413	AV
2		5350.000	45.215	55.714	-8.785	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 453
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	61.285	71.555	-12.715	74.000	-10.269	PK
2		5470.000	62.322	72.627	-25.978	88.300	-10.305	PK
3	*	5499.700	101.835	112.096	N/A	N/A	-10.261	PK

Profile: 11BS004R	Page No.: 454
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	48.113	58.383	-5.887	54.000	-10.269	AV
2		5470.000	49.286	59.591	-19.014	68.300	-10.305	AV
3	*	5499.250	85.753	96.016	N/A	N/A	-10.263	AV

Profile: 11BS004R	Page No.: 455
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.357	70.627	-13.643	74.000	-10.269	PK
2		5470.000	59.912	70.217	-28.388	88.300	-10.305	PK
3	*	5495.100	94.450	104.727	N/A	N/A	-10.278	PK

Profile: 11BS004R	Page No.: 456
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.252	57.522	-6.748	54.000	-10.269	AV
2		5470.000	47.331	57.636	-20.969	68.300	-10.305	AV
3	*	5498.650	78.247	88.512	N/A	N/A	-10.265	AV

Profile: 11BS004R	Page No.: 921
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:09
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5657.800	84.760	94.633	-3.540	88.300	-9.873	PK
2			5725.000	58.652	68.426	-29.648	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 922
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:29
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5659.750	73.284	83.151	4.984	68.300	-9.867	AV
2			5725.000	47.397	57.171	-20.903	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 923
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:29
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5659.050	79.600	89.469	-8.700	88.300	-9.869	PK
2			5725.000	58.045	67.819	-30.255	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 924
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:30
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5658.650	67.422	77.292	-0.878	68.300	-9.869	AV
2			5725.000	47.327	57.101	-20.973	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 457
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.774	71.201	-13.226	74.000	-10.427	PK
2	*	5177.750	97.182	107.622	N/A	N/A	-10.440	PK

Profile: 11BS004R	Page No.: 458
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.281	57.708	-6.719	54.000	-10.427	AV
2	*	5175.350	82.738	93.168	N/A	N/A	-10.430	AV

Profile: 11BS004R	Page No.: 459
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.082	69.509	-14.918	74.000	-10.427	PK
2	*	5174.750	86.987	97.414	N/A	N/A	-10.427	PK

Profile: 11BS004R	Page No.: 460
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.341	56.768	-7.659	54.000	-10.427	AV
2	*	5173.950	74.309	84.733	N/A	N/A	-10.425	AV

Profile: 11BS004R	Page No.: 461
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.600	101.457	111.932	N/A	N/A	-10.476	PK
2		5350.000	62.101	72.600	-11.899	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 462
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.650	85.302	95.772	N/A	N/A	-10.470	AV
2		5350.000	47.334	57.833	-6.666	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 463
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5294.700	89.447	99.863	N/A	N/A	-10.416	PK
2		5350.000	59.083	69.582	-14.917	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 464
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5294.500	73.345	83.762	N/A	N/A	-10.417	AV
2		5350.000	45.133	55.632	-8.867	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 465
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.426	70.696	-13.574	74.000	-10.269	PK
2		5470.000	60.209	70.514	-28.091	88.300	-10.305	PK
3	*	5497.050	84.485	94.755	N/A	N/A	-10.270	PK

Profile: 11BS004R	Page No.: 466
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.685	57.955	-6.315	54.000	-10.269	AV
2		5470.000	47.838	58.143	-20.462	68.300	-10.305	AV
3	*	5497.450	71.413	81.682	N/A	N/A	-10.269	AV

Profile: 11BS004R	Page No.: 467
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.030	70.300	-13.970	74.000	-10.269	PK
2		5470.000	60.552	70.857	-27.748	88.300	-10.305	PK
3	*	5499.400	81.959	92.221	N/A	N/A	-10.262	PK

Profile: 11BS004R	Page No.: 468
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.914	57.184	-7.086	54.000	-10.269	AV
2		5470.000	46.754	57.059	-21.546	68.300	-10.305	AV
3	*	5495.850	67.087	77.362	N/A	N/A	-10.274	AV

Profile: 11BS004R	Page No.: 925
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:31
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5655.800	83.242	93.134	-5.058	88.300	-9.892	PK
2			5725.000	58.934	68.708	-29.366	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 926
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:32
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5660.500	72.031	81.896	3.731	68.300	-9.865	AV
2			5725.000	47.295	57.069	-21.005	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 927
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:32
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5655.150	86.745	96.642	-1.555	88.300	-9.897	PK
2			5725.000	58.833	68.607	-29.467	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 928
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:33
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5654.000	76.090	85.998	7.790	68.300	-9.908	AV
2			5725.000	47.336	57.110	-20.964	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 469
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	61.208	71.635	-12.792	74.000	-10.427	PK
2	*	5175.550	79.426	89.857	N/A	N/A	-10.431	PK

Profile: 11BS004R	Page No.: 470
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.506	56.933	-7.494	54.000	-10.427	AV
2	*	5174.600	67.048	77.475	N/A	N/A	-10.426	AV

Profile: 11BS004R	Page No.: 471
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.933	70.360	-14.067	74.000	-10.427	PK
2	*	5180.900	78.057	88.510	N/A	N/A	-10.453	PK

Profile: 11BS004R	Page No.: 472
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.254	56.681	-7.746	54.000	-10.427	AV
2	*	5180.850	63.903	74.356	N/A	N/A	-10.453	AV

Profile: 11BS004R	Page No.: 473
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5299.700	82.060	92.452	N/A	N/A	-10.392	PK
2		5350.000	58.703	69.202	-15.297	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 474
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5294.500	69.299	79.716	N/A	N/A	-10.417	AV
2		5350.000	45.478	55.977	-8.522	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 475
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5302.850	80.862	91.252	N/A	N/A	-10.391	PK
2		5350.000	57.625	68.124	-16.375	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 476
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5297.300	67.988	78.391	N/A	N/A	-10.404	AV
2		5350.000	45.138	55.637	-8.862	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 477
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 11:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.479	70.749	-13.521	74.000	-10.269	PK
2		5470.000	60.271	70.576	-28.029	88.300	-10.305	PK
3	*	5503.800	86.808	97.055	N/A	N/A	-10.246	PK

Profile: 11BS004R	Page No.: 478
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 12:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.367	57.637	-6.633	54.000	-10.269	AV
2		5470.000	47.449	57.754	-20.851	68.300	-10.305	AV
3	*	5501.600	71.090	81.345	N/A	N/A	-10.254	AV

Profile: 11BS004R	Page No.: 479
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 12:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.010	69.280	-14.990	74.000	-10.269	PK
2		5470.000	59.852	59.852	-28.448	88.300	-10.261	PK
3	*	5501.450	82.453	92.708	8.453	74.000	-10.255	PK

Profile: 11BS004R	Page No.: 480
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 12:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.862	57.132	-7.138	54.000	-10.269	AV
2		5470.000	46.689	56.994	-21.611	68.300	-10.305	AV
3	*	5498.500	68.634	78.899	N/A	N/A	-10.266	AV

Profile: 11BS004R	Page No.: 929
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:34
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5663.650	83.402	93.258	-4.898	88.300	-9.856	PK
2			5725.000	59.091	68.865	-29.209	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 930
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:35
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5657.400	71.915	81.792	3.615	68.300	-9.876	AV
2			5725.000	47.301	57.075	-20.999	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 931
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:35
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5659.750	78.349	88.216	-9.951	88.300	-9.867	PK
2			5725.000	58.299	68.073	-30.001	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 932
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:37
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5654.450	64.974	74.878	-3.326	68.300	-9.904	AV
2			5725.000	47.282	57.056	-21.018	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 481
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	62.401	72.828	-11.599	74.000	-10.427	PK
2	*	5201.250	104.319	114.841	N/A	N/A	-10.522	PK

Profile: 11BS004R	Page No.: 482
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.886	58.313	-6.114	54.000	-10.427	AV
2	*	5202.300	90.724	101.240	N/A	N/A	-10.517	AV

Profile: 11BS004R	Page No.: 483
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.932	70.359	-14.068	74.000	-10.427	PK
2	*	5176.450	90.314	100.748	N/A	N/A	-10.434	PK

Profile: 11BS004R	Page No.: 484
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.188	56.615	-7.812	54.000	-10.427	AV
2	*	5174.400	76.114	86.540	N/A	N/A	-10.425	AV

Profile: 11BS004R	Page No.: 485
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5320.950	103.859	114.302	N/A	N/A	-10.444	PK
2		5350.000	61.537	72.036	-12.463	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 486
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5320.600	91.080	101.521	N/A	N/A	-10.441	AV
2		5350.000	48.428	58.927	-5.572	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 487
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5317.950	92.268	102.694	N/A	N/A	-10.426	PK
2		5350.000	60.447	70.946	-13.553	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 488
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.000	79.485	89.940	N/A	N/A	-10.455	AV
2		5350.000	46.930	57.429	-7.070	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 489
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.871	71.141	-13.129	74.000	-10.269	PK
2		5470.000	61.379	71.684	-26.921	88.300	-10.305	PK
3	*	5499.400	103.822	114.084	N/A	N/A	-10.262	PK

Profile: 11BS004R	Page No.: 490
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.556	57.826	-6.444	54.000	-10.269	AV
2		5470.000	47.840	58.145	-20.460	68.300	-10.305	AV
3	*	5502.700	90.537	100.788	N/A	N/A	-10.251	AV

Profile: 11BS004R	Page No.: 491
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.075	69.345	-14.925	74.000	-10.269	PK
2		5470.000	60.174	70.479	-28.126	88.300	-10.305	PK
3	*	5496.250	90.696	100.969	N/A	N/A	-10.273	PK

Profile: 11BS004R	Page No.: 492
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.355	56.625	-7.645	54.000	-10.269	AV
2		5470.000	46.140	56.445	-22.160	68.300	-10.305	AV
3	*	5515.100	74.611	84.776	N/A	N/A	-10.164	AV

Profile: 11BS004R	Page No.: 933
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:38
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5665.750	82.049	91.900	-6.251	88.300	-9.851	PK
2			5725.000	59.072	68.846	-29.228	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 934
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:39
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5657.700	68.612	78.486	0.312	68.300	-9.874	AV
2			5725.000	47.299	57.073	-21.001	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 935
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:39
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5665.800	84.463	94.314	-3.837	88.300	-9.851	PK
2			5725.000	59.049	68.823	-29.251	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 936
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:40
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5652.450	74.758	84.680	6.458	68.300	-9.922	AV
2			5725.000	47.293	57.067	-21.007	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 493
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.665	71.092	-13.335	74.000	-10.427	PK
2	*	5205.750	101.535	112.034	N/A	N/A	-10.499	PK

Profile: 11BS004R	Page No.: 494
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.014	57.441	-6.986	54.000	-10.427	AV
2	*	5202.900	83.798	94.311	N/A	N/A	-10.513	AV

Profile: 11BS004R	Page No.: 495
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.871	69.298	-15.129	74.000	-10.427	PK
2	*	5202.100	79.743	90.260	N/A	N/A	-10.518	PK

Profile: 11BS004R	Page No.: 496
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5190MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.092	56.519	-7.908	54.000	-10.427	AV
2	*	5177.700	64.704	75.144	N/A	N/A	-10.441	AV

Profile: 11BS004R	Page No.: 497
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5317.500	83.681	94.106	N/A	N/A	-10.425	PK
2		5350.000	58.695	69.194	-15.305	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 498
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5315.000	68.750	79.169	N/A	N/A	-10.419	AV
2		5350.000	46.350	56.849	-7.650	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 499
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.500	81.353	91.822	N/A	N/A	-10.469	PK
2		5350.000	59.630	70.129	-14.370	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 500
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5310MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.500	67.462	77.943	N/A	N/A	-10.481	AV
2		5350.000	45.996	56.495	-8.004	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 501
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.742	70.012	-14.258	74.000	-10.269	PK
2		5470.000	59.291	69.596	-29.009	88.300	-10.305	PK
3	*	5503.450	88.050	98.298	N/A	N/A	-10.249	PK

Profile: 11BS004R	Page No.: 502
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.786	57.056	-7.214	54.000	-10.269	AV
2		5470.000	46.670	56.975	-21.630	68.300	-10.305	AV
3	*	5498.650	66.554	76.819	N/A	N/A	-10.265	AV

Profile: 11BS004R	Page No.: 503
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 16:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.664	69.934	-14.336	74.000	-10.269	PK
2		5470.000	59.543	69.848	-28.757	88.300	-10.305	PK
3	*	5502.250	82.035	92.287	N/A	N/A	-10.252	PK

Profile: 11BS004R	Page No.: 504
Engineer: Toms	
Site: AC5	Time: 2011/11/26 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode3: Transmit at channel 5510MHz by 802.11n40(MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.274	56.544	-7.726	54.000	-10.269	AV
2		5470.000	46.143	56.448	-22.157	68.300	-10.305	AV
3	*	5501.200	69.555	79.811	N/A	N/A	-10.256	AV

Profile: 11BS004R		Page No.: 937	
Engineer: Toms			
Site: AC5		Time: 2011/12/29 - 21:41	
Limit: FCC_Part15.407_RE(3m)		Margin: 0	
Probe: BBHA9120D_499(1-18GHz)		Polarity: Vertical	
EUT: Wireless LAN access Point		Power: AC 120V/60Hz	
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2			




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5655.000	85.211	95.110	-3.089	88.300	-9.898	PK
2			5725.000	58.298	68.072	-30.002	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 938
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:42
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5655.550	75.203	85.097	6.903	68.300	-9.894	AV
2			5725.000	47.323	57.097	-20.977	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 939
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:42
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5656.200	82.228	92.116	-6.072	88.300	-9.887	PK
2			5725.000	58.303	68.077	-29.997	88.300	-9.774	PK


Profile: 11BS004R	Page No.: 940
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 21:44
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5656.800	69.565	79.447	1.265	68.300	-9.882	AV
2			5725.000	47.230	57.004	-21.070	68.300	-9.774	AV


Test by build-in antenna (Metal antenna)

Profile: 11BS004R	Page No.: 693
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 13:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	63.596	74.023	-10.404	74.000	-10.427	PK
2	*	5186.410	90.794	101.271	N/A	N/A	-10.478	PK

Profile: 11BS004R	Page No.: 694
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 13:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	49.778	60.205	-4.222	54.000	-10.427	AV
2	*	5187.355	77.982	88.464	N/A	N/A	-10.482	AV

Profile: 11BS004R	Page No.: 695
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 13:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.453	70.880	-13.547	74.000	-10.427	PK
2	*	5183.935	102.993	113.460	N/A	N/A	-10.466	PK

Profile: 11BS004R	Page No.: 696
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.574	57.001	-7.426	54.000	-10.427	AV
2	*	5187.490	87.267	97.749	N/A	N/A	-10.483	AV

Profile: 11BS004R	Page No.: 697
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5319.170	93.472	103.905	N/A	N/A	-10.433	PK
2		5350.000	60.401	70.900	-13.599	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 698
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5303.735	79.463	89.855	N/A	N/A	-10.392	AV
2		5350.000	46.624	57.123	-7.376	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 699
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.270	105.143	115.622	N/A	N/A	-10.480	PK
2		5350.000	59.495	69.994	-14.505	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 700
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5313.410	88.937	99.352	N/A	N/A	-10.416	AV
2		5350.000	46.539	57.038	-7.461	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 701
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	58.798	69.068	-15.202	74.000	-10.269	PK
2		5470.000	58.718	69.023	-29.582	88.300	-10.305	PK
3	*	5502.765	92.067	102.318	N/A	N/A	-10.251	PK

Profile: 11BS004R	Page No.: 702
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.165	56.435	-7.835	54.000	-10.269	AV
2		5470.000	46.028	56.333	-22.272	68.300	-10.305	AV
3	*	5507.355	77.339	87.563	N/A	N/A	-10.225	AV

Profile: 11BS004R	Page No.: 703
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.938	70.208	-14.062	74.000	-10.269	PK
2		5470.000	59.634	69.939	-28.666	88.300	-10.305	PK
3	*	5506.095	105.324	115.558	N/A	N/A	-10.234	PK

Profile: 11BS004R	Page No.: 704
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.967	57.237	-7.033	54.000	-10.269	AV
2		5470.000	46.803	57.108	-21.497	68.300	-10.305	AV
3	*	5493.360	87.776	98.059	N/A	N/A	-10.283	AV

Profile: 11BS004R	Page No.: 705
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.230	92.547	102.400	N/A	N/A	-9.853	PK
2		5725.000	59.646	69.420	-14.354	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 706
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5707.100	77.317	87.203	N/A	N/A	-9.886	AV
2		5725.000	46.574	56.348	-7.426	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 707
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5702.518	105.898	115.772	N/A	N/A	-9.874	PK
2		5725.000	60.887	70.661	-13.113	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 708
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5707.230	88.482	98.369	N/A	N/A	-9.887	AV
2		5725.000	47.208	56.982	-6.792	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 709
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.236	69.663	-14.764	74.000	-10.427	PK
2	*	5186.815	90.707	101.186	N/A	N/A	-10.480	PK

Profile: 11BS004R	Page No.: 710
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.067	56.494	-7.933	54.000	-10.427	AV
2	*	5187.355	77.739	88.221	N/A	N/A	-10.482	AV

Profile: 11BS004R	Page No.: 711
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.731	70.158	-14.269	74.000	-10.427	PK
2	*	5187.355	101.835	112.317	N/A	N/A	-10.482	PK

Profile: 11BS004R	Page No.: 712
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.472	56.899	-7.528	54.000	-10.427	AV
2	*	5187.625	86.378	96.861	N/A	N/A	-10.484	AV

Profile: 11BS004R	Page No.: 713
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5319.530	93.799	104.234	N/A	N/A	-10.435	PK
2		5350.000	59.032	69.531	-14.968	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 714
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5320.115	78.604	89.042	N/A	N/A	-10.438	AV
2		5350.000	45.968	56.467	-8.032	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 715
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.090	105.544	116.022	N/A	N/A	-10.479	PK
2		5350.000	59.719	70.218	-14.281	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 716
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.180	86.928	97.407	N/A	N/A	-10.479	AV
2		5350.000	46.483	56.982	-7.517	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 717
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.362	69.632	-14.638	74.000	-10.269	PK
2		5470.000	59.310	69.615	-28.990	88.300	-10.305	PK
3	*	5495.025	91.972	102.250	N/A	N/A	-10.278	PK

Profile: 11BS004R	Page No.: 718
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.360	56.630	-7.640	54.000	-10.269	AV
2		5470.000	46.155	56.460	-22.145	68.300	-10.305	AV
3	*	5493.495	78.783	89.066	N/A	N/A	-10.284	AV

Profile: 11BS004R	Page No.: 719
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.699	69.969	-14.301	74.000	-10.269	PK
2		5470.000	61.016	71.321	-27.284	88.300	-10.305	PK
3	*	5506.545	104.994	115.225	N/A	N/A	-10.231	PK