



Profile: 11BS004R	Page No.: 720
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.868	57.138	-7.132	54.000	-10.269	AV
2		5470.000	46.697	57.002	-21.603	68.300	-10.305	AV
3	*	5507.220	87.707	97.933	N/A	N/A	-10.226	AV

Profile: 11BS004R	Page No.: 721
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5705.540	91.821	101.703	N/A	N/A	-9.882	PK
2		5725.000	59.450	69.224	-14.550	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 722
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5707.393	77.362	87.249	N/A	N/A	-9.887	AV
2		5725.000	46.663	56.437	-7.337	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 723
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5707.848	104.989	114.877	N/A	N/A	-9.888	PK
2		5725.000	60.417	70.191	-13.583	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 724
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5693.873	87.618	97.470	N/A	N/A	-9.853	AV
2		5725.000	47.132	56.906	-6.868	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 725
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 14:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.985	69.412	-15.015	74.000	-10.427	PK
2	*	5206.600	89.406	99.900	N/A	N/A	-10.494	PK

Profile: 11BS004R	Page No.: 726
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.138	56.565	-7.862	54.000	-10.427	AV
2	*	5207.000	76.168	86.660	22.168	54.000	-10.493	AV


Profile: 11BS004R	Page No.: 727
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.183	70.610	-13.817	74.000	-10.427	PK
2	*	5206.350	100.927	111.422	26.927	74.000	-10.495	PK




Profile: 11BS004R	Page No.: 728
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.012	57.439	-6.988	54.000	-10.427	AV
2	*	5207.450	84.517	95.007	30.517	54.000	-10.490	AV

Profile: 11BS004R	Page No.: 729
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.250	92.545	103.024	18.545	74.000	-10.479	PK
2		5350.000	59.737	70.236	-14.263	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 730
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5293.050	79.333	89.757	25.333	54.000	-10.424	AV
2		5350.000	46.205	56.704	-7.795	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 731
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.750	104.340	114.811	30.340	74.000	-10.470	PK
2		5350.000	66.846	77.345	-7.154	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 732
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.100	87.243	97.721	33.243	54.000	-10.479	AV
2		5350.000	47.456	57.955	-6.544	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 733
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.740	70.010	-14.260	74.000	-10.269	PK
2		5470.000	60.268	70.573	-28.032	88.300	-10.305	PK
3	*	5496.400	90.919	101.192	16.919	74.000	-10.273	PK

Profile: 11BS004R	Page No.: 734
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.376	56.646	-7.624	54.000	-10.269	AV
2		5470.000	46.217	56.522	-22.083	68.300	-10.305	AV
3	*	5493.700	77.956	88.238	23.956	54.000	-10.282	AV


Profile: 11BS004R	Page No.: 735
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.717	69.987	-14.283	74.000	-10.269	PK
2		5470.000	62.143	72.448	-26.157	88.300	-10.305	PK
3	*	5515.350	104.512	114.675	30.512	74.000	-10.163	PK




Profile: 11BS004R	Page No.: 736
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.142	57.412	-6.858	54.000	-10.269	AV
2		5470.000	47.590	47.590	-20.710	68.300	-10.272	AV
3	*	5494.750	89.412	99.690	35.412	54.000	-10.279	AV

Profile: 11BS004R	Page No.: 737
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.930	70.357	-14.070	74.000	-10.427	PK
2	*	5184.250	90.997	101.465	16.997	74.000	-10.468	PK

Profile: 11BS004R	Page No.: 738
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.038	56.465	-7.962	54.000	-10.427	AV
2	*	5187.220	77.340	87.821	23.340	54.000	-10.482	AV

Profile: 11BS004R	Page No.: 881
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 19:32
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5656.550	104.144	114.029	15.844	88.300	-9.885	PK
2			5725.000	60.582	70.356	-27.718	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 882
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 19:34
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5656.050	90.344	100.233	22.044	68.300	-9.888	AV
2			5725.000	47.865	57.639	-20.435	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 883
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 19:35
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5654.800	96.043	105.944	7.743	88.300	-9.901	PK
2			5725.000	60.397	70.171	-27.903	88.300	-9.774	PK
3			5727.850	63.152	72.908	-25.148	88.300	-9.756	PK

Profile: 11BS004R	Page No.: 884
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 19:36
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5652.600	81.908	91.829	13.608	68.300	-9.921	AV
2			5725.000	47.785	57.559	-20.515	68.300	-9.774	AV


Profile: 11BS004R	Page No.: 739
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11a Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.256	69.683	-14.744	74.000	-10.427	PK
2	*	5186.950	102.409	112.889	28.409	74.000	-10.480	PK




Profile: 11BS004R	Page No.: 740
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.372	56.799	-7.628	54.000	-10.427	AV
2	*	5187.355	86.514	96.996	32.514	54.000	-10.482	AV

Profile: 11BS004R	Page No.: 741
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5320MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.360	94.565	105.033	20.565	74.000	-10.468	PK
2		5350.000	58.541	69.040	-15.459	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 742
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5320MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.120	78.499	88.977	24.499	54.000	-10.479	AV
2		5350.000	46.072	56.571	-7.928	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 743
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5320MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.560	103.741	114.216	29.741	74.000	-10.476	PK
2		5350.000	59.747	70.246	-14.253	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 744
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5320MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.360	87.636	98.116	33.636	54.000	-10.480	AV
2		5350.000	46.490	56.989	-7.510	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 745
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 15:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.746	70.016	-14.254	74.000	-10.269	PK
2		5470.000	59.407	69.712	-28.893	88.300	-10.305	PK
3	*	5504.790	92.324	102.567	18.324	74.000	-10.243	PK

Profile: 11BS004R	Page No.: 746
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz by 802.11a Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.420	56.690	-7.580	54.000	-10.269	AV
2		5470.000	46.228	56.533	-22.072	68.300	-10.305	AV
3	*	5502.450	77.613	87.865	23.613	54.000	-10.252	AV


Profile: 11BS004R	Page No.: 747
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz by 802.11a Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.839	71.109	-13.161	74.000	-10.269	PK
2		5470.000	60.492	70.797	-27.808	88.300	-10.305	PK
3	*	5495.025	103.148	113.426	29.148	74.000	-10.278	PK




Profile: 11BS004R	Page No.: 748
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.974	57.244	-7.026	54.000	-10.269	AV
2		5470.000	46.795	57.100	-21.505	68.300	-10.305	AV
3	*	5493.765	89.109	99.391	35.109	54.000	-10.282	AV

Profile: 11BS004R	Page No.: 749
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.330	92.401	102.278	18.401	74.000	-9.876	PK
2		5725.000	60.263	70.037	-13.737	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 750
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5704.078	78.861	88.739	24.861	54.000	-9.878	AV
2		5725.000	46.733	56.507	-7.267	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 751
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5704.728	103.415	113.295	29.415	74.000	-9.880	PK
2		5725.000	60.274	70.048	-13.726	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 752
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5706.385	88.819	98.703	34.819	54.000	-9.884	AV
2		5725.000	47.261	57.035	-6.739	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 753
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.247	69.674	-14.753	74.000	-10.427	PK
2	*	5183.260	91.839	102.303	17.839	74.000	-10.463	PK

Profile: 11BS004R	Page No.: 754
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.008	56.435	-7.992	54.000	-10.427	AV
2	*	5187.625	77.009	87.492	23.009	54.000	-10.484	AV


Profile: 11BS004R	Page No.: 755
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 16:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.484	69.911	-14.516	74.000	-10.427	PK
2	*	5174.620	101.877	112.304	27.877	74.000	-10.426	PK




Profile: 11BS004R	Page No.: 756
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.288	56.715	-7.712	54.000	-10.427	AV
2	*	5187.625	85.508	95.991	31.508	54.000	-10.484	AV

Profile: 11BS004R	Page No.: 757
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.400	93.890	104.359	19.890	74.000	-10.468	PK
2		5350.000	59.938	70.437	-14.062	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 758
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.520	79.791	90.272	25.791	54.000	-10.481	AV
2		5350.000	46.203	56.702	-7.797	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 759
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.520	104.144	114.625	30.144	74.000	-10.481	PK
2		5350.000	59.848	70.347	-14.152	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 760
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.880	87.946	98.423	33.946	54.000	-10.477	AV
2		5350.000	46.639	57.138	-7.361	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 761
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.494	69.764	-14.506	74.000	-10.269	PK
2		5470.000	59.237	69.542	-29.063	88.300	-10.305	PK
3	*	5502.450	92.299	102.551	18.299	74.000	-10.252	PK

Profile: 11BS004R	Page No.: 762
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.454	56.724	-7.546	54.000	-10.269	AV
2		5470.000	46.169	56.474	-22.131	68.300	-10.305	AV
3	*	5507.355	79.923	90.147	25.923	54.000	-10.225	AV


Profile: 11BS004R	Page No.: 763
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.294	70.564	-13.706	74.000	-10.269	PK
2		5470.000	59.847	70.152	-28.453	88.300	-10.305	PK
3	*	5497.455	102.721	112.990	28.721	74.000	-10.269	PK




Profile: 11BS004R	Page No.: 764
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.943	57.213	-7.057	54.000	-10.269	AV
2		5470.000	46.740	57.045	-21.560	68.300	-10.305	AV
3	*	5494.215	87.103	97.383	33.103	54.000	-10.281	AV

Profile: 11BS004R	Page No.: 765
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.757	92.319	102.176	18.319	74.000	-9.856	PK
2		5725.000	59.919	69.693	-14.081	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 766
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5705.572	78.290	88.172	24.290	54.000	-9.882	AV
2		5725.000	46.658	56.432	-7.342	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 767
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.822	103.699	113.556	29.699	74.000	-9.857	PK
2		5725.000	60.579	70.353	-13.421	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 768
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5706.385	87.608	97.492	33.608	54.000	-9.884	AV
2		5725.000	47.266	57.040	-6.734	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 769
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:17
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.640	70.067	-14.360	74.000	-10.427	PK
2	*	5202.000	88.528	99.046	14.528	74.000	-10.518	PK

Profile: 11BS004R	Page No.: 770
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.918	56.345	-8.082	54.000	-10.427	AV
2	*	5183.800	74.205	84.671	20.205	54.000	-10.466	AV

Profile: 11BS004R	Page No.: 771
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.460	69.887	-14.540	74.000	-10.427	PK
2	*	5176.300	99.099	109.533	25.099	74.000	-10.433	PK




Profile: 11BS004R	Page No.: 772
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.344	56.771	-7.656	54.000	-10.427	AV
2	*	5206.200	84.020	94.516	30.020	54.000	-10.496	AV

Profile: 11BS004R	Page No.: 773
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5305.100	93.497	103.893	19.497	74.000	-10.396	PK
2		5350.000	59.700	70.199	-14.300	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 774
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:23
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.650	77.473	87.937	23.473	54.000	-10.464	AV
2		5350.000	46.557	57.056	-7.443	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 775
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.050	103.085	113.557	29.085	74.000	-10.472	PK
2		5350.000	63.272	73.771	-10.728	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 776
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.550	86.932	97.396	32.932	54.000	-10.464	AV
2		5350.000	47.865	58.364	-6.135	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 777
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.235	69.505	-14.765	74.000	-10.269	PK
2		5470.000	59.510	69.815	-28.790	88.300	-10.305	PK
3	*	5522.000	91.680	101.791	17.680	74.000	-10.111	PK

Profile: 11BS004R	Page No.: 778
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.401	56.671	-7.599	54.000	-10.269	AV
2		5470.000	46.199	56.504	-22.101	68.300	-10.305	AV
3	*	5502.750	78.462	88.713	24.462	54.000	-10.251	AV


Profile: 11BS004R	Page No.: 779
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.646	70.916	-13.354	74.000	-10.269	PK
2		5470.000	63.420	73.725	-24.880	88.300	-10.305	PK
3	*	5501.150	102.805	113.061	28.805	74.000	-10.257	PK




Profile: 11BS004R	Page No.: 780
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.243	57.513	-6.757	54.000	-10.269	AV
2		5470.000	48.333	58.638	-19.967	68.300	-10.305	AV
3	*	5494.550	86.617	96.896	32.617	54.000	-10.278	AV

Profile: 11BS004R	Page No.: 885
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 19:37
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5652.900	104.130	114.048	15.830	88.300	-9.918	PK
2			5725.000	60.479	70.253	-27.821	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 886
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 19:45
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5658.650	89.732	99.602	21.432	68.300	-9.869	AV
2			5725.000	47.822	57.596	-20.478	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 887
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 19:45
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5653.300	91.717	101.631	3.417	88.300	-9.915	PK
2			5725.000	61.178	70.952	-27.122	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 888
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 19:49
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5653.700	76.554	86.465	8.254	68.300	-9.911	AV
2			5725.000	47.780	57.554	-20.520	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 781
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.117	69.544	-14.883	74.000	-10.427	PK
2	*	5185.240	92.805	103.277	18.805	74.000	-10.472	PK

Profile: 11BS004R	Page No.: 782
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11a Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.948	56.375	-8.052	54.000	-10.427	AV
2	*	5174.080	79.799	90.223	25.799	54.000	-10.424	AV


Profile: 11BS004R	Page No.: 783
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11a Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.850	70.277	-14.150	74.000	-10.427	PK
2	*	5182.990	101.785	112.247	27.785	74.000	-10.462	PK




Profile: 11BS004R	Page No.: 784
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5180MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.301	56.728	-7.699	54.000	-10.427	AV
2	*	5187.355	87.656	98.138	33.656	54.000	-10.482	AV

Profile: 11BS004R	Page No.: 785
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5320MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.840	94.403	104.874	20.403	74.000	-10.471	PK
2		5350.000	59.936	70.435	-14.064	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 786
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5320MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.640	79.846	90.322	25.846	54.000	-10.476	AV
2		5350.000	46.156	56.655	-7.844	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 787
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5320MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.800	103.811	114.282	29.811	74.000	-10.470	PK
2		5350.000	59.355	69.854	-14.645	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 788
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5320MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.360	89.103	99.583	35.103	54.000	-10.480	AV
2		5350.000	46.616	57.115	-7.384	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 789
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.084	69.354	-14.916	74.000	-10.269	PK
2		5470.000	59.379	69.684	-28.921	88.300	-10.305	PK
3	*	5504.115	96.129	106.375	22.129	74.000	-10.245	PK

Profile: 11BS004R	Page No.: 790
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz by 802.11a Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.366	56.636	-7.634	54.000	-10.269	AV
2		5470.000	46.155	56.460	-22.145	68.300	-10.305	AV
3	*	5496.150	79.934	90.208	25.934	54.000	-10.273	AV


Profile: 11BS004R	Page No.: 791
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz by 802.11a Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.905	70.175	-14.095	74.000	-10.269	PK
2		5470.000	60.226	70.531	-28.074	88.300	-10.305	PK
3	*	5493.495	104.096	114.379	30.096	74.000	-10.284	PK




Profile: 11BS004R	Page No.: 792
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5500MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.921	57.191	-7.079	54.000	-10.269	AV
2		5470.000	46.765	57.070	-21.535	68.300	-10.305	AV
3	*	5493.765	88.917	99.199	34.917	54.000	-10.282	AV

Profile: 11BS004R	Page No.: 793
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 17:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.107	96.057	105.912	22.057	74.000	-9.855	PK
2		5725.000	59.783	69.557	-14.217	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 794
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5705.703	79.855	89.738	25.855	54.000	-9.883	AV
2		5725.000	46.708	56.482	-7.292	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 795
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.038	104.383	114.259	30.383	74.000	-9.876	PK
2		5725.000	60.108	69.882	-13.892	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 796
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 1: Transmit at channel 5700MHz by 802.11a Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5707.100	89.024	98.910	35.024	54.000	-9.886	AV
2		5725.000	47.267	57.041	-6.733	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 797
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.414	69.841	-14.586	74.000	-10.427	PK
2	*	5179.705	91.895	102.343	17.895	74.000	-10.447	PK

Profile: 11BS004R	Page No.: 798
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.008	56.435	-7.992	54.000	-10.427	AV
2	*	5174.890	78.925	89.353	24.925	54.000	-10.428	AV


Profile: 11BS004R	Page No.: 799
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.476	69.903	-14.524	74.000	-10.427	PK
2	*	5173.225	100.664	111.085	26.664	74.000	-10.420	PK




Profile: 11BS004R	Page No.: 800
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.379	56.806	-7.621	54.000	-10.427	AV
2	*	5173.360	88.533	98.954	34.533	54.000	-10.421	AV

Profile: 11BS004R	Page No.: 801
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5315.840	95.138	105.559	21.138	74.000	-10.421	PK
2		5350.000	59.016	69.515	-14.984	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 802
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.880	79.523	90.000	25.523	54.000	-10.477	AV
2		5350.000	46.067	56.566	-7.933	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 803
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.520	103.746	114.227	29.746	74.000	-10.481	PK
2		5350.000	59.236	69.735	-14.764	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 804
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5328.120	89.430	99.914	35.430	54.000	-10.484	AV
2		5350.000	46.583	57.082	-7.417	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 805
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.275	69.545	-14.725	74.000	-10.269	PK
2		5470.000	59.443	69.748	-28.857	88.300	-10.305	PK
3	*	5502.360	94.123	104.375	20.123	74.000	-10.252	PK

Profile: 11BS004R	Page No.: 806
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.365	56.635	-7.635	54.000	-10.269	AV
2		5470.000	46.179	56.484	-22.121	68.300	-10.305	AV
3	*	5506.365	80.490	90.722	26.490	54.000	-10.233	AV


Profile: 11BS004R	Page No.: 807
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.171	70.441	-13.829	74.000	-10.269	PK
2		5470.000	59.422	69.727	-28.878	88.300	-10.305	PK
3	*	5494.620	103.139	113.418	29.139	74.000	-10.278	PK




Profile: 11BS004R	Page No.: 808
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.936	57.206	-7.064	54.000	-10.269	AV
2		5470.000	46.740	57.045	-21.560	68.300	-10.305	AV
3	*	5504.565	89.794	100.038	35.794	54.000	-10.245	AV

Profile: 11BS004R	Page No.: 809
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5705.995	95.469	105.352	21.469	74.000	-9.883	PK
2		5725.000	59.465	69.239	-14.535	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 810
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.623	81.343	91.220	27.343	54.000	-9.877	AV
2		5725.000	46.640	56.414	-7.360	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 811
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5700.990	104.232	114.102	30.232	74.000	-9.870	PK
2		5725.000	59.798	69.572	-14.202	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 812
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5704.695	89.737	99.617	35.737	54.000	-9.880	AV
2		5725.000	47.164	56.938	-6.836	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 813
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.013	69.440	-14.987	74.000	-10.427	PK
2	*	5203.950	89.163	99.671	15.163	74.000	-10.508	PK

Profile: 11BS004R	Page No.: 814
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.964	56.391	-8.036	54.000	-10.427	AV
2	*	5207.450	74.224	84.714	20.224	54.000	-10.490	AV


Profile: 11BS004R	Page No.: 815
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.877	70.304	-14.123	74.000	-10.427	PK
2	*	5202.400	98.580	109.096	24.580	74.000	-10.515	PK




Profile: 11BS004R	Page No.: 816
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.683	57.110	-7.317	54.000	-10.427	AV
2	*	5207.300	85.393	95.884	31.393	54.000	-10.490	AV

Profile: 11BS004R	Page No.: 817
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.800	93.446	103.905	19.446	74.000	-10.459	PK
2		5350.000	59.182	69.681	-14.818	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 818
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.650	79.385	89.861	25.385	54.000	-10.476	AV
2		5350.000	46.484	56.983	-7.516	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 819
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5320.950	103.529	113.972	29.529	74.000	-10.444	PK
2		5350.000	63.769	74.268	-10.231	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 820
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.750	88.332	98.785	34.332	54.000	-10.454	AV
2		5350.000	47.766	58.265	-6.234	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 821
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 18:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.286	70.556	-13.714	74.000	-10.269	PK
2		5470.000	60.168	70.473	-28.132	88.300	-10.305	PK
3	*	5500.550	92.600	102.858	18.600	74.000	-10.258	PK

Profile: 11BS004R	Page No.: 822
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:00
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.467	56.737	-7.533	54.000	-10.269	AV
2		5470.000	46.526	56.831	-21.774	68.300	-10.305	AV
3	*	5494.950	78.464	88.742	24.464	54.000	-10.278	AV


Profile: 11BS004R	Page No.: 823
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.348	70.618	-13.652	74.000	-10.269	PK
2		5470.000	63.172	73.477	-25.128	88.300	-10.305	PK
3	*	5502.600	102.529	112.780	28.529	74.000	-10.251	PK




Profile: 11BS004R	Page No.: 824
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.474	57.744	-6.526	54.000	-10.269	AV
2		5470.000	49.308	59.613	-18.992	68.300	-10.305	AV
3	*	5495.400	89.172	99.448	35.172	54.000	-10.276	AV

Profile: 11BS004R	Page No.: 889
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:19
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5672.900	103.277	113.109	14.977	88.300	-9.832	PK
2			5725.000	60.743	70.517	-27.557	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 890
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:21
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5684.950	88.297	98.135	19.997	68.300	-9.838	AV
2			5725.000	47.877	57.651	-20.423	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 891
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:21
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5656.950	91.341	101.222	3.041	88.300	-9.881	PK
2			5725.000	60.120	69.894	-28.180	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 892
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:23
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5658.950	75.526	85.395	7.226	68.300	-9.869	AV
2			5725.000	47.113	56.887	-21.187	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 825
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.179	69.606	-14.821	74.000	-10.427	PK
2	*	5175.925	89.497	99.929	15.497	74.000	-10.432	PK

Profile: 11BS004R	Page No.: 826
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.911	56.338	-8.089	54.000	-10.427	AV
2	*	5173.225	78.019	88.440	24.019	54.000	-10.420	AV


Profile: 11BS004R	Page No.: 827
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.281	69.708	-14.719	74.000	-10.427	PK
2	*	5180.830	103.684	114.137	29.684	74.000	-10.453	PK




Profile: 11BS004R	Page No.: 828
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.237	56.664	-7.763	54.000	-10.427	AV
2	*	5177.815	87.352	97.792	33.352	54.000	-10.439	AV

Profile: 11BS004R	Page No.: 829
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.200	91.024	101.452	17.024	74.000	-10.428	PK
2		5350.000	59.291	69.790	-14.709	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 830
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5326.760	77.717	88.193	23.717	54.000	-10.477	AV
2		5350.000	46.116	56.615	-7.884	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 831
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5328.000	104.753	115.236	30.753	74.000	-10.484	PK
2		5350.000	59.571	70.070	-14.429	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 832
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5313.560	90.523	100.939	36.523	54.000	-10.416	AV
2		5350.000	46.542	57.041	-7.458	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 833
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.326	69.596	-14.674	74.000	-10.269	PK
2		5470.000	59.084	69.389	-29.216	88.300	-10.305	PK
3	*	5507.490	90.930	101.153	16.930	74.000	-10.224	PK

Profile: 11BS004R	Page No.: 834
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:15
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.362	56.632	-7.638	54.000	-10.269	AV
2		5470.000	46.148	56.453	-22.152	68.300	-10.305	AV
3	*	5498.805	75.462	85.726	21.462	54.000	-10.264	AV


Profile: 11BS004R	Page No.: 835
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:16
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.075	70.345	-13.925	74.000	-10.269	PK
2		5470.000	59.365	69.670	-28.935	88.300	-10.305	PK
3	*	5498.310	104.617	114.883	30.617	74.000	-10.266	PK




Profile: 11BS004R	Page No.: 836
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:18
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.937	57.207	-7.063	54.000	-10.269	AV
2		5470.000	46.749	57.054	-21.551	68.300	-10.305	AV
3	*	5497.275	90.369	100.639	36.369	54.000	-10.270	AV

Profile: 11BS004R	Page No.: 837
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:19
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.895	91.101	100.961	17.101	74.000	-9.860	PK
2		5725.000	59.625	69.399	-14.375	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 838
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:20
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5703.362	76.714	86.591	22.714	54.000	-9.876	AV
2		5725.000	46.641	56.415	-7.359	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 839
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5696.895	105.887	115.747	31.887	74.000	-9.860	PK
2		5725.000	60.092	69.866	-13.908	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 840
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5701.640	88.629	98.501	34.629	54.000	-9.872	AV
2		5725.000	47.113	56.887	-6.887	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 841
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.001	70.428	-13.999	74.000	-10.427	PK
2	*	5203.250	87.970	98.481	13.970	74.000	-10.511	PK

Profile: 11BS004R	Page No.: 842
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.947	56.374	-8.053	54.000	-10.427	AV
2	*	5198.900	71.438	81.971	17.438	54.000	-10.533	AV


Profile: 11BS004R	Page No.: 843
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.327	69.754	-14.673	74.000	-10.427	PK
2	*	5205.650	101.940	112.439	27.940	74.000	-10.499	PK




Profile: 11BS004R	Page No.: 844
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.474	56.901	-7.526	54.000	-10.427	AV
2	*	5196.400	86.132	96.654	32.132	54.000	-10.523	AV

Profile: 11BS004R	Page No.: 845
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.100	90.668	101.146	16.668	74.000	-10.479	PK
2		5350.000	59.337	69.836	-14.663	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 846
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.250	76.680	87.131	22.680	54.000	-10.451	AV
2		5350.000	46.122	56.621	-7.878	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 847
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.450	103.757	114.237	29.757	74.000	-10.481	PK
2		5350.000	63.702	74.201	-10.298	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 848
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5327.250	85.390	95.869	31.390	54.000	-10.479	AV
2		5350.000	46.788	57.287	-7.212	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 849
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.549	69.819	-14.451	74.000	-10.269	PK
2		5470.000	59.191	69.496	-29.109	88.300	-10.305	PK
3	*	5507.850	90.974	101.195	16.974	74.000	-10.220	PK

Profile: 11BS004R	Page No.: 850
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.371	56.641	-7.629	54.000	-10.269	AV
2		5470.000	46.200	56.505	-22.100	68.300	-10.305	AV
3	*	5496.800	76.118	86.389	22.118	54.000	-10.271	AV


Profile: 11BS004R	Page No.: 851
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0+1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.561	70.831	-13.439	74.000	-10.269	PK
2		5470.000	61.449	71.754	-26.851	88.300	-10.305	PK
3	*	5519.200	103.498	113.631	29.498	74.000	-10.133	PK




Profile: 11BS004R	Page No.: 852
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0+1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.849	57.119	-7.151	54.000	-10.269	AV
2		5470.000	46.914	57.219	-21.386	68.300	-10.305	AV
3	*	5511.550	85.063	95.255	31.063	54.000	-10.192	AV

Profile: 11BS004R	Page No.: 893
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:34
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5659.500	104.554	114.421	16.254	88.300	-9.867	PK
2			5725.000	62.692	72.466	-25.608	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 894
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:36
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5661.450	89.762	99.624	21.462	68.300	-9.862	AV
2			5725.000	47.836	57.610	-20.464	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 895
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:36
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5663.500	93.148	103.005	4.848	88.300	-9.856	PK
2			5725.000	61.686	71.460	-26.614	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 896
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:38
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5663.950	81.156	91.012	12.856	68.300	-9.856	AV
2			5725.000	47.758	57.532	-20.542	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 853
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	58.788	69.215	-15.212	74.000	-10.427	PK
2	*	5178.490	91.916	102.359	17.916	74.000	-10.443	PK

Profile: 11BS004R	Page No.: 854
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.873	56.300	-8.127	54.000	-10.427	AV
2	*	5178.940	79.507	89.952	25.507	54.000	-10.445	AV


Profile: 11BS004R	Page No.: 855
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.147	69.574	-14.853	74.000	-10.427	PK
2	*	5187.850	102.831	113.315	28.831	74.000	-10.485	PK




Profile: 11BS004R	Page No.: 856
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5180MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.205	56.632	-7.795	54.000	-10.427	AV
2	*	5188.075	87.697	98.182	33.697	54.000	-10.485	AV

Profile: 11BS004R	Page No.: 857
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5324.800	93.938	104.403	19.938	74.000	-10.465	PK
2		5350.000	60.480	70.979	-13.520	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 858
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5320.920	79.846	90.289	25.846	54.000	-10.444	AV
2		5350.000	46.032	56.531	-7.968	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 859
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5318.280	105.403	115.831	31.403	74.000	-10.428	PK
2		5350.000	59.562	70.061	-14.438	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 860
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5320MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		1.000	1.000	21.825	NaN	NaN	-20.825	AV
2	*	5323.160	91.397	101.853	37.397	54.000	-10.456	AV
3		5350.000	46.490	56.989	-7.510	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 861
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.185	69.455	-14.815	74.000	-10.269	PK
2		5470.000	59.687	69.992	-28.613	88.300	-10.305	PK
3	*	5498.400	93.905	104.171	19.905	74.000	-10.266	PK

Profile: 11BS004R	Page No.: 862
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.306	56.576	-7.694	54.000	-10.269	AV
2		5470.000	46.109	56.414	-22.191	68.300	-10.305	AV
3	*	5498.940	79.873	90.137	25.873	54.000	-10.264	AV


Profile: 11BS004R	Page No.: 863
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.221	70.491	-13.779	74.000	-10.269	PK
2		5470.000	59.560	69.865	-28.740	88.300	-10.305	PK
3	*	5495.475	104.978	115.254	30.978	74.000	-10.276	PK




Profile: 11BS004R	Page No.: 864
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:54
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5500MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.893	57.163	-7.107	54.000	-10.269	AV
2		5470.000	46.726	57.031	-21.574	68.300	-10.305	AV
3	*	5496.735	91.480	101.752	37.480	54.000	-10.272	AV

Profile: 11BS004R	Page No.: 865
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:55
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5697.123	94.953	104.813	20.953	74.000	-9.860	PK
2		5725.000	59.801	69.575	-14.199	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 866
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:56
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5697.708	83.484	93.346	29.484	54.000	-9.862	AV
2		5725.000	46.544	56.318	-7.456	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 867
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:57
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5707.652	104.952	114.840	30.952	74.000	-9.887	PK
2		5725.000	60.076	69.850	-13.924	74.000	-9.774	PK

Profile: 11BS004R	Page No.: 868
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:58
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 2: Transmit at channel 5700MHz by 802.11n(20MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.888	91.917	101.774	37.917	54.000	-9.857	AV
2		5725.000	47.089	56.863	-6.911	54.000	-9.774	AV

Profile: 11BS004R	Page No.: 869
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 19:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.991	70.418	-14.009	74.000	-10.427	PK
2	*	5205.650	89.799	100.298	15.799	74.000	-10.499	PK

Profile: 11BS004R	Page No.: 870
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	45.870	56.297	-8.130	54.000	-10.427	AV
2	*	5191.600	75.826	86.326	21.826	54.000	-10.500	AV


Profile: 11BS004R	Page No.: 871
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.375	69.802	-14.625	74.000	-10.427	PK
2	*	5205.900	101.857	112.355	27.857	74.000	-10.498	PK




Profile: 11BS004R	Page No.: 872
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:03
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5190MHz by 802.11n(40MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.324	56.751	-7.676	54.000	-10.427	AV
2	*	5191.500	85.695	96.195	31.695	54.000	-10.499	AV

Profile: 11BS004R	Page No.: 873
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5294.550	93.481	103.898	19.481	74.000	-10.416	PK
2		5350.000	59.180	69.679	-14.820	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 874
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:05
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5294.600	78.465	88.881	24.465	54.000	-10.416	AV
2		5350.000	46.126	56.625	-7.874	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 875
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:06
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.700	104.513	114.983	30.513	74.000	-10.470	PK
2		5350.000	61.400	71.899	-12.600	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 876
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:07
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5310MHz by 802.11n(40MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5323.250	89.249	99.705	35.249	54.000	-10.456	AV
2		5350.000	46.935	57.434	-7.065	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 877
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:08
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	58.905	69.175	-15.095	74.000	-10.269	PK
2		5470.000	59.910	70.215	-28.390	88.300	-10.305	PK
3	*	5525.750	92.850	102.966	18.850	74.000	-10.117	PK

Profile: 11BS004R	Page No.: 878
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:09
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	46.270	56.540	-7.730	54.000	-10.269	AV
2		5470.000	46.158	56.463	-22.142	68.300	-10.305	AV
3	*	5522.650	78.866	88.978	24.866	54.000	-10.112	AV


Profile: 11BS004R	Page No.: 879
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:10
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0+1+2	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.805	71.075	-13.195	74.000	-10.269	PK
2		5470.000	60.498	70.803	-27.802	88.300	-10.305	PK
3	*	5525.950	104.356	114.472	30.356	74.000	-10.116	PK




Profile: 11BS004R	Page No.: 880
Engineer: Toms	
Site: AC5	Time: 2011/12/04 - 20:11
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5510MHz by 802.11n(40MHz) Chain 0+1+2	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.044	57.314	-6.956	54.000	-10.269	AV
2		5470.000	47.080	57.385	-21.220	68.300	-10.305	AV
3	*	5521.100	89.293	99.411	35.293	54.000	-10.119	AV

Profile: 11BS004R	Page No.: 897
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:38
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5656.850	105.300	115.182	17.000	88.300	-9.882	PK
2			5725.000	61.165	70.939	-27.135	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 898
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:40
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	




No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5658.950	91.487	101.356	23.187	68.300	-9.869	AV
2			5725.000	47.822	57.596	-20.478	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 899
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:41
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5664.700	93.450	103.304	5.150	88.300	-9.853	PK
2			5725.000	61.060	70.834	-27.240	88.300	-9.774	PK


Profile: 11BS004R	Page No.: 900
Engineer: Toms	
Site: AC5	Time: 2011/12/29 - 20:42
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode 3: Transmit at channel 5670MHz by 802.11n(40MHz) Chain 0+1+2	



No	Flag	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor	Type
1		*	5685.650	81.032	90.871	12.732	68.300	-9.839	AV
2			5725.000	47.752	57.526	-20.548	68.300	-9.774	AV


Test by build-in antenna (Panel antenna)

Profile: 11BS004R	Page No.: 505
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.295	70.722	-13.705	74.000	-10.427	PK
2	*	5184.970	100.918	111.389	N/A	N/A	-10.470	PK

Profile: 11BS004R	Page No.: 506
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.167	57.594	-6.833	54.000	-10.427	AV
2	*	5186.500	87.356	97.834	N/A	N/A	-10.478	AV


Profile: 11BS004R	Page No.: 507
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.806	70.233	-14.194	74.000	-10.427	PK
2	*	5186.365	105.657	116.134	N/A	N/A	-10.477	PK




Profile: 11BS004R	Page No.: 508
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	47.152	57.579	-6.848	54.000	-10.427	AV
2	*	5185.690	92.836	103.310	N/A	N/A	-10.474	AV

Profile: 11BS004R	Page No.: 509
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5322.920	103.367	113.821	N/A	N/A	-10.455	PK
2		5350.000	60.751	71.250	-13.249	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 510
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.880	89.886	100.357	N/A	N/A	-10.471	AV
2		5350.000	47.170	57.669	-6.830	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 511
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5325.000	109.542	120.008	N/A	N/A	-10.466	PK
2		5350.000	59.557	70.056	-14.443	74.000	-10.498	PK

Profile: 11BS004R	Page No.: 512
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5320MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5313.440	95.217	105.633	N/A	N/A	-10.416	AV
2		5350.000	47.145	57.644	-6.855	54.000	-10.498	AV

Profile: 11BS004R	Page No.: 513
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	60.089	70.359	-13.911	74.000	-10.269	PK
2		5470.000	60.380	70.685	-27.920	88.300	-10.305	PK
3	*	5494.170	101.658	111.939	N/A	N/A	-10.281	PK

Profile: 11BS004R	Page No.: 514
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.273	57.543	-6.727	54.000	-10.269	AV
2		5470.000	47.219	57.524	-21.081	68.300	-10.305	AV
3	*	5494.755	86.753	97.031	N/A	N/A	-10.279	AV


Profile: 11BS004R	Page No.: 515
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	59.702	69.972	-14.298	74.000	-10.269	PK
2		5470.000	59.644	69.949	-28.656	88.300	-10.305	PK
3	*	5493.045	106.747	117.031	N/A	N/A	-10.284	PK




Profile: 11BS004R	Page No.: 516
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5500MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5460.000	47.382	57.652	-6.618	54.000	-10.269	AV
2		5470.000	47.474	57.779	-20.826	68.300	-10.305	AV
3	*	5493.360	94.576	104.859	N/A	N/A	-10.283	AV

Profile: 11BS004R	Page No.: 517
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:55
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5704.987	102.229	112.110	N/A	N/A	-9.881	PK
2		5725.000	60.990	70.764	-27.310	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 518
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:56
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.360	90.654	100.507	N/A	N/A	-9.853	AV
2		5725.000	47.907	57.681	-20.393	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 519
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:58
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5694.945	108.736	118.591	N/A	N/A	-9.855	PK
2		5725.000	61.041	70.815	-27.259	88.300	-9.774	PK

Profile: 11BS004R	Page No.: 520
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:58
Limit: FCC_Part15.407_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5700MHz by 802.11a Chain 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	5695.270	96.374	106.230	N/A	N/A	-9.855	AV
2		5725.000	47.832	57.606	-20.468	68.300	-9.774	AV

Profile: 11BS004R	Page No.: 521
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 10:59
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	59.837	70.264	-14.163	74.000	-10.427	PK
2	*	5183.800	97.081	107.547	N/A	N/A	-10.466	PK

Profile: 11BS004R	Page No.: 522
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 11:01
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Vertical
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	46.962	57.389	-7.038	54.000	-10.427	AV
2	*	5185.780	83.822	94.297	N/A	N/A	-10.474	AV

Profile: 11BS004R	Page No.: 523
Engineer: Toms	
Site: AC5	Time: 2011/11/27 - 11:02
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: BBHA9120D_499(1-18GHz)	Polarity: Horizontal
EUT: Wireless LAN access Point	Power: AC 120V/60Hz
Note: Mode1: Transmit at channel 5180MHz by 802.11a Chain 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		5150.000	60.262	70.689	-13.738	74.000	-10.427	PK
2	*	5182.765	103.952	114.413	N/A	N/A	-10.462	PK