

Example of Product Label to be applied to a product incorporating the radio module

EATON® **ELPRO**
415U-2 I/O & Gateway


Do Not Touch



I.T.E for Use in Hazardous Location

Ex nA IIC Gc, $-40^{\circ}\text{C} \leq T_a \leq +70^{\circ}\text{C}$

IECEX LC 16.0005X LC 16 ATEX 13272X




Contains FCC ID: O9P-E2-455C1 Contains IC: 3957A-E2455C1

SUP: 15 - 30VDC 60W

BAT: 10.8 - 15VDC 2500mA

S/N : 02162050001



Model: 415U-2-C1



MAX RF POWER : 10 W

FREQUENCY : 148 - 174MHz

Manufactured In Australia

'Setup' mode IP : 192.168.0.101

9/12 Billabong St., Australia 4053.
www.eaton.com/wireless

Labelling Detail – ELPRO E2-455-C1 VHF Transceiver

Label Location on a product incorporating the radio module



FCC ID: O9P-E2-455C1

IC: 3957A-E2455C1

HVIN:E2-455C1




Label Location for E2-455-C1 Licensed Radio

Photos_E2-455C1_V1-3.docx

Internal Photos

Under Side View



1 REVISION HISTORY

Issue No.	Date	Details of Amendment
1.0	10/12/2019	Initial Issue