

## Appendix A

### RF Test Data for BT V4.0(BDR/EDR) (Conducted Measurement)

Product Name: PC POS AND 8.1 4GB/8GB USA

Trade Mark: CUSTOM

Test Model: SILK 15

#### Environmental Conditions


Temperature:	25 ° C
Relative Humidity:	50%
ATM Pressure:	100.0 kPa
Test Engineer:	Ken. He
Supervised by:	Li Huan

#### A.1 Maxmum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-0.890	21	PASS
	MCH	-0.900	21	PASS
	HCH	-1.647	21	PASS
$\pi/4$ DQPSK	LCH	1.396	21	PASS
	MCH	1.320	21	PASS
	HCH	0.593	21	PASS
8DPSK	LCH	1.602	21	PASS
	MCH	1.560	21	PASS
	HCH	0.826	21	PASS

Test Graphs


GFSK/LCH




GFSK/MCH




GFSK/HCH




$\pi/4$ DQPSK/LCH




$\pi/4$ DQPSK/MCH




$\pi/4$ DQPSK/HCH




8DPSK/LCH



8DPSK/MCH




8DPSK/HCH




**A.2 20dB Bandwidth**

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9506	Not Specified	PASS
	MCH	0.9502	Not Specified	PASS
	HCH	0.9548	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.437	Not Specified	PASS
	MCH	1.435	Not Specified	PASS
	HCH	1.437	Not Specified	PASS
8DPSK	LCH	1.483	Not Specified	PASS
	MCH	1.478	Not Specified	PASS
	HCH	1.481	Not Specified	PASS




GFSK/MCH



Frequency	2.441000000 GHz
Center Freq	2.441000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz


GFSK/HCH




Frequency	2.480000000 GHz
Center Freq	2.480000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz




$\pi/4$ DQPSK/LCH




$\pi/4$ DQPSK/MCH




$\pi/4$ DQPSK/HCH



8DPSK/LCH




8DPSK/MCH



Frequency	2.441000000 GHz
Center Freq	2.441000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz

8DPSK/HCH



Frequency	2.480000000 GHz
Center Freq	2.480000000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz


### A.3 Carrier Frequency Separation

Mode	Channel	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.023	0.637	PASS
	MCH	1.088	0.637	PASS
	HCH	1.046	0.637	PASS
π/4DQPSK	LCH	1.200	0.958	PASS
	MCH	0.984	0.958	PASS
	HCH	1.302	0.958	PASS
8DPSK	LCH	1.020	0.989	PASS
	MCH	1.052	0.989	PASS
	HCH	1.092	0.989	PASS


**Test Graphs**

GFSK/LCH		Frequency Auto Tune Center Freq 2.402500000 GHz Start Freq 2.401500000 GHz Stop Freq 2.403500000 GHz CF Step 200.000 kHz Auto Man Freq Offset 0 Hz																																																																																																											
	Agilent Spectrum Analyzer - Swept SA Center Freq 2.402500000 GHz PNO: Wide → Trig: Free Run Avg Type: Log-Pwr IF Gain: Low #Atten: 30 dB Avg Hold: 10/10																																																																																																												
	Ref Offset 8.05 dB Ref 20.00 dBm ΔMkr1 1.023 00 MHz 0.038 dB																																																																																																												
	Start 2.401500 GHz #Res BW 100 kHz Stop 2.403500 GHz #VBW 300 kHz Sweep 1.067 ms (8001 pts)																																																																																																												
	<table border="1" style="width: 100%; border-collapse: collapse; font-size: 0.8em;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>1.023 00 MHz (Δ)</td> <td>0.038 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.401 987 00 GHz</td> <td>-1.822 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ2	f	(Δ)	1.023 00 MHz (Δ)	0.038 dB				2	F	f		2.401 987 00 GHz	-1.822 dBm				3									4									5									6									7									8									9									10									11								
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																					
1	Δ2	f	(Δ)	1.023 00 MHz (Δ)	0.038 dB																																																																																																								
2	F	f		2.401 987 00 GHz	-1.822 dBm																																																																																																								
3																																																																																																													
4																																																																																																													
5																																																																																																													
6																																																																																																													
7																																																																																																													
8																																																																																																													
9																																																																																																													
10																																																																																																													
11																																																																																																													


GFSK/MCH



GFSK/HCH




$\pi/4$ DQPSK/LCH




Frequency	2.402500000 GHz
Auto Tune	
Center Freq	2.402500000 GHz
Start Freq	2.401500000 GHz
Stop Freq	2.403500000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz

$\pi/4$ DQPSK/MCH




Frequency	2.441500000 GHz
Auto Tune	
Center Freq	2.441500000 GHz
Start Freq	2.440500000 GHz
Stop Freq	2.442500000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz

π/4DQPSK/HCH




Frequency
Auto Tune
Center Freq 2.479500000 GHz
Start Freq 2.478500000 GHz
Stop Freq 2.480500000 GHz
CF Step 200.000 kHz
Auto
Freq Offset 0 Hz

8DPSK/LCH




Frequency
Auto Tune
Center Freq 2.402500000 GHz
Start Freq 2.401500000 GHz
Stop Freq 2.403500000 GHz
CF Step 200.000 kHz
Auto
Freq Offset 0 Hz

8DPSK/MCH



Frequency	2.441500000 GHz
Auto Tune	
Center Freq	2.441500000 GHz
Start Freq	2.440500000 GHz
Stop Freq	2.442500000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz

8DPSK/HCH



Frequency	2.479500000 GHz
Auto Tune	
Center Freq	2.479500000 GHz
Start Freq	2.478500000 GHz
Stop Freq	2.480500000 GHz
CF Step	200.000 kHz
Auto	Man
Freq Offset	0 Hz




### A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

#### Test Graphs


GFSK/Hop	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.441750000 GHz Ref Offset 8.05 dB Ref 20.00 dBm ΔMkr1 78.083 MHz -0.768 dB Start 2.40000 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.48350 GHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>78.083 MHz (Δ)</td> <td>-0.768 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.401952 GHz</td> <td>-1.410 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ2	f	(Δ)	78.083 MHz (Δ)	-0.768 dB				2	F	f		2.401952 GHz	-1.410 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz Man</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	Δ2	f	(Δ)	78.083 MHz (Δ)	-0.768 dB																								
2	F	f		2.401952 GHz	-1.410 dBm																								
$\pi/4$ DQPSK/Hop	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.441750000 GHz Ref Offset 8.05 dB Ref 20.00 dBm ΔMkr1 77.937 MHz -1.035 dB Start 2.40000 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.48350 GHz Sweep 8.000 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Δ2</td> <td>f</td> <td>(Δ)</td> <td>77.937 MHz (Δ)</td> <td>-1.035 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td></td> <td>2.402140 GHz</td> <td>-3.380 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	Δ2	f	(Δ)	77.937 MHz (Δ)	-1.035 dB				2	F	f		2.402140 GHz	-3.380 dBm				<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.441750000 GHz</p> <p>Start Freq 2.400000000 GHz</p> <p>Stop Freq 2.483500000 GHz</p> <p>CF Step 8.350000 MHz Man</p> <p>Freq Offset 0 Hz</p>
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																					
1	Δ2	f	(Δ)	77.937 MHz (Δ)	-1.035 dB																								
2	F	f		2.402140 GHz	-3.380 dBm																								

8DPSK/Hop




**A.5 Dwell Time**


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.88	106.7	0.307	0.4	PASS
	DH5	MCH	2.88	106.7	0.307	0.4	PASS
	DH5	HCH	2.88	106.7	0.307	0.4	PASS
π/4DQPSK	2DH5	LCH	2.88	106.7	0.307	0.4	PASS
	2DH5	MCH	2.88	106.7	0.307	0.4	PASS
	2DH5	HCH	2.88	106.7	0.307	0.4	PASS
8DPSK	3DH5	LCH	2.88	106.7	0.307	0.4	PASS
	3DH5	MCH	2.88	106.7	0.307	0.4	PASS
	3DH5	HCH	2.88	106.7	0.307	0.4	PASS




GFSK\_DH5/MCH




GFSK\_DH5/HCH




$\pi/4$ DQPSK  
\_2DH5/LCH




$\pi/4$ DQPSK  
\_2DH5/MCH




$\pi/4$ DQPSK  
\_2DH5/HCH




8DPSK\_3DH5/LCH



8DPSK\_3DH5/MCH




8DPSK\_3DH5/HCH



**A.6 RF Conducted Spurious Emissions**


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-1.095	-37.138	-21.095	PASS
	MCH	-1.09	-37.559	-21.090	PASS
	HCH	-2.273	-37.395	-22.273	PASS
$\pi$ /4DQPSK	LCH	-1.178	-36.825	-21.178	PASS
	MCH	-1.131	-38.024	-21.131	PASS
	HCH	-2.012	-37.619	-22.012	PASS
8DPSK	LCH	-1.121	-37.053	-21.121	PASS
	MCH	-1.822	-36.710	-21.822	PASS
	HCH	-2.016	-36.951	-22.016	PASS

GFSK\_LCH\_Graphs




Pref






GFSK\_MCH\_Graphs




GFSK\_HCH\_Graphs


Pref




Puw




$\pi/4$ DQPSK\_LCH\_Graphs



$\pi/4$ DQPSK\_MCH\_Graphs




$\pi/4$ DQPSK\_HCH\_Graphs




8DPSK\_LCH\_Graphs

Pref




Puw







8DPSK\_HCH\_Graphs




## A.7 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	-1.203	Off	-49.683	-21.20	PASS
			-0.864	On	-49.022	-20.86	PASS
	HCH	2480	-1.665	Off	-37.897	-21.67	PASS
			-1.313	On	-48.790	-21.31	PASS
$\pi/4$ DQPSK	LCH	2402	-1.371	Off	-49.823	-21.37	PASS
			-0.918	On	-48.442	-20.92	PASS
	HCH	2480	-2.062	Off	-38.203	-22.06	PASS
			-1.296	On	-38.166	-21.30	PASS
8DPSK	LCH	2402	-0.893	Off	-48.591	-20.89	PASS
			-0.798	On	-49.182	-20.80	PASS
	HCH	2480	-2.052	Off	-40.532	-22.05	PASS
			-1.293	On	-46.553	-21.29	PASS

Test Graphs


GFSK/LCH/No Hop




GFSK/LCH/Hop




GFSK/HCH/No Hop




GFSK/HCH/Hop




$\pi/4$ DQPSK/LCH/No Hop




$\pi/4$ DQPSK/LCH/Hop




$\pi$ /4DQPSK/HCH/No  
Hop



$\pi$ /4DQPSK/HCH/Hop




8DPSK/LCH/No Hop




Frequency  
Auto Tune  
Center Freq  
2.357000000 GHz  
Start Freq  
2.310000000 GHz  
Stop Freq  
2.404000000 GHz  
CF Step  
9.400000 MHz  
Freq Offset  
0 Hz

8DPSK/LCH/Hop




Frequency  
Auto Tune  
Center Freq  
2.400000000 GHz  
Start Freq  
2.370000000 GHz  
Stop Freq  
2.430000000 GHz  
CF Step  
6.000000 MHz  
Freq Offset  
0 Hz

8DPSK/HCH/No Hop



Agilent Spectrum Analyzer - Swept SA  
 Center Freq 2.489000000 GHz  
 Auto Tune  
 Start Freq 2.478000000 GHz  
 Stop Freq 2.500000000 GHz  
 CF Step 2.200000 MHz  
 Freq Offset 0 Hz

8DPSK/HCH/Hop




Agilent Spectrum Analyzer - Swept SA  
 Center Freq 2.483500000 GHz  
 Auto Tune  
 Start Freq 2.453500000 GHz  
 Stop Freq 2.513500000 GHz  
 CF Step 6.000000 MHz  
 Freq Offset 0 Hz




## A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-43.60	5.24	0	56.87	PEAK	74	PASS
	Off	2310.0	-53.22	5.24	0	47.25	AV	54	PASS
	Off	2390.0	-43.46	5.24	0	57.01	PEAK	74	PASS
	Off	2390.0	-52.91	5.24	0	47.56	AV	54	PASS
	Off	2483.5	-41.90	5.24	0	58.57	PEAK	74	PASS
	Off	2483.5	-52.38	5.24	0	48.09	AV	54	PASS
	Off	2500.0	-40.97	5.24	0	59.5	PEAK	74	PASS
	Off	2500.0	-52.06	5.24	0	48.41	AV	54	PASS
$\pi/4$ DQPSK	Off	2310.0	-43.73	5.24	0	56.74	PEAK	74	PASS
	Off	2310.0	-53.26	5.24	0	47.21	AV	54	PASS
	Off	2390.0	-41.97	5.24	0	58.5	PEAK	74	PASS
	Off	2390.0	-52.84	5.24	0	47.63	AV	54	PASS
	Off	2483.5	-42.49	5.24	0	57.98	PEAK	74	PASS
	Off	2483.5	-52.14	5.24	0	48.33	AV	54	PASS
	Off	2500.0	-42.55	5.24	0	57.92	PEAK	74	PASS
	Off	2500.0	-52.28	5.24	0	48.19	AV	54	PASS
8DPSK	Off	2310.0	-42.44	5.24	0	58.03	PEAK	74	PASS
	Off	2310.0	-53.24	5.24	0	47.23	AV	54	PASS
	Off	2390.0	-43.30	5.24	0	57.17	PEAK	74	PASS
	Off	2390.0	-52.91	5.24	0	47.56	AV	54	PASS
	Off	2483.5	-42.23	5.24	0	58.24	PEAK	74	PASS
	Off	2483.5	-51.99	5.24	0	48.48	AV	54	PASS
	Off	2500.0	-41.69	5.24	0	58.78	PEAK	74	PASS
	Off	2500.0	-52.26	5.24	0	48.21	AV	54	PASS


Restrict-band band-edge measurements\_Hopping Off\_GFSK\_PEAK (Low Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_Average (Low Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_PEAK (High Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_Average (High Channel)




Restrict-band band-edge measurements\_Hopping Off  $\pi/4$ -DQPSK\_PEAK (Low Channel)




Restrict-band band-edge measurements\_Hopping Off  $\pi/4$ -DQPSK\_Average (Low Channel)




Restrict-band band-edge measurements\_Hopping Off  $\pi/4$ -DQPSK\_PEAK (High Channel)




Restrict-band band-edge measurements\_Hopping Off  $\pi/4$ -DQPSK\_Average (High Channel)




Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_PEAK (Low Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_Average (Low Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_PEAK (High Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_Average (High Channel)

