



The Toro Company

5825 Jasmine Street, Riverside, CA 92504-1144
www.thetorocompany.com

The INSPR is a radio module for use in only in approved Toro products.

Each end product into which the module is integrated is required to undergo additional testing and may be subject to certification filing requirements for US and Canada.

Product Labelling: US and Canada Combined.

Shown below is the combined US and Canada certification number requirements for finished products.

The statement will be on a label affixed to the exterior of the final product assembly which indicates the product includes a certified module.

Contains FCC ID: OF7-INSPR

Contains IC: 3575A-INSPR

The following statements will be on the label affixed to the exterior of the finished product, or if the product is smaller than 4x4 inches, or the effective labelling space is so constrained that the label cannot be applied to the product, then this statement shall appear in the end product's users manual

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including any interference that may cause undesired operation.



The Toro Company

5825 Jasmine Street, Riverside, CA 92504-1144
www.thetorocompany.com

Product Manuals:

US Requirements:

The end product manual will contain the following statement:

WARNING: The user that changes or modifications not expressly approved by The Toro Company could void the user's authority to operate the equipment.

The end product manual will provide the Class B limits contain the following statement:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- *Reorient or relocate the receiving antenna.*
- *Increase the separation between the equipment and receiver.*
- *Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.*
- *Consult the dealer or an experienced radio/TV technician for help.*



The Toro Company

5825 Jasmine Street, Riverside, CA 92504-1144
www.thetorocompany.com

Product Manuals:

Canadian Requirements:

The end product manual will contain the following statement:

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Other Items :

The end product manual will contain the following statement:

ADVERTENCIA: La realización de cambios o modificaciones no expresamente autorizados por The Toro Company podría invalidar el derecho del usuario para utilizar el equipo.

The end product manual will provide the Class B limits contain the following statement:

Este equipo ha sido probado y se ha verificado que cumple los límites de un dispositivo digital de la Clase B, conforme con la Parte 15 de la normativa FCC. Estos límites están diseñados para proporcionar una protección razonable contra interferencias dañinas en una instalación residencial. El equipo genera, utiliza y puede radiar energía de radiofrecuencia, y si no es instalado y utilizado con arreglo a las instrucciones, puede causar interferencias dañinas para las radiocomunicaciones. No obstante, no hay garantía alguna de que no pueda haber interferencias en una instalación determinada. Si este equipo provoca interferencias dañinas en la recepción de radio o televisión (lo que podrá comprobar apagando y encendiendo el equipo), se recomienda al usuario que corrija la interferencia aplicando una o varias de las siguientes medidas:

- Reorientar o reposicionar la antena receptora.
- Aumentar la separación entre el equipo y el receptor.
- Conectar el equipo a una toma de corriente de un circuito eléctrico diferente al del que esté conectado el receptor.
- Dirigirse al concesionario o a un técnico experto en radio/televisión para asistencia técnica.



The Toro Company

5825 Jasmine Street, Riverside, CA 92504-1144
www.thetorocompany.com

Antenna Requirements:

This radio transmitter IC: 3575A-INSPR has been approved by Innovation, Science and Economic Development Canada to operate with the antenna types listed below, with the maximum permissible gain indicated. Antenna types not included in this list that have a gain greater than the maximum gain indicated for any type listed are strictly prohibited for use with this device.

Le présent émetteur radio IC: 3575A-INSPR a été approuvé par Innovation, Sciences et Développement économique Canada pour fonctionner avec les types d'antenne énumérés ci-dessous et ayant un gain admissible maximal. Les types d'antenne non inclus dans cette liste, et dont le gain est supérieur au gain maximal indiqué pour tout type figurant sur la liste, sont strictement interdits pour l'exploitation de l'émetteur.

Manufacturer	Antenna	Description	Type	Peak Gain (dBi)
The Toro Company	118-8086-B	128mm	¼ wave	5.18
The Toro Company	118-8086-A	165mm	¼ wave	1.97
The Toro Company	118-8087-B	204mm	¼ wave	3.67
The Toro Company	118-8087-A	394mm	¼ wave	5.57