







MAIN POWER




+5V TO +3.3V




+5V TO +2.5V




定位螺孔



光学定位点



File	DC-DC		
Size	Document Number	Rev	
C	BCM5324 24+2G Managed Switch	2.0	
Date	Monday, June 21, 2010	Sheet	2 of 10



LEDMODE[0:2]=000, LINK/ACT: SPEED: DUPLEX

9 RESET_5324

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2

2.5V

RESET

LEDCLK

LEDATA

LEDMODE_0

LEDMODE_1

LEDMODE_2





2.5V

RESET




LEDCLK








LEDATA

LEDMODE_0








0	2	4	6	8	10	12	14	16	18	20	22
1	3	5	7	9	11	13	15	17	19	21	23








change to fit PCB RAM
20081126



Title				
5836_SDRAM				
Size	Document Number			Rev
Custom	BCM5324 24+2G Managed Switch			2.0
Date:	Monday, June 21, 2010	Sheet	7 of 10	







N1_A	<<	N1_A	5
P1_A	<<	P1_A	5
N2_A	<<	N2_A	5
N3_A	<<	N3_A	5
P4_A	<<	P4_A	5
N4_A	<<	N4_A	5
N1_B	<<	N1_B	5
P1_B	<<	P1_B	5
N2_B	<<	N2_B	5
N3_B	<<	N3_B	5
P4_B	<<	P4_B	5
N4_B	<<	N4_B	5
N1_C	<<	N1_C	5
P1_C	<<	P1_C	5
N2_C	<<	N2_C	5
N3_C	<<	N3_C	5
P4_C	<<	P4_C	5
N4_C	<<	N4_C	5
N1_D	<<	N1_D	5
P1_D	<<	P1_D	5
N2_D	<<	N2_D	5
N3_D	<<	N3_D	5
P4_D	<<	P4_D	5
N4_D	<<	N4_D	5
N1_E	<<	N1_E	5
P1_E	<<	P1_E	5
N2_E	<<	N2_E	5
N3_E	<<	N3_E	5
P4_E	<<	P4_E	5
N4_E	<<	N4_E	5
N1_F	<<	N1_F	5
P1_F	<<	P1_F	5
N2_F	<<	N2_F	5
N3_F	<<	N3_F	5
P4_F	<<	P4_F	5
N4_F	<<	N4_F	5

N1_A	1	N1_B	2
PLED1	3	PLED5	6
PLED2	4	PLED6	7
N2_A	5	N2_B	8
N3_A	9	N3_D	12
PLED3	10	PLED7	13
PLED4	11	PLED8	14
N4_A	12	N4_B	15
	13		16
	14		17
	15		18
	16		19
	17		20

J12

J2X10 2.54MM

N1_C	1	N1_D	2
PLED9	3	PLED13	6
PLED10	4	PLED14	7
N2_C	5	N2_D	8
N3_C	9	N3_D	12
PLED11	10	PLED15	13
PLED12	11	PLED16	14
N4_C	12	N4_D	15
	13		16
	14		17
	15		18
	16		19
	17		20



J13

J2X10 2.54MM

N3_E	1	N3_F	2
PLED17	3	PLED21	6
PLED18	4	PLED22	7
N2_E	5	N2_F	8
N3_E	9	N3_F	12
PLED19	10	PLED23	13
PLED20	11	PLED24	14
N4_E	12	N4_F	15
	13		16
	14		17
	15		18
	16		19
	17		20

J20

J2X10 2.54MM



File	5324 R.J45	Rev	2.0
Size	Document Number		
C	BCM5324 24+2G Managed Switch		
Date	Wednesday, July 14, 2010	Sheet	10 of 10