

Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 1 of 31

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART C REQUIREMENT

Product Name: Interactive Response System Handset

Marketing Name: IRS

Brand Name: IRS

Model No.: **RF-11**

Model Difference: N/A

FCC ID: **OHQ-HBRF11A**

Report No.: ER/2012/60008

Issue Date: Jul. 16, 2012

FCC Rule Part: §15.249

Habook Information Technology Inc. Prepared for:

2F., No. 153, Sec 3, XinYi Rd., Taipei City,

Taiwan

SGS Taiwan Ltd. Prepared by:

Electronics & Communication Laboratory

No. 134, Wu Kung Rd., Wuku Industrial Zone,

Taipei County, Taiwan.



Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 2 of 31

VERIFICATION OF COMPLIANCE

Applicant: Habook Information Technology Inc.

2F., No. 153, Sec 3, XinYi Rd., Taipei City, Taiwan

Product Description: Interactive Response System Handset

Marketing Name: IRS

Brand Name: IRS

Model No.: **RF-11**

FCC ID: OHQ-HBRF11A

Model Difference: N/A

ER/2012/60008 **File Number:**

Date of test: Jun. 15, 2012 ~ Jul. 13, 2012

Date of EUT Received: Jun. 15, 2012

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd., Electronics & Communication Laboratory. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.4 (2003) and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits of FCC Rules Part 15.249.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Marcus Iseng	Date:	Jul. 16, 2012	
Prepared By:	Marcus Tseng / Engineer Judy Han	Date:	Jul. 16, 2012	
Approved By:	Judy Hsu / Clerk Lang Jim Chang / Supervisor	Date: 	Jul. 16, 2012	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號 SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 3 of 31

Version

Version No.	Date	Description
00	Jul. 16, 2012	Initial creation of document

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

陈非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Content of the law.

Content of the law.

Content of the law.

Content of the law.

**The Table 14 the 14 SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 4 of 31

Table of Contents

1.	GENERAL INFORMATION	6
1.1	PRODUCT DESCRIPTION	6
1.2	RELATED SUBMITTAL(S) / GRANT (S)	7
1.3	TEST METHODOLOGY	7
1.4	TEST FACILITY	7
1.5	SPECIAL ACCESSORIES	7
1.6	EQUIPMENT MODIFICATIONS	7
2.	SYSTEM TEST CONFIGURATION	8
2.1	EUT CONFIGURATION	8
2.2	EUT Exercise	8
2.3	TEST PROCEDURE	8
2.4	LIMITATION	9
2.5	CONFIGURATION OF TESTED SYSTEM.	11
3.	SUMMARY OF TEST RESULTS	12
4.	DESCRIPTION OF TEST MODES	12
5.	MEASUREMENT UNCERTAINTY FOR FIELD STRENGTH OF	12
	SPURIOUS RADIATION	12
6.	CONDUCTED EMISSIONS TEST	13
6.1	MEASUREMENT PROCEDURE:	13
6.2	TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	13
6.3	MEASUREMENT EQUIPMENT USED:	13
6.4	MEASUREMENT RESULT:	13
7.	RADIATED EMISSION TEST	14
7.1	MEASUREMENT PROCEDURE	14
7.2	TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	14
7.3	MEASUREMENT EQUIPMENT USED:	15
7.4	FIELD STRENGTH CALCULATION	
7.5	MEASUREMENT RESULT	17
8.	20 DB BAND WIDTH MEASUREMENT	29
8.1	MEASUREMENT PROCEDURE	29

SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 5 of 31

8.2	TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	.29
8.3	MEASUREMENT EQUIPMENT USED:	.29
8 4	MEASUREMENT RESULTS:	20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

陈非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Content of the law.

Content of the law.

Content of the law.

Content of the law.

**The Table 14 the 14



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 6 of 31

1. **GENERAL INFORMATION**

1.1 Product Description

Product Name:	Interactive Response System Handset	
Marketing Name:	IRS	
Brand Name:	IRS	
Model No.:	RF-11	
Model Difference:	N/A	
Transmit Power	92.52 dBuV/r	n
Operation Frequency:	2433 - 2481M	IHz
Channel number:	1~240 channe	els
Modulation Type:	MSK	
Hardware Version	1.0	
Software Version	1.0	
	3.0Vdc from Lithium battery*2	
Power Supply	Battery:	Model No.: CR2032 Supplier: SONY
Antenna Designation: PIFA Antenna		a, Gain: 0.81 dBi

This report complies with FCC 15.249

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to Scilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 7 of 31

1.2 Related Submittal(s) / Grant (s)

This submittal(s) (test report) is intended for FCC ID: OHQ-HBRF11A filing to comply with Section 15.249 of the FCC Part 15, Subpart C Rules.

1.3 Test Methodology

Both conducted and radiated testing were performed according to the procedures in ANSI C63.4 (2003). Radiated testing was performed at an antenna to EUT distance 3 meters.

1.4 Test Facility

The measurement facilities used to collect the 3m Radiated Emission and AC power line conducted data are located on the address of SGS Taiwan Ltd. Electronics Communication Laboratory No. 134, Wu Kung Rd., Wuku Industrial Zone, Taipei Country, Taiwan which are constructed and calibrated to meet the FCC requirements in documents ANSI C63.4: 2003. FCC Registration Number is: 990257 and 236194, Canada Registration Number: 4620A-4.

The 10 m Open Area Test Sites located on the address of SGS Taiwan Ltd. Electronics & Communication Laboratory No. 29, Pau-Tou-Tsuo Valley Chia-Pau Tsuen, Linkou Hsiang, Taipei county, which is constructed and calibrated to meet the CISPR 22/EN 55022 requirements. SGS Site No. 1(3 &10 meters) and FCC Registration Number: 94644.

1.5 Special Accessories

Not available for this EUT intended for grant.

1.6 Equipment Modifications

Not available for this EUT intended for grant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號

SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 8 of 31

2. System Test Configuration

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

The Transmitter was operated in the engineering operating mode. the Tx frequency was fixed which was for the purpose of the measurements.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. According to the requirements in Section 7 and 13 of ANSI C63.4-2003. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz using CISPR Quasi-Peak and Average detector mode.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter(EUT) was rotated through three orthogonal axes according to the requirements in Section 8 and 13 of ANSI C63.4-2003.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號

SGS Taiwan Ltd.

www.tw.sqs.com



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 9 of 31

Limitation

(1) Conducted Emission

According to section 15.207(a) Conducted Emission Limits is as following.

Frequency	Conducted Limit (dBuV)		
(MHz)	Quasi-Peak	Average	
0.15 - 0.5	66 - 56	56 - 46	
0.5 - 5	56	46	
5 - 30	60	50	

(2) Radiated Emission 15.249(a)

The field strength of emissions from intentional radiators operated within these frequency bands shall comply with the following.

Frequency (MHz)	Field strength of Fundamental	Field strength of Harmonics	Distance (m)
902 - 928	50 mV/m	500 uV/m	3
	(94dBuV/m)	(54dBuV/m)	
2400 – 2483.5	50 mV/m	500 uV/m	3
	(94dBuV/m)	(54dBuV/m)	
5725 – 5875	50 mV/m	500 uV/m	3
	(94dBuV/m)	(54dBuV/m)	
24.0 – 24.25 GHz	250 mV/m	2500 uV/m	3
	(107.95dBuV/m)	(67.95dBuV/m)	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within and plansation of the content of a way and the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 10 of 31

(3) Radiated Emission15.249 (d)

Emission Radiated outside of the specified frequency bands, except for harmonics, shall be attenuated by at least 50dB below the level of the fundamental or to the general radiated emission limits in Section 15.209 as below, whichever is the lesser attenuation.

Frequency	Field strength	Distance (m)	Field strength at 3m
(MHz)	μV/m		dBμV/m
1.705-30	30	30	69.54
30-88	100	3	40
88-216	150	3	43.5
216-960	200	3	46
Above 960	500	3	54

(4) Radiated Emission 15.249(e)

For frequencies above 1000MHz, the above field strength limits are based on average limits. The peak filed strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20dB under any condition of modulation.

Remark: 1. Emission level in dBuV/m=20 log (uV/m)

- 2. Measurement was performed at an antenna to the closed point of EUT distance of meters.
- 3. Only spurious frequency is permitted to locate within the Restricted Bands specified in provision of ξ 15.205
- 4. Emission spurious frequency which appearing within the Restricted Bands specified in provision of ξ 15.205, then the general radiated emission limits in ξ 15.209 apply.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號

www.tw.sqs.com



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 11 of 31

2.5 **Configuration of Tested System**

Fig. 2-1 Configuration(Radiated)

EUT

Table 2-2 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.
1.	N/A			

Note: All the above equipment/cables were placed in worse case positions to maximize emission signals during emission test.

Grounding: Grounding was in accordance with the manufacturer's requirements and conditions for the intended use.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within and plansation of the content of a way and the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 12 of 31

Summary of Test Results

FCC Rules	Description Of Test	Result
§15.207	Conducted Emission	N/A
§15.249(a)(e)	Radiated Emission	Compliant
§15.249(d)	20dB band width Measurement	Compliant

Description of test modes

The EUT has been tested under operating condition. The EUT is staying in continuous transmitting mode.

Channel low(2433MHz) · mid (2458MHz) and high(2481MHz) with highest data rate are chosen for full testing.

MEASUREMENT UNCERTAINTY FOR FIELD STRENGTH OF SPURIOUS RADIATION

Measurement uncertainty (Polarization : Vertical)	30MHz - 180MHz: 3.37dB
	180MHz -417MHz: 3.19dB
	0.417GHz-1GHz: 3.19dB
	1GHz - 18GHz: 4.04dB
	18GHz - 40GHz: 4.04dB

Measurement uncertainty (Polarization : Horizontal)	30MHz - 167MHz: 4.22dB
	167MHz -500MHz: 3.44dB
	0.5GHz-1GHz: 3.39dB
	1GHz - 18GHz: 4.08dB
	18GHz - 40GHz: 4.08dB

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within and plansation of the content of a way and the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012


Page: 13 of 31

Conducted Emissions Test

6.1 **Measurement Procedure:**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

6.2 Test SET-UP (Block Diagram of Configuration)



6.3 **Measurement Equipment Used:**

Conducted Emission Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
ТҮРЕ		NUMBER	NUMBER	CAL.						
EMI Test Receiver	R&S	ESCI7	100759	05/20/2011	05/19/2013					
EMI Receiver	R&S	ESCS 30	828985/004	09/23/2011	09/22/2012					
LISN	Rolf-Heine	NNB-2/16Z	99012	03/23/2012	03/22/2013					
LISN	FCC	FCC-LISN-50/250-25-2-01	04034	03/23/2012	03/22/2013					
Coaxial Cables	N/A	WK CE Cable	N/A	01/05/2012	01/04/2013					

Measurement Result:

N/A. From 3.0Vdc Battery*2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2012/60008 **Issue Date: Jul. 16, 2012**

Page: 14 of 31


7. Radiated Emission Test

7.1 **Measurement Procedure**

- The EUT was placed on a turntable that is 0.8m above ground plane.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- And also, each emission was to be maximized by changing the polarization of receiving 3. antenna both horizontal and vertical.
- 4. Repeat above procedures until all frequency measured were complete.

7.2 **Test SET-UP (Block Diagram of Configuration)**

(A) Radiated Emission Test Set-Up, Frequency Below 1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. GS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279


f (886-2) 2298-0488



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 15 of 31

(B) Radiated Emission Test Set-UP Frequency Over 1 GHz



7.3 **Measurement Equipment Used:**

966 Chamber										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
EMI Test Receiver	R&S	ESCI7	100759	05/20/2011	05/19/2013					
Spectrum Analyzer	Agilent	E4446A	MY51100003	04/15/2011	04/14/2013					
EXA Spectrum Analyzer	Agilent	N9010A	MY50420195	02/15/2011	02/14/2013					
Spectrum Analyzer	R&S	FSV-30	101398	10/18/2011	10/17/2013					
Bilog Antenna	SCHWAZBECK	VULB9168	378	01/10/2012	01/09/2014					
Horn antenna	ETS.LINDGREN	3117	123995	05/19/2011	05/18/2013					
Horn Antenna	Schwarzbeck	BBHA9170	185	07/11/2011	07/10/2013					
Pre-Amplifier	Agilent	8447D	2944A07676	01/04/2012	01/03/2013					
Pre-Amplifier	EMC Instruments Corp.	EMC0126530	980038	01/04/2012	01/03/2013					
Filter 2400-2483.5 MHz	EWT	EWT-14-0166	M2	02/28/2012	02/28/2013					
Attenuator	Mini-Circuit	BW-S10W2+	004	02/28/2012	02/27/2013					
Turn Table	HD	DT420	N/A	N.C.R	N.C.R					
Antenna Tower	HD	MA240-N	240/657	N.C.R	N.C.R					
Controller	HD	HD100	N/A	N.C.R	N.C.R					
Low Loss Cable	Huber Suhner	966_Rx	9	01/04/2012	01/03/2013					
3m Site NSA	SGS	966 chamber	N/A	07/15/2011	07/14/2012					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.ags.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號 f (886-2) 2298-0488

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

www.tw.sqs.com



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 16 of 31

7.4 **Field Strength Calculation**

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor(if any) from the measured reading. The basic equation with a sample calculation is as follows:

$$FS = RA + AF + CL - AG$$

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留⁄0天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號 www.tw.sqs.com

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488



Report No.: ER/2012/60008 **Issue Date: Jul. 16, 2012**

Page: 17 of 31

7.5 **Measurement Result**


Radiated Spurious Emission Measurement Result

Operation Band :2.4G Test Date :2012-07-12

Fundamental Frequency :2433 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :MAIN Engineer :Nick

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.



Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2433.17	F	Peak	87.27	4.77	92.04	114.00	-21.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012


Page: 18 of 31

:2012-07-12 **Operation Band** :2.4G Test Date

Fundamental Frequency :2433 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :MAIN Engineer :Nick

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.



Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2432.99	F	Peak	86.51	5.58	92.09	114.00	-21.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. GS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012


Page: 19 of 31

:2012-07-12 **Operation Band** :2.4G Test Date

Fundamental Frequency :2458 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :MAIN Engineer :Nick

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.



Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2458.15	F	Peak	87.38	5.07	92.45	114.00	-21.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012


Page: 20 of 31

:2012-07-12 **Operation Band** :2.4G Test Date

Fundamental Frequency :2458 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :MAIN Engineer :Nick

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.



Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2457.72	F	Peak	86.53	5.99	92.52	114.00	-21.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號 GS Taiwan Ltd.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012


Page: 21 of 31

:2012-07-12 **Operation Band** :2.4G Test Date

Fundamental Frequency :2481 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :MAIN Engineer :Nick

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.



Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2480.76	F	Peak	86.75	5.24	91.99	114.00	-22.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012


Page: 22 of 31

:2012-07-12 **Operation Band** :2.4G Test Date

Fundamental Frequency :2481 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :MAIN Engineer :Nick

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.



Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
2480.76	F	Peak	85.72	6.25	91.97	114.00	-22.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2012/60008 **Issue Date: Jul. 16, 2012**

Page: 23 of 31

Test Date Operation Band :2.4G :2012-07-05

Fundamental Frequency :2433 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :TX LOW Engineer :Nick

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Note	Detector	Spectrum	Factor	Actual	Limit	Safe
	Mode	Reading Level		FS	@3m	Margin
F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
S	Peak	30.38	-14.30	16.08	40.00	-23.92
S	Peak	38.57	-16.84	21.73	43.50	-21.77
S	Peak	35.26	-15.56	19.70	43.50	-23.80
S	Peak	29.96	-12.82	17.14	43.50	-26.36
S	Peak	28.02	-14.42	13.60	46.00	-32.40
S	Peak	29.24	-6.32	22.92	46.00	-23.08
Н	Peak	37.24	10.05	47.29	74.00	-26.71
Н						
Н						
Н						
Н						
Н						
Н						
Н						
Н						
	F/H/E/S S S S S S H H H H H	Kylyes Mode F/H/E/S PK/QP/AV S Peak S Peak S Peak S Peak S Peak H Peak H H H H H H H H H H H H H H	Mode Reading Level dBμV S Peak 30.38 S Peak 38.57 S Peak 35.26 S Peak 29.96 S Peak 28.02 S Peak 29.24 H Peak 37.24 H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H <t< td=""><td>Mode Reading Level F/H/E/S PK/QP/AV dBμV dB S Peak 30.38 -14.30 S Peak 38.57 -16.84 S Peak 35.26 -15.56 S Peak 29.96 -12.82 S Peak 28.02 -14.42 S Peak 29.24 -6.32 H Peak 37.24 10.05 H H H H H H H H H H H H H H H H H H H H H H H H H H H H H</td></t<> <td>Mode Reading Level FS F/H/E/S PK/QP/AV dBμV dB dBμV/m S Peak 30.38 -14.30 16.08 S Peak 38.57 -16.84 21.73 S Peak 35.26 -15.56 19.70 S Peak 29.96 -12.82 17.14 S Peak 28.02 -14.42 13.60 S Peak 29.24 -6.32 22.92 H Peak 37.24 10.05 47.29 H H H H H H H H H H H H H H H H H H H </td> <td>F/H/E/S Mode PK/QP/AV Reading Level dBμV FS @3m dBμV/m S Peak 30.38 -14.30 16.08 40.00 S Peak 38.57 -16.84 21.73 43.50 S Peak 35.26 -15.56 19.70 43.50 S Peak 29.96 -12.82 17.14 43.50 S Peak 28.02 -14.42 13.60 46.00 S Peak 29.24 -6.32 22.92 46.00 H Peak 37.24 10.05 47.29 74.00 H H H H H H H H H H H H H H H H H <t< td=""></t<></td>	Mode Reading Level F/H/E/S PK/QP/AV dBμV dB S Peak 30.38 -14.30 S Peak 38.57 -16.84 S Peak 35.26 -15.56 S Peak 29.96 -12.82 S Peak 28.02 -14.42 S Peak 29.24 -6.32 H Peak 37.24 10.05 H H H H H H H H H H H H H H H H H H H H H H H H H H H H H	Mode Reading Level FS F/H/E/S PK/QP/AV dBμV dB dBμV/m S Peak 30.38 -14.30 16.08 S Peak 38.57 -16.84 21.73 S Peak 35.26 -15.56 19.70 S Peak 29.96 -12.82 17.14 S Peak 28.02 -14.42 13.60 S Peak 29.24 -6.32 22.92 H Peak 37.24 10.05 47.29 H H H H H H H H H H H H H H H H H H H	F/H/E/S Mode PK/QP/AV Reading Level dBμV FS @3m dBμV/m S Peak 30.38 -14.30 16.08 40.00 S Peak 38.57 -16.84 21.73 43.50 S Peak 35.26 -15.56 19.70 43.50 S Peak 29.96 -12.82 17.14 43.50 S Peak 28.02 -14.42 13.60 46.00 S Peak 29.24 -6.32 22.92 46.00 H Peak 37.24 10.05 47.29 74.00 H H H H H H H H H H H H H H H H H <t< td=""></t<>

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2012/60008 **Issue Date: Jul. 16, 2012**

Page: 24 of 31

Test Date Operation Band :2.4G :2012-07-05

Fundamental Frequency :2433 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :TX LOW Engineer :Nick

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Note	Detector	Spectrum	Factor	Actual	Limit	Safe
	Mode	Reading Level		FS	@3m	Margin
F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
S	Peak	31.71	-13.75	17.96	46.00	-28.04
S	Peak	36.70	-11.50	25.20	46.00	-20.80
S	Peak	35.40	-10.71	24.69	46.00	-21.31
S	Peak	32.60	-6.60	26.00	46.00	-20.00
S	Peak	32.32	-6.10	26.22	46.00	-19.78
S	Peak	30.99	-1.90	29.09	54.00	-24.91
Н	Peak	36.51	10.01	46.52	74.00	-27.48
Н						
Н						
Н						
Н						
Н						
Н						
Н						
Н						
	F/H/E/S S S S S S H H H H H	KH/E/S Mode F/H/E/S PK/QP/AV S Peak S Peak S Peak S Peak S Peak H Peak H H H H H H H H H H H H H H H	Mode Reading Level dBμV S Peak 31.71 S Peak 36.70 S Peak 35.40 S Peak 32.60 S Peak 30.99 H Peak 36.51 H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H H </td <td>Mode Reading Level F/H/E/S PK/QP/AV dBμV dB S Peak 31.71 -13.75 S Peak 36.70 -11.50 S Peak 35.40 -10.71 S Peak 32.60 -6.60 S Peak 32.32 -6.10 S Peak 30.99 -1.90 H Peak 36.51 10.01 H H H H H H H H H H H H H H H H H H H H H H H H H H H H <t< td=""><td>Mode Reading Level FS F/H/E/S PK/QP/AV dBμV dB dBμV/m S Peak 31.71 -13.75 17.96 S Peak 36.70 -11.50 25.20 S Peak 35.40 -10.71 24.69 S Peak 32.60 -6.60 26.00 S Peak 32.32 -6.10 26.22 S Peak 30.99 -1.90 29.09 H Peak 36.51 10.01 46.52 H H H H H H H H H H H H H H H H H H H H H <</td><td>F/H/E/S Mode PK/QP/AV Reading Level dBμV FS @3m dBμV/m S Peak 31.71 -13.75 17.96 46.00 S Peak 36.70 -11.50 25.20 46.00 S Peak 35.40 -10.71 24.69 46.00 S Peak 32.60 -6.60 26.00 46.00 S Peak 32.32 -6.10 26.22 46.00 S Peak 30.99 -1.90 29.09 54.00 H Peak 36.51 10.01 46.52 74.00 H H H H H H H H H H H H H H H H H </td></t<></td>	Mode Reading Level F/H/E/S PK/QP/AV dBμV dB S Peak 31.71 -13.75 S Peak 36.70 -11.50 S Peak 35.40 -10.71 S Peak 32.60 -6.60 S Peak 32.32 -6.10 S Peak 30.99 -1.90 H Peak 36.51 10.01 H H H H H H H H H H H H H H H H H H H H H H H H H H H H <t< td=""><td>Mode Reading Level FS F/H/E/S PK/QP/AV dBμV dB dBμV/m S Peak 31.71 -13.75 17.96 S Peak 36.70 -11.50 25.20 S Peak 35.40 -10.71 24.69 S Peak 32.60 -6.60 26.00 S Peak 32.32 -6.10 26.22 S Peak 30.99 -1.90 29.09 H Peak 36.51 10.01 46.52 H H H H H H H H H H H H H H H H H H H H H <</td><td>F/H/E/S Mode PK/QP/AV Reading Level dBμV FS @3m dBμV/m S Peak 31.71 -13.75 17.96 46.00 S Peak 36.70 -11.50 25.20 46.00 S Peak 35.40 -10.71 24.69 46.00 S Peak 32.60 -6.60 26.00 46.00 S Peak 32.32 -6.10 26.22 46.00 S Peak 30.99 -1.90 29.09 54.00 H Peak 36.51 10.01 46.52 74.00 H H H H H H H H H H H H H H H H H </td></t<>	Mode Reading Level FS F/H/E/S PK/QP/AV dBμV dB dBμV/m S Peak 31.71 -13.75 17.96 S Peak 36.70 -11.50 25.20 S Peak 35.40 -10.71 24.69 S Peak 32.60 -6.60 26.00 S Peak 32.32 -6.10 26.22 S Peak 30.99 -1.90 29.09 H Peak 36.51 10.01 46.52 H H H H H H H H H H H H H H H H H H H H H <	F/H/E/S Mode PK/QP/AV Reading Level dBμV FS @3m dBμV/m S Peak 31.71 -13.75 17.96 46.00 S Peak 36.70 -11.50 25.20 46.00 S Peak 35.40 -10.71 24.69 46.00 S Peak 32.60 -6.60 26.00 46.00 S Peak 32.32 -6.10 26.22 46.00 S Peak 30.99 -1.90 29.09 54.00 H Peak 36.51 10.01 46.52 74.00 H H H H H H H H H H H H H H H H H

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.



Report No.: ER/2012/60008 **Issue Date: Jul. 16, 2012**

Page: 25 of 31

Test Date Operation Band :2.4G :2012-07-05

Fundamental Frequency :2458 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :TX MID Engineer :Nick

EUT Pol. :E2 Plan :VERTICAL Measurement Antenna Pol.

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
31.94	S	Peak	32.61	-14.30	18.31	40.00	-21.69
99.84	S	Peak	38.16	-16.84	21.32	43.50	-22.18
110.51	S	Peak	35.32	-15.69	19.63	43.50	-23.87
128.94	S	Peak	31.75	-13.97	17.78	43.50	-25.72
159.98	S	Peak	27.32	-12.26	15.06	43.50	-28.44
469.41	S	Peak	28.62	-9.90	18.72	46.00	-27.28
4916.00	Н	Peak	37.17	10.01	47.18	74.00	-26.82
7374.00	Н						
9832.00	Н						
12290.00	Н						
14748.00	Н						
17206.00	Н						
19664.00	Н						
22122.00	Н						
24580.00	Н						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號 SGS Taiwan Ltd. www.tw.sqs.com

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Report No.: ER/2012/60008 **Issue Date: Jul. 16, 2012**

Page: 26 of 31

Test Date Operation Band :2.4G :2012-07-05

Fundamental Frequency :2458 MHz Temp./Humi. :25 deg_C / 60 RH

Operation Mode :TX MID Engineer :Nick

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.

Actual $FS(dB\mu V/m) = SPA$. Reading level $(dB\mu V) + Factor(dB)$

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
42.61	S	Peak	28.70	-13.63	15.07	40.00	-24.93
312.27	S	Peak	33.99	-12.27	21.72	46.00	-24.28
363.68	S	Peak	37.18	-11.50	25.68	46.00	-20.32
702.21	S	Peak	32.72	-5.71	27.01	46.00	-18.99
844.80	S	Peak	31.47	-3.73	27.74	46.00	-18.26
988.36	S	Peak	29.85	-1.90	27.95	54.00	-26.05
4916.00	Н	Peak	37.14	9.91	47.05	74.00	-26.95
7374.00	Н						
9832.00	Н						
12290.00	Н						
14748.00	Н						
17206.00	Н						
19664.00	Н						
22122.00	Н						
24580.00	Н						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號 SGS Taiwan Ltd. f (886-2) 2298-0488



Report No.: ER/2012/60008 **Issue Date: Jul. 16, 2012**

Page: 27 of 31

Operation Band Test Date :2.4G :2012-07-05

Fundamental Frequency :2481 MHz Temp./Humi. :25 deg C / 60 RH

Operation Mode :TX HIGH Engineer :Nick

EUT Pol. :VERTICAL :E2 Plan Measurement Antenna Pol.

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
31.94	S	Peak	30.60	-14.30	16.30	40.00	-23.70
99.84	S	Peak	38.21	-16.84	21.37	43.50	-22.13
111.48	S	Peak	35.82	-15.56	20.26	43.50	-23.24
321.97	S	Peak	27.69	-12.04	15.65	46.00	-30.35
355.92	S	Peak	27.91	-11.59	16.32	46.00	-29.68
963.14	S	Peak	28.31	-2.04	26.27	54.00	-27.73
4962.00	Н	Peak	36.77	10.07	46.84	74.00	-27.16
7443.00	Н						
9924.00	Н						
12405.00	Н						
14886.00	Н						
17367.00	Н						
19848.00	Н						
22329.00	Н						
24810.00	Н						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號 SGS Taiwan Ltd.



Report No.: ER/2012/60008 **Issue Date: Jul. 16, 2012**

Page: 28 of 31

Operation Band :2.4G Test Date :2012-07-05

Fundamental Frequency :2481 MHz Temp./Humi. :25 deg C / 60 RH

Operation Mode :TX HIGH Engineer :Nick

EUT Pol. :E2 Plan :HORIZONTAL Measurement Antenna Pol.

Actual FS($dB\mu V/m$) = SPA. Reading level($dB\mu V$) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Freq.	Note	Detector	Spectrum	Factor	Actual	Limit	Safe
		Mode	Reading Level		FS	@3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
61.04	S	Peak	28.89	-14.78	14.11	40.00	-25.89
312.27	S	Peak	34.39	-12.27	22.12	46.00	-23.88
363.68	S	Peak	37.46	-11.50	25.96	46.00	-20.04
416.06	S	Peak	35.46	-10.71	24.75	46.00	-21.25
649.83	S	Peak	31.89	-6.60	25.29	46.00	-20.71
702.21	S	Peak	32.30	-5.71	26.59	46.00	-19.41
4962.00	Н	Peak	37.49	9.91	47.40	74.00	-26.60
7443.00	Н						
9924.00	Н						
12405.00	Н						
14886.00	Н						
17367.00	Н						
19848.00	Н						
22329.00	Н						
24810.00	Н						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 29 of 31

8. 20 dB Band Width Measurement

8.1 **Measurement Procedure**

- 1. The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. Set ETU normal operating mode.
- 3. Set SPA Center Frequency = fundamental frequency, RBW = 100kHz, VBW = 300kHz, Span =1MHz.
- 4. Set SPA Max hold. Mark peak, -20dB.

8.2 **Test SET-UP (Block Diagram of Configuration)**

Same as 4.2 Radiated Emission Measurement.

8.3 **Measurement Equipment Used:**

Same as 4.2 Radiated Emission Measurement.

8.4 **Measurement Results:**

2433 MHz = 899.126 kHz

2458 MHz = 897.708 kHz

2481 MHz = 906.478 kHz

Refer to attached data chart.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.




Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 30 of 31

20dB Band Width test Plot (2433 MHz)



20dB Band Width test Plot (2458 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com



Report No.: ER/2012/60008 Issue Date: Jul. 16, 2012

Page: 31 of 31

20dB Band Width test Plot (2481 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134, Wu Kung Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五工路134號

www.tw.sqs.com