

# Intertek Testing Services


## RF VOLTAGE

EUT: KWL-220  
Manuf: Kai-Link  
Op Cond: AMN-L  
Operator: Kaysi  
Test Spec: FCC Class B  
Comment: EMI Receiver SN:835418/012  
120V 60Hz 22C 59%RH TX at low channel  
Date: 07. Feb 02 09:59

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |         |        |
|-------------|------|------|-------------------|----------|--------|---------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten   | Preamp |
| 450k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO LN | OFF    |

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: KWL-220  
Manuf: Kai-Link  
Op Cond: AMN-N  
Operator: Kaysi  
Test Spec: FCC Class B  
Comment: EMI Receiver SN:835418/012  
120V 60Hz 22C 59%RH TX at low channel  
Date: 07. Feb 02 09:53

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |         |        |
|-------------|------|------|-------------------|----------|--------|---------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten   | Preamp |
| 450k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO LN | OFF    |

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: KWL-220  
Manuf: Kai-Link  
Op Cond: AMN-L  
Operator: Kaysi  
Test Spec: FCC Class B  
Comment: EMI Receiver SN:835418/012  
120V 60Hz 22C 59%RH TX at middle channel  
Date: 07. Feb 02 10:11

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |           |       |        |
|-------------|------|------|-------------------|----------|-----------|-------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time    | Atten | Preamp |
| 450k        | 30M  | 8k   | 9k                | PK       | 20ms AUTO | LN    | OFF    |

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: KWL-220  
Manuf: Kai-Link  
Op Cond: AMN-N  
Operator: Kaysi  
Test Spec: FCC Class B  
Comment: EMI Receiver SN:835418/012  
120V 60Hz 22C 59%RH TX at middle channel  
Date: 07. Feb 02 10:19

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |         |        |
|-------------|------|------|-------------------|----------|--------|---------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten   | Preamp |
| 450k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO LN | OFF    |

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services


## RF VOLTAGE

EUT: KWL-220  
Manuf: Kai-Link  
Op Cond: AMN-L  
Operator: Kaysi  
Test Spec: FCC Class B  
Comment: EMI Receiver SN:835418/012  
120V 60Hz 22C 59%RH TX at high channel  
Date: 07. Feb 02 10:32

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |           |       |        |
|-------------|------|------|-------------------|----------|-----------|-------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time    | Atten | Preamp |
| 450k        | 30M  | 8k   | 9k                | PK       | 20ms AUTO | LN    | OFF    |

Final Measurement: x QP  
Meas Time: 1 s



# Intertek Testing Services

## RF VOLTAGE

EUT: KWL-220  
Manuf: Kai-Link  
Op Cond: AMN-N  
Operator: Kaysi  
Test Spec: FCC Class B  
Comment: EMI Receiver SN:835418/012  
120V 60Hz 22C 59%RH TX at high channel  
Date: 07. Feb 02 10:25

### Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |         |        |
|-------------|------|------|-------------------|----------|--------|---------|--------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten   | Preamp |
| 450k        | 30M  | 8k   | 9k                | PK       | 20ms   | AUTO LN | OFF    |

Final Measurement: x QP  
Meas Time: 1 s

