


Intertek Testing Services  
RF VOLTAGE

EUT: KWL-240  
Manuf: Kai-Link  
Op Cond: LISN-~~L~~ *Kay*  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCY:825788/015  
120V 60Hz 22°C 59%RH tx at low channel  
Date: 05. Aug 02 16:25

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: KWL-240  
Manuf: Kai-Link  
Op Cond: LISN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/015  
120V 60Hz 22'C 59%RH tx at low channel  
Date: 05. Aug 02 16:42

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9K	PK	20ms	AUTO	LN OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: KWL-240  
Manuf: Kai-Link  
Op Cond: LISN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/015  
120V 60Hz 22'C 59%RH tx at middle channel  
Date: 05. Aug 02 17:07

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: KWL-240  
Manuf: Kai-Link  
Op Cond: LISN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/015  
120V 60Hz 22'C 59%RH tx at middle channel  
Date: 05. Aug 02 16:50

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO	LN OFF

Final Measurement: x QP  
Meas Time: 1 s




**Intertek Testing Services**  
**RF VOLTAGE**

EUT: KWL-240  
Manuf: Kai-Link  
Op Cond: LISN-L  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/015  
120V 60Hz 22'C 59%RH tx at high channel  
Date: 05. Aug 02 17:31

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s



**Intertek Testing Services**  
**RF VOLTAGE**

EUT: KWL-240  
Manuf: Kai-Link  
Op Cond: LISN-N  
Operator: kaysi  
Test Spec: FCC Class B  
Comment: EMI RCV:825788/015  
120V 60Hz 22°C 59%RH tx at high channel  
Date: 05. Aug 02 17:39

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp
450k	30M	8k	9k	PK	20ms	AUTO LN	OFF

Final Measurement: x QP  
Meas Time: 1 s

