

198 Kezhu Road, Scientech Park, Guangzhou Economic & Technological Development District, Guangzhou, China 510663

Telephone: +86 (0) 20 82155555 Report No.: GZCR210300002201

# RF EXPOSURE EVALUATION REPORT

Application No.: GZCR2103000022AT

Applicant: Corning Optical Communication Wireless

Address of Applicant: 8253 1st Ave, Vienna, Virginia, United States, 22182

Manufacturer: Comba Network Systems Company Limited

Address of Manufacturer: No.10 Shenzhou Road, Guangzhou Science City, Guangzhou, Guangdong

Factory: Comba Telecom Technology (Guangzhou) Ltd.

Address of Factory: No.6 Jinbi Road, Economics and Technology Development District,

Guangdong, China

**Equipment Under Test (EUT):** 

EUT Name: Medium Band dRAU Model No.: dLRU-17192325

Trade Mark: Corning

Standard(s): 47 CFR Part 2.1091

47 CFR Part 1.1310, Part 1.1307

 Date of Receipt:
 2021-03-09

 Date of Evaluation:
 2021-04-09

 Date of Issue:
 2021-12-28

Test Result: Pass\*

Kobe Jian EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con

No.196 Kachu Road, Scandach Park, Guangdhou Economic & Technology Development District, Guangdhou, China. 510,663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510,663 1 (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: GZCR210300002201

Page: 2 of 13

FCC ID: OJFDLRU1719235

Revision Record					
Version Chapter Date Modifier Remark					
01		2021-12-28		Original	

Authorized for issue by:		
Evaluated By	Kevin Zhang	2021-04-09
	Kevin_Zhang /Project Engineer	Date
Checked By	Jery Chen	2021-04-12
	Jerry_Chan /Reviewer	Date



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-C

No.196 Kechu Road, Sceniad Park, Guargatou Economic & Technology Development District, Guargatou, China 510663 1 (86-20) 82155555 f (86-20) 820750568 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 820750568 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 3 of 13

FCC ID: OJFDLRU1719235

# 2 Evaluation Summary

Radio Spectrum Technical Requirement						
Item	Standard	Requirement	Method	Result		
RF Exposure	47 CFR Part 2.1091 47 CFR Part 1.1310 47 CFR Part 1.1307	47 CFR Part 1.1310	47 CFR Part 1.1310	PASS		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-C

No.196 KechuRood, Scentach Park, Quangstou Economic & Technology Development District, Clara 5100663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 4 of 13

FCC ID: OJFDLRU1719235

## 3 Contents

1	Covers Page	1
2	Evaluation Summary	3
3	Contents	4
4	General Information	5
4	I.1 Details of E.U.T	5
4	I.2 Description of Support Units	
4	I.3 Test Location	
4	I.4 Test Facility	8
4	I.5 Deviation from Standards	9
4	I.6 Abnormalities from Standard Conditions	9
5	Radio Spectrum Technical Requirement	10
5	5.1 RF Exposure	10
	5.1.1 Requirement	
	5.1.2 Method	11
	5.1.3 Conclusion	12
5	5.2 EUT Constructional Details	13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-C

No.196 KachuRoad, Scarlard Part, Guargativa Economic & Technology Development District, Guargativa, Clima 5100663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 5 of 13

FCC ID: OJFDLRU1719235

## 4 General Information

### 4.1 Details of E.U.T.

Power Supply:	DC 36-57V					
Test Voltage:	DC 48V					
Cable:	N/A					
Operating Temperature:	-40 to +55 ℃					
Operating Humidity:	5 to 95 %					
New actived frequency	AWS2&AWS4	Downl	ink:	1995N	MHz to 2000MHz	
bands:				2000N	MHz to 2020MHz	
				2180N	MHz to 2200MHz	
Radio System Type:	☐ GSM					
	□ LTE					
	⊠ 5G NR					
Interface:	RF Port:	2	(4.3-10-F	emale	, ANT1~ANT2)	
	Management Port:	1	(RJ45)			
	Power Jack:	2				
	Optical Port:	3	(SFP+)			
Supported Channel	GSM		] 200 kHz	Z		
Bandwidth:	WCDMA	$\triangleright$	☐ 5MHz			
	LTE		] 1.4 MH:	Z	☐ 3 MHz	⊠ 5 MHz
		$\geq$	10 MHz	<u> </u>		☑ 20 MHz
	5G NR	$\geq$	5 MHz			☐ 15 MHz
		$\triangleright$	20 MHz	<u> </u>		⊠ 60 MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-C

No.166 Kechu Road, Scenisch Perk, Guargiffor Economic & Technology Development District, Guargiffor, China 510663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 6 of 13

FCC ID: OJFDLRU1719235

#### Detailed Band, technology and bandwidth:

Band	Technology	Supported Bandwidth
	3G	5MHz
AWS-2/AWS-4	4G/5G	5/10/15/20/40/60MHz

2X2 MIMO **EUT MIMO property:** 

ANT1 and ANT2 are MIMO port, and the internal circuit design is identical,

the intend output power for antenna ports are identical.

Max. 20dB (Downlink) System Gain:

Antenna Type: External Dedicated Antenna

Permission Antenna Gain: 12.5dBi or less

Software Version: DRAUM AV01.01.13.10

1. The EUT is a remote unit of a fiber DAS. The fiber DAS are typically Note:

comprised of three components (host unit, fiber-optic expansion unit and

remote unit), which will be interconnected via fiber-optic.

The host unit connects directly to a base station via coaxial cable but cannot connect to antenna for receiving downlink and transmitting uplink, the EUT connects to antenna for transmitting downlink and receiving uplink. Therefore, only performed the test for downlink.

2. In additional, the host unit and fiber-optic expansion unit will be used as

support unit for test in the report.

3. ANT1 and ANT2 are MIMO port, and the internal circuit design is identical, the intend output power for antenna ports are identical.

Therefore only perform test at antenna port 1 and record the data in this

report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*To check the authenticity of testing inspection report & certificate, please contact us at telephone: 85-7558307-1443.

No. 196 Kadru Road, Sciented Park, Guargetro: Economic & Technology Development District, Guargetrou, Crima. 51 0663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 7 of 13

FCC ID: OJFDLRU1719235

### 4.2 Description of Support Units

The EUT has been tested as an independent unit.

### 4.3 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory, 198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663

Tel: +86 20 82155555 Fax: +86 20 82075059



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.egs.com/enr/Terms-and-Conditions.aspx">http://www.egs.com/enr/Terms-and-Conditions</a> appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.egs.com/enr/Terms-and-Conditions/Terms-en-Conditions/Terms-e

No.198 Kachu Road, Scientech Park, Guangdhou Economic & Technology Development District, Guangdhou, China 510663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学域科珠路198号 邮编: 510663 1 (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 8 of 13

FCC ID: OJFDLRU1719235

## 4.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• NVLAP (Lab Code: 200611-0)

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

#### ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian C-Tick mark as a result of our NVLAP accreditation.

### • SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

• CNAS (Lab Code: L0167)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to

ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

### • FCC Recognized 2.948 Listed Test Firm(Registration No.: 282399)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 282399, May 31, 2002.

### • FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818, Jul 13, 2017.

#### Industry Canada (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

### VCCI (Registration No.: R-12460, C-12584, G-10449 and T-11179)

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-10449 and T-11179 respectively.

#### • CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2005, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/enr/Terms-and-Conditions.aspx">http://www.sgs.com/enr/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/enr/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/enr/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction for exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

\*\*Attention\*\* To check the authenticity of testing inspection report & certificate, please contact us at telephone (85-755)8307-1443.

No.186 Kechu Road, Sciented Park, Guargahou Economic & Technology Development District, Guargahou, Crima 510963 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学域科珠路198号 邮编: 510963 1 (86-20) 82155555 f (86-20) 82075058 sgs.chima@sgs.com



Report No.: GZCR210300002201

Page: 9 of 13

FCC ID: OJFDLRU1719235

### 4.5 Deviation from Standards

None

### 4.6 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx">http://www.ags.com/en/Terms-and-Conditions</a> appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document-sapx">http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document-sapx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-755):8307-1443.

No.196 Kezhu Food, Soerlack Park, Quangdrou Economic Lifectradogy Development District, Guangdrou, Clima 510863 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学域科珠路198号 邮第: 510863 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 10 of 13

FCC ID: OJFDLRU1719235

## 5 Radio Spectrum Technical Requirement

## 5.1 RF Exposure

### 5.1.1 Requirement

In accordance with 47 CFR FCC Part 2.1091, this device has been defined as a mobile device whereby a distance of 0.2m normally can be maintained between the user and the device.

According to 47 CFR FCC Part 1310, the criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in Part1.1307(b).

TABLE 1 TO §1.1310(E)(1)—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)
	(i) Limits for	Occupational/Contr	olled Exposure	
3-3.0	614	1.63	*(100)	≤6
3.0-30	1842/f	4.89/f	*(900/f²)	<6
30-300	61.4	0.163	1.0	<6
300-1,500			f/300	<6
1,500-100,000			5	<6
	(ii) Limits for Gei	neral Population/Und	controlled Exposure	
0.3-1.34	614	1.63	*(100)	<30
1.34-30	824/f	2.19/f	*(180/f²)	<30
30-300	27.5	0.073	0.2	<30
300-1,500			f/1500	<30
1,500-100,000			1.0	<30
f = frequency in MH	dz. * = Plane-wave equi	valent power density		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/enr/Terms-and-Conditions.aspx">http://www.sgs.com/enr/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/enr/Terms-and-Conditions/Terms-en-Con

No.196 KechuRood, Scentach Park, Quangstou Economic & Technology Development District, Clara 5100663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 11 of 13

FCC ID: OJFDLRU1719235

#### 5.1.2 Method

According to IEEE C95.3:2002 section 5.5.1.1, the power density S at a point on the axis at a distance d from a transmitting antenna is given by the Friis free-space transmission formula:

 $S = \frac{PG}{4\pi d^2}$ 

 $S = power density (mW/cm^2)$ 

P = the net power delivered to the antenna (mW)

G = gain of the antenna in linear scale

d = distance between observation point and center of the radiator (cm)

From the maximum EUT RF output power, as well as the gain of the used antenna, according toe the RF power density limit stated in above table, the mimimum distance between the antenna and human body will be calculated.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.aspx">http://www.ags.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expended extended except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-75):8307-1443.

| Ma.196 Kechu Road, Scarlack Park, Guargatrou Economic & Technology Development District, Guargatrou, Clina 510663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国・广州・经济技术开发区科学域科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 12 of 13

FCC ID: OJFDLRU1719235

#### 5.1.3 Conclusion

#### For AWS-2 & AWS-4 (only for downlink: 1995-2020MHz)

- 1. According to the test report GZEM201101673704, the tested maximum conducted power for 2x2 MIMO is 20.26dBm+20.26dBm = 211.8mW
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The limit of Power Density  $(S)(mW/cm^2) = 1mW/cm^2$

Maximum Antenna Gain (Numeric)	Total conducted power (mW)	Limit of Power Density (S) (mW/cm²)	Minimum Distance to human body (cm)
35.48	211.8	1	24.46

#### For AWS-4 (only for downlink: 2180-2200MHz)

- 1. According to the test report GZEM201101673704, the tested maximum conducted power for 2x2 MIMO is 20.34dBm+20.34dBm = 216mW
- 2. According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.
- 3. The limit of Power Density  $(S)(mW/cm^2) = 1mW/cm^2$

Maximum Antenna	Total conducted	Limit of Power	Minimum Distance to human body (cm)
Gain	power	Density (S)	
(Numeric)	(mW)	(mW/cm²)	
35.48	216	1	24.71

### The tested max conducted power summary:

For AWS-2 & AWS-4 (only for downlink: 1995-2020MHz)

MIMO is 20.26dBm+20.26dBm

For AWS-4 (only for downlink: 2180-2200MHz)

MIMO is 20.34dBm+20.34dBm



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.ags.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expense parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (85-75):8307-1443.

No.196 KechuRood, Scentach Park, Quangstou Economic & Technology Development District, Clara 5100663 1 (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



Report No.: GZCR210300002201

Page: 13 of 13

FCC ID: OJFDLRU1719235

#### The max power declared by manufacture in Tune-up:

1. AWS-2 & AWS-4 (only for downlink: 1995-2020MHz)& AWS-4 (only for downlink: 2180-2200MHz)

### 20.5dbm for single antenna port, and 23.5dBm for MIMO.

According to the declaration from the applicant, the permitted maximum antenna gain is 12.5dBi for signle antenna, MIMO antenna Correlated, The directional gain is 15.5dBi.

The limit of Power Density (S)(mW/cm<sup>2</sup>) = 1mW/cm<sup>2</sup>

Maximum Antenna Gain (Numeric)	Total conducted power (mW)	Limit of Power Density (S) (mW/cm²)	Minimum Distance to human body (cm)
35.48	223.87	1	25.14

So the recommend use distance away from EUT ecternal antenna is larger than 25.14cm for MIMO transmission.

#### 5.2 EUT Constructional Details

Please refer to Appendix A - EUT Construction Details of GZCR2103000022AT for detail.

--Report End--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulliest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (85-755):8307-1443.

No.196 Kachu Road, Scandach Park, Guangdhou Economic & Technology Development District, Guangdhou, China. 510,663 1 (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510,663 1 (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com