

## BOM

0603-0Ω,SMT resistance
0603-0.22Ω,SMT resistance
0603-3Ω,SMT resistance
0603-5.6Ω,SMT resistance
0603-12Ω,SMT resistance
0603-18Ω,SMT resistance
0603-51Ω,SMT resistance
0603-82Ω,SMT resistance
0603-91Ω,SMT resistance
0603-100Ω,SMT resistance
0603-150Ω,SMT resistance
0603-300Ω,SMT resistance
0603-430Ω,SMT resistance
0603-910Ω,SMT resistance
0603-2kΩ,SMT resistance
0603-2.4kΩ,SMT resistance
0603-2.7kΩ,SMT resistance
0603-5.1kΩ,SMT resistance
0603-10kΩ,SMT resistance
0603-12kΩ,SMT resistance
0603-15kΩ,SMT resistance
0603-47kΩ,SMT resistance
0805-0Ω,SMT resistance
0805-5.1Ω,SMT resistance
0805-10Ω,SMT resistance
0805-18Ω,SMT resistance
0805-51Ω,SMT resistance
0805-300Ω,SMT resistance
0805-430Ω,SMT resistance
0805-9.1kΩ,SMT resistance
1206-0Ω,SMT resistance
1206-16Ω,SMT resistance
1206-18Ω,SMT resistance
1206-51Ω,SMT resistance
1206-68Ω,SMT resistance
1206-150Ω,SMT resistance
1206-300Ω,SMT resistance
1206-5.1kΩ,SMT resistance
1210-51Ω,SMT resistance
0603-1.5pF50V,GRM1885C1H1R5CZ01D SMT capacitance
0603-10pF,GRM1885C1H100JA01D,SMT capacitance
0603-15pF-50V,GRM1885C1H150JA01D,SMT capacitance
0603-47pF,GRM1885C1H470JA01D,SMT capacitance
0603-3300pF,GRM188R71H332KA01D,SMT capacitance
0603-1000P50V,GRM188R71H102KA01D,SMT capacitance
0603-0.5pF,NPO,50V,±0.25pF,SMT capacitance
0603-1pF,NP0,50V,±0.25pF,SMT capacitance
0603-1.2pF50V,GRM1885C1H1R2CZ01D,SMT capacitance
0603-6.8pF,C0G,50V,±0.5pF,SMT capacitance
0603-100pF,C0G,50V,±5%,SMT capacitance
0603-0.01μF,X7R,50V,±10%,SMT capacitance
0603-0.1μF,X7R,25V,±10%,SMT capacitance
0805-0.3pF,600F0R3BT250XT,micro capacitance
0805-0.5pF,600F0R5BT250XT,micro capacitance
0805-1.2pF,600F1R2BT250XT,micro capacitance
0805-1.8pF,600F1R8BT250XT,micro capacitance
0805-8.2pF,600F8R2CT250XT,micro capacitance

0805-10pF,600F100JT250XT,micro capacitance
0805-15pF,600F150JT250XT,micro capacitance
0805-1µF,GRM21BR71C105KA01L,SMT capacitance
0805-0.47uF,GRM219R71C474KC,SMT capacitance
0805-2.0PF,600F2R0BT250XT,micro capacitance
0805-2.2uF10V,GRM21BR71A225MA01L,SMT capacitance
0805-4.7pF,600F4R7CT250XT,micro capacitance
0805-100pF,NPO,50V, $\pm 5\%$ ,SMT capacitance
0805-0.01µF,X7R,50V, $\pm 10\%$ ,SMT capacitance
0805-0.1µF,X7R,50V, $\pm 10\%$ ,SMT capacitance
100µF/50V,EEE-FK1H101pF,SMT capacitance
1206-0.01uF100V,C1206C103K1RACTU,SMT capacitance
1206-4.7µF,10V,GRM31CR71A475KA,SMT capacitance
1206-0.1uF,100V,C1206C104K1RACTU,SMT capacitance
1210-1uF,50V,GRM32RR71H105KA01L,SMT capacitance
10uF,50V,TDKC5750X7R1H106M,SMT capacitance
47uF/50V,EEE-FK1H470XP,capacitance
EEE-FK1H221P400x400,220uF,50V capacitance
NFM21CC471R1H3,470pF,1A,SMT capacitance
PSM4F-103Z-20T0,SMT capacitance
0603-5.6nH, $\pm 10\%$ ,SMT inductor
0603-27nH, $\pm 5\%$ ,SMT inductor
0603-82nH, $\pm 5\%$ ,SMT inductor
0603-220nH, $\pm 5\%$ ,SMT inductor
0603-1.0nH,SMT inductor
0603-100nH, $\pm 5\%$ ,SMT inductor
0805-22nH, $\pm 5\%$ ,SMT inductor
0805-18nH, $\pm 5\%$ ,SMT inductor
LM50CIM3-NOPB,temperature transmitter
LMC7101BIM5,NOPB,operating amplifier
LP2985AIM5-5.0,NOPB,stabilivolt module
LP2985AIM5-3.0-NOPB,stabilivolt module
Dual channel buffer
3dB bridge
XC2100E-03S,coupler
HW-06-11-S-D-540-SM-A,6x2,plug
HW-15-11-S-D-540-SM-A,15x2,plug
10dB coupler
MCX8400-0001,connector
20MHz-T3000,clock oscillator
CZ12010T0050GBK,load
PA-4750FWC1-5001PC,PCB
1206-51Ω,SMT resistance
1206-120Ω,SMT resistance
0603-1.2pF,COG,50V, $\pm 0.25pF$ ,SMT capacitance
0603-1.5pF,NP0,50V, $\pm 0.25pF$ ,SMT capacitance
0805-0.3pF,600F0R3BT250XT,micro capacitance
0805-0.5pF,600F0R5BT250XT,micro capacitance
0805-2.0PF,600F2R0BT250XT,micro capacitance
0603-30Ω,SMT resistance
0603-180Ω, SMT resistance