

# BOM

0603-0Ω,SMT resistance
0603-12Ω,SMT resistance
0603-18Ω,SMT resistance
0603-20Ω,SMT resistance
0603-24Ω,SMT resistance
0603-30Ω,SMT resistance
0603-51Ω,SMT resistance
0603-68Ω,SMT resistance
0603-75Ω,SMT resistance
0603-100Ω,SMT resistance
0603-150Ω,SMT resistance
0603-180Ω,SMT resistance
0603-300Ω,SMT resistance
0603-330Ω,SMT resistance
0603-360Ω,SMT resistance
0603-390Ω,SMT resistance
0603-430Ω,SMT resistance
0603-820Ω,SMT resistance
0603-5.1Ω,SMT resistance
0603-10Ω,SMT resistance
0603-430Ω,SMT resistance
0603-820Ω,SMT resistance
0603-6.8kΩ,SMT resistance
0603-1kΩ,SMT resistance
0603-1.5kΩ,SMT resistance
0603-1.8kΩ,SMT resistance
0603-2.4kΩ,SMT resistance
0603-3.3kΩ,SMT resistance
0603-4.7kΩ,SMT resistance
0603-5.1kΩ,SMT resistance
0603-7.5kΩ,SMT resistance
0603-10kΩ,1/16W,±1%,SMT resistance
0603-15kΩ,SMT resistance
0603-20kΩ,SMT resistance
0603-22kΩ,SMT resistance
0603-24kΩ,SMT resistance
0603-30kΩ,SMT resistance
0603-36kΩ,SMT resistance
0603-39kΩ,SMT resistance
0603-47kΩ,SMT resistance
0603-51kΩ,SMT resistance
0603-100kΩ,SMT resistance
0805-5.1Ω,SMT resistance
0805-51Ω,SMT resistance
0805-75Ω,SMT resistance
0805-130Ω,SMT resistance
0805-180Ω,SMT resistance
0805-680Ω,SMT resistance
0805-820Ω,SMT resistance

1206-0Ω,SMT resistance
1206-5.1Ω,SMT resistance
1206-20Ω,SMT resistance
1206-51Ω,SMT resistance
1206-200Ω,SMT resistance
1206-240Ω,SMT resistance
1206-330Ω,SMT resistance
1206-820Ω,SMT resistance
1206-1kΩ ,SMT resistance
1206-1.5kΩ,SMT resistance
1206-2kΩ,SMT resistance
1206-2.2kΩ,SMT resistance
1206-4.3kΩ,SMT resistance
1206-5.1kΩ,SMT resistance
1206-10kΩ,SMT resistance
1206-15kΩ,SMT resistance
1206-16kΩ,SMT resistance
1206-30kΩ,SMT resistance
0603-0.1μF,X7R,25V,±10%,SMT capacitance
47uF/50V,EEE-FK1H470XP, capacitance
D-100μF,Ta,10V,±20%, SMT capacitance
0603-0.5pF,251R14S0R5BV4, SMT capacitance
0603-1.0pF,250V,251R14S1R0BV4T, SMT capacitance
0603-1.8pF50V,GRM1885C1H1R8CZ01D, SMT capacitance
0603-2pF,NP0,50V,±0.25pF, SMT capacitance
0603-10pF,GRM1885C1H100JA01D, SMT capacitance
0603-100pF,COG,100V,±5%, SMT capacitance
0603-470pF,C0G,50V,±5%, SMT capacitance
0603-0.015μF,GRM188R71H153KA01D, SMT capacitance
0603-0.47μF/16V,GRM188R71C474KA88D, SMT capacitance
0603-0.01uF,GRM188R71H103KA01D, SMT capacitance
0603-0.1uF50V,GRM188R71H104KA93D, SMT capacitance
0603-1000P50V,GRM188R71H102KA01D, SMT capacitance
0805-2.2uF10V,GRM21BR71A225MA01L, SMT capacitance
1206-10uF,10V,C3216X7R1A106M,TDK, SMT capacitance
1210-1uF,50V,AVX,12105C105KAT2A, SMT capacitance
B-68μF,Ta,6.3V,±20%, SMT capacitance
0805PS-102KL,0805-1uH,1.8A, SMT inductor
0603-47nH,ELJ-RE47NJFA, SMT inductor
0603-100nH,ELJ-RER10JFA, SMT inductor
BLM21PG221SN1,2A, SMT bead
33uH,3.1A,MSS1278-333ML,inductor
0603-3.3nH,±10%, SMT inductor
0603-27nH,ELJ-RE27NJFA, SMT inductor
L-14C1N0SV4E,0603-1nH, SMT inductor
10dB/20W, SMT coupler
2N7002, field effect transistor
BAR15-1,PIN diode
BB831, diode
BSS138LT1G,field-effect tube
BZX84C3V0,3 PIN,vishay, diode

CB1V8-3I-30M00000,1.8V, clock
NFM21CC471R1H3,470pF,1A, SMT capacitance
FDG6323L, switch
3dB 40W coupler
HMC194MS8ETR, RF switch
HSMP-4810-TR1, diode
INA138NA/3KG4,current detection IC
JP510S,10dB/20W,SMT coupler
LM2673S-ADJ/NOPB,3A,adjustable voltage converter
LM2902PWR,operating amplifier
LM2903M-NOPB, dual comparator, SOIC-8
LM2904MX, SMT dual comparator
LM317MBDTRKG, adjustable power supply
LP2985AIM5-5.0,NOPB,stablivolt module
LP2985AIM5-3.3,stablivolt module
LP38691SD-5.0-NOPB,stablivolt tube
LTC1480IS8PBF,3.3V,RS485 transceiver
MABA-007236-C16423,
MBRD340T4G,3A,20-60V,diode
MCX8400A-0000, connector
MMBD914_NL,diode
MMBT2222A,NPN tube
NC7WZ14P6-NL, dual channel inverter
TPS767D301PWPR,stablivolt module
2512-0.005Ω,2W,±1.0%, SMT resistance
SSM-106-L-DV-LC,6×2, socket
SSM-107-L-DV-BE-LC,7×2,socket
SSM-115-L-DV-LC,15×2,socket
CD619PA1G0,connector
DA-3PL-2DLS-T1,connector
MMBT3904_NL, audion