

SPECTRUM ANALYZER PLOTS: GSM Intermod Test

Foxcom Ltd.

FCC ID: OJKLITENNA0HF0SB0

GSM IMD Tests with the following conditions:

2 tone (1931MHz & 1937MHz) at the bottom of the band and 1 tone (1988MHz) at the top.

Then, 1 tone (1931MHz) at the bottom and 2 tones (1981MHz & 1988MHz) at the top.

All the tones are with GSM Modulations


RBW is 1MHz.

The Spans are : 100MHz, 200MHz & 30MHz to 20GHz

ATTEN 30dB
RL 21.0dBm

10dB/

R




CENTER 1.9600GHz
RBW 1.0MHz VBW 1.0MHz

SPAN 100.0MHz
SWP 50.0ms

ATTEN 30dB
RL 21.0 dBm

10dB/

R



CENTER 1.9600GHz
RBW 1.0MHz VBW 1.0MHz


SPAN 200.0MHz
SWP 50.0ms

ATTEN 30dB

RL 21.0dBm

10dB/

R



START 30MHz

RBW 1.0MHz


STOP 20.00GHz

VBW 1.0MHz

SWP 400ms

ATTEN 30dB
RL 21.0 dBm

10dB/



CENTER 1.9600GHz
RBW 1.0MHz

VBW 1.0MHz


SPAN 100.0MHz
SWP 50.0ms

ATTEN 30dB

RL 21.0dBm

10dB/

R



CENTER 1.9600GHz

RBW 1.0MHz

VBW 1.0MHz

SPAN 200.0MHz


SWP 50.0ms

ATTEN 30dB

RL 21.0dBm

10dB/

R



START 30MHz

RBW 1.0MHz

STOP 20.00GHz

SWP 400ms