# Test Name: **Downlink - Spurious emissons (conduced)**

Service	Downlink Band [MHz]	Modulation	Specification (dBm)	Hermon Lab. Data (dBm)	Hermon Lab. Data (W)	Pages
(F8W) AMPS 800	869-894	FM DVI=12.5KHz INT=1KHz	20	21.1	0.129	4 – 19
(DXW) TDMA 800	869-894	TDMA	20	21.04	0.127	20 - 35
(F9W) CDMA 800	869-894	CDMA	18	18.83	0.076	36 - 41
(F3E) LMR 800	851-869	FM DVI=12.5KHz INT=1KHz	18	18.77	0.075	42 - 52
(GXW) iDEN 800	851-869	16QAM	18	18.84	0.077	53 - 66
(F3E) SMR 900	935-941	FM DVI=12.5KHz INT=1KHz	20	20.10	0.102	67 - 79
(F1D) Paging 900	928-941	FM DVI=12.5KHz INT=1KHz	20	20.10	0.102	80 - 96
(F3E)	1930-1990	FM DVI=12.5KHz INT=1KHz	18	19.07	0.081	97 - 110
(DXW) TDMA 1900	1930-1990	TDMA	18	20.1	0.102	111 - 123
(GXW) GSM 1900	1930-1990	GSM	18	18.77	0.075	124 - 135
(F9W) CDMA 1900	1930-1990	CDMA	17	18.10	0.065	136 – 144

Test Name: *Uplink - Spurious emissons* 

Service	Uplink Band [MHz]	Modulation	Input per carrier (dBm)	Pages
(F8W) AMPS 800	824-849	FM DVI=12.5KHz INT=1KHz	-40	145
(DXW) TDMA 800	824-849	TDMA	-40	146
(F9W) CDMA 800	824-849	CDMA	-40	147
(F3E) SMR 900	896 - 902	FM DVI=12.5KHz INT=1KHz	-40	148
(F1D) Paging 900	901 - 902	FM DVI=12.5KHz INT=1KHz	-40	149
(F3E)	1850 - 1910	FM DVI=12.5KHz INT=1KHz	-40	150
(DXW) TDMA 1900	1850 - 1910	TDMA	-40	151
(GXW) GSM 1900	1850 - 1910	GSM	-40	152
(F9W) CDMA 1900	1850 - 1910	CDMA	-40	153

Test Name: <u>Masks</u>

Service	Downlink Band [MHz]	Modulation	Frequency Test [MHz]	Pages
(F8W) AMPS 800	869-894	FM DVI=12.5KHz INT=1KHz	881.5	154 - 157
(DXW) TDMA 800	869-894	TDMA	881.5	158
(F9W) CDMA 800	869-894	CDMA	881.5	159 - 162
(F3E) LMR 800	851-869	FM DVI=12.5KHz INT=1KHz	860	163 - 167
(GXW) iDEN 800	851-869	16QAM	860	168 - 172
(F3E) SMR 900	935-941	FM DVI=12.5KHz INT=1KHz	938	173 - 174
(F1D) Paging 900	928-941	FM DVI=12.5KHz INT=1KHz	935	175 - 176
(F3E)	1930-1990	FM DVI=12.5KHz INT=1KHz	1967.5	177 - 181
(DXW) TDMA 1900	1930-1990	TDMA	1967.5	182 - 186
(GXW) GSM 1900	1930-1990	GSM	1967.5	187 - 191
(F9W) CDMA 1900	1930-1990	CDMA	1967.5	192 - 196

## Test Name: **Downlink - Spurious emissons (conduced)**

Date/Time: August 4 2003 1:40:04 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:43:21 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:45:14 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:46:26 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:47:02 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:48:54 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:49:36 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:50:21 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:52:01 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:56:25 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:57:49 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 1:59:31 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:00:13 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:00:41 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:03:06 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:08:04 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:15:42 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:16:57 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:17:35 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:19:35 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:20:15 PM


Ambient Temperature: 27C 41% Relative Humidity:

Test Name: Spurious emissons (conduced)

Customer: Mobile Access Test Specification: FCC 22,24,90

Mobile Access 1000 EUT: Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:21:17 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:21:53 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:22:29 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:23:28 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:25:13 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:26:41 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:28:25 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:29:29 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:30:26 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:32:28 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 2:39:23 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 3:04:34 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 3:05:49 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 3:07:16 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 3:08:34 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 3:10:30 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 3:15:15 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 5 2003 3:54:43 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 3:55:56 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 3:57:22 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 3:58:20 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 4:02:33 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 4:05:24 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 4:06:19 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 4:07:20 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 4:07:48 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 4:09:28 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 4:15:56 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:23:59 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:24:49 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:25:21 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:26:50 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:28:43 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:30:41 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:33:45 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:39:22 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:40:17 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:41:08 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:42:56 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:44:01 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:45:38 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 4:48:46 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissions (conducted)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:07:53 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:09:49 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:10:32 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:11:01 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:11:51 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:12:36 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:13:09 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:13:51 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:14:30 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:15:45 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:16:45 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:17:57 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:22:04 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:50:53 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:52:34 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:53:07 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:53:54 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:54:33 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:56:59 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:57:29 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:58:13 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:58:43 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:59:30 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 6:59:57 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:01:26 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:02:10 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:02:49 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:03:17 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:04:45 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 5 2003 7:23:50 PM


Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman



Date/Time: August 4 2003 4:58:00 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:01:09 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:02:31 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

ELIT: Mobile Access

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:03:51 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:04:30 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:05:06 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:08:00 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:10:15 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:13:21 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissons (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 911, 1650,

Operator Name: Neuman



Date/Time: August 4 2003 5:21:15 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:22:28 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:23:09 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:25:03 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:26:34 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:36:42 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:38:42 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:39:26 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:40:06 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:47:45 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:48:22 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:49:00 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:50:35 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:51:58 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:55:00 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:56:48 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:57:20 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 5:59:40 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:06:33 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:09:31 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:10:49 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:12:07 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:12:44 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:13:21 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:14:33 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:16:46 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:20:04 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:21:54 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:22:28 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000 Test Equipment: HL#1424, 2254, 2403, 1650

On and an Manage Manage

Operator Name: Neuman



Date/Time: August 4 2003 6:24:38 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:34:02 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:36:13 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:37:06 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access FCC 22,24,90 Test Specification: EUT:

Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:38:46 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:40:07 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650

Operator Name: Neuman



Date/Time: August 4 2003 6:50:23 PM

Ambient Temperature: 27C Relative Humidity: 41%


Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
ELIT: Mobile Access

EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650, 1097

Operator Name: Neuman



Date/Time: August 4 2003 6:55:08 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650, 1097

Operator Name: Neuman



Date/Time: August 4 2003 6:55:44 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650, 1097

Operator Name: Neuman



Date/Time: August 4 2003 6:57:05 PM


Ambient Temperature: 27C Relative Humidity: 41%

Test Name: Spurious emissions (conduced)

Customer: Mobile Access
Test Specification: FCC 22,24,90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 2403, 1650, 1097

Operator Name: Neuman



# Test Name: *Uplink - Spurious emissions*

Date/Time: August 5 2003 5:50:18 PM

Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Uplink - Spurious emissions


Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: FM, uplink, input=-40 dBm per carrier

825, 825.5, 848 MHz



Date/Time: August 5 2003 5:58:12 PM

Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Uplink - Spurious emissions


Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: TDMA, uplink, input=-40 dBm per carrier

825, 825.5, 848 MHz



Date/Time: August 5 2003 6:00:53 PM

Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Uplink - Spurious emissions


Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: CDMA, uplink, input=-40 dBm per carrier

825, 825.5, 848 MHz



Date/Time: August 5 2003 6:37:56 PM

Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Uplink - Spurious emissions


Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: SMR, FM, uplink, input=-40 dBm per carrier

897, 897.5, 901 MHz



Date/Time: August 5 2003 6:42:35 PM

Ambient Temperature: 27C Relative Humidity: 43%

Test Name: Uplink - Spurious emissions


Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: Paging, FM, uplink, input=-40 dBm per carrier

901, 901.5, 902 MHz



Date/Time: August 5 2003 6:11:07 PM

Ambient Temperature: 27C Relative Humidity: 43%


Test Name: Uplink - Spurious emissions

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: FM, uplink, input=-40 dBm per carrier



Date/Time: August 5 2003 6:16:51 PM

Ambient Temperature: 27C Relative Humidity: 43%


Test Name: Uplink - Spurious emissions

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: TDMA, uplink, input=-40 dBm per carrier



Date/Time: August 5 2003 6:19:09 PM

Ambient Temperature: 27C Relative Humidity: 43%


Test Name: Uplink - Spurious emissions

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: GSM, uplink, input=-40 dBm per carrier



Date/Time: August 5 2003 6:08:55 PM

Ambient Temperature: 27C Relative Humidity: 43%


Test Name: Uplink - Spurious emissions

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: CDMA, uplink, input=-40 dBm per carrier



Test Name: Masks

Date/Time: August 5 2003 11:03:33 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: AMPS, FM, f=881.5 MHz



Date/Time: August 5 2003 11:13:29 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: AMPS, FM, f=881.5 MHz



Date/Time: August 5 2003 11:17:59 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: AMPS, FM, f=881.5 MHz



Date/Time: August 5 2003 11:22:22 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: AMPS, FM, f=881.5 MHz



The input signal.

Date/Time: August 5 2003 11:33:15 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: TDMA, f=881.5 MHz



Date/Time: August 5 2003 5:02:06 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: CDMA, f=881.5 MHz



P=18 dBm

Date/Time: August 5 2003 5:04:13 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: CDMA, f=881.5 MHz



Input and output

Date/Time: August 5 2003 5:18:34 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: CDMA, f=881.5 MHz



P=18 dBm

Date/Time: August 5 2003 5:28:26 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: CDMA, f=881.5 MHz



Input and output

Date/Time: August 5 2003 3:01:04 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: LMR, FM, f=860 MHz



Date/Time: August 5 2003 3:02:33 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: LMR, FM, f=860 MHz



Date/Time: August 5 2003 3:05:38 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: LMR, FM, input signal, f=860 MHz



Date/Time: August 5 2003 3:16:20 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: LMR, FM output, f=867.5 MHz



Date/Time: August 5 2003 3:19:55 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: LMR, FM output, f=867.5 MHz



Date/Time: August 5 2003 1:32:44 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: iDEN, input and output signals, f=860 MHz



Date/Time: August 5 2003 2:36:23 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: iDEN, input signal, f=860 MHz



Date/Time: August 5 2003 2:40:51 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: iDEN, input signal, f=860 MHz



Plot Error! No text of specified style in document..1

Date/Time: August 5 2003 2:50:44 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: iDEN, output signal, f=860 MHz



Date/Time: August 5 2003 2:53:55 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: iDEN, output signal, f=860 MHz



Date/Time: August 5 2003 7:34:26 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: SMR, FM, f=938 MHz



Date/Time: August 5 2003 7:36:24 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: SMR, FM, f=938 MHz



Date/Time: August 5 2003 7:31:23 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: Paging, FM, f=935 MHz



Date/Time: August 5 2003 7:31:23 PM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097, 2403

Operator Name: Neuman

Notes: Paging, FM, f=935 MHz



Date/Time: August 5 2003 9:38:21 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: FM, f=1967.5 MHz



Emission bandwidth=40 kHz

RBW=1 kHz

Date/Time: August 5 2003 9:43:12 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: FM, f=1967.5 MHz



Date/Time: August 5 2003 9:44:56 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: FM, f=1967.5 MHz



Date/Time: August 5 2003 9:47:22 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: FM, f=1967.5 MHz




Date/Time: August 5 2003 9:48:41 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 9:54:01 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: TDMA, f=1967.5 MHz



Emission bandwidth=33 kHz

RBW=1 kHz


Date/Time: August 5 2003 9:58:11 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman




Date/Time: August 5 2003 9:59:41 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman




Date/Time: August 5 2003 10:02:39 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman




Date/Time: August 5 2003 10:03:40 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 10:08:03 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: GSM, f=1967.5 MHz



Emission bandwidth=250 kHz

RBW=3 kHz


Date/Time: August 5 2003 10:19:38 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman




Date/Time: August 5 2003 10:20:24 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman




Date/Time: August 5 2003 10:21:28 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman




Date/Time: August 5 2003 10:23:27 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 10:27:46 AM


Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

Notes: CDMA, f=1967.5 MHz



Emission bandwidth=1.3 MHz

RBW=30 kHz


Date/Time: August 5 2003 10:35:33 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman




Date/Time: August 5 2003 10:36:34 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman




Date/Time: August 5 2003 10:37:24 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman



Date/Time: August 5 2003 10:38:37 AM

Ambient Temperature: 27C Relative Humidity: 43% Test Name: Masks

Customer: Mobile Access
Test Specification: FCC 22, 24, 90
EUT: Mobile Access 1000

Test Equipment: HL#1424, 2254, 1650, 1097

Operator Name: Neuman

