



American Telecommunications Certification Body Inc.
6731 Whittier Ave, McLean, VA 22101

May 30, 2006

RE: Mobile Access Networks

FCC ID: OJFMA2K-IDEN-SMR

After a review of the submitted information, I have a few comments on the above referenced Application.

- 1) Users manual does not appear to clearly identify distance (i.e. 100 feet) between antennas as mentioned in the response to item 7. Please show in the manual where information regarding this can be found.
- 2) In addition to the 2.1091 information provided for RF exposure, if the antennas are located a large distance apart, please provide an appropriate RF exposure exhibit (in addition to showing the ERP < 1.5 W) that shows the RF exposure meets 20 cm for each antenna.
- 3) One response for the related 1K unit cited that iDEN 800 and SMR 800 is the same RHU. However the tested modulations only appear to support iDEN for the 800 MHz Band. Please note that the FCC expects conducted spurious, occupied bandwidth, and power tests performed for each type of modulation . Please explain.

Timothy R. Johnson
Examining Engineer

[mailto: tjohnson@AmericanTCB.com](mailto:tjohnson@AmericanTCB.com)

The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information may result in application termination. Correspondence should be considered part of the permanent submission and may be viewed from the Internet after a Grant of Equipment Authorization is issued.

Please do not respond to this correspondence using the email reply button. In order for your response to be processed expeditiously, you must submit your documents through the AmericanTCB.com website. Also, please note that partial responses increase processing time and should not be submitted.

Any questions about the content of this correspondence should be directed to the sender.