

Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR210900006402 Page: 1 of 7

TEST REPORT

Application No.:	KSCR2109000064CR		
FCC ID:	OJFPS-MP-UHF		
Applicant:	Corning Optical Communications LLC		
Address of Applicant:	6 Concord Road, Shrewsbury, MA 01545 United States		
Manufacturer:	Corning Optical Communications LLC		
Address of Manufacturer:	6 Concord Road, Shrewsbury, MA 01545 United States		
Factory:	Sunwave Communications Co., Ltd		
Address of Factory:	581 Huoju Avenue, Binjiang District, Hangzhou, China		
Equipment Under Test (EU	Т):		
EUT Name:	Remote Unit		
Model No.:	PS-MP		
Trade mark:	CORNING		
Standard(s) :	FCC Rules 47 CFR §2.1091		
	KDB447498 D01 General RF Exposure Guidance v06		
Date of Receipt:	2021-10-08		
Date of Test:	2021-10-18 to 2022-01-07		
Date of Issue:	2022-01-20		
Test Result:	Pass*		

* In the configuration tested, the EUT complied with the standards specified above.

Fora fri

Eric Lin Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sos.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

f(86-512)57370818 sgs.china@sgs.com

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888

Compliance Certification Services (Kunshan) Inc.



 Report No.:
 KSCR210900006402

 Page:
 2 of 7

Revision Record						
Version Description Date Remark						
00 Original		2022-01-20	/			

Authorized for issue by:		
	Damon zhou	
	Damon Zhou / Project Engineer	
	Eric fri	
	Eric Lin / Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@gss.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR210900006402 Page: 3 of 7

2 Contents

			Page
1	CO	VER PAGE	1
2	CO	NTENTS	3
3	GEI	NERAL INFORMATION	4
	3.1 3.2 3.3 3.4 3.5	DETAILS OF E.U.T TEST LOCATION TEST FACILITY DEVIATION FROM STANDARDS ABNORMALITIES FROM STANDARD CONDITIONS	5 5 5
4	TES	ST STANDARDS AND LIMITS	6
	4.1	FCC RADIOFREQUENCY RADIATION EXPOSURE LIMITS:	6
5	ME	ASUREMENT AND CALCULATION	7
	5.1 5.2	MAXIMUM TRANSMIT POWER	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation to the company's sole responsibility is to its Client's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@asps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com





Report No.: KSCR210900006402 Page: 4 of 7

3 General Information

3.1 Details of E.U.T.

Product Name:	Remote Unit
Model No.:	PS-MP
Trade Mark:	CORNING
Power Supply:	AC 100~240V 50/60Hz or DC 48V
Test Voltage	AC 120V/60Hz
Rated power:	150W
Type of Modulation	CQPSK/12.5kHz FM/TETRA
Frequency Band:	380MHz - 512MHz
Normal Output Power:	24dBm (downlink)
System Gain:	74 ± 2dB
Power Control Method:	ALC
Antenna Type:	External Antenna
Antenna Gain:	Max Antenna Gain 0.0 dBi(Provided by manufacturer)

Note:

The antenna gain value is provided by the customer. The test lab will not be responsible for wrong test result due to incorrect information about antenna gain values.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemrification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email:

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSCR210900006402 Page: 5 of 7

3.2 Test Location

All tests were performed at: Compliance Certification Services (Kunshan) Inc. No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China. Tel: +86 512 5735 5888 Fax: +86 512 5737 0818 No tests were sub-contracted.

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• FCC (Designation Number: CN1172)

Compliance Certification Services Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

• ISED (CAB Identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development (ISED) Canada as an accredited testing laboratory.

CAB Identifier: CN0072.

• VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, C-11707, T-11499, G-10216 respectively.

3.4 Deviation from Standards

None

3.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@esps.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSCR210900006402

 Page:
 6 of 7

4 Test Standards and Limits

4.1 FCC Radiofrequency radiation exposure limits:

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in part1.1307(b)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)			
(i) Limits for C	(i) Limits for Occupational/Controlled Exposure						
0.3-3.0	614	1.63	*(100)	≤6			
3.0-30	1842/f	4.89/f	*(900/f ²)	<6			
30-300	61.4	0.163	1.0	<6			
300-1,500			f/300	<6			
1,500-100,000			5	<6			
(ii) Limits for 0	General Population/Un	controlled Exposure					
0.3-1.34	614	1.63	*(100)	<30			
1.34-30	824/f	2.19/f	*(180/f ²)	<30			
30-300	27.5	0.073	0.2	<30			
300-1,500			f/1500	<30			
1,500-100,000			1.0	<30			

Table 1 - Limits for Maximum Permissible Exposure (MPE)

f = frequency in MHz. * = Plane-wave equivalent power density.

Friis Formula

Friis transmission formula: $Pd = (Pout^{G})/(4^{*} Pi * R^{2})$ Where

Pd = power density in mW/cm²

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm². If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



)	Unless otherwise agreed in writing, this document is issued by the Comp overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms</u> subject to Terms and Conditions for Electronic Documents at <u>http://www.sg</u> . Attention is drawn to the limitation of liability, indemnification and jurisdicti advised that information contained hereon reflects the Company's findings Client's instructions, if any. The Company's sole responsibility is to its C transaction from exercising all their rights and obligations under the trans except in full, without prior written approval of the Company. Any unauth appearance of this document is unlawful and offenders may be prosecuted i results shown in this test report refer only to the sample(s) tested and such as Attention: To check the authenticity of testing /inspection report & certif or email: CN.Docchek@esg.com	<u>-and-Conditions.aspx</u> and <u>gs.com/en/Terms-and-Cc</u> ion issues defined there at the time of its interva- ilient and this document action documents. This prized alteration, forger to the fullest extent of th mple(s) are retained for	nd, for electronic onditions/Terms- in. Any holder of ention only and t does not exors document can y or falsification e law. Unless of 30 days only.	format documents, e-Document.aspx. of this document is within the limits of nerate parties to a not be reproduced of the content or herwise stated the	
	No 10 Weive Road Innovation Park Kunshan Jiangsu China 215300	t/86-512)57355888 f(86-512)57370818	www.sasaroup.com.cn	

中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888

f(86-512)57370818 sgs.china@sgs.com



 Report No.:
 KSCR210900006402

 Page:
 7 of 7

5 Measurement and Calculation

5.1 Maximum transmit power

The Power Data is based on the RF Test Report KSCR210900006201.

Band Information	Antenna Gain (dBi)	Max Output Power (dBm)	Max Output Power (mW)
406.1 ~ 420 MHz	0.0	25.01	316.9567
421 ~ 430 MHz	0.0	25.08	322.1069
450 ~ 470 MHz	0.0	24.92	310.4560
470 ~ 512 MHz	0.0	25.15	327.3407

5.2 MPE Calculation

Frequency Band (MHz)	Antenna Gain (dBi)	Max Output Power (dBm)	Max Tune-up tolerance power (dBm)	Max Tune-up tolerance power (mW)	Power Density at R = 21 cm (mW/cm ²)	Power Density Limit S(mW/cm ²)
406.1 ~ 420 MHz	0.0	25.01	26.0	398.1072	0.0718	0.2707
421 ~ 430 MHz	0.0	25.08	26.0	398.1072	0.0718	0.2807
450 ~ 470 MHz	0.0	24.92	26.0	398.1072	0.0718	0.3000
470 ~ 512 MHz	0.0	25.15	26.0	398.1072	0.0718	0.3133

Note: Refer to Tune Up Procedure document for EUT Max Conducted Peak Output Power value. The distancer (4th column) calculated from the Fries transmission formula is far greater than 21 cm separation requirement.

So the limit of Band 406.1 ~ 420MHz= 406.1/1500 = 0.2707mW/cm²;

421 ~ 430 MHz= 421/1500 = 0.2807mW/cm²;

450 ~ 470 MHz= 450/1500 = 0.3000mW/cm²;

470 ~ 512 MHz= 470/1500 = 0.3133mW/cm²;

The EUT can be transmitted simultaneously with 6 band, so the MPE = 0.0718/0.2707 + 0.0718/0.2807 + 0.0718/0.3000 + 0.0718/0.3133 = 0.9895 < 1.

To satisfy RF exposure requirements, a separation distance of 21 cm or more should be maintained between this device and persons during device operation. To ensure compliance, operations at closer than this distance is not recommended.

--End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Cond

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com