THALES

Thales Communications, Inc. 22605 Gateway Center Drive Clarksburg, MD 20871 USA

> Tel: 240-864-7000 Fax: 240-864-7249 www.thalescomminc.com

March 16, 2009

RE: Thales Communications, Model name: Liberty

FCC ID: OKC-4102023501 Manufacturer's Attestation

To Whom It May Concern:

This attestation from Thales Communications is in regards to the Liberty, FCC ID: OKC-4102023501, portable hand-held radio transceiver.

- 1.) TX Po. This device is power leveled by output power sensing to hold TX Po at the specified 5 Watt (VHF & UHF), 2.5 Watt (700 MHz), and 3.0 Watt (800 MHz) level within -0% and +20%. This translates to 6 Watt max. (VHF & UHF), 3 Watt max. (700 MHz) and 3.6 Watt max. (800 MHz). Factory production specification is within -0% and +10%, or 5.5 Watts max. (VHF & UHF), 2.75 Watt max. (700 MHz) and 3.3 Watt max. (800 MHz).
- 2.) This device is a half duplex device with a PTT switch to key between transmit and receive modes. There is a timeout on the transmit PTT that turns the radio off after a 60 second transmission. The radio will then switch over to receive mode even though the PTT is continuously held down. The transmitter can be turned on only after releasing the PTT, which resets the timeout. Since the radio is a half duplex radio the actual percent duty cycle is not greater than 10% with average usage in the 10% transmit and 90% receive duty cycle.
- 3.) To confirm, there is no next to the ear operation. This device does not support next to ear operation.

Thank you,

Kimberly Appleby
Director of Contracts

Tel: (240) 864-7533

Thales Communications, Inc.