

EUT SKY9900019

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1368

824.64MHz: $\sigma = 0.86 \text{ mho/m}$ $\epsilon = 42.5$ $\rho = 1.00 \text{ g/cm}^3$

Crest Factor: 1.0


Antenna Position In

SAR (1g): 1.43 mW/g


SK MODEL: IM-700I

CDMA PHONE CHAN 1011

.300 WATTS Conducted



SAR_{Tot} [mW/g]



EUT SKY9900019

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1368

824.64MHz: $\sigma = 0.86 \text{ mho/m}$ $\epsilon = 42.5$ $\rho = 1.00 \text{ g/cm}^3$

Crest Factor: 1.0


Antenna Position Out

SAR (1g): 1.45 mW/g


SK MODEL: IM-700I

CDMA PHONE CHAN 1011

.300 WATTS Conducted



SAR_{Tot} [mW/g]



EUT SKY9900019

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1368

835.89MHz: $\sigma = 0.86 \text{ mho/m}$ $\epsilon = 42.5$ $\rho = 1.00 \text{ g/cm}^3$

Crest Factor: 1.0

Antenna Position In

SAR (1g): 1.40 mW/g

SK MODEL: IM-700I

CDMA PHONE CHAN 363

.300 WATTS Conducted



EUT SKY9900019

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1368

835.89MHz: $\sigma = 0.86 \text{ mho/m}$ $\epsilon = 42.5$ $\rho = 1.00 \text{ g/cm}^3$

Crest Factor: 1.0


Antenna Position Out

SAR (1g): 1.22 mW/g


SK MODEL: IM-700I

CDMA PHONE CHAN 363

.300 WATTS Conducted



SAR_{Tot} [mW/g]



EUT SKY9900019

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1368

848.37MHz: $\sigma = 0.86 \text{ mho/m}$ $\epsilon = 42.5$ $\rho = 1.00 \text{ g/cm}^3$

Crest Factor: 1.0


Antenna Position In

SAR (1g): 1.44 mW/g


SK MODEL: IM-700I

CDMA PHONE CHAN 779

.300 WATTS Conducted



SAR_{Tot} [mW/g]



EUT SKY9900019

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1368

848.37MHz: $\sigma = 0.86 \text{ mho/m}$ $\epsilon = 42.5$ $\rho = 1.00 \text{ g/cm}^3$

Crest Factor: 1.0


Antenna Position Out

SAR (1g): 1.45 mW/g


SK MODEL: IM-700I

CDMA PHONE CHAN 779

.300 WATTS Conducted



SAR_{Tot} [mW/g]



EUT SKY9900019

Generic Twin Phantom; Right Hand Section; Probe: ET3DV5 - SN1368

848.37MHz: $\sigma = 0.86 \text{ mho/m}$ $\epsilon = 42.5$ $\rho = 1.00 \text{ g/cm}^3$

Crest Factor: 1.0

Antenna Position Out


SAR (1g): 1.36 mW/g

SK MODEL: IM-700I

CDMA PHONE CHAN 779

.300 WATTS Conducted

Standard Battery



SAR_{Tot} [mW/g]

