

SK TELETECH FCC ID: OL6SK-5000 -- Cellular CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.901 mW/g, SAR (10g): 0.629 mW/g

SK TELETECH Cellular CDMA Only Phone Model: SK-5000

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date -- 04/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SK TELETECH FCC ID: OL6SK-5000 -- Cellular CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.310 mW/g, SAR (10g): 0.218 mW/g

SK TELETECH Cellular CDMA Only Phone Model: SK-5000

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15° Tilt position

Test Date -- 04/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SK TELETECH FCC ID: OL6SK-5000 -- Cellular CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.28 mW/g, SAR (10g): 0.862 mW/g

SK TELETECH Cellular CDMA Only Phone Model: SK-5000

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date -- 04/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SK TELETECH FCC ID: OL6SK-5000 -- Cellular CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.377 mW/g, SAR (10g): 0.266 mW/g

SK TELETECH Cellular CDMA Only Phone Model: SK-5000

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15° Tilt position

Test Date -- 04/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SK TELETECH FCC ID: OL6SK-5000 -- Cellular CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 57.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.876 mW/g, SAR (10g): 0.610 mW/g

SK TELETECH Cellular CDMA Only Phone Model: SK-5000

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Spacing = 1.5cm from EUT (antenna side) to flat phantom, No BeltClip/No Holster

Test Date -- 04/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

