
Agilent
R T
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs CDMA C-1013
Mkr1 1.674 GHz
Ref 24.5 dBm
Atten 30 dB
-22.86 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs CDMA C-1013
Mkr1 6.988 GHz
Ref 24.5 dBm
Atten 30 dB
-36.00 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs CDMA C-383
Mkr1 1.674 GHz
Ref 24.5 dBm
Atten 30 dB
-25.51 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs CDMA C-383
Mkr1 8.700 GHz
Ref 24.5 dBm
Atten 30 dB
-35.88 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs CDMA C-777
Mkr1 1.674 GHz
Ref 24.5 dBm
Atten 30 dB
-23.18 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Start 10 MHz
Stop 2.500 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs CDMA C-777
Mkr1 8.538 GHz
Ref 24.5 dBm
Atten 30 dB
-36.23 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
6.25000000 GHz
Start Freq
2.50000000 GHz
Stop Freq
10.0000000 GHz
CF Step
750.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Start 2.500 GHz
Stop 10.000 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 12.52 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Power Out CDMA C-1013
Ref 24.5 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.3
dB
LgAv
100
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 824.70 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
824.700000 MHz
Start Freq
819.700000 MHz
Stop Freq
829.700000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Power Out CDMA C-383
Ref 24.5 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.3
dB
LgAv
100
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 836.49 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
836.490000 MHz
Start Freq
831.490000 MHz
Stop Freq
841.490000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Power Out CDMA C-383
Ref 24.5 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.3
dB
LgAv
100
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 836.49 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
836.490000 MHz
Start Freq
831.490000 MHz
Stop Freq
841.490000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Power Out CDMA C-777
Ref 24.5 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.3
dB
LgAv
100
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 848.31 MHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
848.310000 MHz
Start Freq
843.310000 MHz
Stop Freq
853.310000 MHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Band Edge CDMA C-1013
Mkr1 824.000 MHz
-21.299 dBm
Ref 24.5 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
100
V1 S2
S3 FC
¤(f):
f>50k
Swp
Center 824.000 MHz
Span 5 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 35.68 ms (601 pts)
Center Freq
824.000000 MHz
Start Freq
821.500000 MHz
Stop Freq
826.500000 MHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Band Edge CDMA C-777
Mkr1 849.000 MHz
Ref 24.5 dBm
Atten 30 dB
-13.295 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
#LgAv
100
V1 S2
S3 FC
¤(f):
f>50k
Swp
Center Freq
849.000000 MHz
Start Freq
846.500000 MHz
Stop Freq
851.500000 MHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 849.000 MHz
Span 5 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 35.68 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 Band Edge CDMA C-1013
Mkr1 824.000 MHz
Ref 24.5 dBm
Atten 30 dB
-22.828 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
100
W1 S2
S3 FS
¤(f):
f>50k
Swp
Center Freq
824.000000 MHz
Start Freq
823.000000 MHz
Stop Freq
825.000000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 824.000 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 14.28 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Band Edge CDMA C-777
Mkr1 849.000 MHz
Ref 24.5 dBm
Atten 30 dB
-13.204 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
#LgAv
100
W1 S2
S3 FS
¤(f):
f>50k
Swp
Center Freq
849.000000 MHz
Start Freq
848.000000 MHz
Stop Freq
850.000000 MHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 849.000 MHz
Span 2 MHz
#Res BW 13 kHz
#VBW 13 kHz
Sweep 14.28 ms (601 pts)
Copyright 2000-2002 Agilent Technologies

Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 4 MHz Span CDMA C-1013
Mkr1 822.967 MHz
Ref 24.5 dBm
Atten 30 dB
-33.026 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
LgAv
100
V1 S2
S3 FS
¤(f):
f>50k
Swp
Center 821.000 MHz
Span 4 MHz
#Res BW 100 kHz
#VBW 100 kHz
Sweep 1 ms (601 pts)
Center Freq
821.000000 MHz
Start Freq
819.000000 MHz
Stop Freq
823.000000 MHz
CF Step
400.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 4 MHz Span CDMA C-777
Mkr1 850.040 MHz
Ref 24.5 dBm
Atten 30 dB
-37.819 dBm
#Peak
Log
10
dB/
Offst
10.3
dB
Dl
-13.0
dBm
#LgAv
100
V1 S2
S3 FS
¤(f):
f>50k
Swp
Center 852.000 MHz
Span 4 MHz
#Res BW 100 kHz
#VBW 100 kHz
Sweep 1 ms (601 pts)
Center Freq
852.000000 MHz
Start Freq
850.000000 MHz
Stop Freq
854.000000 MHz
CF Step
400.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Ch Freq
836.49 MHz
Trig
Free
Channel Power
Averages: 10
FCC ID: OL6SK-T800 Ch. Power CDMA C-383
Ref 24.5 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.3
dB
Center 836.490 MHz
Span 3 MHz
#Res BW 30 kHz
#VBW 300 kHz
Sweep 3.08 ms (601 pts)
Channel Power
Power Spectral Density
24.49 dBm /2.0000 MHz
-38.52 dBm/Hz
Center Freq
836.490000 MHz
Start Freq
834.990000 MHz
Stop Freq
837.990000 MHz
CF Step
300.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Ch Freq 836.49 MHz
Trig Free
Occupied Bandwidth
Averages: 10
Center Freq
836.490000 MHz
Start Freq
834.990000 MHz
Stop Freq
837.990000 MHz
CF Step
300.000000 kHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
FCC ID: OL6SK-T800 Occpd BW CDMA C-383
Ref 24.5 dBm
Atten 30 dB
#Samp
Log
10
dB/
Offst
10.3
dB
Center 836.490 MHz
Span 3 MHz
#Res BW 30 kHz
#VBW 300 kHz
Sweep 9.76 ms (601 pts)
Occupied Bandwidth
1.2535 MHz
Occ BW % Pwr 99.00 %
x dB -26.00 dB
Transmit Freq Error 8.500 kHz
x dB Bandwidth 1.384 MHz*
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs PCS C-25
Mkr1 2.392 GHz
Ref 24.2 dBm
Atten 30 dB
-39.82 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs PCS C-25
Mkr1 14.25 GHz
Ref 24.2 dBm
Atten 30 dB
-32.62 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
Center 11.25 GHz
Span 17.5 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 43.76 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs PCS C-600
Mkr1 969 MHz
Ref 24.2 dBm
Atten 30 dB
-40.34 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs PCS C-600
Mkr1 3.78 GHz
Ref 24.2 dBm
Atten 30 dB
-27.02 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 11.25 GHz
Span 17.5 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 43.76 ms (601 pts)
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs PCS C-1175
Mkr1 2.442 GHz
Ref 24.2 dBm
Atten 30 dB
-39.97 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 1.255 GHz
Span 2.49 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 4.16 ms (601 pts)
Center Freq
1.25500000 GHz
Start Freq
10.0000000 MHz
Stop Freq
2.50000000 GHz
CF Step
249.000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Con Spurs PCS C-1175
Mkr1 3.81 GHz
Ref 24.2 dBm
Atten 30 dB
-19.86 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
V1 S2
S3 FC
¤(f):
FTun
Swp
Center Freq
11.2500000 GHz
Start Freq
2.50000000 GHz
Stop Freq
20.0000000 GHz
CF Step
1.75000000 GHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 11.25 GHz
Span 17.5 GHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 43.76 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 Power Out PCS C-25
Ref 24.2 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.5
dB
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 1.851 25 GHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
1.85125000 GHz
Start Freq
1.84625000 GHz
Stop Freq
1.85625000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Power Out PCS C-600
Ref 24.2 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.5
dB
#LgAv
100
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 1.880 00 GHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
1.88000000 GHz
Start Freq
1.87500000 GHz
Stop Freq
1.88500000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Power Out PCS C-600
Ref 24.2 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.5
dB
#LgAv
100
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 1.880 00 GHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
1.88000000 GHz
Start Freq
1.87500000 GHz
Stop Freq
1.88500000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
FCC ID: OL6SK-T800 Power Out PCS C-1175
Ref 24.2 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.5
dB
#LgAv
100
V1 S2
S3 FC
¤(f):
FTun
Swp
Center 1.908 75 GHz
Span 10 MHz
#Res BW 3 MHz
#VBW 3 MHz
Sweep 1 ms (601 pts)
Center Freq
1.90875000 GHz
Start Freq
1.90375000 GHz
Stop Freq
1.91375000 GHz
CF Step
1.00000000 MHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 Band Edge PCS C-25
Mkr1 1.850 000 GHz
Ref 24.2 dBm
Atten 30 dB
-39.555 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
100
W1 S2
S3 FS
¤(f):
f>50k
Swp
Center 1.850 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 6.72 ms (601 pts)
Center Freq
1.85000000 GHz
Start Freq
1.84750000 GHz
Stop Freq
1.85250000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 Band Edge PCS C-1175
Mkr1 1.910 000 GHz
Ref 24.2 dBm
Atten 30 dB
-39.499 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
100
W1 S2
S3 FS
¤(f):
f>50k
Swp
Center Freq
1.91000000 GHz
Start Freq
1.90750000 GHz
Stop Freq
1.91250000 GHz
CF Step
500.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Center 1.910 000 GHz
Span 5 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 6.72 ms (601 pts)
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 Band Edge PCS C-25
Mkr1 1.850 000 GHz
Ref 24.2 dBm
Atten 30 dB
-40.483 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
100
W1 S2
S3 FS
¤(f):
f>50k
Swp
Center 1.850 000 GHz
Span 2 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 2.68 ms (601 pts)
Center Freq
1.85000000 GHz
Start Freq
1.84900000 GHz
Stop Freq
1.85100000 GHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 Band Edge PCS C-1175
Mkr1 1.910 000 GHz
Ref 24.2 dBm
Atten 30 dB
-39.372 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
100
W1 S2
S3 FS
¤(f):
f>50k
Swp
Center 1.910 000 GHz
Span 2 MHz
#Res BW 30 kHz
#VBW 30 kHz
Sweep 2.68 ms (601 pts)
Center Freq
1.91000000 GHz
Start Freq
1.90900000 GHz
Stop Freq
1.91100000 GHz
CF Step
200.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 4 MHz Span PCS C-25
Mkr1 1.849 000 GHz
Ref 24.2 dBm
Atten 30 dB
-28.167 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 1.847 000 GHz
Span 4 MHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 1 ms (601 pts)
Center Freq
1.84700000 GHz
Start Freq
1.84500000 GHz
Stop Freq
1.84900000 GHz
CF Step
400.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
R L
Freq/Channel
FCC ID: OL6SK-T800 4 MHz Span PCS C-1175
Mkr1 1.911 000 GHz
Ref 24.2 dBm
Atten 30 dB
-25.026 dBm
#Peak
Log
10
dB/
Offst
10.5
dB
Dl
-13.0
dBm
#LgAv
100
V1 S2
S3 FS
¤(f):
FTun
Swp
Center 1.913 000 GHz
Span 4 MHz
#Res BW 1 MHz
#VBW 1 MHz
Sweep 1 ms (601 pts)
Center Freq
1.91300000 GHz
Start Freq
1.91100000 GHz
Stop Freq
1.91500000 GHz
CF Step
400.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Ch Freq
1.88 GHz
Trig
Free
Channel Power
Averages: 10
FCC ID: OL6SK-T800 Ch. Power PCS C-600
Ref 24.2 dBm
Atten 30 dB
#Peak
Log
10
dB/
Offst
10.5
dB
Center 1.880 000 GHz
Span 3 MHz
#Res BW 30 kHz
#VBW 300 kHz
Sweep 3.08 ms (601 pts)
Channel Power
Power Spectral Density
24.22 dBm /2.0000 MHz
-38.79 dBm/Hz
Center Freq
1.88000000 GHz
Start Freq
1.87850000 GHz
Stop Freq
1.88150000 GHz
CF Step
300.000000 kHz
Auto
Man
Freq Offset
0.00000000 Hz
Signal Track
On
Off
Copyright 2000-2002 Agilent Technologies


Agilent
L
Freq/Channel
Ch Freq 1.88 GHz
Trig Free
Occupied Bandwidth
Averages: 10
Center Freq
1.88000000 GHz
Start Freq
1.87850000 GHz
Stop Freq
1.88150000 GHz
CF Step
300.000000 kHz
Auto Man
Freq Offset
0.00000000 Hz
Signal Track
On Off
FCC ID: OL6SK-T800 Occpd BW PCS C-600
Ref 24.2 dBm Atten 30 dB
#Samp
Log
10
dB/
Offst
10.5
dB
Center 1.880 000 GHz
Span 3 MHz
#Res BW 30 kHz
#VBW 300 kHz
Sweep 9.76 ms (601 pts)
Occupied Bandwidth
1.2519 MHz
Occ BW % Pwr 99.00 %
x dB -26.00 dB
Transmit Freq Error 18.004 kHz
x dB Bandwidth 1.378 MHz*
Copyright 2000-2002 Agilent Technologies