WiFi Bridge

VAP11N

Quick Setting Guide

Declaration

Copyright © 2012 Shenzhen HouTian Network Communication Technology Co.Ltd

All rights reserved, with retained ownership

Without Shenzhen HouTian Network Communication Technology Co.Ltd written authorization, any company or personal can't copy, writer or translation part or all contents. Can't do commodity distribution for any commercial or profitable purposes by any ways(electricity, mechanical, photoprint, record or other methods). **VONETS** is the registered trademark of Shenzhen HouTian Network Communication Technology Co.Ltd. The other all trademarks or registered trademarks mentioned in this documents are belong to the individual owners. The product specifications and information technology mentioned in this manual are just for reference, if any updates, without other notice. Except for special agreements, this manual is just for user guidance, any statements, information and so on in this manual can't constitute the warranty of any forms.

Chapter 1 Quick Setting Guide

1. Connect the computer



Set computer IP address to automatically, please see the words in the red circle of the following picture:

	Alternate Configuration				
You can this can for the	n get IP settings assigned au pability. Otherwise, you nee appropriate IP settings.	itomatically if d to ask your	your n networ	etwork : k admin	supports istrator
00	btain an IP address automat	ically			
OU	se the following IP address:	<u> </u>			
IP a	ddress:		1		
Subr	net mask:		10		
Defa	sult gateway:				
00	btain DNS server address au	itomatically	>		
0 U	se the following DNS server	addresses:			
Pref	erred DNS server:	4	- 22		
Alter	mate DN5 server:		R.		
v	alidate settings upon exit/			Adv	anced

2. Open the IE browser, enter vonets.cfg virtual domain name setting(VDNS).



Remark:

Enter domain name, then Enter, the login page will appear, the default admin and password is admin.

3. Scan Hotspots

After entering the IE browser, the WiFi hotspots window will appear, can search the WIFI hotspots signal that opened SSID broadcast around, please see the following:

SSID	Channel	Signal	Authentication	Encryption	Wifi Mode
VONETS_110054	1	91	Disable		11b/g/n
houtian&123	10	76	WPA-PSK	TKIP	11b/g
ChinaNet-1dd	11	76	WPAPSK-WPA2PSK	TKIPAES	11b/g/n
TOTOLink-uovision	1	50	WPAPSK-WPA2PSK	AES	11b/g/n
VONETS_160040	1	39	Disable		11b/g/n
ChinaNet-AGRM	1	39	WPAPSK-WPA2PSK	AES	11b/g/n
CMCC-AUTO	11	34	WPA1WPA2	TKIPAES	11b/g/n
VONETS_160020	1	29	Disable		11b/g/n

> Choose a correct WiFi signal, then click Next, the following interface will appear:

ecurity Settings		
Security Mode	WPA-PSK	
YPA Algorithms	TKIP	
Pass Phrase	aibtakpl	
🗹 Automatic connect to (memory hotspots	
🗹 The repeater paramete:	r and the hotspots synchronization	
WiFi Repeater SSID	houtian&123 38	

- > Input the correct password, confirm it is correct one, then click Apply button.
- > If it is con`nected successfully, the following picture will appear.

VONETS——VAP11N Mini WIFI Bridge

Security Settings	
Security Mode	WPA-PSK
WPA Algorithms	
Pass Phrase	aibtakpl
Automatic connect t	o memory hotspots
🗹 The repeater parame	ter and the hotspots synchronization
WiFi Repeater SSID	houtian&123 38

> If it is connected failed, the following picture will appear:

Security Settings		
Security Mode	WPA-PSK	
WPA Algorithms		
Pass Phrase	12345678	
Automatic connect	o memory hotspots	
🗹 The repeater parame	ter and the hotspots synchronization	
WiFi Repeater SSID	houtian&123 38	

Shenzhen HouTian Network Communication Technology Co.,Ltd

http://www.vonets.com.cn

FCC STATEMENT

- This device complies with Part 15 of the FCC Rules.
 Operation is subject to the following two conditions:
 - (1) This device may not cause harmful interference, and
 - (2) This device must accept any interference received, including interference that may cause undesired operation.
- 2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. In order to avoid the possibility of exceeding the FCC radio frequency exposure limits, Human proximity to the antenna shall not be less than 20cm (8 inches) during normal operation.