


# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11A_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-24 15:59:28

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5458.3417	52.40	16.86	74.00	21.60	150	219	PK	Vertical
2	5460.0300	51.29	16.86	74.00	22.71	150	189	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11A_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-24 16:03:10

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	62.77	17.99	74.00	11.23	150	110	PK	Horizont
2	5726.4207	66.39	18.00	74.00	7.61	150	227	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	45.68	54.00	8.32	150	110	Horizontal
2	5726.4207	18.00	50.63	54.00	3.37	150	227	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11A_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-24 16:03:55

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	60.07	17.99	74.00	13.93	150	215	PK	Vertical
2	5726.3832	61.32	18.00	74.00	12.68	150	225	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	44.88	54.00	9.12	150	215	Vertical
2	5726.3832	18.00	45.06	54.00	8.94	150	225	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-24 16:11:00

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5146.7034	55.67	16.47	74.00	18.33	150	108	PK	Horizont
2	5150.0375	52.48	16.46	74.00	21.52	150	106	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5146.7034	16.47	47.89	54.00	6.11	150	108	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-24 16:12:11

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5148.2091	53.28	16.47	74.00	20.72	150	142	PK	Vertical
2	5150.0375	50.92	16.46	74.00	23.08	150	96	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-26 21:15:20

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5446.8359	51.85	16.86	74.00	22.15	150	230	PK	Horizont
2	5460.0300	50.60	16.86	74.00	23.40	150	154	PK	Horizont

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-26 21:16:31

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5417.2586	52.20	16.85	74.00	21.80	150	248	PK	Vertical
2	5460.0300	49.95	16.86	74.00	24.05	150	109	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-02-26 21:22:42

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	65.86	17.99	74.00	8.14	150	217	PK	Horizont
2	5727.2461	66.29	18.00	74.00	7.71	150	143	PK	Horizont

## AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	49.51	54.00	4.49	150	217	Horizontal
2	5727.2461	18.00	50.35	54.00	3.65	150	143	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-02-26 21:23:52

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	64.17	17.99	74.00	9.83	150	210	PK	Vertical
2	5726.9460	64.02	18.00	74.00	9.98	150	125	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	48.57	54.00	5.43	150	210	Vertical
2	5726.9460	18.00	48.47	54.00	5.53	150	125	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-26 21:45:39

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	51.01	16.65	74.00	22.99	150	224	PK	Horizont
2	5356.8459	52.30	16.68	74.00	21.70	150	227	PK	Horizont

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-26 21:46:50

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	50.28	16.65	74.00	23.72	150	126	PK	Vertical
2	5354.9100	51.80	16.67	74.00	22.20	150	163	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 21:51:56

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5141.4832	58.44	16.49	74.00	15.56	150	132	PK	Horizont
2	5150.0375	52.79	16.46	74.00	21.21	150	240	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5141.4832	16.49	47.50	54.00	6.50	150	132	Horizontal
2	5150.0375	16.46	44.02	54.00	9.98	150	240	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 21:53:07

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5143.2841	56.43	16.48	74.00	17.57	150	108	PK	Vertical
2	5150.0375	52.70	16.46	74.00	21.30	150	168	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5143.2841	16.48	46.70	54.00	7.30	150	108	Vertical
2	5150.0375	16.46	43.14	54.00	10.86	150	168	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 21:58:55

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	57.04	16.65	74.00	16.96	150	221	PK	Horizont
2	5354.1371	62.11	16.67	74.00	11.89	150	230	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	44.40	54.00	9.60	150	221	Horizontal
2	5354.1371	16.67	48.57	54.00	5.43	150	230	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:00:06

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	55.00	16.65	74.00	19.00	150	243	PK	Vertical
2	5354.1971	60.41	16.67	74.00	13.59	150	113	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	41.63	54.00	12.37	150	243	Vertical
2	5354.1971	16.67	45.22	54.00	8.78	150	113	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:06:34

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5452.3887	62.39	16.86	74.00	11.61	150	223	PK	Horizont
2	5460.0400	62.29	16.86	74.00	11.71	150	119	PK	Horizont

## AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5452.3887	16.86	48.44	54.00	5.56	150	223	Horizontal
2	5460.0400	16.86	48.22	54.00	5.78	150	119	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:07:45

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5457.6813	51.66	16.86	74.00	22.34	150	0	PK	Vertical
2	5460.0400	48.06	16.86	74.00	25.94	150	0	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-26 22:13:03

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	58.76	17.99	74.00	15.24	150	206	PK	Horizont
2	5726.4857	59.65	18.00	74.00	14.35	150	220	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	17.99	49.00	54.00	5.00	150	206	Horizontal
2	5726.4857	18.00	49.17	54.00	4.83	150	220	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11N40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-26 22:14:14

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	55.17	17.99	74.00	18.83	150	227	PK	Vertical
2	5727.3312	57.96	18.00	74.00	16.04	150	199	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	17.99	47.72	54.00	6.28	150	227	Vertical
2	5727.3312	18.00	48.65	54.00	5.35	150	199	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:28:12

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5080.0200	55.32	16.54	74.00	18.68	150	133	PK	Horizont
2	5150.0375	50.97	16.46	74.00	23.03	150	238	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5080.0200	16.54	47.09	54.00	6.91	150	133	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:29:21

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5080.0200	55.32	16.54	74.00	18.68	150	5	PK	Horizont
2	5150.0375	51.59	16.46	74.00	22.41	150	114	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5080.0200	16.54	47.04	54.00	6.96	150	5	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:41:51

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	54.75	16.65	74.00	19.25	150	229	PK	Horizont
2	5351.6833	58.40	16.66	74.00	15.60	150	229	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	16.65	44.90	54.00	9.10	150	229	Horizontal
2	5351.6833	16.66	47.98	54.00	6.02	150	229	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:43:02

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	51.48	16.65	74.00	22.52	150	214	PK	Vertical
2	5355.2326	52.95	16.67	74.00	21.05	150	113	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:50:36

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5455.7154	57.55	16.86	74.00	16.45	150	220	PK	Horizont
2	5460.0300	56.07	16.86	74.00	17.93	150	243	PK	Horizont

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.7154	16.86	47.94	54.00	6.06	150	220	Horizontal
2	5460.0300	16.86	46.31	54.00	7.69	150	243	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 22:51:47

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5451.7759	56.51	16.86	74.00	17.49	150	128	PK	Vertical
2	5460.0300	53.27	16.86	74.00	20.73	150	123	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5451.7759	16.86	46.22	54.00	7.78	150	128	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 23:02:40

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	65.99	17.99	74.00	8.01	150	157	PK	Horizont
2	5726.7209	67.88	18.00	74.00	6.12	150	227	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	49.32	54.00	4.68	150	157	Horizontal
2	5726.7209	18.00	50.76	54.00	3.24	150	227	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 23:03:51

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	65.57	17.99	74.00	8.43	150	200	PK	Vertical
2	5726.7959	65.22	18.00	74.00	8.78	150	200	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	49.53	54.00	4.47	150	200	Vertical
2	5726.7959	18.00	49.02	54.00	4.98	150	200	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 23:09:57

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5134.8424	56.53	16.50	74.00	17.47	150	150	PK	Horizont
2	5150.0375	52.68	16.46	74.00	21.32	150	150	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5134.8424	16.50	47.49	54.00	6.51	150	150	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 23:11:09

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5141.0330	55.04	16.49	74.00	18.96	150	110	PK	Vertical
2	5150.0375	53.72	16.46	74.00	20.28	150	112	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5141.0330	16.49	47.05	54.00	6.95	150	110	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 23:16:05

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	58.09	16.65	74.00	15.91	150	227	PK	Horizont
2	5354.2571	64.84	16.67	74.00	9.16	150	227	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	44.97	54.00	9.03	150	227	Horizontal
2	5354.2571	16.67	49.14	54.00	4.86	150	227	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 23:17:16

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	53.43	16.65	74.00	20.57	150	232	PK	Vertical
2	5353.7769	59.40	16.66	74.00	14.60	150	125	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	42.67	54.00	11.33	150	232	Vertical
2	5353.7769	16.66	46.02	54.00	7.98	150	125	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 23:24:40

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5457.7964	63.04	16.86	74.00	10.96	150	221	PK	Horizont
2	5460.0400	63.22	16.86	74.00	10.78	150	143	PK	Horizont

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.7964	16.86	48.87	54.00	5.13	150	221	Horizontal
2	5460.0400	16.86	49.15	54.00	4.85	150	143	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-26 23:25:51

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5457.1636	61.26	16.86	74.00	12.74	150	116	PK	Vertical
2	5460.0400	60.17	16.86	74.00	13.83	150	234	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.1636	16.86	48.75	54.00	5.25	150	116	Vertical
2	5460.0400	16.86	48.22	54.00	5.78	150	234	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-26 23:32:01

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	58.18	17.99	74.00	15.82	150	189	PK	Horizont
2	5727.2011	59.02	18.00	74.00	14.98	150	230	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	17.99	48.87	54.00	5.13	150	189	Horizontal
2	5727.2011	18.00	49.08	54.00	4.92	150	230	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	Xenon MP24	SN:	
Mode:	11AC40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-26 23:33:12

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	55.91	17.99	74.00	18.09	150	104	PK	Vertical
2	5726.4857	59.09	18.00	74.00	14.91	150	230	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	17.99	47.01	54.00	6.99	150	104	Vertical
2	5726.4857	18.00	49.22	54.00	4.78	150	230	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11AC80_5210	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2024-03-01 01:32:34

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5137.4587	51.77	16.50	74.00	22.23	150	149	PK	Horizont
2	5150.0650	51.66	16.46	74.00	22.34	150	175	PK	Horizont
3	5350.1451	50.45	16.65	74.00	23.55	150	299	PK	Horizont
4	5388.8644	51.82	16.80	74.00	22.18	150	149	PK	Horizont

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11AC80_5210	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2024-03-01 01:33:14

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5138.7194	51.20	16.49	74.00	22.80	150	223	PK	Vertical
2	5150.0650	49.84	16.46	74.00	24.16	150	111	PK	Vertical
3	5350.1451	49.02	16.65	74.00	24.98	150	157	PK	Vertical
4	5455.8579	51.15	16.86	74.00	22.85	150	0	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11AC80_5290	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-03-01 01:35:55

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.1101	56.17	16.65	74.00	17.83	150	255	PK	Horizont
2	5384.0520	64.41	16.78	74.00	9.59	150	153	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	16.65	43.28	54.00	10.72	150	255	Horizontal
2	5384.0520	16.78	48.90	54.00	5.10	150	153	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11AC80_5290	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-03-01 01:36:43

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.1101	56.25	16.65	74.00	17.75	150	232	PK	Vertical
2	5384.3972	63.74	16.78	74.00	10.26	150	221	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	16.65	43.64	54.00	10.36	150	232	Vertical
2	5384.3972	16.78	48.57	54.00	5.43	150	221	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11AC80_5530	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-03-01 01:41:15

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5455.4677	59.20	16.86	74.00	14.80	150	158	PK	Horizont
2	5460.0600	53.87	16.86	74.00	20.13	150	158	PK	Horizont

## AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.4677	16.86	47.88	54.00	6.12	150	158	Horizontal
2	5460.0600	16.86	42.97	54.00	11.03	150	158	Horizontal