


# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11AC80_5530	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-03-01 01:42:03

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5455.1976	56.26	16.86	74.00	17.74	150	215	PK	Vertical
2	5460.0600	53.86	16.86	74.00	20.14	150	117	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.1976	16.86	46.69	54.00	7.31	150	215	Vertical
2	5460.0600	16.86	43.10	54.00	10.90	150	117	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11AC80_5610	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-03-01 01:46:21

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0875	50.40	17.99	74.00	23.60	150	261	PK	Horizont
2	5749.7999	52.18	18.12	74.00	21.82	150	337	PK	Horizont

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11AC80_5610	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-03-01 01:47:09

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0875	50.91	17.99	74.00	23.09	150	119	PK	Vertical
2	5748.3992	52.29	18.12	74.00	21.71	150	52	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11A_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-03-01 01:52:44

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	53.60	16.65	74.00	20.40	150	151	PK	Horizont
2	5358.0290	53.19	16.68	74.00	20.81	150	113	PK	Horizont

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP24	SN:	
Mode:	11A_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-03-01 01:53:32

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	50.36	16.65	74.00	23.64	150	232	PK	Vertical
2	5355.4477	52.35	16.67	74.00	21.65	150	218	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 01:18:01

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1053.3553	1.76	40.80	74.00	33.20	150	2	Horizontal
2	1678.7679	3.57	41.08	74.00	32.92	150	253	Horizontal
3	3279.4279	9.91	44.34	74.00	29.66	150	195	Horizontal
4	5181.5182	20.86	54.58	74.00	19.42	150	153	Horizontal
5	10359.7860	4.19	55.25	74.00	18.75	150	120	Horizontal
6	14373.6874	11.22	48.14	74.00	25.86	150	0	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1053.3553	1.76	34.56	54.00	19.44	150	2	Horizontal
2	1678.7679	3.57	36.03	54.00	17.97	150	253	Horizontal
3	3279.4279	9.91	38.50	54.00	15.50	150	195	Horizontal
4	5181.5182	20.86	48.21	54.00	5.79	150	153	Horizontal
5	10359.7860	4.19	49.22	54.00	4.78	150	120	Horizontal
6	14373.6874	11.22	42.29	54.00	11.71	150	0	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 01:19:29

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1536.3036	3.47	42.02	74.00	31.98	150	186	Vertical
2	2493.3993	7.12	43.29	74.00	30.71	150	31	Vertical
3	5176.5677	20.86	54.88	74.00	19.12	150	163	Vertical
4	7959.4960	-0.15	41.96	74.00	32.04	150	358	Vertical
5	10359.7860	4.19	58.67	74.00	15.33	150	172	Vertical
6	15542.2042	11.50	51.89	74.00	22.11	150	204	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1536.3036	3.47	35.35	54.00	18.65	150	186	Vertical
2	2493.3993	7.12	36.78	54.00	17.22	150	31	Vertical
3	5176.5677	20.86	47.63	54.00	6.37	150	163	Vertical
4	7959.4960	-0.15	35.57	54.00	18.43	150	358	Vertical
5	10359.7860	4.19	50.70	54.00	3.30	150	172	Vertical
6	15542.2042	11.50	46.28	54.00	7.72	150	204	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5200	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 01:25:37

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1160.6161	2.20	40.57	74.00	33.43	150	360	Horizontal
2	1920.7921	4.67	42.28	74.00	31.72	150	243	Horizontal
3	2963.1463	8.97	45.43	74.00	28.57	150	61	Horizontal
4	5203.5204	20.86	53.75	74.00	20.25	150	217	Horizontal
5	10397.7398	4.09	56.13	74.00	17.87	150	166	Horizontal
6	14374.8375	11.22	48.11	74.00	25.89	150	157	Horizontal

### AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1160.6161	2.20	34.87	54.00	19.13	150	360	Horizontal
2	1920.7921	4.67	37.77	54.00	16.23	150	243	Horizontal
3	2963.1463	8.97	38.65	54.00	15.35	150	61	Horizontal
4	5203.5204	20.86	48.06	54.00	5.94	150	217	Horizontal
5	10397.7398	4.09	50.20	54.00	3.80	150	166	Horizontal
6	14374.8375	11.22	42.58	54.00	11.42	150	157	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5200	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 01:27:05

## Test Graph



## PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1312.4312	2.81	42.11	74.00	31.89	150	304	Vertical
2	1919.1419	4.66	44.77	74.00	29.23	150	180	Vertical
3	3002.7503	9.15	43.98	74.00	30.02	150	313	Vertical
4	5205.7206	20.86	53.92	74.00	20.08	150	221	Vertical
5	10398.8899	4.08	57.54	74.00	16.46	150	184	Vertical
6	15597.4097	11.84	54.58	74.00	19.42	150	184	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1312.4312	2.81	34.91	54.00	19.09	150	304	Vertical
2	1919.1419	4.66	36.99	54.00	17.01	150	180	Vertical
3	3002.7503	9.15	38.91	54.00	15.09	150	313	Vertical
4	5205.7206	20.86	47.99	54.00	6.01	150	221	Vertical
5	10398.8899	4.08	48.31	54.00	5.69	150	184	Vertical
6	15597.4097	11.84	45.83	54.00	8.17	150	184	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5240	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-28 01:32:22

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1125.9626	1.96	40.72	74.00	33.28	150	2	Horizontal
2	2766.7767	8.18	43.45	74.00	30.55	150	161	Horizontal
3	3889.9890	11.91	45.10	74.00	28.90	150	333	Horizontal
4	5245.8746	20.90	55.59	74.00	18.41	150	146	Horizontal
5	10482.8483	4.96	54.72	74.00	19.28	150	168	Horizontal
6	12896.9397	10.86	50.79	74.00	23.21	150	276	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1125.9626	1.96	35.19	54.00	18.81	150	2	Horizontal
2	2766.7767	8.18	38.01	54.00	15.99	150	161	Horizontal
3	3889.9890	11.91	39.41	54.00	14.59	150	333	Horizontal
4	5245.8746	20.90	49.74	54.00	4.26	150	146	Horizontal
5	10482.8483	4.96	49.33	54.00	4.67	150	168	Horizontal
6	12896.9397	10.86	43.67	54.00	10.33	150	276	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5240	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-28 01:33:50

## Test Graph



## PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1145.7646	2.10	40.78	74.00	33.22	150	14	Vertical
2	1916.3916	4.63	44.17	74.00	29.83	150	168	Vertical
3	3002.7503	9.15	43.82	74.00	30.18	150	94	Vertical
4	5247.5248	20.90	53.11	74.00	20.89	150	217	Vertical
5	10482.8483	4.96	52.72	74.00	21.28	150	164	Vertical
6	12890.0390	10.75	49.63	74.00	24.37	150	132	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1145.7646	2.10	36.13	54.00	17.87	150	14	Vertical
2	1916.3916	4.63	37.83	54.00	16.17	150	168	Vertical
3	3002.7503	9.15	39.03	54.00	14.97	150	94	Vertical
4	5247.5248	20.90	48.00	54.00	6.00	150	217	Vertical
5	10482.8483	4.96	47.00	54.00	7.00	150	164	Vertical
6	12890.0390	10.75	43.99	54.00	10.01	150	132	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5260	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 01:37:46

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1275.0275	2.67	40.92	74.00	33.08	150	22	Horizontal
2	1919.6920	4.66	43.34	74.00	30.66	150	248	Horizontal
3	3026.4026	9.22	44.83	74.00	29.17	150	147	Horizontal
4	5263.4763	20.91	57.52	74.00	16.48	150	216	Horizontal
5	10521.9522	5.14	55.89	74.00	18.11	150	163	Horizontal
6	14945.2945	11.44	48.85	74.00	25.15	150	0	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1275.0275	2.67	35.62	54.00	18.38	150	22	Horizontal
2	1919.6920	4.66	38.49	54.00	15.51	150	248	Horizontal
3	3026.4026	9.22	38.17	54.00	15.83	150	147	Horizontal
4	5263.4763	20.91	45.25	54.00	8.75	150	216	Horizontal
5	10521.9522	5.14	50.39	54.00	3.61	150	163	Horizontal
6	14945.2945	11.44	41.32	54.00	12.68	150	0	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5260	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 01:39:14

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1124.3124	1.95	42.00	74.00	32.00	150	220	Vertical
2	1916.9417	4.63	43.25	74.00	30.75	150	169	Vertical
3	2862.4862	8.56	44.00	74.00	30.00	150	161	Vertical
4	5260.7261	20.91	52.56	74.00	21.44	150	220	Vertical
5	10519.6520	5.14	60.80	74.00	13.20	150	181	Vertical
6	15723.9224	11.57	47.73	74.00	26.27	150	256	Vertical

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1124.3124	1.95	35.27	54.00	18.73	150	220	Vertical
2	1916.9417	4.63	37.74	54.00	16.26	150	169	Vertical
3	2862.4862	8.56	38.77	54.00	15.23	150	161	Vertical
4	5260.7261	20.91	47.84	54.00	6.16	150	220	Vertical
5	10519.6520	5.14	49.44	54.00	4.56	150	181	Vertical
6	15723.9224	11.57	42.78	54.00	11.22	150	256	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5280	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-28 01:43:36

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1305.2805	2.77	42.78	74.00	31.22	150	2	Horizontal
2	1920.7921	4.67	45.01	74.00	28.99	150	243	Horizontal
3	3002.2002	9.15	46.64	74.00	27.36	150	46	Horizontal
4	5276.1276	20.92	55.31	74.00	18.69	150	145	Horizontal
5	10559.9060	5.15	52.63	74.00	21.37	150	166	Horizontal
6	15128.1628	11.70	50.75	74.00	23.25	150	350	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1305.2805	2.77	34.68	54.00	19.32	150	2	Horizontal
2	1920.7921	4.67	35.51	54.00	18.49	150	243	Horizontal
3	3002.2002	9.15	37.08	54.00	16.92	150	46	Horizontal
4	5276.1276	20.92	45.23	54.00	8.77	150	145	Horizontal
5	10559.9060	5.15	49.45	54.00	4.55	150	166	Horizontal
6	15128.1628	11.70	41.40	54.00	12.60	150	350	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5280	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-28 01:45:03

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1188.1188	2.39	41.21	74.00	32.79	150	269	Vertical
2	1918.0418	4.65	42.81	74.00	31.19	150	180	Vertical
3	2748.6249	8.09	43.68	74.00	30.32	150	47	Vertical
4	5288.7789	20.93	52.39	74.00	21.61	150	222	Vertical
5	10555.3055	5.15	55.76	74.00	18.24	150	155	Vertical
6	15740.0240	11.45	47.68	74.00	26.32	150	212	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1188.1188	2.39	34.96	54.00	19.04	150	269	Vertical
2	1918.0418	4.65	37.40	54.00	16.60	150	180	Vertical
3	2748.6249	8.09	38.03	54.00	15.97	150	47	Vertical
4	5288.7789	20.93	47.23	54.00	6.77	150	222	Vertical
5	10555.3055	5.15	48.71	54.00	5.29	150	155	Vertical
6	15740.0240	11.45	42.19	54.00	11.81	150	212	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-28 01:48:46

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1284.3784	2.70	40.76	74.00	33.24	150	243	Horizontal
2	1916.9417	4.63	44.34	74.00	29.66	150	252	Horizontal
3	3334.9835	10.08	43.73	74.00	30.27	150	101	Horizontal
4	5328.3828	20.96	52.10	74.00	21.90	150	144	Horizontal
5	10634.6635	5.40	53.94	74.00	20.06	150	168	Horizontal
6	14362.1862	11.22	48.04	74.00	25.96	150	94	Horizontal

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1284.3784	2.70	35.41	54.00	18.59	150	243	Horizontal
2	1916.9417	4.63	37.37	54.00	16.63	150	252	Horizontal
3	3334.9835	10.08	38.63	54.00	15.37	150	101	Horizontal
4	5328.3828	20.96	46.59	54.00	7.41	150	144	Horizontal
5	10634.6635	5.40	48.12	54.00	5.88	150	168	Horizontal
6	14362.1862	11.22	41.81	54.00	12.19	150	94	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-28 01:50:13

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1361.3861	3.09	41.35	74.00	32.65	150	195	Vertical
2	1916.9417	4.63	43.29	74.00	30.71	150	178	Vertical
3	3028.0528	9.23	43.29	74.00	30.71	150	154	Vertical
4	5312.9813	20.95	54.30	74.00	19.70	150	220	Vertical
5	10634.6635	5.40	50.87	74.00	23.13	150	174	Vertical
6	14300.0800	11.23	48.79	74.00	25.21	150	214	Vertical

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1361.3861	3.09	35.09	54.00	18.91	150	195	Vertical
2	1916.9417	4.63	36.72	54.00	17.28	150	178	Vertical
3	3028.0528	9.23	38.39	54.00	15.61	150	154	Vertical
4	5312.9813	20.95	49.28	54.00	4.72	150	220	Vertical
5	10634.6635	5.40	48.07	54.00	5.93	150	174	Vertical
6	14300.0800	11.23	42.51	54.00	11.49	150	214	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 01:54:04

## Test Graph



## PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1273.3773	2.76	40.98	74.00	33.02	150	133	Horizontal
2	1918.0418	4.55	43.53	74.00	30.47	150	253	Horizontal
3	3192.5193	9.56	45.49	74.00	28.51	150	276	Horizontal
4	5497.2497	19.63	52.86	74.00	21.14	150	133	Horizontal
5	10994.6495	5.31	59.28	74.00	14.72	150	185	Horizontal
6	13748.0248	10.63	49.24	74.00	24.76	150	358	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1273.3773	2.76	34.71	54.00	19.29	150	133	Horizontal
2	1918.0418	4.55	38.28	54.00	15.72	150	253	Horizontal
3	3192.5193	9.56	38.46	54.00	15.54	150	276	Horizontal
4	5497.2497	19.63	48.37	54.00	5.63	150	133	Horizontal
5	10994.6495	5.31	50.23	54.00	3.77	150	185	Horizontal
6	13748.0248	10.63	42.28	54.00	11.72	150	358	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 01:55:31

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1195.2695	2.26	40.71	74.00	33.29	150	253	Vertical
2	1917.4917	4.54	45.42	74.00	28.58	150	176	Vertical
3	3185.3685	9.55	44.45	74.00	29.55	150	87	Vertical
4	5497.2497	19.63	53.91	74.00	20.09	150	222	Vertical
5	10999.2499	5.28	55.45	74.00	18.55	150	201	Vertical
6	16178.2178	11.95	48.74	74.00	25.26	150	63	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1195.2695	2.26	34.77	54.00	19.23	150	253	Vertical
2	1917.4917	4.54	37.16	54.00	16.84	150	176	Vertical
3	3185.3685	9.55	38.80	54.00	15.20	150	87	Vertical
4	5497.2497	19.63	47.63	54.00	6.37	150	222	Vertical
5	10999.2499	5.28	49.61	54.00	4.39	150	201	Vertical
6	16178.2178	11.95	41.75	54.00	12.25	150	63	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5580	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 02:00:45

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1187.5688	2.22	41.42	74.00	32.58	150	115	Horizontal
2	1919.1419	4.56	43.63	74.00	30.37	150	219	Horizontal
3	3070.9571	9.30	44.53	74.00	29.47	150	245	Horizontal
4	5579.7580	19.83	52.95	74.00	21.05	150	138	Horizontal
5	11156.8157	5.21	55.59	74.00	18.41	150	199	Horizontal
6	14375.9876	11.21	49.27	74.00	24.73	150	325	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1187.5688	2.22	35.08	54.00	18.92	150	115	Horizontal
2	1919.1419	4.56	37.19	54.00	16.81	150	219	Horizontal
3	3070.9571	9.30	38.89	54.00	15.11	150	245	Horizontal
4	5579.7580	19.83	48.23	54.00	5.77	150	138	Horizontal
5	11156.8157	5.21	49.04	54.00	4.96	150	199	Horizontal
6	14375.9876	11.21	41.95	54.00	12.05	150	325	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5580	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 02:02:12

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1352.0352	3.13	40.33	74.00	33.67	150	314	Vertical
2	1915.2915	4.52	43.00	74.00	31.00	150	174	Vertical
3	3664.4664	10.61	44.23	74.00	29.77	150	323	Vertical
4	5579.2079	19.83	54.75	74.00	19.25	150	223	Vertical
5	11159.1159	5.21	58.15	74.00	15.85	150	208	Vertical
6	14892.3892	11.61	46.97	74.00	27.03	150	341	Vertical

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1352.0352	3.13	35.03	54.00	18.97	150	314	Vertical
2	1915.2915	4.52	37.39	54.00	16.61	150	174	Vertical
3	3664.4664	10.61	39.52	54.00	14.48	150	323	Vertical
4	5579.2079	19.83	50.59	54.00	3.41	150	223	Vertical
5	11159.1159	5.21	47.30	54.00	6.70	150	208	Vertical
6	14892.3892	11.61	41.66	54.00	12.34	150	341	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-02-28 02:06:01

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1136.9637	1.96	40.64	74.00	33.36	150	102	Horizontal
2	1919.6920	4.56	48.25	74.00	25.75	150	242	Horizontal
3	3163.3663	9.54	46.19	74.00	27.81	150	358	Horizontal
4	5694.7195	20.53	51.67	74.00	22.33	150	134	Horizontal
5	11398.3398	6.14	53.72	74.00	20.28	150	178	Horizontal
6	14405.8906	11.23	47.53	74.00	26.47	150	301	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1136.9637	1.96	34.30	54.00	19.70	150	102	Horizontal
2	1919.6920	4.56	36.73	54.00	17.27	150	242	Horizontal
3	3163.3663	9.54	38.96	54.00	15.04	150	358	Horizontal
4	5694.7195	20.53	48.73	54.00	5.27	150	134	Horizontal
5	11398.3398	6.14	46.69	54.00	7.31	150	178	Horizontal
6	14405.8906	11.23	41.88	54.00	12.12	150	301	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-02-28 02:07:29

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1128.1628	1.91	42.15	74.00	31.85	150	180	Vertical
2	1918.0418	4.55	43.45	74.00	30.55	150	171	Vertical
3	3217.8218	9.61	44.85	74.00	29.15	150	293	Vertical
4	5694.7195	20.53	54.28	74.00	19.72	150	146	Vertical
5	8621.9622	2.01	43.26	74.00	30.74	150	210	Vertical
6	11398.3398	6.14	50.41	74.00	23.59	150	210	Vertical

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1128.1628	1.91	34.41	54.00	19.59	150	180	Vertical
2	1918.0418	4.55	37.88	54.00	16.12	150	171	Vertical
3	3217.8218	9.61	38.90	54.00	15.10	150	293	Vertical
4	5694.7195	20.53	47.04	54.00	6.96	150	146	Vertical
5	8621.9622	2.01	37.80	54.00	16.20	150	210	Vertical
6	11398.3398	6.14	43.76	54.00	10.24	150	210	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5745	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-28 02:11:42

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1918.0418	6.41	46.04	74.00	27.96	150	239	Horizontal
2	2750.2750	10.23	44.78	74.00	29.22	150	165	Horizontal
3	3771.1771	14.57	48.38	74.00	25.62	150	174	Horizontal
4	5715.0715	23.24	56.97	74.00	17.03	150	135	Horizontal
5	11492.6493	6.24	52.29	74.00	21.71	150	178	Horizontal
6	15708.9709	11.68	47.19	74.00	26.81	150	15	Horizontal

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1918.0418	6.41	39.47	54.00	14.53	150	239	Horizontal
2	2750.2750	10.23	40.02	54.00	13.98	150	165	Horizontal
3	3771.1771	14.57	43.96	54.00	10.04	150	174	Horizontal
4	5715.0715	23.24	49.93	54.00	4.07	150	135	Horizontal
5	11492.6493	6.24	47.33	54.00	6.67	150	178	Horizontal
6	15708.9709	11.68	42.12	54.00	11.88	150	15	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5745	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-28 02:13:09

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1113.8614	3.22	42.06	74.00	31.94	150	181	Vertical
2	1916.3916	6.38	45.40	74.00	28.60	150	164	Vertical
3	2977.9978	11.96	47.53	74.00	26.47	150	92	Vertical
4	5713.9714	23.23	54.05	74.00	19.95	150	140	Vertical
5	11488.0488	6.24	51.97	74.00	22.03	150	209	Vertical
6	15684.8185	11.77	49.27	74.00	24.73	150	354	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1113.8614	3.22	36.98	54.00	17.02	150	181	Vertical
2	1916.3916	6.38	39.29	54.00	14.71	150	164	Vertical
3	2977.9978	11.96	41.59	54.00	12.41	150	92	Vertical
4	5713.9714	23.23	46.83	54.00	7.17	150	140	Vertical
5	11488.0488	6.24	46.61	54.00	7.39	150	209	Vertical
6	15684.8185	11.77	42.60	54.00	11.40	150	354	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5785	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-28 02:16:35

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1263.4763	3.49	42.17	74.00	31.83	150	32	Horizontal
2	1922.4422	6.46	44.26	74.00	29.74	150	214	Horizontal
3	2981.2981	11.99	47.00	74.00	27.00	150	4	Horizontal
4	5696.3696	23.12	55.11	74.00	18.89	150	135	Horizontal
5	11570.8571	5.23	55.36	74.00	18.64	150	181	Horizontal
6	15729.6730	11.53	47.24	74.00	26.76	150	118	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1263.4763	3.49	35.43	54.00	18.57	150	32	Horizontal
2	1922.4422	6.46	39.08	54.00	14.92	150	214	Horizontal
3	2981.2981	11.99	41.68	54.00	12.32	150	4	Horizontal
4	5696.3696	23.12	48.52	54.00	5.48	150	135	Horizontal
5	11570.8571	5.23	47.62	54.00	6.38	150	181	Horizontal
6	15729.6730	11.53	42.73	54.00	11.27	150	118	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5785	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-28 02:18:02

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1158.9659	3.29	41.59	74.00	32.41	150	84	Vertical
2	1919.1419	6.42	46.39	74.00	27.61	150	168	Vertical
3	2948.8449	11.74	46.62	74.00	27.38	150	239	Vertical
4	5700.2200	23.15	55.73	74.00	18.27	150	149	Vertical
5	11573.1573	5.20	52.49	74.00	21.51	150	204	Vertical
6	15727.3727	11.54	48.63	74.00	25.37	150	301	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1158.9659	3.29	36.18	54.00	17.82	150	84	Vertical
2	1919.1419	6.42	39.63	54.00	14.37	150	168	Vertical
3	2948.8449	11.74	41.48	54.00	12.52	150	239	Vertical
4	5700.2200	23.15	49.44	54.00	4.56	150	149	Vertical
5	11573.1573	5.20	45.24	54.00	8.76	150	204	Vertical
6	15727.3727	11.54	42.15	54.00	11.85	150	301	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5825	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-28 02:21:12

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1275.0275	3.51	41.76	74.00	32.24	150	262	Horizontal
2	1920.2420	6.43	46.19	74.00	27.81	150	215	Horizontal
3	3132.0132	12.29	47.33	74.00	26.67	150	101	Horizontal
4	5832.7833	23.84	54.22	74.00	19.78	150	76	Horizontal
5	11647.9148	4.69	52.51	74.00	21.49	150	182	Horizontal
6	14694.5695	12.60	47.42	74.00	26.58	150	149	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1275.0275	3.51	35.79	54.00	18.21	150	262	Horizontal
2	1920.2420	6.43	39.44	54.00	14.56	150	215	Horizontal
3	3132.0132	12.29	41.59	54.00	12.41	150	101	Horizontal
4	5832.7833	23.84	47.79	54.00	6.21	150	76	Horizontal
5	11647.9148	4.69	45.66	54.00	8.34	150	182	Horizontal
6	14694.5695	12.60	42.03	54.00	11.97	150	149	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11N20_5825	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-28 02:22:39

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1172.7173	3.31	41.45	74.00	32.55	150	1	Vertical
2	1919.1419	6.42	45.58	74.00	28.42	150	168	Vertical
3	3094.6095	12.24	46.45	74.00	27.55	150	0	Vertical
4	5657.3157	22.87	56.30	74.00	17.70	150	143	Vertical
5	11647.9148	4.69	50.31	74.00	23.69	150	206	Vertical
6	15728.5229	11.54	48.86	74.00	25.14	150	350	Vertical

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1172.7173	3.31	35.93	54.00	18.07	150	1	Vertical
2	1919.1419	6.42	39.02	54.00	14.98	150	168	Vertical
3	3094.6095	12.24	41.56	54.00	12.44	150	0	Vertical
4	5657.3157	22.87	49.29	54.00	4.71	150	143	Vertical
5	11647.9148	4.69	44.80	54.00	9.20	150	206	Vertical
6	15728.5229	11.54	42.40	54.00	11.60	150	350	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11A_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 02:28:15

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5138.3142	54.08	16.49	74.00	19.92	150	211	PK	Horizontal
2	5150.0375	54.75	16.46	74.00	19.25	150	189	PK	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5138.3142	16.49	46.72	54.00	7.28	150	211	Horizontal
2	5150.0375	16.46	47.07	54.00	6.93	150	189	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11A_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 02:29:04

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5146.7034	56.01	16.47	74.00	17.99	150	220	PK	Vertical
2	5150.0375	54.83	16.46	74.00	19.17	150	220	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5146.7034	16.47	48.57	54.00	5.43	150	220	Vertical
2	5150.0375	16.46	46.57	54.00	7.43	150	220	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11A_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 02:33:23

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	52.92	16.65	74.00	21.08	150	213	PK	Horizont
2	5354.9100	53.10	16.67	74.00	20.90	150	213	PK	Horizont




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11A_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 02:34:11

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	56.02	16.65	74.00	17.98	150	225	PK	Vertical
2	5353.9420	56.14	16.66	74.00	17.86	150	225	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	16.65	47.61	54.00	6.39	150	225	Vertical
2	5353.9420	16.66	47.96	54.00	6.04	150	225	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11A_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 02:38:42

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5458.4667	52.87	16.86	74.00	21.13	150	214	PK	Horizont
2	5460.0300	51.96	16.86	74.00	22.04	150	218	PK	Horizont

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11A_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 02:39:30

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5456.9035	56.84	16.86	74.00	17.16	150	219	PK	Vertical
2	5460.0300	54.05	16.86	74.00	19.95	150	219	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.9035	16.86	48.43	54.00	5.57	150	219	Vertical
2	5460.0300	16.86	46.52	54.00	7.48	150	219	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11A_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 02:46:02

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	54.54	17.99	74.00	19.46	150	219	PK	Horizont
2	5726.5333	55.31	18.00	74.00	18.69	150	219	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	46.05	54.00	7.95	150	219	Horizontal
2	5726.5333	18.00	47.66	54.00	6.34	150	219	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.0°C 42%
Model:	Xenon MP16	SN:	
Mode:	11A_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 02:46:50

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	60.72	17.99	74.00	13.28	150	220	PK	Vertical
2	5725.7829	60.85	18.00	74.00	13.15	150	220	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	50.00	54.00	4.00	150	220	Vertical
2	5725.7829	18.00	50.49	54.00	3.51	150	220	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 19:59:38

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5149.0695	58.30	16.47	74.00	15.70	150	154	PK	Horizontal
2	5150.0375	54.45	16.46	74.00	19.55	150	158	PK	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5149.0695	16.47	47.57	54.00	6.43	150	154	Horizontal
2	5150.0375	16.46	45.12	54.00	8.88	150	158	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 20:00:18

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5145.9505	55.43	16.48	74.00	18.57	150	150	PK	Vertical
2	5150.0375	53.29	16.46	74.00	20.71	150	150	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.9505	16.48	45.59	54.00	8.41	150	150	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-28 20:07:57

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	52.11	16.65	74.00	21.89	150	150	PK	Horizont
2	5351.7909	54.44	16.66	74.00	19.56	150	208	PK	Horizont

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5351.7909	16.66	47.02	54.00	6.98	150	208	Horizontal