


Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-28 20:08:38

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	51.14	16.65	74.00	22.86	150	156	PK	Vertical
2	5351.2531	55.78	16.65	74.00	18.22	150	140	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	16.65	45.97	54.00	8.03	150	156	Vertical
2	5351.2531	16.65	47.88	54.00	6.12	150	140	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 20:21:07

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5452.4637	53.37	16.86	74.00	20.63	150	150	PK	Horizont
2	5460.0300	51.73	16.86	74.00	22.27	150	161	PK	Horizont

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 20:21:48

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5456.7784	54.59	16.86	74.00	19.41	150	161	PK	Vertical
2	5460.0300	50.87	16.86	74.00	23.13	150	149	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.7784	16.86	47.98	54.00	6.02	150	161	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-02-28 20:28:02

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	63.35	17.99	74.00	10.65	150	158	PK	Horizont
2	5726.5333	64.19	18.00	74.00	9.81	150	158	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	49.65	54.00	4.35	150	158	Horizontal
2	5726.5333	18.00	50.15	54.00	3.85	150	158	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-02-28 20:28:43

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	63.19	17.99	74.00	10.81	150	151	PK	Vertical
2	5727.3962	64.20	18.01	74.00	9.80	150	160	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	49.87	54.00	4.13	150	151	Vertical
2	5727.3962	18.01	50.36	54.00	3.64	150	160	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 20:39:21

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5143.5093	58.30	16.48	74.00	15.70	150	159	PK	Horizont
2	5150.0375	57.10	16.46	74.00	16.90	150	159	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5143.5093	16.48	47.51	54.00	6.49	150	159	Horizontal
2	5150.0375	16.46	47.05	54.00	6.95	150	159	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 20:40:02

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5145.5353	59.03	16.48	74.00	14.97	150	150	PK	Vertical
2	5150.0375	54.17	16.46	74.00	19.83	150	165	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5145.5353	16.48	48.23	54.00	5.77	150	150	Vertical
2	5150.0375	16.46	45.01	54.00	8.99	150	165	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 20:46:12

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	59.20	16.65	74.00	14.80	150	141	PK	Horizontal
2	5351.3157	63.51	16.65	74.00	10.49	150	134	PK	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	47.04	54.00	6.96	150	141	Horizontal
2	5351.3157	16.65	49.78	54.00	4.22	150	134	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 20:47:00

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	58.08	16.65	74.00	15.92	150	220	PK	Vertical
2	5354.1971	63.36	16.67	74.00	10.64	150	156	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	46.43	54.00	7.57	150	220	Vertical
2	5354.1971	16.67	49.45	54.00	4.55	150	156	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:11:54

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5456.0705	65.33	16.86	74.00	8.67	150	139	PK	Horizont
2	5460.0400	67.32	16.86	74.00	6.68	150	139	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.0705	16.86	48.10	54.00	5.90	150	139	Horizontal
2	5460.0400	16.86	51.37	54.00	2.63	150	139	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:12:34

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5456.3582	65.01	16.86	74.00	8.99	150	212	PK	Vertical
2	5460.0400	65.69	16.86	74.00	8.31	150	148	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.3582	16.86	47.75	54.00	6.25	150	212	Vertical
2	5460.0400	16.86	48.65	54.00	5.35	150	148	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-28 21:18:31

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	51.01	17.99	74.00	22.99	150	138	PK	Horizont
2	5742.8089	52.33	18.09	74.00	21.67	150	134	PK	Horizont

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11N40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-28 21:19:20

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	50.14	17.99	74.00	23.86	150	160	PK	Vertical
2	5740.0775	53.18	18.07	74.00	20.82	150	151	PK	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:24:45

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5077.6538	55.67	16.53	74.00	18.33	150	217	PK	Horizontal
2	5150.0375	53.73	16.46	74.00	20.27	150	154	PK	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5077.6538	16.53	47.12	54.00	6.88	150	217	Horizontal
2	5150.0375	16.46	44.91	54.00	9.09	150	154	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:25:33

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5146.2731	55.01	16.47	74.00	18.99	150	212	PK	Vertical
2	5150.0375	52.44	16.46	74.00	21.56	150	151	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5146.2731	16.47	46.58	54.00	7.42	150	212	Vertical
2	5150.0375	16.46	44.62	54.00	9.38	150	151	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:38:21

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5455.7779	57.85	16.86	74.00	16.15	150	138	PK	Horizont
2	5460.0300	55.46	16.86	74.00	18.54	150	181	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5455.7779	16.86	47.27	54.00	6.73	150	138	Horizontal
2	5460.0300	16.86	46.02	54.00	7.98	150	181	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:39:09

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5456.2781	58.93	16.86	74.00	15.07	150	219	PK	Vertical
2	5460.0300	59.01	16.86	74.00	14.99	150	135	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.2781	16.86	48.19	54.00	5.81	150	219	Vertical
2	5460.0300	16.86	48.35	54.00	5.65	150	135	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:44:24

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	62.53	17.99	74.00	11.47	150	140	PK	Horizont
2	5726.5708	65.47	18.00	74.00	8.53	150	140	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	46.11	54.00	7.89	150	140	Horizontal
2	5726.5708	18.00	48.41	54.00	5.59	150	140	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:45:12

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0325	65.92	17.99	74.00	8.08	150	133	PK	Vertical
2	5727.5463	67.47	18.01	74.00	6.53	150	133	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0325	17.99	48.65	54.00	5.35	150	133	Vertical
2	5727.5463	18.01	50.10	54.00	3.90	150	133	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:50:29

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5134.5048	59.70	16.50	74.00	14.30	150	188	PK	Horizont
2	5150.0375	57.79	16.46	74.00	16.21	150	188	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5134.5048	16.50	47.48	54.00	6.52	150	188	Horizontal
2	5150.0375	16.46	45.65	54.00	8.35	150	188	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:51:18

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5143.5093	60.02	16.48	74.00	13.98	150	151	PK	Vertical
2	5150.0375	55.30	16.46	74.00	18.70	150	218	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5143.5093	16.48	47.68	54.00	6.32	150	151	Vertical
2	5150.0375	16.46	44.57	54.00	9.43	150	218	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:56:22

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	58.89	16.65	74.00	15.11	150	132	PK	Horizontal
2	5354.0770	64.74	16.67	74.00	9.26	150	132	PK	Horizontal

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	43.76	54.00	10.24	150	132	Horizontal
2	5354.0770	16.67	49.01	54.00	4.99	150	132	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-28 21:57:10

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	58.34	16.65	74.00	15.66	150	159	PK	Vertical
2	5354.3172	62.78	16.67	74.00	11.22	150	213	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	43.71	54.00	10.29	150	159	Vertical
2	5354.3172	16.67	47.93	54.00	6.07	150	213	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 22:08:22

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5458.8319	61.73	16.86	74.00	12.27	150	138	PK	Horizont
2	5460.0400	59.87	16.86	74.00	14.13	150	138	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5458.8319	16.86	49.59	54.00	4.41	150	138	Horizontal
2	5460.0400	16.86	47.74	54.00	6.26	150	138	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-28 22:09:11

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5457.3937	60.19	16.86	74.00	13.81	150	162	PK	Vertical
2	5460.0400	59.39	16.86	74.00	14.61	150	140	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.3937	16.86	48.92	54.00	5.08	150	162	Vertical
2	5460.0400	16.86	47.32	54.00	6.68	150	140	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-28 22:15:30

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	49.82	17.99	74.00	24.18	150	214	PK	Horizont
2	5748.1416	51.83	18.12	74.00	22.17	150	128	PK	Horizont

Test Report

Project Information			
EUT:	Tablet	Environment:	21.3°C 46%
Model:	Xenon MP16	SN:	
Mode:	11AC40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-28 22:16:18

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	50.35	17.99	74.00	23.65	150	248	PK	Vertical
2	5748.7919	52.86	18.12	74.00	21.14	150	155	PK	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC80_5210	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2024-02-29 23:58:41

Test Graph



Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5137.9990	53.89	16.50	74.00	20.11	150	208	PK	Horizont
2	5150.0650	52.27	16.46	74.00	21.73	150	208	PK	Horizont
3	5350.1451	50.15	16.65	74.00	23.85	150	336	PK	Horizont
4	5411.7359	51.66	16.84	74.00	22.34	150	246	PK	Horizont

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC80_5210	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 10		

Start of Test: 2024-02-29 23:59:30

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5133.3167	55.50	16.51	74.00	18.50	150	217	PK	Vertical
2	5150.0650	52.64	16.46	74.00	21.36	150	217	PK	Vertical
3	5350.1451	50.07	16.65	74.00	23.93	150	52	PK	Vertical
4	5395.1676	51.01	16.82	74.00	22.99	150	128	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5133.3167	16.51	47.74	54.00	6.26	150	217	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC80_5290	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-03-01 00:35:26

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.1101	60.71	16.65	74.00	13.29	150	134	PK	Horizont
2	5375.7679	65.57	16.75	74.00	8.43	150	134	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	16.65	47.87	54.00	6.13	150	134	Horizontal
2	5375.7679	16.75	50.88	54.00	3.12	150	134	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC80_5290	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-03-01 00:36:14

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.1101	58.52	16.65	74.00	15.48	150	138	PK	Vertical
2	5375.4227	64.69	16.75	74.00	9.31	150	159	PK	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.1101	16.65	46.11	54.00	7.89	150	138	Vertical
2	5375.4227	16.75	50.62	54.00	3.38	150	159	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC80_5530	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-03-01 00:46:24

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5435.9280	58.72	16.85	74.00	15.28	150	138	PK	Horizont
2	5460.0600	54.18	16.86	74.00	19.82	150	134	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5435.9280	16.85	47.28	54.00	6.72	150	138	Horizontal
2	5460.0600	16.86	44.89	54.00	9.11	150	134	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC80_5530	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-03-01 00:47:13

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5435.3877	59.48	16.85	74.00	14.52	150	137	PK	Vertical
2	5460.0600	55.80	16.86	74.00	18.20	150	150	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5435.3877	16.85	48.04	54.00	5.96	150	137	Vertical
2	5460.0600	16.86	45.32	54.00	8.68	150	150	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC80_5610	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-03-01 00:52:42

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0875	50.06	17.99	74.00	23.94	150	138	PK	Horizont
2	5747.5988	52.58	18.11	74.00	21.42	150	287	PK	Horizont

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC80_5610	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-03-01 00:53:30

Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0875	51.80	17.99	74.00	22.20	150	152	PK	Vertical
2	5729.3897	52.93	18.02	74.00	21.07	150	127	PK	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-03-01 01:14:36

Test Graph



Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	54.04	16.65	74.00	19.96	150	138	PK	Horizont
2	5352.5438	57.76	16.66	74.00	16.24	150	138	PK	Horizont

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	16.65	44.66	54.00	9.34	150	138	Horizontal
2	5352.5438	16.66	48.11	54.00	5.89	150	138	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 47%
Model:	Xenon MP16	SN:	
Mode:	11AC20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-03-01 01:15:24

Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	54.17	16.65	74.00	19.83	150	153	PK	Vertical
2	5353.1891	54.89	16.66	74.00	19.11	150	214	PK	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0700	16.65	44.53	54.00	9.47	150	153	Vertical
2	5353.1891	16.66	45.35	54.00	8.65	150	214	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-20 09:49:58

Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.6700	2.47	43.97	74.00	30.03	150	164	Horizontal
2	1918.0418	4.65	42.61	74.00	31.39	150	124	Horizontal
3	3478.5479	10.31	44.05	74.00	29.95	150	21	Horizontal
4	5172.1672	20.86	53.30	74.00	20.70	150	254	Horizontal
5	10364.3864	4.18	58.41	74.00	15.59	150	177	Horizontal
6	12923.3923	10.60	48.05	74.00	25.95	150	89	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.6700	2.47	37.82	54.00	16.18	150	164	Horizontal
2	1918.0418	4.65	37.03	54.00	16.97	150	124	Horizontal
3	3478.5479	10.31	38.18	54.00	15.82	150	21	Horizontal
4	5172.1672	20.86	44.09	54.00	9.91	150	254	Horizontal
5	10364.3864	4.18	49.20	54.00	4.80	150	177	Horizontal
6	12923.3923	10.60	43.42	54.00	10.58	150	89	Horizontal

Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-20 09:51:18

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1496.6997	3.44	41.00	74.00	33.00	150	91	Vertical
2	1723.8724	3.54	41.73	74.00	32.27	150	2	Vertical
3	2494.4995	7.13	43.06	74.00	30.94	150	36	Vertical
4	3399.3399	10.29	44.43	74.00	29.57	150	100	Vertical
5	10364.3864	4.18	59.45	74.00	14.55	150	182	Vertical
6	13696.2696	11.24	49.25	74.00	24.75	150	277	Vertical

AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1496.6997	3.44	36.65	54.00	17.35	150	91	Vertical
2	1723.8724	3.54	43.23	54.00	10.77	150	2	Vertical
3	2494.4995	7.13	35.83	54.00	18.17	150	36	Vertical
4	3399.3399	10.29	39.25	54.00	14.75	150	100	Vertical
5	10364.3864	4.18	50.98	54.00	3.02	150	182	Vertical
6	13696.2696	11.24	42.82	54.00	11.18	150	277	Vertical

Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5200	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-20 10:10:11

Test Graph



PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.6700	2.47	43.41	74.00	30.59	150	62	Horizontal
2	1919.1419	4.66	43.23	74.00	30.77	150	197	Horizontal
3	3128.1628	9.52	45.48	74.00	28.52	150	167	Horizontal
4	5202.9703	20.86	53.90	74.00	20.10	150	244	Horizontal
5	10397.7398	4.09	57.38	74.00	16.62	150	183	Horizontal
6	14373.6874	11.22	46.76	74.00	27.24	150	150	Horizontal

AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.6700	2.47	36.65	54.00	17.35	150	62	Horizontal
2	1919.1419	4.66	36.59	54.00	17.41	150	197	Horizontal
3	3128.1628	9.52	37.92	54.00	16.08	150	167	Horizontal
4	5202.9703	20.86	47.72	54.00	6.28	150	244	Horizontal
5	10397.7398	4.09	49.65	54.00	4.35	150	183	Horizontal
6	14373.6874	11.22	42.04	54.00	11.96	150	150	Horizontal