


# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5200	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-20 10:11:39

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1066.0066	1.76	47.67	74.00	26.33	150	100	Vertical
2	1715.0715	3.56	49.27	74.00	24.73	150	124	Vertical
3	2899.3399	8.69	42.92	74.00	31.08	150	339	Vertical
4	5293.7294	20.94	51.44	74.00	22.56	150	83	Vertical
5	9236.1236	3.24	39.31	74.00	34.69	150	0	Vertical
6	13687.0687	11.14	46.67	74.00	27.33	150	0	Vertical

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1066.0066	1.76	38.05	54.00	15.95	150	100	Vertical
2	1715.0715	3.56	44.98	54.00	9.02	150	124	Vertical
3	2899.3399	8.69	37.43	54.00	16.57	150	339	Vertical
4	5293.7294	20.94	45.84	54.00	8.16	150	83	Vertical
5	9236.1236	3.24	37.12	54.00	16.88	150	0	Vertical
6	13687.0687	11.14	41.75	54.00	12.25	150	0	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5240	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-20 10:39:47

## Test Graph



## PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.7701	2.47	42.38	74.00	31.62	150	67	Horizontal
2	1918.5919	4.65	43.96	74.00	30.04	150	192	Horizontal
3	3177.6678	9.62	43.52	74.00	30.48	150	285	Horizontal
4	5245.8746	20.90	53.09	74.00	20.91	150	145	Horizontal
5	10472.4973	4.85	51.04	74.00	22.96	150	181	Horizontal
6	12906.1406	10.83	47.88	74.00	26.12	150	189	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.7701	2.47	36.46	54.00	17.54	150	67	Horizontal
2	1918.5919	4.65	37.05	54.00	16.95	150	192	Horizontal
3	3177.6678	9.62	38.20	54.00	15.80	150	285	Horizontal
4	5245.8746	20.90	47.75	54.00	6.25	150	145	Horizontal
5	10472.4973	4.85	48.04	54.00	5.96	150	181	Horizontal
6	12906.1406	10.83	43.09	54.00	10.91	150	189	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5240	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-20 10:41:15

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1197.4697	2.45	41.33	74.00	32.67	150	84	Vertical
2	1913.0913	4.59	41.19	74.00	32.81	150	201	Vertical
3	2482.3982	7.03	43.33	74.00	30.67	150	318	Vertical
4	5245.3245	20.90	54.95	74.00	19.05	150	302	Vertical
5	10474.7975	4.87	56.85	74.00	17.15	150	194	Vertical
6	12892.3392	10.79	49.59	74.00	24.41	150	360	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1197.4697	2.45	35.38	54.00	18.62	150	84	Vertical
2	1913.0913	4.59	36.37	54.00	17.63	150	201	Vertical
3	2482.3982	7.03	37.84	54.00	16.16	150	318	Vertical
4	5245.3245	20.90	49.38	54.00	4.62	150	302	Vertical
5	10474.7975	4.87	49.49	54.00	4.51	150	194	Vertical
6	12892.3392	10.79	42.34	54.00	11.66	150	360	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5260	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-20 10:50:42

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1203.5204	2.48	43.28	74.00	30.72	150	60	Horizontal
2	1918.5919	4.65	43.24	74.00	30.76	150	194	Horizontal
3	3144.6645	9.55	43.20	74.00	30.80	150	36	Horizontal
4	5264.0264	20.91	55.98	74.00	18.02	150	151	Horizontal
5	10519.6520	5.14	55.17	74.00	18.83	150	190	Horizontal
6	17937.8938	14.40	48.14	74.00	25.86	150	150	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1203.5204	2.48	37.63	54.00	16.37	150	60	Horizontal
2	1918.5919	4.65	36.95	54.00	17.05	150	194	Horizontal
3	3144.6645	9.55	37.95	54.00	16.05	150	36	Horizontal
4	5264.0264	20.91	49.07	54.00	4.93	150	151	Horizontal
5	10519.6520	5.14	49.98	54.00	4.02	150	190	Horizontal
6	17937.8938	14.40	43.08	54.00	10.92	150	150	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5260	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-20 10:52:10

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1204.0704	2.48	42.75	74.00	31.25	150	56	Vertical
2	1920.7921	4.67	42.80	74.00	31.20	150	194	Vertical
3	2728.2728	7.98	43.02	74.00	30.98	150	358	Vertical
4	5262.9263	20.91	53.75	74.00	20.25	150	298	Vertical
5	10517.3517	5.14	56.00	74.00	18.00	150	192	Vertical
6	12883.1383	10.64	48.72	74.00	25.28	150	30	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1204.0704	2.48	34.53	54.00	19.47	150	56	Vertical
2	1920.7921	4.67	35.53	54.00	18.47	150	194	Vertical
3	2728.2728	7.98	37.03	54.00	16.97	150	358	Vertical
4	5262.9263	20.91	49.00	54.00	5.00	150	298	Vertical
5	10517.3517	5.14	49.16	54.00	4.84	150	192	Vertical
6	12883.1383	10.64	42.90	54.00	11.10	150	30	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5280	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-20 11:16:16

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1201.8702	2.48	43.72	74.00	30.28	150	166	Horizontal
2	1918.0418	4.65	45.77	74.00	28.23	150	118	Horizontal
3	2746.9747	8.08	43.58	74.00	30.42	150	166	Horizontal
4	5194.1694	20.86	52.63	74.00	21.37	150	63	Horizontal
5	10564.5065	5.15	51.70	74.00	22.30	150	176	Horizontal
6	15131.6132	11.70	48.32	74.00	25.68	150	348	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1201.8702	2.48	36.98	54.00	17.02	150	166	Horizontal
2	1918.0418	4.65	37.31	54.00	16.69	150	118	Horizontal
3	2746.9747	8.08	37.68	54.00	16.32	150	166	Horizontal
4	5194.1694	20.86	46.80	54.00	7.20	150	63	Horizontal
5	10564.5065	5.15	50.29	54.00	3.71	150	176	Horizontal
6	15131.6132	11.70	41.85	54.00	12.15	150	348	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5280	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-20 11:17:43

## Test Graph



## PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.1199	2.46	42.52	74.00	31.48	150	134	Vertical
2	1919.1419	4.66	41.67	74.00	32.33	150	191	Vertical
3	3103.4103	9.47	43.44	74.00	30.56	150	72	Vertical
4	5287.6788	20.93	53.41	74.00	20.59	150	290	Vertical
5	10559.9060	5.15	55.72	74.00	18.28	150	191	Vertical
6	12893.4893	10.81	47.70	74.00	26.30	150	2	Vertical

## AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.1199	2.46	34.54	54.00	19.46	150	134	Vertical
2	1919.1419	4.66	36.61	54.00	17.39	150	191	Vertical
3	3103.4103	9.47	37.92	54.00	16.08	150	72	Vertical
4	5287.6788	20.93	49.54	54.00	4.46	150	290	Vertical
5	10559.9060	5.15	49.02	54.00	4.98	150	191	Vertical
6	12893.4893	10.81	42.85	54.00	11.15	150	2	Vertical




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-20 11:31:00

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.7701	2.47	44.34	74.00	29.66	150	152	Horizontal
2	1917.4917	4.64	44.20	74.00	29.80	150	185	Horizontal
3	3256.3256	9.84	44.22	74.00	29.78	150	250	Horizontal
4	5242.5743	20.89	52.42	74.00	21.58	150	12	Horizontal
5	10634.6635	5.40	58.00	74.00	16.00	150	182	Horizontal
6	13756.0756	10.52	47.20	74.00	26.80	150	182	Horizontal

### AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.7701	2.47	36.39	54.00	17.61	150	152	Horizontal
2	1917.4917	4.64	37.34	54.00	16.66	150	185	Horizontal
3	3256.3256	9.84	37.75	54.00	16.25	150	250	Horizontal
4	5242.5743	20.89	46.12	54.00	7.88	150	12	Horizontal
5	10634.6635	5.40	50.35	54.00	3.65	150	182	Horizontal
6	13756.0756	10.52	43.04	54.00	10.96	150	182	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-20 11:32:28

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1195.2695	2.44	41.90	74.00	32.10	150	138	Vertical
2	1918.5919	4.65	42.25	74.00	31.75	150	200	Vertical
3	3207.9208	9.69	42.61	74.00	31.39	150	330	Vertical
4	5312.4312	20.95	54.23	74.00	19.77	150	290	Vertical
5	10639.2639	5.44	59.33	74.00	14.67	150	191	Vertical
6	14338.0338	11.22	47.05	74.00	26.95	150	46	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1195.2695	2.44	35.84	54.00	18.16	150	138	Vertical
2	1918.5919	4.65	36.47	54.00	17.53	150	200	Vertical
3	3207.9208	9.69	38.37	54.00	15.63	150	330	Vertical
4	5312.4312	20.95	46.85	54.00	7.15	150	290	Vertical
5	10639.2639	5.44	50.07	54.00	3.93	150	191	Vertical
6	14338.0338	11.22	42.49	54.00	11.51	150	46	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-20 11:37:02

## Test Graph



## PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.7701	2.29	43.03	74.00	30.97	150	150	Horizontal
2	1916.9417	4.54	42.43	74.00	31.57	150	197	Horizontal
3	3401.5402	10.36	44.20	74.00	29.80	150	159	Horizontal
4	5497.2497	19.63	53.81	74.00	20.19	150	150	Horizontal
5	10994.6495	5.31	53.11	74.00	20.89	150	130	Horizontal
6	14290.8791	11.17	48.18	74.00	25.82	150	155	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.7701	2.29	36.86	54.00	17.14	150	150	Horizontal
2	1916.9417	4.54	36.70	54.00	17.30	150	197	Horizontal
3	3401.5402	10.36	38.67	54.00	15.33	150	159	Horizontal
4	5497.2497	19.63	47.37	54.00	6.63	150	150	Horizontal
5	10994.6495	5.31	42.76	54.00	11.24	150	130	Horizontal
6	14290.8791	11.17	41.66	54.00	12.34	150	155	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-20 11:38:30

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1198.5699	2.27	40.69	74.00	33.31	150	58	Vertical
2	3290.4290	9.81	43.91	74.00	30.09	150	19	Vertical
3	5507.7008	19.65	50.50	74.00	23.50	150	299	Vertical
4	7184.3184	-1.34	52.25	74.00	21.75	150	121	Vertical
5	10996.9497	5.30	54.47	74.00	19.53	150	180	Vertical
6	13699.7200	11.28	47.83	74.00	26.17	150	357	Vertical

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1198.5699	2.27	36.71	54.00	17.29	150	58	Vertical
2	3290.4290	9.81	38.23	54.00	15.77	150	19	Vertical
3	5507.7008	19.65	45.76	54.00	8.24	150	299	Vertical
4	7184.3184	-1.34	37.25	54.00	16.75	150	121	Vertical
5	10996.9497	5.30	49.28	54.00	4.72	150	180	Vertical
6	13699.7200	11.28	42.34	54.00	11.66	150	357	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5580	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-20 11:46:08

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.1199	2.28	44.11	74.00	29.89	150	153	Horizontal
2	1919.1419	4.56	44.49	74.00	29.51	150	185	Horizontal
3	2907.5908	8.64	45.00	74.00	29.00	150	234	Horizontal
4	5579.2079	19.83	57.43	74.00	16.57	150	147	Horizontal
5	8577.1077	1.85	45.91	74.00	28.09	150	149	Horizontal
6	15728.5229	11.54	50.19	74.00	23.81	150	54	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.1199	2.28	35.84	54.00	18.16	150	153	Horizontal
2	1919.1419	4.56	36.38	54.00	17.62	150	185	Horizontal
3	2907.5908	8.64	36.50	54.00	17.50	150	234	Horizontal
4	5579.2079	19.83	50.44	54.00	3.56	150	147	Horizontal
5	8577.1077	1.85	35.47	54.00	18.53	150	149	Horizontal
6	15728.5229	11.54	40.08	54.00	13.92	150	54	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5580	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-20 11:47:27

## Test Graph



## PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.2200	2.28	40.80	74.00	33.20	150	220	Vertical
2	1919.1419	4.56	42.04	74.00	31.96	150	186	Vertical
3	2918.5919	8.67	43.37	74.00	30.63	150	284	Vertical
4	5579.7580	19.83	51.63	74.00	22.37	150	298	Vertical
5	11154.5155	5.21	50.73	74.00	23.27	150	176	Vertical
6	14298.9299	11.22	46.88	74.00	27.12	150	46	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.2200	2.28	34.40	54.00	19.60	150	220	Vertical
2	1919.1419	4.56	35.91	54.00	18.09	150	186	Vertical
3	2918.5919	8.67	38.04	54.00	15.96	150	284	Vertical
4	5579.7580	19.83	49.43	54.00	4.57	150	298	Vertical
5	11154.5155	5.21	44.69	54.00	9.31	150	176	Vertical
6	14298.9299	11.22	41.80	54.00	12.20	150	46	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-02-20 11:51:38

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1204.6205	2.31	41.68	74.00	32.32	150	155	Horizontal
2	1923.5424	4.60	41.55	74.00	32.45	150	195	Horizontal
3	3002.2002	8.83	43.56	74.00	30.44	150	291	Horizontal
4	5699.6700	20.56	54.34	74.00	19.66	150	147	Horizontal
5	9271.7772	3.40	43.78	74.00	30.22	150	357	Horizontal
6	14295.4795	11.20	48.33	74.00	25.67	150	192	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1204.6205	2.31	36.90	54.00	17.10	150	155	Horizontal
2	1923.5424	4.60	36.23	54.00	17.77	150	195	Horizontal
3	3002.2002	8.83	37.58	54.00	16.42	150	291	Horizontal
4	5699.6700	20.56	45.84	54.00	8.16	150	147	Horizontal
5	9271.7772	3.40	38.09	54.00	15.91	150	357	Horizontal
6	14295.4795	11.20	41.70	54.00	12.30	150	192	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5700	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 15		

Start of Test: 2024-02-20 11:53:06

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1006.0506	1.57	40.48	74.00	33.52	150	0	Vertical
2	1918.0418	4.55	43.14	74.00	30.86	150	191	Vertical
3	3039.0539	9.09	42.98	74.00	31.02	150	157	Vertical
4	5704.0704	20.59	51.61	74.00	22.39	150	292	Vertical
5	11401.7902	6.15	48.76	74.00	25.24	150	177	Vertical
6	14725.6226	12.34	49.66	74.00	24.34	150	360	Vertical

### AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1006.0506	1.57	34.55	54.00	19.45	150	0	Vertical
2	1918.0418	4.55	36.10	54.00	17.90	150	191	Vertical
3	3039.0539	9.09	38.65	54.00	15.35	150	157	Vertical
4	5704.0704	20.59	46.21	54.00	7.79	150	292	Vertical
5	11401.7902	6.15	42.81	54.00	11.19	150	177	Vertical
6	14725.6226	12.34	39.83	54.00	14.17	150	360	Vertical




# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5745	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-20 11:59:31

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1918.0418	6.41	45.35	74.00	28.65	150	190	Horizontal
2	2988.9989	12.05	46.84	74.00	27.16	150	97	Horizontal
3	3999.4499	16.35	49.60	74.00	24.40	150	253	Horizontal
4	5717.2717	23.25	56.01	74.00	17.99	150	151	Horizontal
5	9406.3406	4.17	45.22	74.00	28.78	150	54	Horizontal
6	12886.5887	10.70	49.63	74.00	24.37	150	5	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1918.0418	6.41	39.06	54.00	14.94	150	190	Horizontal
2	2988.9989	12.05	41.38	54.00	12.62	150	97	Horizontal
3	3999.4499	16.35	42.20	54.00	11.80	150	253	Horizontal
4	5717.2717	23.25	49.63	54.00	4.37	150	151	Horizontal
5	9406.3406	4.17	37.85	54.00	16.15	150	54	Horizontal
6	12886.5887	10.70	42.62	54.00	11.38	150	5	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5745	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-20 12:00:51

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1204.0704	3.36	41.97	74.00	32.03	150	11	Vertical
2	2025.3025	7.47	43.36	74.00	30.64	150	262	Vertical
3	3136.4136	12.29	46.19	74.00	27.81	150	0	Vertical
4	5707.9208	23.19	54.01	74.00	19.99	150	286	Vertical
5	11489.1989	6.24	49.57	74.00	24.43	150	148	Vertical
6	17925.2425	14.48	47.71	74.00	26.29	150	334	Vertical

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1204.0704	3.36	36.54	54.00	17.46	150	11	Vertical
2	2025.3025	7.47	37.53	54.00	16.47	150	262	Vertical
3	3136.4136	12.29	41.25	54.00	12.75	150	0	Vertical
4	5707.9208	23.19	48.27	54.00	5.73	150	286	Vertical
5	11489.1989	6.24	43.44	54.00	10.56	150	148	Vertical
6	17925.2425	14.48	43.46	54.00	10.54	150	334	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5785	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-20 14:09:24

## Test Graph



### PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1201.8702	3.36	43.82	74.00	30.18	150	160	Horizontal
2	1915.8416	6.38	43.76	74.00	30.24	150	118	Horizontal
3	2992.2992	12.07	47.05	74.00	26.95	150	241	Horizontal
4	4922.4422	22.21	53.18	74.00	20.82	150	266	Horizontal
5	9406.3406	4.17	44.43	74.00	29.57	150	95	Horizontal
6	12898.0898	10.88	48.84	74.00	25.16	150	95	Horizontal

### AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1201.8702	3.36	37.93	54.00	16.07	150	160	Horizontal
2	1915.8416	6.38	38.36	54.00	15.64	150	118	Horizontal
3	2992.2992	12.07	41.12	54.00	12.88	150	241	Horizontal
4	4922.4422	22.21	47.45	54.00	6.55	150	266	Horizontal
5	9406.3406	4.17	38.49	54.00	15.51	150	95	Horizontal
6	12898.0898	10.88	42.62	54.00	11.38	150	95	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5785	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-20 14:10:51

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1112.7613	3.22	42.56	74.00	31.44	150	308	Vertical
2	1920.2420	6.43	44.66	74.00	29.34	150	195	Vertical
3	3252.4752	12.40	46.80	74.00	27.20	150	30	Vertical
4	4915.8416	22.16	52.24	74.00	21.76	150	16	Vertical
5	11574.3074	5.18	51.21	74.00	22.79	150	199	Vertical
6	14761.2761	11.91	47.46	74.00	26.54	150	224	Vertical


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1112.7613	3.22	36.45	54.00	17.55	150	308	Vertical
2	1920.2420	6.43	38.32	54.00	15.68	150	195	Vertical
3	3252.4752	12.40	40.80	54.00	13.20	150	30	Vertical
4	4915.8416	22.16	47.73	54.00	6.27	150	16	Vertical
5	11574.3074	5.18	43.00	54.00	11.00	150	199	Vertical
6	14761.2761	11.91	42.19	54.00	11.81	150	224	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5825	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-20 14:14:01

## Test Graph



PK Final Data List								
NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.1199	3.35	44.07	74.00	29.93	150	47	Horizontal
2	2336.0836	7.89	49.02	74.00	24.98	150	5	Horizontal
3	3283.2783	12.42	48.80	74.00	25.20	150	0	Horizontal
4	4988.4488	22.73	54.98	74.00	19.02	150	157	Horizontal
5	9355.7356	3.88	45.64	74.00	28.36	150	68	Horizontal
6	12906.1406	10.83	50.63	74.00	23.37	150	341	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1199.1199	3.35	36.94	54.00	17.06	150	47	Horizontal
2	2336.0836	7.89	41.34	54.00	12.66	150	5	Horizontal
3	3283.2783	12.42	38.27	54.00	15.73	150	0	Horizontal
4	4988.4488	22.73	45.63	54.00	8.37	150	157	Horizontal
5	9355.7356	3.88	36.20	54.00	17.80	150	68	Horizontal
6	12906.1406	10.83	41.08	54.00	12.92	150	341	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	22.7°C 64%
Model:	MP10-Xenon	SN:	
Mode:	11N20_5825	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 16		

Start of Test: 2024-02-20 14:15:29

## Test Graph



## PK Final Data List

NO.	Freq. (MHz)	Factor (dB)	PK Value (dBµV/m)	PK Limit (dBµV/m)	PK Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.7701	3.36	42.71	74.00	31.29	150	53	Vertical
2	2332.2332	7.89	46.65	74.00	27.35	150	197	Vertical
3	3085.8086	12.23	47.15	74.00	26.85	150	10	Vertical
4	4996.1496	22.79	52.56	74.00	21.44	150	197	Vertical
5	12327.6328	7.77	47.42	74.00	26.58	150	2	Vertical
6	17897.6398	14.58	48.06	74.00	25.94	150	9	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	1200.7701	3.36	36.08	54.00	17.92	150	53	Vertical
2	2332.2332	7.89	41.83	54.00	12.17	150	197	Vertical
3	3085.8086	12.23	40.90	54.00	13.10	150	10	Vertical
4	4996.1496	22.79	47.29	54.00	6.71	150	197	Vertical
5	12327.6328	7.77	41.54	54.00	12.46	150	2	Vertical
6	17897.6398	14.58	41.80	54.00	12.20	150	9	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11A_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 00:29:47

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5143.6918	55.42	16.48	74.00	18.58	150	130	PK	Horizont
2	5150.0375	55.89	16.46	74.00	18.11	150	130	PK	Horizont

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5143.6918	16.48	48.49	54.00	5.51	150	130	Horizontal
2	5150.0375	16.46	49.03	54.00	4.97	150	130	Horizontal




# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11A_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 00:30:58

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5143.6918	52.71	16.48	74.00	21.29	150	190	PK	Vertical
2	5150.0375	52.25	16.46	74.00	21.75	150	255	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11A_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 00:35:21

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	57.22	16.65	74.00	16.78	150	138	PK	Horizont
2	5354.1571	56.45	16.67	74.00	17.55	150	141	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0699	16.65	48.36	54.00	5.64	150	140.2	Horizontal
2	5354.1576	16.67	48.13	54.00	5.87	150	140.6	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11A_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 00:36:32

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBμV/m)	Factor (dB)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	52.01	16.65	74.00	21.99	150	187	PK	Vertical
2	5354.2646	52.79	16.67	74.00	21.21	150	187	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11A_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 00:43:53

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5457.2161	60.20	16.86	74.00	13.80	150	140	PK	Horizont
2	5460.0300	59.12	16.86	74.00	14.88	150	140	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.2165	16.86	49.47	54.00	4.53	150	142.2	Horizontal
2	5460.0300	16.86	48.64	54.00	5.36	150	140	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11A_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 00:45:05

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5457.7789	55.90	16.86	74.00	18.10	150	187	PK	Vertical
2	5460.0300	53.92	16.86	74.00	20.08	150	258	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.7789	16.86	46.12	54.00	7.88	150	187	Vertical
2	5460.0300	16.86	45.19	54.00	8.81	150	258	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 01:00:51

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5147.9940	55.98	16.47	74.00	18.02	150	169	PK	Horizontal
2	5150.0375	54.40	16.46	74.00	19.60	150	231	PK	Horizontal

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5147.9940	16.47	48.57	54.00	5.43	150	169	Horizontal
2	5150.0375	16.46	48.02	54.00	5.98	150	231	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N20_5180	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 01:02:02

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5147.3487	53.62	16.47	74.00	20.38	150	252	PK	Vertical
2	5150.0375	50.97	16.46	74.00	23.03	150	276	PK	Vertical




# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-27 01:07:50

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	51.47	16.65	74.00	22.53	150	179	PK	Horizont
2	5360.1801	52.83	16.69	74.00	21.17	150	188	PK	Horizont

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N20_5320	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 13		

Start of Test: 2024-02-27 01:08:38

## Test Graph




Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0700	49.28	16.65	74.00	24.72	150	262	PK	Vertical
2	5358.8894	51.43	16.68	74.00	22.57	150	185	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-27 01:12:47

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5454.3397	56.06	16.86	74.00	17.94	150	143	PK	Horizont
2	5460.0300	54.06	16.86	74.00	19.94	150	187	PK	Horizont

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5454.3397	16.86	48.25	54.00	5.75	150	143	Horizontal
2	5460.0300	16.86	47.15	54.00	6.85	150	187	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N20_5500	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 14		

Start of Test: 2024-02-27 01:13:36

## Test Graph



## Suspected Data List


NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5434.8299	51.59	16.85	74.00	22.41	150	188	PK	Vertical
2	5460.0300	49.56	16.86	74.00	24.44	150	248	PK	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 01:42:28

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5146.7734	60.52	16.47	74.00	13.48	150	176	PK	Horizont
2	5150.0375	58.54	16.46	74.00	15.46	150	137	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5146.7734	16.47	49.68	54.00	4.32	150	176	Horizontal
2	5150.0375	16.46	48.36	54.00	5.64	150	137	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N40_5190	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 01:43:09

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5143.1716	54.15	16.48	74.00	19.85	150	287	PK	Vertical
2	5150.0375	52.74	16.46	74.00	21.26	150	184	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5143.1716	16.48	46.13	54.00	7.87	150	287	Vertical
2	5150.0375	16.46	44.86	54.00	9.14	150	184	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 01:47:34

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	61.71	16.65	74.00	12.29	150	178	PK	Horizontal
2	5354.1971	64.56	16.67	74.00	9.44	150	139	PK	Horizontal


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	47.76	54.00	6.24	150	178	Horizontal
2	5354.1971	16.67	49.82	54.00	4.18	150	139	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N40_5310	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 01:48:22

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5350.0550	56.28	16.65	74.00	17.72	150	182	PK	Vertical
2	5351.9160	59.55	16.66	74.00	14.45	150	159	PK	Vertical

AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5350.0550	16.65	44.68	54.00	9.32	150	182	Vertical
2	5351.9160	16.66	46.80	54.00	7.20	150	159	Vertical




# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 01:59:44

## Test Graph



Suspected Data List									
NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5457.1061	64.67	16.86	74.00	9.33	150	141	PK	Horizont
2	5460.0400	64.83	16.86	74.00	9.17	150	141	PK	Horizont


AV Final Data List								
NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5457.1061	16.86	50.72	54.00	3.28	150	141	Horizontal
2	5460.0400	16.86	50.94	54.00	3.06	150	141	Horizontal

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N40_5510	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:			

Start of Test: 2024-02-27 02:00:32

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5456.1281	61.20	16.86	74.00	12.80	150	184	PK	Vertical
2	5460.0400	58.11	16.86	74.00	15.89	150	184	PK	Vertical

## AV Final Data List


NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5456.1281	16.86	48.12	54.00	5.88	150	184	Vertical
2	5460.0400	16.86	46.31	54.00	7.69	150	184	Vertical

# Test Report

Project Information			
EUT:	Tablet	Environment:	21.1°C 41%
Model:	Xenon MP10	SN:	
Mode:	11N40_5670	Voltage:	DC 12V
Customer:		Engineer:	Soho Liu
Remark:	Power set: 12		

Start of Test: 2024-02-27 02:05:35

## Test Graph



## Suspected Data List

NO.	Freq. (MHz)	Level (dBµV/m)	Factor (dB)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Angle (°)	Detector	Polarity
1	5725.0550	63.39	17.99	74.00	10.61	150	140	PK	Horizontal
2	5727.0710	62.21	18.00	74.00	11.79	150	153	PK	Horizontal

## AV Final Data List

NO.	Freq. (MHz)	Factor (dB)	AV Value (dBµV/m)	AV Limit (dBµV/m)	AV Margin (dB)	Height (cm)	Angle (°)	Polarity
1	5725.0550	17.99	51.82	54.00	2.18	150	140	Horizontal
2	5727.0710	18.00	51.05	54.00	2.95	150	153	Horizontal