




1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

## Band Edge Measurements

DNB Job Number:	36045	Date:	5 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)
Customer:	Icon Health and Fitness, Inc.			
Model Number:	ISRR12			
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)			
Ambient Temperature		Relative Humidity		Barometric Pressure
19 °C		28 %		101.8 kPa
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>				
Conducted Band Edge Measurement - Single Channel			Freq Delta (MHz)	Pass/Fail
Limit	Lower (MHz)	Upper (MHz)		
2400	2401.740		1.740	Pass




Date: 5.NOV.2012 11:39:48



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	5 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)
Customer:	Icon Health and Fitness, Inc.			
Model Number:	ISRR12			
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)			
Ambient Temperature		Relative Humidity		Barometric Pressure
19 °C		28 %		101.8 kPa
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>				
Conducted Band Edge Measurement - All Channels			Freq Delta (MHz)	Pass/Fail
Limit	Lower (MHz)	Upper (MHz)		
2400	2401.638		1.638	Pass



Date: 5.NOV.2012 11:41:34






1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - Single Channel - Horz - Y Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.304		54.0	47.56	-6.44	0.304	Pass




Date: 1.NOV.2012 16:38:19



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard [X] Yes [ ] No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - Single Channel - Horz - Z Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)	Measured (dBuV/m)	Delta (dBuV)		
2400	2400.927		54.0	43.41	-10.59	0.927	Pass




Date: 1.NOV.2012 16:42:58



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - Single Channel - Vert - X Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.333		54.0	45.33	-8.67	0.333	Pass




Date: 1.NOV.2012 16:46:14



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard [X] Yes [ ] No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - Single Channel - Vert - Y Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.304		54.0	47.34	-6.66	0.304	Pass




Date: 1.NOV.2012 16:48:51



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard [X] Yes [ ] No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - Single Channel - Vert - Z Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.246		54.0	48.18	-5.82	0.246	Pass



Date: 1.NOV.2012 16:52:08






1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - All Channels - Horz - X Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.478		54.0	41.38	-12.62	0.478	Pass




Date: 1.NOV.2012 17:50:59



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

## Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - All Channels - Horz - Y Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.782		54.0	40.62	-13.38	0.782	Pass




Date: 1.NOV.2012 17:56:26



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - All Channels - Horz - Z Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.886		54.0	41.27	-12.73	0.886	Pass




Date: 1.NOV.2012 18:01:32



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - All Channels - Vert - X Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.394		54.0	44.71	-9.29	0.394	Pass




Date: 1.NOV.2012 18:09:26



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - All Channels - Vert - Y Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.524		54.0	42.01	-11.99	0.524	Pass




Date: 1.NOV.2012 18:16:11



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

## Band Edge Measurements

DNB Job Number:	36045	Date:	1 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - All Channels - Vert - Z Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2400	2400.452		54.0	42.13	-11.87	0.452	Pass




Date: 1.NOV.2012 18:21:55



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	5 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)
Customer:	Icon Health and Fitness, Inc.			
Model Number:	ISRR12			
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)			
Ambient Temperature		Relative Humidity		Barometric Pressure
19 °C		28 %		101.8 kPa
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>				
Conducted Band Edge Measurement - Single Channel			Freq Delta (MHz)	Pass/Fail
Limit	Lower (MHz)	Upper (MHz)		
2483.5		2480.333	3.167	Pass




Date: 5.NOV.2012 11:44:54



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	5 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)
Customer:	Icon Health and Fitness, Inc.			
Model Number:	ISRR12			
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)			
Ambient Temperature		Relative Humidity		Barometric Pressure
19 °C		28 %		101.8 kPa
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>				
Conducted Band Edge Measurement - All Channels			Freq Delta (MHz)	Pass/Fail
Limit	Lower (MHz)	Upper (MHz)		
2483.5		2480.347	3.153	Pass



Date: 5.NOV.2012 11:48:01






1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

## Band Edge Measurements

DNB Job Number:	36045	Date:	2 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - Single Channel - Horz - X Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2483.500		2481.712	54.0	44.11	-9.89	-1.788	Pass




Date: 2.NOV.2012 10:19:38



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

## Band Edge Measurements

DNB Job Number:	36045	Date:	2 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - Single Channel - Horz - Y Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2483.500		2481.524	54.0	42.34	-11.66	-1.976	Pass




Date: 2.NOV.2012 10:26:44



1100 E Chalk Creek Road  
 Coalville, UT 84017  
 (435) 336-4433  
 FAX (435) 336-4436

### Band Edge Measurements

DNB Job Number:	36045	Date:	2 Nov 2012	<b>Conformance Standard</b>  FCC Part 15  <b>Clause</b> 15.247(d)			
Customer:	Icon Health and Fitness, Inc.						
Model Number:	ISRR12						
Description:	Transceiver for use with Icon products 1Mbps data rate (Basic data rate)						
Ambient Temperature		Relative Humidity		Barometric Pressure			
19 °C		28 %		101.8 kPa			
EUT performed within the requirements of the applicable standard <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>Les Payne</i>							
Radiated Corrected Band Edge Measurement - Single Channel - Horz - Z Axis				Freq Delta (MHz)	Pass/Fail		
Limit	Lower (MHz)	Upper (MHz)	Limit (dBuV/m)			Measured (dBuV/m)	Delta (dBuV)
2483.500		2481.510	54.0	41.62	-12.38	-1.990	Pass



Date: 2.NOV.2012 10:31:44