

Units: mm

Scale: Do not scale

Tolerance:

Cutting: +/- 0.25mm

Printing: +/- 0.25mm

Title

LABEL PRODUCT LKR-12

Revision History Notes

1.0 - Release to Alpha

Legal Notic

The information in this document is confidential and the legal property of Listen Technologies Corporation. The receiving party shall not use, disclose to any third party or make copies of this information without the prior written consent of Listen Technologies Corporation.

Listen Technologies Corporation





Listen Technologies, Corp. 14912 Heritagecrest Way Bluffdale, UT 84065 USA

Rev. #	Revisor	mm/dd/yy	Approvals
1.0	JT	05/17/2018	
Page:	1 of 3		
Descr	intion: (ontrol Docu	ment

PRODUCT LABEL FOR LKR-12

Arena #: 103261










This device complies with Part 15 of the FCC armful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

CAN ICES-3 (B)/NMB-3 (B)

USB/Charger Power: 5V --- 500mA







Units: mm

Scale: Do not scale

Tolerance:

Cutting: +/- 0.25mm

Printing: +/- 0.25mm

Title

LABEL PRODUCT LKR-11

Revision History Notes

1.0 - Release to Alpha

Legal Notic

The information in this document is confidential and the legal property of Listen Technologies Corporation. The receiving party shall not use, disclose to any third party or make copies of this information without the prior written consent of Listen Technologies Corporation.

Listen Technologies Corporation





Listen Technologies, Corp. 14912 Heritagecrest Way Bluffdale, UT 84065 USA

Rev. #	Revisor	mm/dd/yy	Approvals	
1.0	JT	05/17/2018		
Page: 1 of 3				
Description: Control Document				

Description: Control Document PRODUCT LABEL FOR LKR-11

Arena #: 103307





ISTEN Model: LKR-11 www.listentech.com

FCC ID: OMDLK1-001 IC:4011A-LK10001

This device complies with Part 15 of the FCC armful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

CAN ICES-3 (B)/NMB-3 (B)

USB/Charger Power: 5V --- 500mA



