## (Client's Company Letterhead/log)

## **Modular Approval Request Letter**

Product Name: Radio module Model Number: D00005-06

referring to the enclosed module.

Telephone: +46 (0) 31 748 54 60

www.tele-radio.com

FCC ID: ONFC1108A Date: 2012-07-05

Requirement of Public Notice DA00 - 1407 / part 15.212	
The modular transmitter must have its own RF shielding.	This module is only used in our own specific products and not for OEM market We have
	optimized the EMC to comply with the relevant standards and FCC part 15 regulations.
	radio part is based on an IC Chip ADF7021solution and therefore the physical dimension
	of the active RF part makes the EMI minimal, The IC integrates the high frequency pa
	inside itself; especially the whole VCO circuitry including the VCO inductor, and the PA
	integrated, and can be considered shielded. Thus no extra RF shielding is needed.
2. The modular transmitter must have buffered modulation/data	This module is only used in our own specific products and not for OEM market. We have
inputs.	total control of the design and the data protocol through IC Chip ADF7021. The radio IC
	use complies with FCC part 15.
3. The modular transmitter must have its own power supply	This module is only used in our own specific products and not for OEM market, it is alw
regulation.	power supplied from the main board with the nominal power supply voltage +3.3VDC.
	radio IC complies with FCC part 15.
4. The modular transmitter must comply with the antenna	The antenna is connected via a Reversed SMA connector which is a non stand
requirements of Section 15.203 and 15.204(c).	connector. The antenna configuration used for testing is the same that will be supplied
	the customer.
5. The modular transmitter must be tested in a stand - alone	This module is always powered by the main board where it is attached. The module is u
configuration, i.e., the module must not be inside another device	in the same manner during testing and end product usage.
during testing.	
6. The modular transmitter must be labeled with its own FCC ID	This module will be labelled with its FCC ID number. When the module is installed in
number, and, if the FCC ID is not visible when the module is	products and it is not visible, an external label will be applied which refer to the mode
installed inside another device, then the outside of the device	FCC ID number inside.
into which the module is installed must also display a label	

2

operating requirements applicable to the transmitter and the	
manufacturer must provide adequate instructions along with the	
module to explain any such requirements. A copy of these instructions	
must be included in the application for equipment authorization.	
8. The modular transmitter must comply with any applicable RF	
exposure requirements. For example, FCC Rules in Sections 2.1091,	
2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f),	
15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and	
millimeter wave devices perform routine environmental evaluation for	
RF Exposure to demonstrate compliance. In addition spread spectrum	
transmitters operating under Section 15.247 are required to address	

RF Exposure compliance in accordance with Section 15.247(b)(4).

7. The modular transmitter must comply with any specific rule or

This module will only be used in our own specific products which are controlled by our own requirement specifications. The user manuals are based on the requirement specifications.

This module is used in products operating as a mobile transmitting device with respect to 2.1091.

For final product, end-users must be provided with transmitter operation conditions

Thank you.
Sincerely,
Salar Sincerely,
Salar Sal



for satisfying RF exposure compliance.



Datavägen 21 S-436 32 ASKIM, SWEDEN Telephone: +46 (0) 31 748 54 60 Telefax: +46 (0) 31 68 54 64

