

FCC ID OOKDUALTECH

CANADA 1698 102 829



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
 (1) this device may not cause harmful interference, and
 (2) this device must accept any interference received, including interference that may cause undesired operation.

MADE IN CHINA

1.38

0.80

1.00

0.12

Note 7
 Cut Line of adjacent label

Notes:

1. Material: Computer Printable Silver Mylar 7883
2. Adhesive: Permanent adhesive to be used on plastic
3. Tags must remain attached to ABS plastic after being subjected to +60 Degrees C, 95% RH for two hours followed by two hours at -10 Degrees C.
4. Tolerance: +/- 0.015" unless noted
5. Corner radius: 0.080" on all corners
6. Ink Color: Black
7. Packaging: Fanfold continuous on marginally punched backing for use on data processing equipment. Labels to be mounted two side by side with 1.50" between reference marks.

ENG.	JEC	09/30/96	MODEL	5906	SCALE	FILE	11140C.TCW
MFG.	JHC	09/30/96	DR. BY	Redrawn by KLH	DATE	12/11/97	PART NO.
Q.A.	CR	09/30/96	CK'D. BY	KLH	DATE	09/30/96	037-011140-00


Innovative Home Products, Inc.
 2400 E. Lincoln
 Birmingham, MI 48009



ID TAG DUAL TECH TX

C	Name change & add Made in China	KLH	08/21/99
B	6925 Add DOC No. and Keeloo logo	KLH	12/11/97
REV. A	CHG. NO. 6798 Name chg./redraw	BY KLM	DATE 06/3/97

TOOLING HOLE



④

ITEM	PART #	DESCRIPTION	REF. DES.	QTY
1	047-01113-00	PRODUCT SPEC.		REF. REV.
2	047-01113B-00	TUNING PROCEDURE		REF. REV.
3	043-011135-00	SCH. MATIC		REF. REV.
4	037-011276-00	LABEL		1
5	037-011144-00	1 D 16g		1
6	040-004833-00	ADHESIVE FOAM PAD		1
7	035-011141-00	CASE ASSEMBLY		1
8	017-001496-00	BATTERY 90	B1	1
9				
10	025-011139-00	P.C. BOARD		1
11	017-003389-00	BATTERY CLIP		1
12	001-010253-03	CAP UA 2.2 - 10pF	C5	1
13	001-010198-03	CAP CD 1.5pF 14% 500 NP0	C6	1
14	001-008571-03	CAP CD 1.5pF 4+-0.25pF 500 NP0	C7	2
15	001-002352-03	CAP CD 33pF 10% 500 NP0	C1	1
16	001-009774-03	CAP CL 10uF 10% 500 X7R	C3	1
17	001-000500-03	CAP EL 4.7uF 20% 350	C2	1
18	001-008967-03	CAP EL 1uF 20% 500	C8	1
19	002-006218-00	RES 25M 47K 5% CF	R1E 3,4	4
20	002-002940-00	RES 25M 54K 5% CF	R5	1
21	002-006219-00	RES 25M 22K 5% CF	R6	1
22	002-006217-00	RES 25M 560 5% CF	R7	1
23	002-008920-03	RES 20M 22K 5% CF	R8	1
24	002-009135-03	RES 20M 100 5% CF	R9	1
25	002-008768-03	RES 20M 10K 5% CF	R10	1
26	002-008920-00	RES 20M 22K 5% CF	R11	1
27	004-005635-03	TRANS NPN MPS-H17	Q1	1
28	020-006240-00	DIODE 1N4148	D2,3	2
29	020-007752-03	LED RED	D1	1
30	019-011376-03	SWITCH PB	PIB2	2
31	019-009268-00	SWITCH 10 CKT. SLIDE ACT.	SI-10	1
32	022-006862-00	CHOKE, 10H	L1	1
33	027-001848-00	JUMPERS	JL2,3	3
34	015-010318-03	RESONATOR 4.00 MHz	Y1	1
35	051-011230-00	IC MICRO CONTROLLER	U1	1
36	051-009993-03	REGULATOR 50	U2	1
37	051-010136-03	IC RESET	U3	1

WHISTLER AUTO-MATION PRODUCTS
DIVISION of WHISTLER CORPORATION
MOORE, KENTON


NOVI, MEDICINARI

ASSY - STANLEY DUAL TECHNO. XTTR


ENG	JSM 7-21-97	MODEL	5906	FILE	11136ACL.PCB
FIG	CRT 7-28-97	BY	K.L.H.M.	EXP. NO.	
DOC	G.B. 7-29-97	CHKD	K.H.	PART NO	043-011136-001

FCC/IC TAG PLACED HERE


THIS VIEW IS COMPONENT SIDE OF BOARD



TOP VIEW



BOTTOM VIEW



PRINTING ORIENTATION CAN BE
ROTATED 180 DEG.

ITEM	PART #	DESCRIPTION	REF. DES.	QTY
1	047-01407-00	PRODUCT SPEC.		
2	043-011373-00	SCHEMATIC		
3	037-011276-00	LABEL		
4	037-01140-00	I.D. TAG		
5	040-004833-00	ADHESIVE FOAM PAD		
6	035-011421-00	CASE ASSEMBLY		
7	017-001496-00	BATTERY 9V		
8	025-011139-00	P.C. BOARD		
9	017-003389-00	BATTERY CLIP		
10	001-010259-03	CAP UA 2.7 - 10uF	C6	1
11	001-010198-03	CAP CD 7.5uF 11% 50V NPO	C5	2
12	001-008371-03	CAP CD 1.5uF +/-0.25uF 30V NPO	C7	1
13	001-002352-03	CAP CD 33uF 10% 50V NPO	C1	1
14	001-009774-03	CAP CH 0.1uF 10% 50V X7R	C3	1
15	001-009774-03	CAP CH 0.1uF 20% 35V	C2	1
16	001-009774-03	CAP EL 4.7uF 20% 50V	C8	1
17	001-009774-03	CAP EL 4.7uF 20% 50V	C8	1
18	002-002218-00	RES 25M 47K 5% CF	R1,2,3,4	4
19	002-002218-00	RES 25M 68K 5% CF	R5	1
20	002-002218-00	RES 25M 68K 5% CF	R6	1
21	002-002218-00	RES 25M 68K 5% CF	R7	1
22	002-002218-00	RES 25M 56K 5% CF	R8	1
23	002-002218-00	RES 25M 22K 5% CF	R9	1
24	002-009135-03	RES 20M 100 5% CF		1
25	027-010110-03	JUMPER RADIAL	J4	1
26	004-009635-03	TRANS. NPN HPS-H17	Q1	1
27	020-002210-00	DIODE 1N4148	D1	1
28	020-002210-00	LED RED	D2	1
29	020-007752-03	SWITCH, PB	SW1	2
30	019-011376-03	SWITCH, 10 OCT. SIDE ACT.	SW2	1
31	019-009268-00	CHOKE, 1uH	L1	1
32	023-008883-00	JUMPER	J1,2,3	3
33	027-001848-00	RESONATOR 4.00 MHz	V1	1
34	015-010318-03	IC MICRO CONTROLLER	U1	1
35	005-011339-00	REGULATOR 5V	U2	1
36	005-009993-03	IC RESET	U3	1
37	051-010136-03			1

WHISTLER AUTO-MATION PRODUCTS

DIVISION OF WHISTLER CORPORATION
NORTON, MICHIGAN

ASSY - SECURECODE SPLIT TECH XMTR

ENG. (1/14/98) 158	PROJ. 5907	DATE 02-17-98	FILE 11422.CL.PCB
REV. 1	BY K.L.H.M.	DATE 02-17-98	FILE 11422.CL.PCB
OC 12-23-98	REV. 1	DATE 02-23-98	FILE 11422-00

FCC/IC TAG PLACED HERE