


Chungs electronic co., ltd

2008-6-6 Chan Kai Hung

C8201 TIMING DIAGRAM



For reference transmit patten
BCD CODE

[illegible]

S	Humidity 77%	CH 3	no use	ID 7	●	-	Temperature 77.7C
---	--------------	------	--------	------	---	---	-------------------

7	7	3	4647	7	5653	7	7	7
---	---	---	------	---	------	---	---	---

2	6	10	11	14	15	16	21	22	26	30
---	---	----	----	----	----	----	----	----	----	----

35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

67 69 71 73

Worst-case:

$$\text{Duty Cycle} = 26 \times 1.953 / 100 = 0.507$$

$$\begin{aligned}\text{Average Factor} &= 20 \log(0.507) \\ &= -5.9 \text{ dB}\end{aligned}$$




RBW 1 MHz Delta 1 [T1]
*VBW 1 MHz 0.01 dB
SWT 5 s 360.000000 ms

Ref 0 dBm

Att 30 dB

1 PK
VIEW



A

Center 433.884 MHz

500 ms/




RBW 1 MHz Delta 1 [T1]
*VBW 1 MHz -0.03 dB
SWT 100 s 59.800000 s

Ref 0 dBm

Att 30 dB

1 PK
VIEW



A

Center 433.884 MHz

10 s/