


PAGE NO.

15 of 30.AMENDED October 6, 2000

NAME OF TEST: Emission Masks (Occupied Bandwidth)  
g00a0061: 2000-Oct-03 Tue 12:20:00  
STATE: 2:High Power



POWER: HIGH  
 MODULATION: 2500 HZ @ 20 DB ABOVE  
 REFERENCE LEVEL  
 MASK: B, VHF/UHF 25kHz,  
 w/LPF


SUPERVISED BY:

Morton Flom, P. Eng.

PAGE NO.

16 of 30. AMENDED October 6, 2000

NAME OF TEST: Emission Masks (Occupied Bandwidth)  
g00a0062: 2000-Oct-03 Tue 12:22:00  
STATE: 2:High Power



POWER: HIGH  
 MODULATION: 5000 HZ @ 20 DB ABOVE  
 REFERENCE LEVEL  
 MASK: B, VHF/UHF 25kHz,  
 w/LPF


SUPERVISED BY:

Morton Flom, P. Eng.

PAGE NO.

17 of 30. AMENDED October 6, 2000

NAME OF TEST: Emission Masks (Occupied Bandwidth)  
 g00a0063: 2000-Oct-03 Tue 12:24:00  
 STATE: 2:High Power



POWER: HIGH  
 MODULATION: 15000 HZ @ 20 DB ABOVE REFERENCE LEVEL  
 MASK: B, VHF/UHF 25kHz, w/LPF

SUPERVISED BY:


*Morton Flom P. Eng.*

Morton Flom, P. Eng.

PAGE NO.

18 of 30. AMENDED October 6, 2000

NAME OF TEST: Emission Masks (Occupied Bandwidth)  
g00a0064: 2000-Oct-03 Tue 12:27:00  
STATE: 2:High Power



POWER:	HIGH
MODULATION:	5000 HZ @ 20 DB ABOVE REFERENCE LEVEL 99% POWER BANDWIDTH

SUPERVISED BY:


Morton Flom, P. Eng.

PAGE NO.


20 of 30. AMENDED October 6, 2000

NAME OF TEST: Modulation Limiting  
g00a0060: 2000-Oct-06 Fri 09:34:00  
STATE: 0:General

Positive  
Peaks:



Negative  
Peaks:



SUPERVISED BY:

Morton Flom, P. Eng.

PAGE NO. 25 of 30. AMENDED October 6, 2000  
NAME OF TEST: Necessary Bandwidth and Emission Bandwidth  
SPECIFICATION: 47 CFR 2.202(g)

MODULATION = 16K0F3E

NECESSARY BANDWIDTH CALCULATION:

MAXIMUM MODULATION (M), kHz	=	3
MAXIMUM DEVIATION (D), kHz	=	5
CONSTANT FACTOR (K)	=	1
NECESSARY BANDWIDTH ( $B_N$ ), kHz	=	2 (M + DK)
	=	16

SUPERVISED BY:



Morton Flom, P. Eng.